



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:25 PM UTC

PDB ID : 9NIR / pdb_00009nir
Title : Human Ectonucleotide pyrophosphatase/phosphodiesterase family member 3 (ENPP3) inhibitor complex
Authors : Fernandez, D.; Li, L.; Carozza, J.A.
Deposited on : 2025-02-26
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	NOT EXECUTED
Xtriage (Phenix)	:	2.0
EDS	:	NOT EXECUTED
Buster-report	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)


The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	820	77% 21% ..
2	B	3	67% 33%
2	C	3	33% 67%
2	D	3	67% 33%
2	E	3	100%
2	F	3	67% 33%
2	G	3	67% 33%
2	H	3	67% 33%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	2	 100%

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 6963 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ectonucleotide pyrophosphatase/phosphodiesterase family member 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	814	Total	C	N	O	S	0	0	0
			6567	4180	1118	1212	57			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	244	LYS	GLN	engineered mutation	UNP O14638
A	275	ASP	GLU	engineered mutation	UNP O14638

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	C	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	D	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	E	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	F	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	G	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	H	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	I	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is {2-[1-(8-methoxyquinazolin-4-yl)piperidin-4-yl]ethyl}phosphonic acid (CCD ID: A1BYU) (formula: C₁₆H₂₂N₃O₄P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			24	16	3	4	1		

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Zn	0	0
			2	2		

- Molecule 6 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Ca	0	0
			1	1		

- Molecule 7 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	2	Total	Cl	0	0
			2	2		

- Molecule 9 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	52	Total	O	0	0
			52	52		

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Ectonucleotide pyrophosphatase/phosphodiesterase family member 3



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  67% 33%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  100%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  67% 33%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  67% 33%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  67% 33%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



4 Data and refinement statistics

EDS was not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	72.93Å 72.93Å 382.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.68 – 2.70	Depositor
% Data completeness (in resolution range)	95.5 (30.68-2.70)	Depositor
R_{merge}	0.21	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 2.68Å)	Xtriage
Refinement program	REFMAC 5.8.0430	Depositor
R, R_{free}	0.270 , 0.333	Depositor
Wilson B-factor (Å ²)	41.3	Xtriage
Anisotropy	0.746	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.21$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6963	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, NAG, A1BYU, CA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/6764	1.01	4/9195 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	559	PHE	CA-CB-CG	6.13	119.93	113.80
1	A	193	HIS	CA-CB-CG	5.68	119.48	113.80
1	A	175	TYR	N-CA-CB	-5.40	102.24	110.07
1	A	457	ASP	CB-CA-C	5.19	118.09	109.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6567	0	6300	123	0
2	B	39	0	34	2	0
2	C	39	0	34	4	0
2	D	39	0	34	1	0
2	E	39	0	34	0	0
2	F	39	0	34	2	0
2	G	39	0	34	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	39	0	34	2	0
3	I	28	0	25	4	0
4	A	24	0	0	1	0
5	A	2	0	0	0	0
6	A	1	0	0	0	0
7	A	14	0	13	1	0
8	A	2	0	0	0	0
9	A	52	0	0	0	0
All	All	6963	0	6576	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:533:ASN:HD21	2:G:1:NAG:C1	1.33	1.38
1:A:279:ASN:HD21	3:I:1:NAG:C1	1.51	1.24
1:A:279:ASN:ND2	3:I:1:NAG:C1	2.01	1.23
1:A:426:ASN:HD21	2:F:1:NAG:C1	1.52	1.22
1:A:594:ASN:HD21	2:H:1:NAG:C1	1.55	1.20
1:A:533:ASN:ND2	2:G:1:NAG:C1	2.09	1.14
1:A:594:ASN:ND2	2:H:1:NAG:C1	2.11	1.13
1:A:699:ASN:HD21	2:C:1:NAG:C1	1.65	1.09
1:A:426:ASN:ND2	2:F:1:NAG:C1	2.20	1.04
1:A:699:ASN:HB2	1:A:704:SER:HB3	1.53	0.90
1:A:223:ILE:HA	1:A:228:MET:HE1	1.61	0.82
1:A:69:CYS:HG	1:A:82:CYS:HG	1.26	0.82
1:A:699:ASN:ND2	2:C:1:NAG:C1	2.45	0.77
1:A:728:PHE:HD2	1:A:729:HIS:ND1	1.88	0.71
1:A:431:LYS:HB2	1:A:434:GLN:HG2	1.75	0.68
1:A:70:ARG:HG3	1:A:78:ARG:NH2	2.11	0.65
1:A:664:CYS:HB3	1:A:709:LEU:HD13	1.82	0.62
1:A:808:ILE:HD12	1:A:809:PRO:HD2	1.82	0.62
1:A:205:THR:HA	1:A:372:ASP:OD2	2.00	0.61
1:A:783:VAL:HG22	1:A:805:PRO:HB3	1.81	0.61
1:A:399:TYR:O	1:A:404:PRO:HA	1.99	0.61
1:A:122:ARG:HH11	1:A:122:ARG:HB3	1.65	0.60
1:A:260:MET:HA	1:A:264:LEU:O	2.01	0.60
1:A:205:THR:HG21	4:A:901:A1BYU:C13	2.33	0.59
1:A:290:ASN:HD21	2:D:1:NAG:C7	2.16	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:PHE:HB2	1:A:226:ASN:OD1	2.02	0.58
1:A:402:PRO:HG2	1:A:483:HIS:O	2.04	0.58
1:A:236:ASN:ND2	2:B:1:NAG:C1	2.68	0.57
1:A:328:GLY:HA3	1:A:375:MET:HE3	1.85	0.57
1:A:562:CYS:HG	1:A:623:CYS:HG	1.53	0.56
1:A:224:ILE:HG13	1:A:228:MET:SD	2.46	0.56
1:A:745:VAL:HA	1:A:783:VAL:O	2.05	0.56
1:A:786:SER:HA	1:A:794:PRO:HG3	1.89	0.55
1:A:267:ALA:HB2	1:A:285:ILE:HG23	1.88	0.55
1:A:638:MET:HE1	1:A:642:MET:HG2	1.89	0.54
1:A:290:ASN:C	1:A:292:SER:H	2.15	0.54
1:A:218:PRO:HA	1:A:221:HIS:CE1	2.44	0.53
1:A:582:ASN:CG	7:A:905:NAG:C1	2.82	0.53
1:A:621:ASP:OD2	1:A:636:LYS:HD2	2.09	0.52
1:A:701:THR:OG1	1:A:704:SER:HB2	2.09	0.52
1:A:533:ASN:HD21	2:G:1:NAG:C2	2.14	0.52
1:A:690:HIS:HB2	1:A:714:LEU:HD22	1.90	0.52
1:A:824:GLU:C	1:A:826:LEU:H	2.17	0.52
1:A:192:ILE:CG2	1:A:498:ALA:HB3	2.40	0.52
1:A:122:ARG:HB3	1:A:122:ARG:NH1	2.25	0.52
1:A:400:GLU:HG2	1:A:470:VAL:HA	1.91	0.51
1:A:54:CYS:SG	1:A:82:CYS:HB2	2.51	0.51
1:A:638:MET:HG2	1:A:640:MET:HG2	1.92	0.51
1:A:743:VAL:HG21	1:A:784:LEU:HB3	1.92	0.51
1:A:130:LYS:HA	1:A:134:GLN:HG2	1.93	0.50
1:A:657:LEU:HD11	1:A:734:ILE:HD11	1.92	0.50
1:A:96:TRP:CE2	1:A:112:LEU:HD13	2.47	0.50
1:A:203:THR:OG1	1:A:485:TYR:O	2.30	0.50
1:A:533:ASN:CG	2:G:1:NAG:C1	2.80	0.50
1:A:595:LEU:HB3	1:A:599:GLU:HB2	1.93	0.49
1:A:156:PHE:HB3	1:A:364:CYS:SG	2.53	0.49
1:A:182:PRO:HD2	1:A:346:ASP:OD2	2.12	0.49
1:A:404:PRO:HD2	1:A:461:LEU:O	2.13	0.49
1:A:614:ARG:HG3	1:A:852:GLN:OE1	2.12	0.49
1:A:229:TYR:OH	1:A:412:PRO:HB3	2.13	0.48
1:A:241:SER:C	1:A:243:GLU:H	2.21	0.48
1:A:617:GLN:HB2	1:A:620:VAL:HG21	1.96	0.48
1:A:840:ARG:NH1	1:A:843:GLU:OE1	2.46	0.48
1:A:861:ILE:O	1:A:865:LYS:HG3	2.14	0.48
1:A:163:LEU:HB3	1:A:318:THR:HG22	1.96	0.48
1:A:408:ALA:HB2	1:A:418:PHE:HB2	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:855:VAL:O	1:A:856:GLN:HB2	2.13	0.48
1:A:600:ILE:O	1:A:603:THR:HG22	2.14	0.47
1:A:797:CYS:O	1:A:854:LYS:NZ	2.47	0.47
1:A:419:ASN:O	1:A:423:ILE:HG12	2.14	0.47
1:A:787:CYS:HG	1:A:797:CYS:HG	1.62	0.47
1:A:203:THR:HG22	1:A:373:HIS:HB2	1.95	0.46
1:A:266:ALA:HA	1:A:316:PHE:O	2.16	0.46
1:A:486:ASN:C	1:A:486:ASN:OD1	2.59	0.46
2:C:1:NAG:H62	2:C:2:NAG:O7	2.16	0.46
1:A:305:TRP:HA	1:A:308:LEU:HG	1.98	0.46
1:A:562:CYS:SG	1:A:623:CYS:SG	3.08	0.46
1:A:720:GLU:HB2	1:A:812:PRO:O	2.16	0.46
1:A:468:LEU:HD21	1:A:482:ASN:HD22	1.80	0.45
1:A:201:TYR:CD1	1:A:202:PRO:HA	2.51	0.45
1:A:259:ALA:HA	1:A:527:ILE:HD13	1.99	0.45
1:A:753:TYR:CE2	1:A:765:ILE:HG23	2.51	0.45
1:A:399:TYR:HB2	1:A:405:ARG:HB2	1.98	0.45
1:A:70:ARG:HG3	1:A:78:ARG:HH22	1.82	0.45
1:A:157:ASP:OD2	1:A:157:ASP:N	2.45	0.45
1:A:737:ALA:HB2	1:A:743:VAL:HG12	1.98	0.45
1:A:823:PRO:HD2	1:A:826:LEU:HD12	1.99	0.44
1:A:402:PRO:HB3	1:A:485:TYR:CE1	2.52	0.44
1:A:236:ASN:CG	2:B:1:NAG:C1	2.90	0.44
1:A:699:ASN:ND2	1:A:701:THR:O	2.50	0.44
1:A:166:MET:HG3	1:A:369:LEU:HD11	1.99	0.44
1:A:367:ILE:O	1:A:498:ALA:HA	2.18	0.44
1:A:823:PRO:HD2	1:A:826:LEU:CD1	2.47	0.44
1:A:610:PHE:O	1:A:853:ASP:HB2	2.18	0.43
1:A:724:MET:HG3	1:A:828:VAL:HG13	2.00	0.43
1:A:203:THR:HG22	1:A:373:HIS:CB	2.49	0.43
1:A:552:HIS:ND1	1:A:852:GLN:HG3	2.33	0.43
1:A:757:GLY:HA2	1:A:845:LEU:HD21	2.01	0.43
1:A:402:PRO:HB3	1:A:485:TYR:CZ	2.54	0.43
1:A:609:PRO:HG2	1:A:610:PHE:CE1	2.54	0.43
1:A:223:ILE:HA	1:A:228:MET:CE	2.42	0.43
1:A:695:PRO:HA	1:A:696:PRO:HD3	1.85	0.43
1:A:817:SER:HB3	1:A:827:TRP:HB2	2.01	0.43
1:A:525:LEU:O	1:A:526:ARG:HB2	2.18	0.43
1:A:617:GLN:HB2	1:A:620:VAL:CG2	2.48	0.43
1:A:261:TYR:CD1	3:I:2:NAG:H61	2.54	0.42
1:A:602:ALA:O	1:A:606:VAL:HG23	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:279:ASN:CG	3:I:1:NAG:C1	2.86	0.42
1:A:734:ILE:HD12	1:A:734:ILE:N	2.35	0.42
1:A:767:LYS:HB2	1:A:767:LYS:HE3	1.87	0.42
1:A:195:LYS:HB2	1:A:511:PRO:HD3	2.02	0.42
1:A:300:SER:O	1:A:304:LYS:HG3	2.19	0.42
1:A:555:GLU:HG3	1:A:615:VAL:H	1.85	0.42
1:A:372:ASP:OD2	1:A:373:HIS:HD2	1.96	0.41
1:A:733:LEU:HD11	1:A:745:VAL:HG21	2.03	0.41
1:A:302:LEU:HD23	1:A:352:LEU:HD13	2.02	0.41
1:A:743:VAL:CG2	1:A:784:LEU:HB3	2.51	0.41
1:A:200:MET:HE1	1:A:513:GLU:HB3	2.03	0.41
1:A:717:MET:HA	1:A:810:HIS:NE2	2.36	0.41
1:A:335:SER:OG	1:A:338:VAL:HG23	2.20	0.40
2:C:1:NAG:H83	2:C:1:NAG:H2	1.97	0.40
1:A:255:MET:HE3	1:A:525:LEU:HD12	2.04	0.40
1:A:290:ASN:C	1:A:292:SER:N	2.78	0.40
1:A:666:ARG:HG3	1:A:710:ILE:HG22	2.03	0.40
1:A:600:ILE:O	1:A:604:VAL:HG23	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	810/820 (99%)	747 (92%)	54 (7%)	9 (1%)	11 29

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	526	ARG
1	A	819	PRO
1	A	143	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	153	PRO
1	A	856	GLN
1	A	125	CYS
1	A	218	PRO
1	A	531	PRO
1	A	291	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	735/740 (99%)	720 (98%)	15 (2%)	48 76

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	ASP
1	A	122	ARG
1	A	125	CYS
1	A	157	ASP
1	A	193	HIS
1	A	203	THR
1	A	211	THR
1	A	221	HIS
1	A	285	ILE
1	A	313	ARG
1	A	441	THR
1	A	559	PHE
1	A	568	LEU
1	A	731	VAL
1	A	803	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	227	ASN
1	A	245	ASN
1	A	279	ASN
1	A	290	ASN
1	A	363	ASN
1	A	381	ASN
1	A	426	ASN
1	A	434	GLN
1	A	453	ASN
1	A	499	HIS
1	A	533	ASN
1	A	541	HIS
1	A	594	ASN
1	A	650	GLN
1	A	690	HIS
1	A	699	ASN
1	A	779	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains ⓘ



Mogul was not executed - this section is therefore empty.



5.5 Carbohydrates ⓘ


Mogul was not executed - this section is therefore empty.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry [i](#)

Mogul was not executed - this section is therefore empty.

5.7 Other polymers [i](#)

Mogul was not executed - this section is therefore empty.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.


6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)




EDS was not executed - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain D:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1BYU A 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.