



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 06:42 pm GMT

PDB ID : 5NNI  
Title : Dimer structure of Sortilin ectodomain crystal form 2, 3.2 Angstrom  
Authors : Leloup, N.O.L.; Janssen, B.J.C.  
Deposited on : 2017-04-09  
Resolution : 3.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	1145 (3.24-3.20)
Clashscore	122126	1266 (3.24-3.20)
Ramachandran outliers	120053	1245 (3.24-3.20)
Sidechain outliers	120020	1244 (3.24-3.20)
RSRZ outliers	108989	1103 (3.24-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	732	 2% 76% 13% 11%
1	B	732	 4% 76% 12% 11%

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 10409 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sortilin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	651	5120	3237	861	993	29	0	0	0
1	B	651	5116	3236	861	990	29	0	0	0

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	723	ALA	-	expression tag	UNP Q6PHU5
A	724	ALA	-	expression tag	UNP Q6PHU5
A	725	ALA	-	expression tag	UNP Q6PHU5
A	726	HIS	-	expression tag	UNP Q6PHU5
A	727	HIS	-	expression tag	UNP Q6PHU5
A	728	HIS	-	expression tag	UNP Q6PHU5
A	729	HIS	-	expression tag	UNP Q6PHU5
A	730	HIS	-	expression tag	UNP Q6PHU5
A	731	HIS	-	expression tag	UNP Q6PHU5
B	723	ALA	-	expression tag	UNP Q6PHU5
B	724	ALA	-	expression tag	UNP Q6PHU5
B	725	ALA	-	expression tag	UNP Q6PHU5
B	726	HIS	-	expression tag	UNP Q6PHU5
B	727	HIS	-	expression tag	UNP Q6PHU5
B	728	HIS	-	expression tag	UNP Q6PHU5
B	729	HIS	-	expression tag	UNP Q6PHU5
B	730	HIS	-	expression tag	UNP Q6PHU5
B	731	HIS	-	expression tag	UNP Q6PHU5

- Molecule 2 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 14	8	1	5	0	0
2	A	1	Total 14	8	1	5	0	0
2	A	1	Total 14	8	1	5	0	0
2	A	1	Total 14	8	1	5	0	0
2	A	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0
2	B	1	Total 14	8	1	5	0	0

- Molecule 3 is BETA-D-MANNOSE (three-letter code: BMA) (formula:  $C_6H_{12}O_6$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 11 6 5	0	0
3	A	1	Total C O 11 6 5	0	0
3	B	1	Total C O 11 6 5	0	0





HIS

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	79.84Å 137.17Å 147.56Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	62.20 – 3.21 62.20 – 3.21	Depositor EDS
% Data completeness (in resolution range)	99.5 (62.20-3.21) 99.5 (62.20-3.21)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.62 (at 3.19Å)	Xtrriage
Refinement program	PHENIX (1.11_2567: ???)	Depositor
R, $R_{free}$	0.227 , 0.255 0.228 , 0.255	Depositor DCC
$R_{free}$ test set	1365 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	94.3	Xtrriage
Anisotropy	0.384	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 56.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	10409	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	114.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/5240	0.43	0/7095
1	B	0.25	0/5237	0.43	0/7092
All	All	0.24	0/10477	0.43	0/14187

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5120	0	4903	55	0
1	B	5116	0	4905	56	0
2	A	70	0	61	0	0
2	B	70	0	62	6	0
3	A	22	0	20	0	0
3	B	11	0	10	0	0
All	All	10409	0	9961	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:ASN:HB3	2:B:802:NAG:H62	1.70	0.74
1:B:324:ASN:HB2	2:B:803:NAG:O7	1.92	0.70
1:B:94:LEU:HD11	1:B:133:ILE:HG13	1.73	0.69
1:B:140:ALA:HB3	1:B:150:ILE:HB	1.76	0.66
1:B:148:LYS:NZ	1:B:195:ASP:OD1	2.30	0.65
1:A:451:ALA:HB1	1:A:454:ILE:HD12	1.78	0.64
1:B:340:PHE:HB3	1:B:361:LEU:HD23	1.78	0.64
1:B:472:VAL:HB	1:B:486:LEU:HB2	1.79	0.64
1:B:375:THR:HG22	2:B:802:NAG:HN2	1.63	0.63
1:B:451:ALA:HB1	1:B:454:ILE:HD12	1.79	0.62
1:A:140:ALA:HB3	1:A:150:ILE:HB	1.81	0.62
1:A:344:PHE:HB3	1:A:353:TYR:HB3	1.83	0.60
1:A:66:ASN:HB3	1:A:570:ASP:HB3	1.83	0.60
1:A:557:GLU:HG3	1:B:509:ARG:HD3	1.84	0.59
1:A:284:VAL:HG21	1:A:712:LEU:HD11	1.84	0.59
1:A:148:LYS:NZ	1:A:195:ASP:OD1	2.35	0.59
1:B:407:LEU:HD11	1:B:482:TRP:HE1	1.70	0.57
1:B:694:MET:HG2	1:B:696:PRO:HD3	1.88	0.56
1:B:293:ARG:HH22	1:B:314:GLN:HA	1.69	0.56
1:A:94:LEU:HD11	1:A:133:ILE:HG13	1.88	0.55
1:B:66:ASN:HB3	1:B:570:ASP:HB3	1.88	0.55
1:A:293:ARG:NH1	1:A:318:TYR:OH	2.40	0.54
1:A:495:LEU:HD11	1:A:550:ILE:HG23	1.90	0.54
1:A:472:VAL:HB	1:A:486:LEU:HB2	1.91	0.53
1:B:344:PHE:HB3	1:B:353:TYR:HB3	1.91	0.53
1:A:346:SER:HB3	1:A:353:TYR:CE2	2.45	0.52
1:B:55:ARG:HH22	1:B:518:THR:H	1.55	0.52
1:B:89:GLY:HA2	1:B:117:TYR:CE2	2.45	0.52
1:A:472:VAL:HG21	1:A:490:HIS:HB2	1.92	0.52
1:B:116:ASP:OD1	1:B:116:ASP:N	2.43	0.51
1:A:128:ILE:O	1:A:131:THR:OG1	2.28	0.50
1:A:293:ARG:HH22	1:A:314:GLN:HA	1.77	0.50
1:A:206:LEU:HB2	1:A:223:VAL:HG21	1.95	0.49
1:A:326:ASP:O	1:A:348:ASP:HA	2.13	0.49
1:B:431:ALA:O	1:B:435:ILE:HG12	2.13	0.49
1:A:198:LEU:HD23	1:A:228:TRP:CE2	2.49	0.48
1:A:407:LEU:HD11	1:A:482:TRP:HE1	1.78	0.48
1:A:229:GLY:N	1:A:233:ILE:O	2.46	0.48
1:A:169:ASP:N	1:A:169:ASP:OD1	2.47	0.48
1:A:431:ALA:O	1:A:435:ILE:HG12	2.14	0.48
1:A:642:CYS:SG	1:A:648:ARG:HG3	2.54	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:ASP:OD1	1:A:116:ASP:N	2.47	0.48
1:A:676:HIS:HB2	1:A:703:LEU:HD11	1.95	0.47
1:A:73:ASP:OD1	1:A:563:GLN:NE2	2.47	0.47
1:B:370:ASP:HA	1:B:431:ALA:HB3	1.94	0.47
1:B:100:PRO:O	1:B:134:ARG:NH1	2.47	0.47
1:A:461:VAL:HG12	1:A:462:GLY:H	1.79	0.47
1:B:206:LEU:HB2	1:B:223:VAL:HG21	1.96	0.47
1:A:370:ASP:HA	1:A:431:ALA:HB3	1.97	0.47
1:B:83:TRP:HZ3	1:B:117:TYR:HD2	1.63	0.47
1:B:346:SER:HB3	1:B:353:TYR:CE2	2.50	0.47
1:A:597:TYR:CE2	1:A:598:LYS:HG3	2.50	0.46
1:B:548:MET:SD	1:B:619:GLN:NE2	2.88	0.46
1:A:102:VAL:HG23	1:A:103:ILE:HD12	1.97	0.46
1:A:243:SER:HB3	1:B:336:GLY:HA2	1.98	0.46
1:B:229:GLY:N	1:B:233:ILE:O	2.48	0.45
1:A:108:GLN:HE22	1:A:129:ASN:HA	1.82	0.45
1:B:642:CYS:SG	1:B:648:ARG:HG3	2.57	0.45
1:A:372:THR:HG21	1:A:445:PRO:HB2	1.99	0.45
1:B:324:ASN:CB	2:B:802:NAG:H62	2.42	0.45
1:B:641:LEU:HG	1:B:685:ILE:HG12	1.97	0.45
1:B:293:ARG:NH1	1:B:318:TYR:OH	2.50	0.44
1:A:665:GLU:OE1	1:A:676:HIS:NE2	2.42	0.44
1:A:674:GLU:HG2	1:A:707:CYS:SG	2.58	0.44
1:B:324:ASN:HB2	2:B:803:NAG:C7	2.47	0.44
1:B:84:VAL:HB	1:B:90:VAL:HB	1.98	0.44
1:A:495:LEU:HD21	1:A:541:SER:HB3	2.00	0.44
1:B:461:VAL:HG12	1:B:462:GLY:H	1.81	0.44
1:B:150:ILE:HG21	1:B:187:MET:HG3	2.00	0.44
1:A:266:ILE:HD12	1:A:301:GLY:HA3	1.99	0.43
1:A:70:HIS:CE1	1:A:121:PHE:HB2	2.53	0.43
1:A:667:GLU:HB3	1:A:674:GLU:OE1	2.18	0.43
1:B:286:ALA:N	1:B:291:THR:O	2.43	0.43
1:B:606:LYS:HB2	1:B:633:CYS:SG	2.59	0.43
1:A:150:ILE:HG21	1:A:187:MET:HG3	1.99	0.43
1:A:597:TYR:CD2	1:A:598:LYS:HG3	2.53	0.43
1:A:606:LYS:HB2	1:A:633:CYS:SG	2.58	0.43
1:A:361:LEU:HD21	1:A:386:LEU:HB2	1.99	0.43
1:B:89:GLY:HA2	1:B:117:TYR:CD2	2.54	0.43
1:A:166:ARG:HD2	1:A:212:PHE:O	2.19	0.43
1:B:100:PRO:HB2	1:B:103:ILE:HD13	2.00	0.43
1:A:523:CYS:SG	1:A:614:LYS:HG2	2.59	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:399:ASP:OD1	1:A:399:ASP:N	2.51	0.43
1:B:340:PHE:CD1	1:B:359:ARG:HA	2.54	0.43
1:B:472:VAL:HG21	1:B:490:HIS:HB2	2.00	0.43
1:B:198:LEU:HD23	1:B:228:TRP:CE2	2.54	0.42
1:B:166:ARG:HD2	1:B:212:PHE:O	2.19	0.42
1:B:324:ASN:HB3	2:B:802:NAG:C6	2.46	0.42
1:B:514:ILE:HD13	1:B:514:ILE:HA	1.87	0.42
1:A:674:GLU:HG3	1:A:705:LYS:HB3	2.00	0.42
1:A:640:PHE:HB3	1:A:682:TYR:HB3	2.02	0.42
1:B:399:ASP:OD1	1:B:399:ASP:N	2.53	0.42
1:B:75:LEU:HB2	1:B:564:TRP:CD1	2.55	0.42
1:B:361:LEU:HD21	1:B:386:LEU:HB2	2.01	0.42
1:A:211:ASN:ND2	1:A:214:GLU:HB3	2.35	0.42
1:A:378:ARG:HH12	1:A:603:LEU:HB2	1.85	0.42
1:B:211:ASN:ND2	1:B:214:GLU:HB3	2.35	0.42
1:B:70:HIS:CE1	1:B:121:PHE:HB2	2.55	0.41
1:A:446:LEU:HB3	1:A:456:ILE:HG23	2.03	0.41
1:B:108:GLN:OE1	1:B:130:ASN:N	2.52	0.41
1:A:108:GLN:NE2	1:A:129:ASN:HA	2.36	0.41
1:A:331:HIS:NE2	1:A:333:ASP:OD1	2.54	0.41
1:B:58:ASP:N	1:B:58:ASP:OD1	2.52	0.41
1:A:519:ASP:HB3	1:A:616:SER:H	1.86	0.41
1:A:433:TYR:O	1:A:437:GLN:HG2	2.21	0.40
1:B:326:ASP:O	1:B:348:ASP:HA	2.21	0.40
1:B:164:VAL:HG13	1:B:179:LEU:HD11	2.03	0.40
1:B:369:THR:O	1:B:432:SER:HB2	2.21	0.40
1:B:90:VAL:HG11	1:B:171:ALA:HB3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	641/732 (88%)	609 (95%)	32 (5%)	0	100	100
1	B	643/732 (88%)	599 (93%)	42 (6%)	2 (0%)	43	78
All	All	1284/1464 (88%)	1208 (94%)	74 (6%)	2 (0%)	49	83

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	340	PHE
1	B	626	VAL

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	568/626 (91%)	565 (100%)	3 (0%)	90	95
1	B	567/626 (91%)	560 (99%)	7 (1%)	74	89
All	All	1135/1252 (91%)	1125 (99%)	10 (1%)	81	92

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	LEU
1	A	220	HIS
1	A	707	CYS
1	B	220	HIS
1	B	412	ASN
1	B	495	LEU
1	B	582	ASP
1	B	605	TYR
1	B	674	GLU
1	B	707	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	423	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	A	801	1	14,14,15	0.37	0	17,19,21	1.13	1 (5%)
2	NAG	A	802	1,2	14,14,15	0.54	0	17,19,21	1.94	4 (23%)
2	NAG	A	803	3,2	14,14,15	0.23	0	17,19,21	2.07	6 (35%)
3	BMA	A	804	2	11,11,12	0.28	0	15,15,17	0.72	0
2	NAG	A	805	1,2	14,14,15	0.29	0	17,19,21	0.71	0
2	NAG	A	806	3,2	14,14,15	0.29	0	17,19,21	1.09	2 (11%)
3	BMA	A	807	2	11,11,12	0.29	0	15,15,17	0.92	0
2	NAG	B	801	1	14,14,15	0.27	0	17,19,21	0.71	0
2	NAG	B	802	1,2	14,14,15	0.43	0	17,19,21	1.49	4 (23%)
2	NAG	B	803	2	14,14,15	0.37	0	17,19,21	2.05	4 (23%)
2	NAG	B	804	1,2	14,14,15	0.35	0	17,19,21	1.61	3 (17%)
2	NAG	B	805	1,3,2	14,14,15	0.68	0	17,19,21	2.41	5 (29%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	BMA	B	806	2	11,11,12	0.33	0	15,15,17	1.54	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	801	1	-	0/6/23/26	0/1/1/1
2	NAG	A	802	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	803	3,2	-	0/6/23/26	0/1/1/1
3	BMA	A	804	2	-	0/2/19/22	0/1/1/1
2	NAG	A	805	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	806	3,2	-	0/6/23/26	0/1/1/1
3	BMA	A	807	2	-	0/2/19/22	0/1/1/1
2	NAG	B	801	1	-	0/6/23/26	0/1/1/1
2	NAG	B	802	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	803	2	-	0/6/23/26	0/1/1/1
2	NAG	B	804	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	805	1,3,2	-	0/6/23/26	0/1/1/1
3	BMA	B	806	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	803	NAG	C1-O5-C5	-5.41	104.75	112.19
2	B	805	NAG	O4-C4-C5	-5.17	96.36	109.31
2	B	805	NAG	O4-C4-C3	-4.79	99.15	110.34
2	B	804	NAG	O4-C4-C3	-4.75	99.25	110.34
2	B	805	NAG	C1-O5-C5	-4.65	105.79	112.19
2	A	802	NAG	O4-C4-C5	-4.60	97.77	109.31
3	B	806	BMA	C1-O5-C5	-4.07	106.59	112.19
2	A	802	NAG	C1-C2-N2	-3.30	104.85	110.49
2	B	802	NAG	O4-C4-C5	-3.25	101.17	109.31
2	B	803	NAG	O5-C1-C2	-3.03	107.34	111.52
3	B	806	BMA	C1-C2-C3	-2.99	105.87	109.66
2	A	803	NAG	O4-C4-C5	-2.80	102.30	109.31
2	A	803	NAG	O4-C4-C3	-2.65	104.15	110.34
2	A	806	NAG	O5-C1-C2	-2.60	107.94	111.52
2	B	802	NAG	O5-C5-C6	-2.55	103.12	107.15
2	A	806	NAG	O4-C4-C5	-2.54	102.93	109.31

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	802	NAG	C4-C3-C2	-2.47	107.39	111.02
2	A	803	NAG	C1-C2-N2	-2.40	106.40	110.49
2	B	802	NAG	O3-C3-C4	-2.39	104.77	110.34
2	B	805	NAG	O3-C3-C4	2.09	115.23	110.34
3	B	806	BMA	O5-C5-C6	2.21	110.65	107.15
2	B	804	NAG	O5-C5-C6	2.42	110.97	107.15
2	A	803	NAG	O5-C1-C2	2.45	114.91	111.52
2	B	803	NAG	C8-C7-N2	2.49	120.46	116.10
2	B	802	NAG	C4-C3-C2	2.90	115.26	111.02
2	B	805	NAG	C1-C2-N2	2.94	115.50	110.49
2	A	803	NAG	C2-N2-C7	3.11	127.48	122.94
2	B	803	NAG	C1-C2-N2	3.24	116.02	110.49
2	B	804	NAG	O3-C3-C2	3.34	116.54	109.39
2	A	801	NAG	C1-O5-C5	3.46	116.95	112.19
2	A	802	NAG	O4-C4-C3	4.06	119.83	110.34
2	B	803	NAG	C2-N2-C7	5.62	131.14	122.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	802	NAG	4	0
2	B	803	NAG	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	651/732 (88%)	0.16	13 (1%) 65 51	45, 96, 167, 240	0
1	B	651/732 (88%)	0.36	29 (4%) 33 22	71, 119, 193, 278	0
All	All	1302/1464 (88%)	0.26	42 (3%) 47 32	45, 108, 184, 278	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	668	PHE	6.2
1	A	423	ASN	4.8
1	B	56	LEU	4.6
1	B	700	VAL	4.5
1	B	337	ASP	4.4
1	B	677	LEU	4.3
1	A	704	LYS	4.3
1	B	624	TYR	4.2
1	A	703	LEU	4.2
1	B	675	GLU	3.8
1	B	315	GLU	3.7
1	B	669	CYS	3.6
1	B	576	GLU	3.5
1	B	119	LYS	3.3
1	B	711	PHE	3.2
1	B	294	ILE	3.1
1	B	557	GLU	2.9
1	A	627	ALA	2.9
1	B	318	TYR	2.9
1	A	681	GLY	2.9
1	B	596	ASP	2.8
1	B	502	VAL	2.7
1	B	710	ASN	2.7
1	B	298	THR	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	253	LEU	2.6
1	B	644	PHE	2.6
1	B	550	ILE	2.5
1	B	55	ARG	2.5
1	A	709	SER	2.4
1	A	236	PHE	2.4
1	A	318	TYR	2.4
1	B	382	ILE	2.4
1	A	412	ASN	2.3
1	B	344	PHE	2.2
1	A	634	PRO	2.2
1	B	551	SER	2.2
1	A	597	TYR	2.2
1	A	56	LEU	2.1
1	B	573	ASP	2.1
1	B	666	LEU	2.1
1	B	58	ASP	2.0
1	B	324	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	BMA	A	807	11/12	0.56	0.23	127,132,137,142	0
2	NAG	B	803	14/15	0.66	0.36	145,155,158,159	0
2	NAG	B	805	14/15	0.74	0.28	149,159,164,165	0
3	BMA	B	806	11/12	0.77	0.24	162,165,167,169	0
2	NAG	B	802	14/15	0.79	0.39	140,154,163,164	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	BMA	A	804	11/12	0.80	0.30	142,149,153,153	0
2	NAG	A	801	14/15	0.84	0.24	149,157,170,172	0
2	NAG	B	801	14/15	0.87	0.19	110,118,125,125	0
2	NAG	A	802	14/15	0.89	0.27	87,102,111,117	0
2	NAG	B	804	14/15	0.90	0.20	107,124,135,143	0
2	NAG	A	805	14/15	0.90	0.19	92,101,109,113	0
2	NAG	A	803	14/15	0.91	0.18	92,116,126,134	0
2	NAG	A	806	14/15	0.92	0.18	84,109,116,121	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.