



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 18, 2021 – 08:01 am BST

PDB ID : 7NQ4
Title : Human tRNA guanine transglycosylase (TGT), RNA-bound covalent intermediate
Authors : Sievers, K.; Ficner, R.
Deposited on : 2021-03-01
Resolution : 2.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2947 (2.90-2.86)
Ramachandran outliers	138981	2868 (2.90-2.86)
Sidechain outliers	138945	2871 (2.90-2.86)
RNA backbone	3102	1121 (3.16-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	405	
2	B	415	
3	C	20	

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 6396 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Queuine tRNA-ribosyltransferase catalytic subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	390	2989	1880	531	552	26	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP Q9BXR0
A	0	PRO	-	expression tag	UNP Q9BXR0

- Molecule 2 is a protein called Queuine tRNA-ribosyltransferase accessory subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	381	2976	1885	515	554	22	0	0	0


- Molecule 3 is a RNA chain called RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	C	20	414	186	74	135	19	0	0	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		
4	B	1	Total	Zn	0	0
			1	1		

- Molecule 5 is 9-DEAZAGUANINE (three-letter code: 9DG) (formula: C₆H₆N₄O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	11	6	4	1	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	O	0	0
			1	1		
6	B	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Queuine tRNA-ribosyltransferase catalytic subunit 1

Chain A: 



- Molecule 2: Queuine tRNA-ribosyltransferase accessory subunit 2

Chain B: 



- Molecule 3: RNA

Chain C: 



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	161.84Å 56.96Å 102.96Å 90.00° 124.94° 90.00°	Depositor
Resolution (Å)	42.20 – 2.88	Depositor
% Data completeness (in resolution range)	99.2 (42.20-2.88)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC v5.8.0267, PHENIX v1.19.1_4122	Depositor
R, R_{free}	0.212 , 0.248	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6396	wwPDB-VP
Average B, all atoms (Å ²)	88.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 9DG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/3054	0.63	0/4144
2	B	0.32	0/3036	0.60	0/4104
3	C	0.59	0/462	0.88	0/718
All	All	0.35	0/6552	0.64	0/8966

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2989	0	2963	48	0
2	B	2976	0	2947	48	0
3	C	414	0	214	5	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	11	0	6	0	0
6	A	1	0	0	0	0
6	B	3	0	0	0	0
All	All	6396	0	6130	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 8.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:141:PHE:CZ	2:B:189:ILE:HG12	1.84	1.12
1:A:384:PRO:HB3	1:A:402:LEU:HB3	1.46	0.97
2:B:237:SER:HB3	2:B:266:ARG:HG2	1.49	0.93
1:A:281:VAL:HG11	3:C:35:U:H5'	1.61	0.82
1:A:206:ASP:OD2	1:A:209:LEU:HG	1.83	0.79
2:B:178:GLN:OE1	2:B:189:ILE:HD12	1.83	0.78
2:B:106:GLY:HA2	2:B:114:SER:O	1.85	0.77
1:A:71:LEU:HD22	1:A:103:LEU:HB3	1.67	0.77
1:A:81:PRO:HB2	1:A:85:LEU:HD23	1.68	0.75
2:B:104:PRO:HB2	2:B:116:TRP:CD1	2.22	0.74
1:A:384:PRO:HB3	1:A:402:LEU:CB	2.17	0.74
2:B:141:PHE:CZ	2:B:189:ILE:CG1	2.70	0.71
1:A:311:GLY:O	1:A:327:ARG:HG3	1.93	0.69
1:A:50:THR:HG23	1:A:73:ASN:HB3	1.73	0.68
1:A:203:GLY:HA3	1:A:210:ARG:HA	1.77	0.66
1:A:288:ARG:HA	1:A:342:LEU:HD22	1.78	0.65
1:A:383:ASP:OD2	1:A:385:THR:HG23	1.96	0.65
2:B:108:VAL:HG13	2:B:113:VAL:HG22	1.81	0.63
1:A:57:ILE:HD11	1:A:62:LEU:HG	1.80	0.63
2:B:45:LEU:HD22	2:B:49:THR:CG2	2.28	0.63
2:B:233:LEU:HG	2:B:266:ARG:NE	2.14	0.63
2:B:178:GLN:OE1	2:B:189:ILE:CD1	2.47	0.62
2:B:194:GLU:O	2:B:202:ARG:HD3	2.01	0.61
1:A:383:ASP:HB3	1:A:385:THR:OG1	2.01	0.61
1:A:54:MET:HB3	1:A:57:ILE:HG12	1.83	0.61
1:A:360:VAL:HG22	1:A:372:PHE:CE1	2.36	0.60
1:A:281:VAL:HG11	3:C:35:U:C5'	2.31	0.59
1:A:286:THR:HG23	1:A:291:SER:HB2	1.85	0.59
2:B:49:THR:HG23	2:B:381:MET:SD	2.44	0.58
2:B:199:MET:HA	2:B:235:LEU:HD11	1.88	0.55
1:A:53:THR:HG21	2:B:372:GLU:HG2	1.90	0.54
2:B:105:ALA:HB1	2:B:148:GLU:HG2	1.90	0.54
1:A:383:ASP:OD2	1:A:385:THR:N	2.41	0.54
2:B:373:LEU:HD21	3:C:38:A:C4	2.43	0.54
2:B:45:LEU:HD22	2:B:49:THR:HG21	1.88	0.53
1:A:214:LEU:HD11	1:A:246:SER:HA	1.91	0.53
2:B:134:LYS:O	2:B:137:GLN:HG3	2.09	0.53
2:B:181:SER:O	2:B:185:GLN:HG2	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:ARG:N	1:A:192:PRO:HD3	2.24	0.53
1:A:388:PRO:HB2	1:A:390:TRP:CD1	2.44	0.52
2:B:34:LEU:CD2	2:B:59:MET:HB3	2.40	0.52
2:B:45:LEU:HD22	2:B:49:THR:HG22	1.91	0.52
2:B:347:LEU:HB2	2:B:356:CYS:SG	2.51	0.51
1:A:197:LEU:O	1:A:223:PRO:HD2	2.11	0.49
1:A:369:PHE:HB3	1:A:370:PRO:HD3	1.94	0.49
2:B:20:LEU:HD12	2:B:91:LEU:HD13	1.95	0.49
3:C:25:A:H3'	3:C:26:G:H8	1.78	0.49
1:A:146:ILE:O	1:A:150:LEU:HG	2.14	0.48
2:B:390:PHE:CZ	2:B:394:ILE:HD11	2.47	0.48
1:A:226:ALA:HA	1:A:257:TYR:O	2.14	0.48
2:B:131:ALA:HA	2:B:134:LYS:HE3	1.96	0.48
1:A:182:LEU:O	1:A:186:ILE:HG13	2.14	0.47
1:A:377:MET:HB3	1:A:387:CYS:SG	2.55	0.47
1:A:258:LEU:HD23	1:A:261:VAL:HG21	1.96	0.47
1:A:288:ARG:HH22	3:C:35:U:H3	1.63	0.47
2:B:223:GLN:HB3	2:B:253:GLY:HA3	1.97	0.46
1:A:203:GLY:HA3	1:A:210:ARG:CA	2.46	0.45
1:A:157:GLN:HG3	1:A:182:LEU:HA	1.99	0.45
2:B:107:TYR:CE2	2:B:116:TRP:HZ2	2.34	0.44
2:B:108:VAL:HG22	2:B:113:VAL:HG13	1.99	0.44
1:A:27:ARG:O	1:A:29:ARG:HG3	2.17	0.44
2:B:275:PHE:N	2:B:276:PRO:HD2	2.32	0.44
1:A:152:SER:OG	1:A:155:ILE:HG22	2.18	0.44
2:B:193:ILE:HG21	2:B:239:VAL:CG1	2.48	0.44
2:B:335:LEU:HD11	2:B:347:LEU:CD2	2.47	0.44
1:A:287:ALA:HB2	1:A:349:ASN:HD22	1.82	0.44
2:B:181:SER:HB3	2:B:184:LEU:HD12	1.98	0.44
2:B:20:LEU:HD22	2:B:20:LEU:HA	1.85	0.43
1:A:170:ARG:HD2	1:A:170:ARG:HA	1.81	0.43
2:B:141:PHE:CE1	2:B:189:ILE:HG12	2.47	0.43
1:A:298:ASN:N	1:A:298:ASN:OD1	2.52	0.43
2:B:345:ASN:O	2:B:361:ARG:HG3	2.18	0.43
2:B:43:PRO:O	2:B:44:HIS:HB2	2.18	0.42
1:A:210:ARG:HD2	1:A:242:MET:HE3	2.01	0.42
2:B:335:LEU:HD13	2:B:364:ILE:HG21	2.01	0.42
2:B:113:VAL:HB	2:B:144:LEU:HD11	2.02	0.42
2:B:250:LEU:HD12	2:B:250:LEU:N	2.34	0.42
2:B:71:HIS:CD2	2:B:132:ILE:HA	2.55	0.42
2:B:230:GLU:O	2:B:233:LEU:HD22	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:340:TYR:O	2:B:362:ALA:HA	2.20	0.41
1:A:50:THR:HG23	1:A:73:ASN:CB	2.45	0.41
1:A:42:THR:HA	1:A:43:PRO:C	2.40	0.41
2:B:128:LYS:O	2:B:132:ILE:HG13	2.20	0.41
1:A:85:LEU:HD13	2:B:342:GLU:HG2	2.03	0.41
1:A:120:VAL:HG12	1:A:177:ARG:HH12	1.86	0.41
1:A:215:GLU:O	1:A:219:LYS:HG3	2.21	0.41
2:B:346:PRO:HB3	2:B:356:CYS:O	2.20	0.41
2:B:398:LEU:HD23	2:B:398:LEU:HA	1.92	0.41
1:A:98:TRP:HA	1:A:99:PRO:HD2	1.94	0.40
2:B:177:LEU:HD23	2:B:177:LEU:HA	1.85	0.40
1:A:49:GLY:O	1:A:71:LEU:O	2.40	0.40
1:A:159:ASP:OD2	1:A:161:VAL:HG22	2.22	0.40
1:A:236:LYS:HD3	1:A:236:LYS:HA	1.97	0.40
1:A:218:THR:HA	1:A:225:PHE:CZ	2.57	0.40
2:B:64:LEU:HD12	2:B:96:LEU:HD12	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	388/405 (96%)	376 (97%)	12 (3%)	0	100	100
2	B	377/415 (91%)	360 (96%)	17 (4%)	0	100	100
All	All	765/820 (93%)	736 (96%)	29 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	324/335 (97%)	313 (97%)	11 (3%)	37	69
2	B	328/368 (89%)	314 (96%)	14 (4%)	29	60
All	All	652/703 (93%)	627 (96%)	25 (4%)	33	65

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	THR
1	A	117	LEU
1	A	129	SER
1	A	131	TYR
1	A	157	GLN
1	A	166	VAL
1	A	189	HIS
1	A	286	THR
1	A	326	SER
1	A	354	LEU
1	A	380	MET
2	B	20	LEU
2	B	22	LYS
2	B	23	THR
2	B	41	SER
2	B	103	CYS
2	B	118	VAL
2	B	182	GLU
2	B	223	GLN
2	B	233	LEU
2	B	235	LEU
2	B	353	CYS
2	B	372	GLU
2	B	384	PHE
2	B	408	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	87	GLN
1	A	90	ASN
1	A	148	ASN
1	A	335	HIS
2	B	71	HIS
2	B	223	GLN
2	B	392	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	C	19/20 (95%)	6 (31%)	1 (5%)

All (6) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	C	26	G
3	C	34	G
3	C	36	A
3	C	37	A
3	C	38	A
3	C	43	G

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	C	32	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	9DG	A	502	-	10,12,12	1.37	1 (10%)	9,17,17	3.31	3 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	9DG	A	502	-	-	-	0/2/2/2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	502	9DG	C6-N1	3.72	1.39	1.33

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	502	9DG	C5-C6-N1	-7.49	113.18	123.43
5	A	502	9DG	C6-N1-C2	5.09	124.02	115.93
5	A	502	9DG	N3-C2-N1	-3.47	122.59	127.22

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.