

Full wwPDB X-ray Structure Validation Report (i)

Aug 30, 2023 - 02:10 AM EDT

PDB ID	:	3NRJ
Title	:	Crystal structure of probable yrbi family phosphatase from pseudomonas sy-
		ringae pv.phaseolica 1448a complexed with magnesium
Authors	:	Patskovsky, Y.; Ramagopal, U.; Toro, R.; Freeman, J.; Sauder, J.M.; Burley,
		S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics
		(NYSGXRC)
Deposited on	:	2010-06-30
Resolution	:	1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	189	75%	18%	7%
1	В	189	3% 79%	11%	• 8%
1	С	189	81%	10%	8%
1	D	189	80%	10%	9%



Conti	nueu jron	i previous	paye		
Mol	Chain	Length	Quality of chain		
1	Б	100	.% ■		
1	E	189	82%	9%	• 7%
1	Б	100	2%		
	F	189	79%	13%	8%
1	G	100	2%	_	
1	G	189	79%	12%	8%
		1.0.0	.% ■		
1	H	189	80%	11%	9%
	_		2%		
1	I	189	81%	12%	6%
			2%		
1	J	189	69%	21% •	9%
			5%		
1	K	189	74%	16% ·	9%
	-		3%		
1	L	189	76%	15%	9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PO4	D	190	-	-	Х	-
4	PO4	Н	189	-	-	Х	-
4	PO4	Ι	189	-	-	Х	-

Continued from previous page...



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 17050 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	176	Total	С	Ν	0	S	0	10	0
1	A	170	1404	884	255	259	6	0	10	0
1	р	179	Total	С	Ν	0	S	0	Б	0
	D	175	1348	849	242	251	6	0	5	0
1	С	173	Total	С	Ν	0	S	0	6	0
1	U	175	1353	852	242	254	5	0	0	0
1	а	179	Total	С	Ν	Ο	\mathbf{S}	0	7	0
1	D	112	1344	849	238	251	6	0	1	0
1	E	175	Total	С	Ν	Ο	\mathbf{S}	0	3	Ο
L		110	1350	849	241	254	6	0	0	0
1	F	174	Total	С	Ν	Ο	\mathbf{S}	0	4	0
1	Ľ	114	1341	845	238	252	6		Ŧ	0
1	C	173	Total	С	Ν	0	\mathbf{S}	0	1	0
1	G	115	1336	842	236	252	6	0	4	0
1	ц	179	Total	С	Ν	Ο	S	0	4	0
	11	112	1336	843	237	250	6	0	4	0
1	т	177	Total	С	Ν	0	\mathbf{S}	0	7	0
1	L	111	1386	872	245	262	7	0	1	0
1	т	179	Total	С	Ν	0	S	0	9	0
1	J	112	1321	831	238	247	5	0	2	0
1	K	179	Total	С	Ν	0	S	0	1	0
	17	112	1316	829	235	247	5	0		0
1	T	179	Total	С	Ν	0	S	0	1	0
		112	1329	838	235	250	6	0	4	

• Molecule 1 is a protein called PROBABLE YRBI FAMILY PHOSPHATASE.

There are 144 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-1	MET	-	expression tag	UNP Q48EB9
А	0	SER	-	expression tag	UNP Q48EB9
А	1	LEU	-	expression tag	UNP Q48EB9
А	151	GLN	ARG	engineered mutation	UNP Q48EB9
А	180	GLU	-	expression tag	UNP Q48EB9



D

D

D

184

185

186

Chain	Residue	Modelled	Actual	Comment	Reference
А	181	GLY	-	expression tag	UNP Q48EB9
А	182	HIS	_	expression tag	UNP Q48EB9
А	183	HIS	-	expression tag	UNP Q48EB9
А	184	HIS	_	expression tag	UNP Q48EB9
А	185	HIS	-	expression tag	UNP Q48EB9
А	186	HIS	-	expression tag	UNP Q48EB9
А	187	HIS	-	expression tag	UNP Q48EB9
В	-1	MET	-	expression tag	UNP Q48EB9
В	0	SER	-	expression tag	UNP Q48EB9
В	1	LEU	-	expression tag	UNP Q48EB9
В	151	GLN	ARG	engineered mutation	UNP Q48EB9
В	180	GLU	-	expression tag	UNP Q48EB9
В	181	GLY	-	expression tag	UNP Q48EB9
В	182	HIS	-	expression tag	UNP Q48EB9
В	183	HIS	-	expression tag	UNP Q48EB9
В	184	HIS	-	expression tag	UNP Q48EB9
В	185	HIS	-	expression tag	UNP Q48EB9
В	186	HIS	-	expression tag	UNP Q48EB9
В	187	HIS	-	expression tag	UNP Q48EB9
С	-1	MET	-	expression tag	UNP Q48EB9
С	0	SER	-	expression tag	UNP Q48EB9
С	1	LEU	-	expression tag	UNP Q48EB9
С	151	GLN	ARG	engineered mutation	UNP Q48EB9
С	180	GLU	-	expression tag	UNP Q48EB9
С	181	GLY	-	expression tag	UNP Q48EB9
С	182	HIS	-	expression tag	UNP Q48EB9
С	183	HIS	-	expression tag	UNP Q48EB9
С	184	HIS	-	expression tag	UNP Q48EB9
\mathbf{C}	185	HIS	-	expression tag	UNP Q48EB9
С	186	HIS	-	expression tag	UNP Q48EB9
С	187	HIS	-	expression tag	UNP Q48EB9
D	-1	MET	-	expression tag	UNP Q48EB9
D	0	SER	-	expression tag	UNP Q48EB9
D	1	LEU	-	expression tag	UNP Q48EB9
D	151	GLN	ARG	engineered mutation	UNP Q48EB9
D	180	GLU	-	expression tag	UNP Q48EB9
D	181	GLY	-	expression tag	UNP Q48EB9
D	182	HIS	-	expression tag	UNP Q48EB9
D	183	HIS	-	expression tag	UNP Q48EB9

Continued on next page...

UNP Q48EB9

UNP Q48EB9

UNP Q48EB9



expression tag

expression tag

expression tag

HIS

HIS

HIS

-

-

-

3NRJ

Chain	Residue	Modelled	Actual	Comment	Reference
D	187	HIS	-	expression tag	UNP Q48EB9
Е	-1	MET	-	expression tag	UNP Q48EB9
Е	0	SER	-	expression tag	UNP Q48EB9
Е	1	LEU	-	expression tag	UNP Q48EB9
Е	151	GLN	ARG	engineered mutation	UNP Q48EB9
E	180	GLU	-	expression tag	UNP Q48EB9
Е	181	GLY	-	expression tag	UNP Q48EB9
Е	182	HIS	-	expression tag	UNP Q48EB9
Е	183	HIS	-	expression tag	UNP Q48EB9
Е	184	HIS	-	expression tag	UNP Q48EB9
Е	185	HIS	-	expression tag	UNP Q48EB9
Е	186	HIS	-	expression tag	UNP Q48EB9
Е	187	HIS	-	expression tag	UNP Q48EB9
F	-1	MET	-	expression tag	UNP Q48EB9
F	0	SER	-	expression tag	UNP Q48EB9
F	1	LEU	-	expression tag	UNP Q48EB9
F	151	GLN	ARG	engineered mutation	UNP Q48EB9
F	180	GLU	-	expression tag	UNP Q48EB9
F	181	GLY	-	expression tag	UNP Q48EB9
F	182	HIS	-	expression tag	UNP Q48EB9
F	183	HIS	-	expression tag	UNP Q48EB9
F	184	HIS	-	expression tag	UNP Q48EB9
F	185	HIS	-	expression tag	UNP Q48EB9
F	186	HIS	-	expression tag	UNP Q48EB9
F	187	HIS	-	expression tag	UNP Q48EB9
G	-1	MET	-	expression tag	UNP Q48EB9
G	0	SER	-	expression tag	UNP Q48EB9
G	1	LEU	-	expression tag	UNP Q48EB9
G	151	GLN	ARG	engineered mutation	UNP Q48EB9
G	180	GLU	-	expression tag	UNP Q48EB9
G	181	GLY	-	expression tag	UNP Q48EB9
G	182	HIS	-	expression tag	UNP Q48EB9
G	183	HIS	-	expression tag	UNP Q48EB9
G	184	HIS	-	expression tag	UNP Q48EB9
G	185	HIS	-	expression tag	UNP Q48EB9
G	186	HIS	-	expression tag	UNP Q48EB9
G	187	HIS	-	expression tag	UNP Q48EB9
Н	-1	MET	-	expression tag	UNP Q48EB9
H	0	SER	-	expression tag	UNP Q48EB9
H	1	LEU	-	expression tag	UNP Q48EB9
H	151	GLN	ARG	engineered mutation	UNP Q48EB9
Н	180	GLU	-	expression tag	UNP Q48EB9



	Reference	
g	UNP Q48EB9	

Chain	Residue	Modelled	Actual	Comment	Reference
Н	181	GLY	-	expression tag	UNP Q48EB9
Н	182	HIS	-	expression tag	UNP Q48EB9
Н	183	HIS	-	expression tag	UNP Q48EB9
Н	184	HIS	-	expression tag	UNP Q48EB9
Н	185	HIS	-	expression tag	UNP Q48EB9
Н	186	HIS	-	expression tag	UNP Q48EB9
Н	187	HIS	-	expression tag	UNP Q48EB9
Ι	-1	MET	-	expression tag	UNP Q48EB9
Ι	0	SER	-	expression tag	UNP Q48EB9
Ι	1	LEU	-	expression tag	UNP Q48EB9
Ι	151	GLN	ARG	engineered mutation	UNP Q48EB9
Ι	180	GLU	-	expression tag	UNP Q48EB9
Ι	181	GLY	-	expression tag	UNP Q48EB9
Ι	182	HIS	-	expression tag	UNP Q48EB9
Ι	183	HIS	-	expression tag	UNP Q48EB9
Ι	184	HIS	-	expression tag	UNP Q48EB9
Ι	185	HIS	-	expression tag	UNP Q48EB9
Ι	186	HIS	-	expression tag	UNP Q48EB9
Ι	187	HIS	-	expression tag	UNP Q48EB9
J	-1	MET	-	expression tag	UNP Q48EB9
J	0	SER	-	expression tag	UNP Q48EB9
J	1	LEU	-	expression tag	UNP Q48EB9
J	151	GLN	ARG	engineered mutation	UNP Q48EB9
J	180	GLU	-	expression tag	UNP Q48EB9
J	181	GLY	-	expression tag	UNP Q48EB9
J	182	HIS	-	expression tag	UNP Q48EB9
J	183	HIS	-	expression tag	UNP Q48EB9
J	184	HIS	-	expression tag	UNP Q48EB9
J	185	HIS	-	expression tag	UNP Q48EB9
J	186	HIS	-	expression tag	UNP Q48EB9
J	187	HIS	-	expression tag	UNP Q48EB9
K	-1	MET	-	expression tag	UNP Q48EB9
K	0	SER	-	expression tag	UNP Q48EB9
K	1	LEU	-	expression tag	UNP Q48EB9
K	151	GLN	ARG	engineered mutation	UNP Q48EB9
K	180	GLU	-	expression tag	UNP Q48EB9
K	181	GLY	-	expression tag	UNP Q48EB9
K	182	HIS	-	expression tag	UNP Q48EB9
K	183	HIS	-	expression tag	UNP Q48EB9
K	184	HIS	-	expression tag	UNP Q48EB9
K	185	HIS	-	expression tag	UNP Q48EB9
K	186	HIS	-	expression tag	UNP Q48EB9



Chain	Residue	Modelled	Actual Comment		Reference
K	187	HIS	-	expression tag	UNP Q48EB9
L	-1	MET	-	expression tag	UNP Q48EB9
L	0	SER	-	expression tag	UNP Q48EB9
L	1	LEU	-	expression tag	UNP Q48EB9
L	151	GLN	ARG	engineered mutation	UNP Q48EB9
L	180	GLU	-	expression tag	UNP Q48EB9
L	181	GLY	-	expression tag	UNP Q48EB9
L	182	HIS	-	expression tag	UNP Q48EB9
L	183	HIS	-	expression tag	UNP Q48EB9
L	184	HIS	-	expression tag	UNP Q48EB9
L	185	HIS	-	expression tag	UNP Q48EB9
L	186	HIS	-	expression tag	UNP Q48EB9
L	187	HIS	-	expression tag	UNP Q48EB9

• Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	2	Total Cl 2 2	0	0
2	В	2	Total Cl 2 2	0	0
2	С	1	Total Cl 1 1	0	0
2	D	1	Total Cl 1 1	0	0
2	Е	1	Total Cl 1 1	0	0
2	F	2	Total Cl 2 2	0	0
2	G	2	Total Cl 2 2	0	0
2	K	1	Total Cl 1 1	0	0
2	L	1	Total Cl 1 1	0	0

• Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Mg 1 1	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	1	Total Mg 1 1	0	0
3	С	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0
3	Е	1	Total Mg 1 1	0	0
3	F	1	Total Mg 1 1	0	0
3	G	1	Total Mg 1 1	0	0
3	Н	1	Total Mg 1 1	0	0
3	Ι	1	Total Mg 1 1	0	0
3	J	1	Total Mg 1 1	0	0
3	К	1	Total Mg 1 1	0	0
3	L	1	Total Mg 1 1	0	0

Continued from previous page...

• Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).





7 7 1		D • 1	. .			B 0	
Mol	Chain	Residues	Ate	oms		ZeroOcc	AltConf
4	Δ	1	Total	0	Р	0	0
Т		Ĩ	5	4	1	0	0
4	В	1	Total	Ο	Р	0	0
1	Ь	Ŧ	5	4	1	0	0
4	С	1	Total	Ο	Р	0	0
1		1	5	4	1	0	0
4	D	1	Total	0	Р	0	0
1		1	5	4	1	0	0
4	E	1	Total	0	Р	0	0
1		Ŧ	5	4	1	0	
4	F	1	Total	Ο	Р	0	0
Т	1	1	5	4	1		
4	G	1	1 Total O P	Р	0	0	
Т	<u> </u>	Ĩ	5	4	1	0	0
4	н	1	Total	Ο	Р	0	0
Т	11	Ĩ	5	4	1	0	0
4	т	1	Total	Ο	Р	0	0
т	T	I	5	4	1	0	0
4	Т	1	Total	Ο	Р	0	0
т	5	I	5	4	1	0	0
4	K	1	Total	0	Р	0	0
т	11	L	5	4	1	0	U
4	T.	1	Total	0	Р	0	0
4		T	5	4	1		

• Molecule 5 is UNKNOWN LIGAND (three-letter code: UNL) (formula:).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	Ι	1	Total 4	С 1	O 3	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	92	Total O 92 92	0	0
6	В	52	$\begin{array}{cc} \text{Total} & \text{O} \\ 52 & 52 \end{array}$	0	0
6	С	82	Total O 82 82	0	0
6	D	85	Total O 86 86	0	1
6	Е	65	Total O 65 65	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	F	80	Total O 80 80	0	0
6	G	68	Total O 68 68	0	0
6	Н	75	Total O 76 76	0	1
6	Ι	59	Total O 59 59	0	1
6	J	43	Total O 43 43	0	0
6	K	37	Total O 37 37	0	0
6	L	57	Total O 57 57	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: PROBABLE YRBI FAMILY PHOSPHATASE









• Molecule 1: PROBABLE YRBI FAMILY PHOSPHATASE







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	76.30Å 126.73Å 106.53Å	Depositor
a, b, c, α , β , γ	90.00° 95.57° 90.00°	Depositor
Bosolution(Å)	40.00 - 1.90	Depositor
Resolution (A)	43.21 - 1.88	EDS
% Data completeness	97.8 (40.00-1.90)	Depositor
(in resolution range)	97.0 (43.21-1.88)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	0.06	Depositor
$< I/\sigma(I) > 1$	$1.46 (at 1.88 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
P. P.	0.179 , 0.240	Depositor
n, n_{free}	0.180 , 0.239	DCC
R_{free} test set	4797 reflections (3.02%)	wwPDB-VP
Wilson B-factor $(Å^2)$	37.6	Xtriage
Anisotropy	0.755	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33 , 48.2	EDS
L-test for twinning ²	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	17050	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.55% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, UNL, PO4, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles	
			# Z > 5	RMSZ	# Z > 5
1	А	0.53	0/1450	0.63	0/1945
1	В	0.49	0/1378	0.58	0/1851
1	С	0.56	0/1386	0.62	0/1862
1	D	0.57	0/1380	0.61	0/1853
1	Е	0.43	0/1374	0.55	0/1846
1	F	0.48	0/1369	0.59	0/1840
1	G	0.43	0/1363	0.55	0/1832
1	Н	0.56	0/1366	0.63	0/1836
1	Ι	0.42	0/1419	0.54	0/1905
1	J	0.47	0/1342	0.55	0/1804
1	Κ	0.41	0/1334	0.53	0/1794
1	L	0.41	0/1356	0.54	0/1823
All	All	0.49	0/16517	0.58	0/22191

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1404	0	1462	30	0



		I previous	page	TT(addad)	Clasher	Comment Clashes
	Chain	INON-H	H(model)	H(added)	Clasnes	Symm-Clasnes
	B	1348	0	1390	25	0
		1353	0	1394	19	0
1	D	1344	0	1394	23	0
1	E	1350	0	1384	19	0
1	F	1341	0	1373	20	0
1	G	1336	0	1371	24	0
1	Н	1336	0	1378	22	0
1	I	1386	0	1428	30	0
1	J	1321	0	1350	37	0
1	K	1316	0	1346	34	0
1	L	1329	0	1364	23	0
2	A	2	0	0	0	0
2	В	2	0	0	1	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
2	Ε	1	0	0	0	0
2	F	2	0	0	1	0
2	G	2	0	0	1	0
2	K	1	0	0	0	0
2	L	1	0	0	0	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
3	Е	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	Н	1	0	0	0	0
3	Ι	1	0	0	0	0
3	J	1	0	0	0	0
3	K	1	0	0	0	0
3	L	1	0	0	0	0
4	А	5	0	0	1	0
4	В	5	0	0	1	0
4	С	5	0	0	1	0
4	D	5	0	0	4	0
4	Е	5	0	0	1	0
4	F	5	0	0	0	0
4	G	5	0	0	0	0
4	Н	5	0	0	2	0
4	Ι	5	0	0	2	0
4	J	5	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	K	5	0	0	0	0
4	L	5	0	0	1	0
5	Ι	4	0	0	0	0
6	А	92	0	0	6	0
6	В	52	0	0	4	0
6	С	82	0	0	0	0
6	D	86	0	0	3	0
6	Е	65	0	0	5	0
6	F	80	0	0	3	0
6	G	68	0	0	6	0
6	Н	76	0	0	2	0
6	Ι	59	0	0	8	0
6	J	43	0	0	2	0
6	K	37	0	0	0	0
6	L	57	0	0	3	0
All	All	17050	0	16634	272	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (272) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:E:6:MET:HE2	1:E:6:MET:HA	1.24	1.15	
1:I:11[A]:MET:HE3	1:I:163:LEU:HD22	1.31	1.11	
2:B:188:CL:CL	1:K:69[B]:ARG:NH1	2.23	1.07	
1:E:6:MET:HA	1:E:6:MET:CE	1.85	1.02	
1:E:36:MET:HE2	6:F:575:HOH:O	1.59	1.01	
1:I:11[A]:MET:CE	1:I:163:LEU:HD22	1.92	1.00	
1:F:91:GLU:OE1	1:F:91:GLU:N	1.95	0.98	
1:L:19:LEU:CD1	1:L:62:THR:HG23	2.02	0.89	
1:L:19:LEU:HD12	1:L:62:THR:HG23	1.53	0.89	
1:B:125:ARG:NH1	1:J:179:LEU:HA	1.88	0.88	
1:G:69[A]:ARG:HA	6:G:314:HOH:O	1.74	0.87	
1:G:69[B]:ARG:HA	6:G:314:HOH:O	1.75	0.87	
1:D:38:ASP:O	1:J:149[A]:ARG:HD2	1.78	0.84	
1:K:8:GLN:CD	1:K:11:MET:HE3	1.98	0.84	
1:B:8:GLN:HE21	1:B:8:GLN:H	1.23	0.82	
1:K:19:LEU:HD13	1:K:62:THR:HG23	1.63	0.81	
1:E:6:MET:CE	1:E:6:MET:CA	2.60	0.80	
1:B:9:ASP:OD2	1:B:9:ASP:C	2.21	0.79	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:8:GLN:HA	1:A:8:GLN:OE1	1.82	0.79
1:K:8:GLN:NE2	1:K:11:MET:HE3	1.97	0.79
1:K:8:GLN:NE2	1:K:11:MET:CE	2.46	0.79
1:E:6:MET:HE2	1:E:6:MET:CA	2.11	0.76
1:J:89:GLY:C	1:J:90:ARG:HG2	2.05	0.75
1:D:68:GLY:HA3	4:D:190:PO4:O3	1.86	0.75
1:F:11[A]:MET:HE3	1:F:163:LEU:HD12	1.70	0.74
1:G:149:ARG:HB3	1:G:149:ARG:HH21	1.52	0.74
1:L:43:LYS:HE3	6:L:387:HOH:O	1.88	0.73
1:I:11[A]:MET:CE	1:I:163:LEU:CD2	2.68	0.72
1:E:92:ASP:N	1:E:92:ASP:OD1	2.23	0.72
1:A:29:THR:HG21	1:A:43[B]:LYS:HD3	1.72	0.72
1:J:8:GLN:HG3	1:J:12:GLN:CG	2.21	0.71
1:B:32[A]:ARG:NH1	1:K:32:ARG:HH12	1.88	0.70
1:A:68:GLY:HA3	4:A:191:PO4:O4	1.92	0.70
1:I:84:GLU:HG3	6:I:192:HOH:O	1.90	0.70
1:K:84:GLU:OE2	1:K:84:GLU:HA	1.91	0.70
1:I:11[A]:MET:HE1	1:I:167:ALA:HB2	1.72	0.70
1:K:8:GLN:HE22	1:K:11:MET:CE	2.03	0.70
1:I:43[A]:LYS:HB2	1:I:73:ILE:HG21	1.75	0.69
1:K:8:GLN:HE22	1:K:11:MET:HE2	1.56	0.69
1:A:75:GLU:OE2	1:L:141:ARG:NE	2.26	0.69
1:B:68:GLY:HA3	4:B:191:PO4:O4	1.94	0.67
1:C:70:LYS:HE3	1:J:138:SER:HB2	1.76	0.67
1:E:110:GLN:HG2	6:E:1365:HOH:O	1.93	0.67
1:J:89:GLY:O	1:J:90:ARG:HG2	1.95	0.66
1:J:8:GLN:HG3	1:J:12:GLN:HG2	1.77	0.66
1:H:68:GLY:HA3	4:H:189:PO4:O4	1.96	0.65
1:G:101:LEU:HD21	1:G:111:VAL:HG21	1.78	0.65
1:G:149:ARG:HB3	1:G:149:ARG:NH2	2.12	0.64
1:I:43[B]:LYS:HE2	6:I:1155:HOH:O	1.97	0.64
1:G:54:LYS:NZ	6:G:305:HOH:O	2.30	0.64
1:C:70:LYS:HE3	1:J:138:SER:CB	2.27	0.64
1:D:44:THR:HG22	1:H:34:TYR:CD1	2.33	0.64
1:G:92:ASP:OD1	1:G:95:VAL:HG23	2.00	0.62
1:A:141[A]:ARG:HG2	1:A:147:ILE:HD12	1.82	0.61
1:B:121:LEU:HB3	1:B:122:PRO:HD3	1.81	0.61
1:I:41:GLU:OE1	1:I:43[B]:LYS:NZ	2.31	0.61
1:L:19:LEU:HD13	1:L:62:THR:HG23	1.79	0.61
1:C:69[B]:ARG:NH2	4:C:190:PO4:O1	2.33	0.61
1:C:70:LYS:CE	1:J:138:SER:HB2	2.31	0.61



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:7:SER:O	1:A:11[A]:MET:HG3	2.02	0.60	
1:L:68:GLY:HA3	4:L:190:PO4:O4	2.00	0.60	
1:H:49:ASP:OD1	1:H:155:GLY:HA2	2.02	0.60	
1:F:13:ARG:HG2	1:F:13:ARG:HH11	1.67	0.59	
1:J:68:GLY:HA2	1:J:90:ARG:H	1.66	0.59	
1:H:101:LEU:HD21	1:H:111:VAL:HG21	1.85	0.59	
1:L:121:LEU:HB3	1:L:122:PRO:HD3	1.84	0.59	
1:I:11[A]:MET:HE2	1:I:163:LEU:CD2	2.32	0.59	
1:K:112:ALA:HB2	1:K:129:LEU:HB3	1.85	0.58	
1:B:125:ARG:HH12	1:J:179:LEU:HA	1.68	0.58	
1:C:76[B]:ARG:NH1	1:D:37:GLU:O	2.37	0.57	
1:A:25:ASP:OD1	1:A:43[A]:LYS:HE3	2.04	0.57	
1:A:43[A]:LYS:HE2	6:A:325:HOH:O	2.05	0.57	
1:L:19:LEU:HD13	1:L:62:THR:CG2	2.34	0.57	
1:K:49:ASP:OD1	1:K:155:GLY:HA2	2.04	0.57	
1:I:68:GLY:HA3	4:I:189:PO4:O4	2.05	0.57	
1:K:8:GLN:CD	1:K:11:MET:CE	2.71	0.57	
1:A:76[A]:ARG:NH2	6:A:235:HOH:O	2.35	0.56	
1:A:33:LEU:HD11	1:H:47:THR:HG22	1.86	0.56	
1:E:91:GLU:HA	6:E:1360:HOH:O	2.05	0.56	
1:F:11[A]:MET:CE	1:F:163:LEU:HD12	2.35	0.56	
1:K:112:ALA:CB	1:K:129:LEU:HB3	2.35	0.56	
1:A:69[B]:ARG:NH2	6:A:226:HOH:O	2.38	0.56	
1:K:8:GLN:OE1	1:K:11:MET:HE3	2.05	0.56	
1:I:43[A]:LYS:HE3	6:I:1155:HOH:O	2.05	0.56	
1:C:79:LYS:HE3	1:J:147:ILE:HG13	1.88	0.56	
1:G:92:ASP:OD1	1:G:95:VAL:CG2	2.54	0.56	
1:J:87:PHE:HE2	1:J:100:LEU:HD22	1.71	0.56	
1:K:19:LEU:CD1	1:K:62:THR:HG23	2.32	0.55	
1:B:19:LEU:CD1	1:B:62:THR:HG23	2.36	0.55	
1:F:32:ARG:NH1	6:F:589:HOH:O	2.40	0.54	
1:K:8:GLN:OE1	1:K:11:MET:CE	2.55	0.54	
1:K:19:LEU:HD13	1:K:62:THR:CG2	2.33	0.54	
1:L:19:LEU:CD1	1:L:62:THR:CG2	2.80	0.54	
1:H:163:LEU:C	1:H:163:LEU:HD23	2.28	0.54	
1:F:75:GLU:OE1	1:H:142:GLU:HG3	2.07	0.54	
1:G:101:LEU:HD21	1:G:111:VAL:CG2	2.37	0.54	
1:B:37:GLU:HG3	1:J:73:ILE:CD1	2.38	0.53	
1:H:69[C]:ARG:NH1	4:H:189:PO4:O3	2.39	0.53	
1:G:113:TYR:CD1	1:G:123:VAL:HG11	2.44	0.53	
1:B:126[A]:ARG:NH1	6:B:212:HOH:O	2.41	0.53	



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:I:18:LYS:O	1:I:62:THR:HG22	2.08	0.53	
1:J:164:ILE:O	1:J:168:GLN:HG3	2.09	0.53	
1:A:76[A]:ARG:NE	6:A:235:HOH:O	2.41	0.53	
1:D:43[B]:LYS:HD2	1:D:71:THR:HG21	1.91	0.53	
1:J:9:ASP:HB3	1:J:12:GLN:H	1.74	0.52	
1:J:92:ASP:HB2	1:J:95:VAL:CG2	2.39	0.52	
1:A:25:ASP:OD1	1:A:43[A]:LYS:CE	2.58	0.52	
2:F:191:CL:CL	1:G:32:ARG:NH1	2.75	0.52	
1:K:87:PHE:CZ	1:K:100:LEU:HD13	2.45	0.51	
1:I:84:GLU:HB2	1:I:85:HIS:CD2	2.46	0.51	
1:B:176:SER:O	1:B:177:VAL:C	2.49	0.51	
1:H:113:TYR:CD1	1:H:123:VAL:HG11	2.46	0.51	
1:I:30:ASP:OD2	1:I:32:ARG:NH1	2.43	0.51	
1:B:69[A]:ARG:NH1	6:B:195:HOH:O	2.40	0.51	
1:I:109:GLU:H	1:I:109:GLU:CD	2.13	0.51	
1:J:173:ALA:O	1:J:176:SER:HB2	2.11	0.51	
1:L:41:GLU:OE1	1:L:69[A]:ARG:NH2	2.44	0.50	
1:L:84:GLU:HG3	6:L:1171:HOH:O	2.10	0.50	
1:L:86:LEU:HD21	1:L:88:GLN:HE21	1.76	0.50	
1:A:90[A]:ARG:HH21	1:A:92:ASP:CG	2.14	0.50	
1:I:43[B]:LYS:HG2	6:I:193:HOH:O	2.11	0.50	
1:E:175:HIS:CE1	6:E:1370:HOH:O	2.65	0.50	
1:F:91:GLU:H	1:F:91:GLU:CD	2.03	0.50	
1:F:71:THR:HG23	1:F:74:VAL:H	1.76	0.50	
1:J:113:TYR:CD1	1:J:123:VAL:HG11	2.47	0.49	
1:K:64:ALA:HA	1:K:85:HIS:O	2.12	0.49	
1:K:106:LEU:HD23	1:K:110:GLN:NE2	2.27	0.49	
1:D:93:LYS:NZ	4:D:190:PO4:O4	2.33	0.49	
1:A:132:ALA:HB3	1:A:147:ILE:CD1	2.43	0.49	
1:D:44:THR:CG2	1:H:34:TYR:CD1	2.95	0.49	
1:I:92:ASP:OD1	1:I:92:ASP:N	2.45	0.49	
1:C:19:LEU:HD13	1:C:62:THR:HG23	1.95	0.49	
1:F:133:VAL:HG12	1:F:156:ALA:HB1	1.94	0.48	
1:K:84:GLU:OE2	1:K:84:GLU:CA	2.60	0.48	
1:E:44:THR:HA	1:I:33:LEU:O	2.12	0.48	
1:I:87:PHE:HB3	1:I:90[B]:ARG:HD3	1.95	0.48	
1:K:121:LEU:HB3	1:K:122:PRO:HD3	1.96	0.48	
1:D:38:ASP:OD1	1:D:38:ASP:C	2.50	0.48	
1:J:111:VAL:O	1:J:127:VAL:HB	2.13	0.48	
1:B:9:ASP:OD2	1:B:9:ASP:O	2.32	0.48	
1:C:166[B]:SER:OG	1:C:171:LEU:HD22	2.13	0.48	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:68:GLY:CA	4:D:190:PO4:O3	2.60	0.48
1:E:175:HIS:HE1	6:E:1370:HOH:O	1.97	0.48
1:F:33:LEU:O	1:G:44:THR:HA	2.13	0.48
1:G:69[B]:ARG:NH2	6:G:300:HOH:O	2.47	0.48
1:D:69[B]:ARG:NH2	6:D:1489:HOH:O	2.47	0.48
1:F:13:ARG:HG2	1:F:13:ARG:NH1	2.28	0.48
1:B:32[A]:ARG:NH1	6:B:204:HOH:O	2.45	0.47
1:B:32[A]:ARG:HH12	1:K:32:ARG:HH12	1.58	0.47
1:A:90[B]:ARG:HG2	1:A:96:VAL:HG21	1.96	0.47
1:B:15:LYS:HD3	1:B:15:LYS:O	2.15	0.47
1:F:16:ALA:CB	6:F:203:HOH:O	2.62	0.47
1:A:180:GLU:HG2	6:A:595:HOH:O	2.15	0.47
1:K:88:GLN:O	1:K:90:ARG:HG2	2.15	0.47
1:J:92:ASP:OD1	1:J:92:ASP:N	2.45	0.47
1:L:90:ARG:HH22	1:L:99:LYS:NZ	2.13	0.47
1:D:90[A]:ARG:HG2	1:D:96:VAL:HG21	1.96	0.47
1:H:46:ASN:OD1	1:H:48:LEU:HB2	2.15	0.47
1:J:72:ALA:O	1:J:76:ARG:HG3	2.15	0.47
1:B:125:ARG:HH11	1:J:179:LEU:HA	1.75	0.47
1:C:75:GLU:HG3	1:C:88:GLN:NE2	2.31	0.46
1:H:90:ARG:NH2	1:H:92:ASP:OD2	2.48	0.46
1:J:89:GLY:C	1:J:90:ARG:CG	2.81	0.46
1:K:87:PHE:HZ	1:K:100:LEU:HD13	1.79	0.46
1:A:90[B]:ARG:HG2	1:A:96:VAL:CG2	2.45	0.46
1:H:38:ASP:C	1:H:38:ASP:OD1	2.52	0.46
1:K:53:ILE:O	1:K:57:ILE:HG13	2.16	0.46
1:K:104:LEU:C	1:K:105:GLN:HG2	2.36	0.46
1:D:90[B]:ARG:HA	1:D:90[B]:ARG:HD2	1.60	0.46
1:J:72:ALA:HA	1:J:75:GLU:HG2	1.97	0.46
1:A:9:ASP:O	1:A:13:ARG:HG3	2.16	0.46
1:C:75:GLU:HG3	1:C:88:GLN:HE22	1.79	0.46
1:B:19:LEU:HD12	1:B:62:THR:HG23	1.98	0.46
1:G:33:LEU:O	1:I:44:THR:HA	2.16	0.46
1:I:90[B]:ARG:NH1	6:I:1222:HOH:O	2.42	0.46
1:C:90[A]:ARG:HD2	1:C:90[A]:ARG:HA	1.69	0.46
1:G:25:ASP:OD2	1:G:69[B]:ARG:HD2	2.17	0.45
1:A:101:LEU:HD21	1:A:111:VAL:HG21	1.97	0.45
1:L:104:LEU:O	1:L:105:GLN:HB2	2.16	0.45
1:C:8:GLN:O	1:C:12:GLN:HB2	2.17	0.45
1:I:43[B]:LYS:CG	6:I:193:HOH:O	2.63	0.45
1:J:9:ASP:O	1:J:13:ARG:HG3	2.17	0.45



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:D:44:THR:HA	1:H:33:LEU:O	2.17	0.45	
1:K:106:LEU:CD2	1:K:110:GLN:NE2	2.80	0.45	
1:A:176[A]:SER:OG	1:A:182:HIS:HB3	2.17	0.45	
1:H:101:LEU:HD21	1:H:111:VAL:CG2	2.47	0.45	
1:B:19:LEU:HD13	1:B:62:THR:HG23	1.98	0.45	
1:C:19:LEU:CD1	1:C:62:THR:HG23	2.47	0.45	
1:D:34:TYR:HB2	1:D:42:ILE:HB	1.99	0.45	
1:D:73:ILE:HG13	1:H:37:GLU:HA	1.98	0.45	
1:D:90[A]:ARG:CG	1:D:96:VAL:HG21	2.46	0.45	
1:F:121:LEU:O	1:F:125:ARG:HG2	2.17	0.45	
1:H:163:LEU:HD23	1:H:163:LEU:O	2.17	0.45	
1:C:44:THR:HA	1:D:33:LEU:O	2.18	0.44	
1:J:69[B]:ARG:NH2	6:J:202:HOH:O	2.50	0.44	
1:G:69[A]:ARG:HG2	6:G:314:HOH:O	2.18	0.44	
1:C:39:GLY:O	1:L:149:ARG:NH1	2.50	0.44	
1:E:118:LEU:HB3	1:F:178:TYR:CD2	2.53	0.44	
1:A:118:LEU:N	1:A:119:PRO:CD	2.80	0.44	
1:C:91:GLU:H	1:C:91:GLU:HG2	1.56	0.44	
1:G:43:LYS:HE3	6:G:197:HOH:O	2.18	0.44	
1:A:29:THR:HG21	1:A:43[B]:LYS:CD	2.44	0.43	
1:D:90[A]:ARG:NH1	6:D:257:HOH:O	2.38	0.43	
1:J:92:ASP:HB2	1:J:95:VAL:HG21	1.99	0.43	
1:K:34:TYR:HB2	1:K:42:ILE:O	2.18	0.43	
1:E:43:LYS:HB2	1:E:43:LYS:HE2	1.82	0.43	
1:G:166[B]:SER:OG	1:G:171:LEU:HD22	2.18	0.43	
1:E:68:GLY:HA3	4:E:190:PO4:O4	2.18	0.43	
6:E:1364:HOH:O	1:I:32:ARG:HD3	2.18	0.43	
1:F:92:ASP:OD1	1:F:92:ASP:N	2.44	0.43	
1:F:101:LEU:O	1:F:105:GLN:N	2.51	0.43	
1:I:68:GLY:H	4:I:189:PO4:P	2.41	0.43	
1:L:116:ASP:HA	1:L:136:ALA:HB2	2.01	0.43	
1:G:34:TYR:HB2	1:G:42:ILE:HB	1.99	0.43	
1:K:8:GLN:NE2	1:K:11:MET:HE2	2.22	0.43	
1:C:70:LYS:CE	1:J:138:SER:CB	2.92	0.43	
1:D:84:GLU:HG2	6:D:194:HOH:O	2.18	0.43	
1:C:43:LYS:HE2	1:C:43:LYS:HB2	1.68	0.43	
1:L:118:LEU:HB2	1:L:119:PRO:HD3	2.01	0.43	
1:B:23:ASP:HB3	1:B:27:VAL:HG21	2.01	0.42	
1:D:35:PHE:CE1	1:D:41:GLU:HG2	2.54	0.42	
1:G:38:ASP:OD1	1:G:38:ASP:C	2.57	0.42	
1:J:30:ASP:OD2	1:J:32:ARG:NH1	2.52	0.42	



A + amo 1	At any 9	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:J:34:TYR:HB2	1:J:42:ILE:HB	2.01	0.42	
1:L:46:ASN:OD1	1:L:48:LEU:HB2	2.19	0.42	
1:A:132:ALA:HB3	1:A:147:ILE:HD12	2.01	0.42	
1:I:11[A]:MET:HE2	1:I:163:LEU:HD21	2.00	0.42	
1:A:37:GLU:O	1:H:76:ARG:NH2	2.50	0.42	
1:A:76[A]:ARG:CZ	6:A:235:HOH:O	2.68	0.42	
1:B:163:LEU:C	1:B:163:LEU:HD23	2.40	0.42	
1:G:101:LEU:HD23	1:G:101:LEU:HA	1.89	0.42	
1:H:118:LEU:HD23	1:H:118:LEU:HA	1.89	0.42	
1:A:49:ASP:OD1	1:A:155:GLY:HA2	2.19	0.42	
1:F:111:VAL:O	1:F:127:VAL:HB	2.20	0.42	
1:B:37:GLU:HG3	1:J:73:ILE:HD11	2.00	0.42	
1:E:34:TYR:HB2	1:E:42:ILE:HB	2.02	0.42	
1:I:92:ASP:HB2	6:I:1157:HOH:O	2.19	0.42	
1:L:97:LEU:O	1:L:101:LEU:HG	2.19	0.42	
1:I:62:THR:HG22	6:I:1156:HOH:O	2.19	0.42	
1:J:118:LEU:N	1:J:119:PRO:CD	2.82	0.42	
1:L:135:ASN:ND2	6:L:783:HOH:O	2.45	0.41	
1:A:76[B]:ARG:NH2	1:L:149:ARG:HA	2.35	0.41	
1:E:71:THR:HG23	1:E:74:VAL:H	1.85	0.41	
1:A:19:LEU:HD13	1:A:62[A]:THR:HG23	2.02	0.41	
1:C:121:LEU:N	1:C:122:PRO:CD	2.84	0.41	
1:I:101:LEU:HD23	1:I:101:LEU:HA	1.92	0.41	
1:D:68:GLY:H	4:D:190:PO4:P	2.43	0.41	
1:H:38:ASP:HB2	6:H:299:HOH:O	2.20	0.41	
1:G:9:ASP:OD1	1:G:12:GLN:N	2.52	0.41	
1:J:34:TYR:CD1	1:L:44:THR:HG22	2.55	0.41	
1:K:44:THR:HG22	1:L:34:TYR:CD1	2.55	0.41	
1:K:112:ALA:HA	1:K:129:LEU:O	2.20	0.41	
1:B:176:SER:C	1:B:178:TYR:N	2.72	0.41	
1:E:64:ALA:HA	1:E:85:HIS:O	2.21	0.41	
1:B:105:GLN:HG2	6:B:208:HOH:O	2.20	0.41	
1:F:64:ALA:HA	1:F:85:HIS:O	2.20	0.41	
1:F:69[B]:ARG:NH1	2:G:188:CL:CL	2.90	0.41	
1:F:97:LEU:O	1:F:101:LEU:HG	2.21	0.41	
1:J:23:ASP:HB3	1:J:27:VAL:HG21	2.03	0.41	
1:K:18:LYS:O	1:K:62:THR:HG22	2.21	0.41	
1:B:44:THR:HA	1:K:33:LEU:O	2.21	0.41	
1:G:8:GLN:HA	1:G:13:ARG:HH21	1.85	0.41	
1:A:64:ALA:HA	1:A:85:HIS:O	2.20	0.40	
1:H:76:ARG:NH1	6:H:200:HOH:O	2.51	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:J:131:MET:HE3	1:J:146:GLY:HA3	2.02	0.40
1:D:9:ASP:OD1	1:D:12:GLN:N	2.42	0.40
1:I:126:ARG:HH11	1:I:126:ARG:HG3	1.86	0.40
1:J:69[B]:ARG:NH2	6:J:205:HOH:O	2.42	0.40
1:E:113:TYR:CD1	1:E:123:VAL:HG11	2.55	0.40
1:D:44:THR:HG21	1:H:34:TYR:CE1	2.56	0.40
1:E:90[A]:ARG:HD2	1:E:90[A]:ARG:HA	1.81	0.40
1:G:33:LEU:HD11	1:I:47:THR:HG22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	185/189~(98%)	183 (99%)	2(1%)	0	100	100
1	В	176/189~(93%)	171 (97%)	4 (2%)	1 (1%)	25	15
1	С	177/189~(94%)	172 (97%)	5(3%)	0	100	100
1	D	177/189~(94%)	174 (98%)	2(1%)	1 (1%)	25	15
1	Ε	176/189~(93%)	171 (97%)	5(3%)	0	100	100
1	F	176/189~(93%)	173 (98%)	3 (2%)	0	100	100
1	G	175/189~(93%)	171 (98%)	4 (2%)	0	100	100
1	Н	175/189~(93%)	174 (99%)	1 (1%)	0	100	100
1	Ι	182/189~(96%)	179 (98%)	3~(2%)	0	100	100
1	J	172/189~(91%)	163 (95%)	9~(5%)	0	100	100
1	Κ	171/189~(90%)	166 (97%)	5(3%)	0	100	100
1	L	174/189~(92%)	169 (97%)	5(3%)	0	100	100
All	All	2116/2268 (93%)	2066 (98%)	48 (2%)	2 (0%)	51	42



All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	177	VAL
1	В	177	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	148/150~(99%)	147~(99%)	1 (1%)	84 84		
1	В	140/150~(93%)	134 (96%)	6 (4%)	29 19		
1	С	141/150~(94%)	141 (100%)	0	100 100		
1	D	141/150~(94%)	137~(97%)	4(3%)	43 36		
1	Ε	140/150~(93%)	136~(97%)	4(3%)	42 35		
1	F	139/150~(93%)	138~(99%)	1 (1%)	84 84		
1	G	139/150~(93%)	137~(99%)	2(1%)	67 65		
1	Η	139/150~(93%)	139 (100%)	0	100 100		
1	Ι	146/150~(97%)	145~(99%)	1 (1%)	84 84		
1	J	135/150~(90%)	128~(95%)	7~(5%)	23 14		
1	Κ	135/150~(90%)	131~(97%)	4(3%)	41 33		
1	L	$13\overline{8/150}\ (92\%)$	138 (100%)	0	100 100		
All	All	$168\overline{1/1800~(93\%)}$	1651 (98%)	30 (2%)	60 55		

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	71	THR
1	В	8	GLN
1	В	9	ASP
1	В	15	LYS
1	В	71	THR
1	В	80	SER
1	В	172	GLU



Mol	Chain	Res	Type
1	D	9	ASP
1	D	90[A]	ARG
1	D	90[B]	ARG
1	D	172	GLU
1	Е	6	MET
1	Е	62	THR
1	Е	91	GLU
1	Е	92	ASP
1	F	182	HIS
1	G	9	ASP
1	G	91	GLU
1	Ι	5	THR
1	J	62	THR
1	J	116	ASP
1	J	149[A]	ARG
1	J	149[B]	ARG
1	J	163	LEU
1	J	166	SER
1	J	176	SER
1	K	69[A]	ARG
1	K	69[B]	ARG
1	K	83	ILE
1	Κ	91	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	151	GLN
1	В	8	GLN
1	С	105	GLN
1	Е	105	GLN
1	G	151	GLN
1	Ι	85	HIS
1	J	51	GLN
1	Κ	8	GLN
1	Κ	151	GLN
1	L	8	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 38 ligands modelled in this entry, 25 are monoatomic and 1 is unknown - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Deg Link		B	ond leng	gths	В	Bond ang	gles
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
4	PO4	F	190	-	4,4,4	0.92	0	$6,\!6,\!6$	0.54	0
4	PO4	Н	189	-	4,4,4	1.06	0	$6,\!6,\!6$	0.78	0
4	PO4	А	191	-	4,4,4	1.27	0	$6,\!6,\!6$	0.84	0
4	PO4	В	191	-	4,4,4	0.99	0	$6,\!6,\!6$	0.66	0
4	PO4	Е	190	-	4,4,4	0.99	0	$6,\!6,\!6$	0.86	0
4	PO4	G	191	-	4,4,4	1.17	0	$6,\!6,\!6$	0.57	0
4	PO4	Ι	189	-	4,4,4	0.89	0	$6,\!6,\!6$	0.56	0
4	PO4	D	190	-	4,4,4	1.05	0	$6,\!6,\!6$	0.46	0
4	PO4	K	190	-	4,4,4	0.92	0	$6,\!6,\!6$	0.54	0
4	PO4	L	190	-	4,4,4	1.06	0	$6,\!6,\!6$	0.68	0
4	PO4	С	190	-	4,4,4	1.09	0	$6,\!6,\!6$	0.71	0
4	PO4	J	189	-	4,4,4	0.96	0	$6,\!6,\!6$	0.50	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 13 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	Н	189	PO4	2	0
4	А	191	PO4	1	0
4	В	191	PO4	1	0
4	Е	190	PO4	1	0
4	Ι	189	PO4	2	0
4	D	190	PO4	4	0
4	L	190	PO4	1	0
4	С	190	PO4	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	176/189~(93%)	0.01	4 (2%) 60 63	30, 41, 68, 128	0
1	В	173/189~(91%)	0.01	5 (2%) 51 54	37, 50, 77, 104	0
1	С	173/189~(91%)	-0.07	3 (1%) 70 72	30, 43, 68, 99	0
1	D	172/189~(91%)	-0.14	2 (1%) 79 81	31, 41, 65, 95	0
1	Е	175/189~(92%)	-0.06	1 (0%) 89 90	35, 48, 81, 123	0
1	F	174/189~(92%)	-0.08	3 (1%) 70 72	31, 45, 72, 104	0
1	G	173/189~(91%)	-0.04	3 (1%) 70 72	35, 50, 75, 108	0
1	Н	172/189~(91%)	-0.13	2 (1%) 79 81	25, 42, 65, 96	0
1	Ι	177/189~(93%)	0.02	4 (2%) 60 63	38, 50, 81, 120	0
1	J	172/189~(91%)	0.14	3 (1%) 70 72	39, 56, 86, 105	0
1	Κ	172/189~(91%)	0.29	10 (5%) 23 25	41, 61, 91, 112	0
1	L	172/189~(91%)	0.03	6 (3%) 44 47	35, 51, 78, 103	0
All	All	2081/2268~(91%)	-0.00	46 (2%) 62 64	25, 48, 80, 128	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	182	HIS	9.0
1	Е	179	LEU	4.5
1	Н	179	LEU	4.2
1	Ι	102	ALA	4.1
1	Κ	102	ALA	4.0
1	Ι	179	LEU	4.0
1	J	91	GLU	3.6
1	L	179	LEU	3.6
1	F	181	GLY	3.6
1	D	91	GLU	3.5
1	J	8	GLN	3.4



Mol	Chain	Res	Type	RSRZ
1	K	125	ARG	3.3
1	L	176	SER	3.3
1	J	179	LEU	3.2
1	Ι	5	THR	3.0
1	K	8	GLN	2.9
1	В	12	GLN	2.9
1	С	180	GLU	2.9
1	L	102	ALA	2.8
1	G	104	LEU	2.7
1	Н	180	GLU	2.7
1	С	179	LEU	2.6
1	С	36	MET	2.5
1	Ι	6	MET	2.5
1	F	182	HIS	2.5
1	L	91	GLU	2.5
1	L	173	ALA	2.5
1	G	180	GLU	2.5
1	В	39	GLY	2.4
1	Κ	100	LEU	2.3
1	Κ	101	LEU	2.3
1	А	181	GLY	2.3
1	В	36	MET	2.3
1	Κ	176	SER	2.3
1	K	16	ALA	2.2
1	В	8	GLN	2.2
1	Κ	106	LEU	2.2
1	L	177	VAL	2.2
1	A	180	GLU	2.1
1	В	7	SER	2.1
1	F	176[A]	SER	2.1
1	D	36	MET	2.0
1	A	91	GLU	2.0
1	K	108	TYR	2.0
1	K	104	LEU	2.0
1	G	91	GLU	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
2	CL	F	191	1/1	0.91	0.23	89,89,89,89	0
3	MG	Ι	188	1/1	0.91	0.09	$55,\!55,\!55,\!55$	0
5	UNL	Ι	190	4/-	0.92	0.12	72,78,80,82	0
3	MG	Е	189	1/1	0.96	0.10	43,43,43,43	0
4	PO4	С	190	5/5	0.96	0.12	40,47,64,69	5
4	PO4	G	191	5/5	0.96	0.12	38,45,59,64	5
3	MG	G	190	1/1	0.96	0.04	43,43,43,43	0
3	MG	К	189	1/1	0.97	0.07	49,49,49,49	0
3	MG	L	189	1/1	0.97	0.07	43,43,43,43	0
2	CL	K	188	1/1	0.97	0.07	52,52,52,52	0
4	PO4	D	190	5/5	0.97	0.14	46,54,63,66	5
2	CL	L	188	1/1	0.97	0.12	57,57,57,57	0
4	PO4	Ι	189	5/5	0.97	0.13	43,44,60,66	5
3	MG	D	189	1/1	0.97	0.04	42,42,42,42	0
3	MG	А	190	1/1	0.98	0.08	36,36,36,36	0
4	PO4	В	191	5/5	0.98	0.13	39,42,55,67	5
3	MG	F	189	1/1	0.98	0.04	42,42,42,42	0
3	MG	В	190	1/1	0.98	0.06	49,49,49,49	0
4	PO4	Е	190	5/5	0.98	0.09	33,46,57,61	5
4	PO4	F	190	5/5	0.98	0.11	43,49,59,60	5
3	MG	С	189	1/1	0.98	0.09	38,38,38,38	0
4	PO4	Н	189	5/5	0.98	0.13	38,41,49,53	5
3	MG	J	188	1/1	0.98	0.04	$53,\!53,\!53,\!53$	0
4	PO4	J	189	5/5	0.98	0.11	$55,\!56,\!60,\!61$	5
4	PO4	K	190	5/5	0.98	0.11	52,54,65,65	5
4	PO4	L	190	5/5	0.98	0.10	36,43,52,60	5
2	CL	Е	188	1/1	0.98	0.10	$55,\!55,\!55,\!55$	0
3	MG	Н	188	1/1	0.99	0.06	35,35,35,35	0
2	CL	А	188	1/1	0.99	0.15	46,46,46,46	0
2	CL	F	188	1/1	0.99	0.10	44,44,44,44	0
2	CL	В	188	1/1	0.99	0.10	52,52,52,52	0
2	CL	G	188	1/1	0.99	0.08	48,48,48,48	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q < 0.9
4	PO4	А	191	5/5	0.99	0.13	$32,\!33,\!51,\!53$	5
2	CL	G	189	1/1	0.99	0.09	48,48,48,48	0
2	CL	В	189	1/1	0.99	0.10	$51,\!51,\!51,\!51$	0
2	CL	D	188	1/1	0.99	0.06	43,43,43,43	0
2	CL	С	188	1/1	1.00	0.11	45,45,45,45	0
2	CL	А	189	1/1	1.00	0.05	41,41,41,41	0

Continued from previous page...

6.5 Other polymers (i)

There are no such residues in this entry.

