



# Full wwPDB NMR Structure Validation Report ⓘ

Feb 18, 2018 – 12:19 pm GMT

PDB ID : 1NTS  
Title : 5'(dCCPUPCPCPUPUP)3':3'(rAGGAGGAAA)5', where P=propynyl  
Authors : Znosko, B.M.; Barnes III, T.W.; Krugh, T.R.; Turner, D.H.  
Deposited on : 2003-01-30

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : trunk30686  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30686


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	136279	12091
RNA backbone	3744	647

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	9	
2	B	7	

## 2 Ensemble composition and analysis

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.

### 3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 541 atoms, of which 191 are hydrogens and 0 are deuteriums.

- Molecule 1 is a RNA chain called 5'-R(\*AP\*AP\*AP\*GP\*GP\*AP\*GP\*GP\*A)-3'.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	P	
1	A	9	300	90	101	45	56	8	0


- Molecule 2 is a DNA chain called 5'-D(\*(5PC)P\*(5PC)P\*(PDU)P\*(5PC)P\*(5PC)P\*(PDU)P\*(PDU))-3'.


Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	P	
2	B	7	241	84	90	18	43	6	0

## 4 Residue-property plots

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: 5'-R(\*AP\*AP\*AP\*GP\*GP\*AP\*GP\*GP\*A)-3'

Chain A:  89% 11%

 A2  
A3  
A4  
A5  
A6  
A7  
A8  
A9  
A10

- Molecule 2: 5'-D(\*(5PC)P\*(5PC)P\*(PDU)P\*(5PC)P\*(5PC)P\*(PDU)P\*(PDU))-3'

Chain B:  100%

There are no outlier residues in this chain.

## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing, energy minimization*.

Of the ? calculated structures, 1 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DISCOVER	structure solution	95.0
DISCOVER	refinement	95.0

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 5776
Number of chemical shift lists	2
Total number of shifts	152
Number of shifts mapped to atoms	0
Number of unparsed shifts	0
Number of shifts with mapping errors	152
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	0%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality i

### 6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PDU, 5PC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	5.55	39/225 (17.3%)	6.64	90/351 (25.6%)
2	B	0.00	-	0.00	-
All	All	5.55	39/225 (17.3%)	6.64	90/351 (25.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0	1
All	All	0	1

All bond outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	10	A	N3-C4	20.39	1.47	1.34
1	A	4	A	N3-C4	20.35	1.47	1.34
1	A	7	A	N3-C4	20.34	1.47	1.34
1	A	2	A	N3-C4	20.24	1.47	1.34
1	A	3	A	N3-C4	20.04	1.46	1.34
1	A	8	G	N3-C4	13.86	1.45	1.35
1	A	9	G	N3-C4	13.77	1.45	1.35
1	A	5	G	N3-C4	13.69	1.45	1.35
1	A	6	G	N3-C4	13.60	1.45	1.35
1	A	5	G	C5-C6	13.29	1.55	1.42
1	A	6	G	C5-C6	13.20	1.55	1.42
1	A	8	G	C5-C6	13.11	1.55	1.42
1	A	9	G	C5-C6	12.97	1.55	1.42
1	A	5	G	C8-N7	11.98	1.38	1.30
1	A	8	G	C8-N7	11.93	1.38	1.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	9	G	C8-N7	11.88	1.38	1.30
1	A	6	G	C8-N7	11.86	1.38	1.30
1	A	9	G	N1-C2	11.68	1.47	1.37
1	A	8	G	N1-C2	11.67	1.47	1.37
1	A	5	G	N1-C2	11.63	1.47	1.37
1	A	6	G	N1-C2	11.59	1.47	1.37
1	A	2	A	C5-C4	11.10	1.46	1.38
1	A	3	A	C5-C4	10.88	1.46	1.38
1	A	7	A	C5-C4	10.86	1.46	1.38
1	A	4	A	C5-C4	10.84	1.46	1.38
1	A	10	A	C5-C4	10.83	1.46	1.38
1	A	2	A	C8-N7	9.64	1.38	1.31
1	A	10	A	C8-N7	9.56	1.38	1.31
1	A	4	A	C8-N7	9.54	1.38	1.31
1	A	3	A	C8-N7	9.53	1.38	1.31
1	A	7	A	C8-N7	9.51	1.38	1.31
1	A	6	G	C5-C4	8.21	1.44	1.38
1	A	5	G	C5-C4	8.18	1.44	1.38
1	A	8	G	C5-C4	8.11	1.44	1.38
1	A	9	G	C5-C4	7.86	1.43	1.38
1	A	9	G	C2-N2	5.30	1.39	1.34
1	A	8	G	C2-N2	5.27	1.39	1.34
1	A	6	G	C2-N2	5.21	1.39	1.34
1	A	5	G	C2-N2	5.13	1.39	1.34

All angle outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	6	G	C2-N3-C4	22.50	123.15	111.90
1	A	5	G	C2-N3-C4	22.41	123.10	111.90
1	A	8	G	C2-N3-C4	22.28	123.04	111.90
1	A	9	G	C2-N3-C4	22.26	123.03	111.90
1	A	5	G	N3-C4-C5	-21.76	117.72	128.60
1	A	6	G	N3-C4-C5	-21.71	117.74	128.60
1	A	8	G	N3-C4-C5	-21.64	117.78	128.60
1	A	9	G	N3-C4-C5	-21.63	117.78	128.60
1	A	6	G	N7-C8-N9	17.40	121.80	113.10
1	A	8	G	N7-C8-N9	17.40	121.80	113.10
1	A	9	G	N7-C8-N9	17.39	121.79	113.10
1	A	5	G	N7-C8-N9	17.36	121.78	113.10
1	A	6	G	C8-N9-C4	-17.27	99.49	106.40
1	A	9	G	C8-N9-C4	-17.22	99.51	106.40

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	8	G	C8-N9-C4	-17.21	99.52	106.40
1	A	2	A	N7-C8-N9	17.18	122.39	113.80
1	A	5	G	C8-N9-C4	-17.16	99.54	106.40
1	A	7	A	N7-C8-N9	16.86	122.23	113.80
1	A	3	A	N7-C8-N9	16.83	122.21	113.80
1	A	4	A	N7-C8-N9	16.74	122.17	113.80
1	A	10	A	N7-C8-N9	16.50	122.05	113.80
1	A	2	A	C8-N9-C4	-16.03	99.39	105.80
1	A	7	A	C8-N9-C4	-15.45	99.62	105.80
1	A	4	A	C8-N9-C4	-15.36	99.66	105.80
1	A	10	A	C8-N9-C4	-15.24	99.70	105.80
1	A	3	A	C8-N9-C4	-15.11	99.75	105.80
1	A	9	G	C5-N7-C8	-14.46	97.07	104.30
1	A	8	G	C5-N7-C8	-14.38	97.11	104.30
1	A	6	G	C5-N7-C8	-14.26	97.17	104.30
1	A	5	G	C5-N7-C8	-14.21	97.19	104.30
1	A	5	G	N3-C4-N9	13.50	134.10	126.00
1	A	6	G	N3-C4-N9	13.47	134.08	126.00
1	A	2	A	N3-C4-C5	-13.46	117.38	126.80
1	A	8	G	N3-C4-N9	13.42	134.05	126.00
1	A	9	G	N3-C4-N9	13.38	134.03	126.00
1	A	10	A	N3-C4-C5	-13.30	117.49	126.80
1	A	7	A	N3-C4-C5	-13.28	117.51	126.80
1	A	4	A	N3-C4-C5	-13.27	117.51	126.80
1	A	3	A	C5-N7-C8	-13.05	97.37	103.90
1	A	3	A	N3-C4-C5	-12.97	117.72	126.80
1	A	7	A	C5-N7-C8	-12.86	97.47	103.90
1	A	2	A	C5-N7-C8	-12.81	97.50	103.90
1	A	4	A	C5-N7-C8	-12.77	97.52	103.90
1	A	10	A	C5-N7-C8	-12.60	97.60	103.90
1	A	2	A	C2-N3-C4	10.41	115.80	110.60
1	A	4	A	C2-N3-C4	10.33	115.77	110.60
1	A	10	A	C2-N3-C4	10.27	115.73	110.60
1	A	7	A	C2-N3-C4	10.25	115.72	110.60
1	A	3	A	C2-N3-C4	9.97	115.58	110.60
1	A	2	A	N3-C4-N9	8.79	134.43	127.40
1	A	4	A	N3-C4-N9	8.75	134.40	127.40
1	A	7	A	N3-C4-N9	8.70	134.36	127.40
1	A	10	A	N3-C4-N9	8.65	134.32	127.40
1	A	3	A	N3-C4-N9	8.50	134.20	127.40
1	A	6	G	C5-C6-O6	-8.18	123.69	128.60
1	A	8	G	C5-C6-O6	-8.18	123.69	128.60

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	9	G	C5-C6-O6	-8.15	123.71	128.60
1	A	5	G	C5-C6-O6	-7.90	123.86	128.60
1	A	9	G	C5-C6-N1	7.55	115.27	111.50
1	A	8	G	C5-C6-N1	7.32	115.16	111.50
1	A	6	G	C5-C6-N1	7.24	115.12	111.50
1	A	5	G	C5-C6-N1	7.20	115.10	111.50
1	A	5	G	N9-C4-C5	6.94	108.18	105.40
1	A	6	G	N9-C4-C5	6.93	108.17	105.40
1	A	9	G	N9-C4-C5	6.92	108.17	105.40
1	A	8	G	N9-C4-C5	6.86	108.14	105.40
1	A	9	G	OP1-P-OP2	-6.77	109.44	119.60
1	A	10	A	OP1-P-OP2	-6.75	109.47	119.60
1	A	4	A	OP1-P-OP2	-6.74	109.49	119.60
1	A	7	A	OP1-P-OP2	-6.73	109.50	119.60
1	A	8	G	OP1-P-OP2	-6.73	109.51	119.60
1	A	6	G	OP1-P-OP2	-6.72	109.52	119.60
1	A	5	G	OP1-P-OP2	-6.67	109.60	119.60
1	A	9	G	C4-C5-N7	6.54	113.42	110.80
1	A	8	G	C4-C5-N7	6.49	113.40	110.80
1	A	3	A	OP1-P-OP2	-6.43	109.96	119.60
1	A	6	G	C4-C5-N7	6.33	113.33	110.80
1	A	5	G	C4-C5-N7	6.28	113.31	110.80
1	A	2	A	N9-C4-C5	5.97	108.19	105.80
1	A	10	A	N9-C4-C5	5.92	108.17	105.80
1	A	9	G	C6-C5-N7	-5.82	126.91	130.40
1	A	7	A	N9-C4-C5	5.81	108.12	105.80
1	A	8	G	C6-C5-N7	-5.79	126.93	130.40
1	A	5	G	C6-C5-N7	-5.73	126.96	130.40
1	A	4	A	N9-C4-C5	5.72	108.09	105.80
1	A	6	G	C6-C5-N7	-5.69	126.99	130.40
1	A	3	A	N9-C4-C5	5.67	108.07	105.80
1	A	10	A	C5-C6-N1	5.31	120.35	117.70
1	A	4	A	C5-C6-N1	5.29	120.35	117.70
1	A	2	A	C5-C6-N1	5.15	120.28	117.70

There are no chirality outliers.

All planar outliers are listed below.

Mol	Chain	Res	Type	Group
1	A	2	A	Sidechain

## 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
All	All	350	191	190	-

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is -.

There are no clashes.

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

### 6.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

### 6.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
1	A	8/9 (89%)	0 (0%)	0 (0%)	0.63
All	All	8/9 (89%)	0 (0%)	0 (0%)	0.63

The overall RNA backbone suiteness is 0.63.

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

7 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types,

if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	5PC	B	1	1,2	16,20,24	2.12	0 (0%)
2	5PC	B	2	1,2	16,23,24	2.12	0 (0%)
2	PDU	B	3	1,2	14,23,24	1.86	0 (0%)
2	5PC	B	4	1,2	16,23,24	2.08	0 (0%)
2	5PC	B	5	1,2	16,23,24	2.10	0 (0%)
2	PDU	B	6	1,2	14,23,24	1.87	0 (0%)
2	PDU	B	7	1,2	14,23,24	1.84	0 (0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	5PC	B	1	1,2	15,28,35	1.01	0 (0%)
2	5PC	B	2	1,2	15,32,35	1.10	0 (0%)
2	PDU	B	3	1,2	16,32,35	6.41	2 (12%)
2	5PC	B	4	1,2	15,32,35	1.17	0 (0%)
2	5PC	B	5	1,2	15,32,35	1.00	0 (0%)
2	PDU	B	6	1,2	16,32,35	6.44	2 (12%)
2	PDU	B	7	1,2	16,32,35	6.43	2 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5PC	B	1	1,2	-	0,4,21,25	0,2,2,2
2	5PC	B	2	1,2	-	0,5,24,25	0,2,2,2
2	PDU	B	3	1,2	-	0,6,24,25	0,2,2,2
2	5PC	B	4	1,2	-	0,5,24,25	0,2,2,2
2	5PC	B	5	1,2	-	0,5,24,25	0,2,2,2

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PDU	B	6	1,2	-	0,6,24,25	0,2,2,2
2	PDU	B	7	1,2	-	0,6,24,25	0,2,2,2

There are no bond-length outliers.

All angle outliers are listed below. They are sorted according to the Z-score.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	6	PDU	C5B-C5A-C5	21.82	179.56	114.09
2	B	3	PDU	C5B-C5A-C5	21.79	179.48	114.09
2	B	7	PDU	C5B-C5A-C5	21.76	179.40	114.09
2	B	6	PDU	C5M-C5B-C5A	13.27	179.67	112.90
2	B	3	PDU	C5M-C5B-C5A	13.26	179.62	112.90
2	B	7	PDU	C5M-C5B-C5A	13.24	179.48	112.90

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation i

The completeness of assignment taking into account all chemical shift lists is 0% for the well-defined parts and 0% for the entire structure.

### 7.1 Chemical shift list 1

File name: BMRB entry 5776

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping i

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	72
Number of shifts mapped to atoms	0
Number of unparsed shifts	0
Number of shifts with mapping errors	72
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Chain not found in structure. All 72 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	1	DC	H5'	4.09	-1.0	1
UNMAPPED	3	PDU	H4'	4.38	-1.0	1
UNMAPPED	5	5PC	H1'	5.99	-1.0	1
UNMAPPED	4	5PC	H5'	4.32	-1.0	1
UNMAPPED	7	PDU	H72	2.07	-1.0	1
UNMAPPED	6	PDU	H4'	4.32	-1.0	1
UNMAPPED	3	PDU	H2''	2.81	-1.0	1
UNMAPPED	6	PDU	H72	2.04	-1.0	1
UNMAPPED	1	DC	H6	8.05	-1.0	1
UNMAPPED	6	PDU	H2'	2.36	-1.0	1
UNMAPPED	5	5PC	H5'	4.27	-1.0	1
UNMAPPED	6	PDU	H2''	2.73	-1.0	1
UNMAPPED	5	5PC	H5''	4.19	-1.0	1
UNMAPPED	7	PDU	H2'	2.39	-1.0	1

*Continued on next page...*

*Continued from previous page...*

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	4	5PC	H1 <sup>γ</sup>	6.08	-1.0	1
UNMAPPED	2	5PC	H93	2.0	-1.0	1
UNMAPPED	2	5PC	H3 <sup>γ</sup>	4.85	-1.0	1
UNMAPPED	4	5PC	H92	2.11	-1.0	1
UNMAPPED	5	5PC	H93	2.07	-1.0	1
UNMAPPED	3	PDU	H6	7.9	-1.0	1
UNMAPPED	3	PDU	H5 <sup>γ</sup>	4.19	-1.0	1
UNMAPPED	4	5PC	H2 <sup>γ</sup>	2.44	-1.0	1
UNMAPPED	7	PDU	H3 <sup>γ</sup>	4.64	-1.0	1
UNMAPPED	6	PDU	H73	2.04	-1.0	1
UNMAPPED	2	5PC	H5 <sup>γ</sup>	4.19	-1.0	1
UNMAPPED	1	DC	H3 <sup>γ</sup>	4.76	-1.0	1
UNMAPPED	1	DC	H2 <sup>γ</sup>	2.76	-1.0	1
UNMAPPED	6	PDU	H71	2.04	-1.0	1
UNMAPPED	4	5PC	H3 <sup>γ</sup>	4.82	-1.0	1
UNMAPPED	5	5PC	H6	7.66	-1.0	1
UNMAPPED	6	PDU	H6	7.79	-1.0	1
UNMAPPED	2	5PC	H2 <sup>γ</sup>	2.51	-1.0	1
UNMAPPED	2	5PC	H6	7.9	-1.0	1
UNMAPPED	4	5PC	H4 <sup>γ</sup>	4.38	-1.0	1
UNMAPPED	6	PDU	H5 <sup>γ</sup>	4.27	-1.0	1
UNMAPPED	2	5PC	H92	2.0	-1.0	1
UNMAPPED	3	PDU	H5 <sup>γ</sup>	4.25	-1.0	1
UNMAPPED	4	5PC	H91	2.11	-1.0	1
UNMAPPED	4	5PC	H2 <sup>γ</sup>	2.76	-1.0	1
UNMAPPED	2	5PC	H91	2.0	-1.0	1
UNMAPPED	2	5PC	H5 <sup>γ</sup>	4.29	-1.0	1
UNMAPPED	6	PDU	H3 <sup>γ</sup>	4.94	-1.0	1
UNMAPPED	3	PDU	H73	2.06	-1.0	1
UNMAPPED	5	5PC	H2 <sup>γ</sup>	2.73	-1.0	1
UNMAPPED	5	5PC	H92	2.07	-1.0	1
UNMAPPED	7	PDU	H6	7.98	-1.0	1
UNMAPPED	3	PDU	H1 <sup>γ</sup>	6.15	-1.0	1
UNMAPPED	2	5PC	H2 <sup>γ</sup>	2.75	-1.0	1
UNMAPPED	5	5PC	H4 <sup>γ</sup>	4.32	-1.0	1
UNMAPPED	2	5PC	H4 <sup>γ</sup>	4.39	-1.0	1
UNMAPPED	7	PDU	H71	2.07	-1.0	1
UNMAPPED	7	PDU	H73	2.07	-1.0	1
UNMAPPED	5	5PC	H91	2.07	-1.0	1
UNMAPPED	1	DC	H5	6.08	-1.0	1
UNMAPPED	6	PDU	H5 <sup>γ</sup>	4.17	-1.0	1

*Continued on next page...*

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	4	5PC	H6	7.78	-1.0	1
UNMAPPED	4	5PC	H5''	4.2	-1.0	1
UNMAPPED	3	PDU	H2'	2.46	-1.0	1
UNMAPPED	1	DC	H4'	4.27	-1.0	1
UNMAPPED	5	5PC	H3'	4.84	-1.0	1
UNMAPPED	7	PDU	H4'	4.17	-1.0	1
UNMAPPED	7	PDU	H1'	6.38	-1.0	1
UNMAPPED	1	DC	H2''	2.75	-1.0	1
UNMAPPED	5	5PC	H2'	2.41	-1.0	1
UNMAPPED	1	DC	H1'	5.91	-1.0	1
UNMAPPED	3	PDU	H3'	4.92	-1.0	1
UNMAPPED	3	PDU	H72	2.06	-1.0	1
UNMAPPED	4	5PC	H93	2.11	-1.0	1
UNMAPPED	2	5PC	H1'	6.02	-1.0	1
UNMAPPED	7	PDU	H2''	2.38	-1.0	1
UNMAPPED	3	PDU	H71	2.06	-1.0	1
UNMAPPED	6	PDU	H1'	6.12	-1.0	1

### 7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 175. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	0/175 (0%)	0/103 (0%)	0/59 (0%)	0/13 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 175. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.



	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	0/175 (0%)	0/103 (0%)	0/59 (0%)	0/13 (0%)

### 7.1.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

### 7.1.5 Random Coil Index (RCI) plots [i](#)

No *random coil index* (RCI) plot could be generated from the current chemical shift list (assigned\_chem\_shift\_list\_1). RCI is only applicable to proteins.

## 7.2 Chemical shift list 2

File name: BMRB entry 5776

Chemical shift list name: *assigned\_chem\_shift\_list\_2*

### 7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	80
Number of shifts mapped to atoms	0
Number of unparsed shifts	0
Number of shifts with mapping errors	80
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Chain not found in structure. All 80 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	4	A	H5''	4.25	-1.0	1
UNMAPPED	11	G	H1'	5.64	-1.0	1
UNMAPPED	1	U	H6	7.76	-1.0	1

*Continued on next page...*

*Continued from previous page...*

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	7	A	H5''	4.11	-1.0	1
UNMAPPED	6	G	H4'	4.5	-1.0	1
UNMAPPED	2	A	H3'	4.63	-1.0	1
UNMAPPED	5	G	H5'	4.11	-1.0	1
UNMAPPED	3	A	H2'	4.77	-1.0	1
UNMAPPED	7	A	H4'	4.53	-1.0	1
UNMAPPED	9	G	H5'	4.08	-1.0	1
UNMAPPED	10	A	H5'	4.13	-1.0	1
UNMAPPED	8	G	H8	7.11	-1.0	1
UNMAPPED	6	G	H3'	4.45	-1.0	1
UNMAPPED	5	G	H3'	4.41	-1.0	1
UNMAPPED	10	A	H4'	4.44	-1.0	1
UNMAPPED	2	A	H5''	3.9	-1.0	1
UNMAPPED	11	G	H3'	4.45	-1.0	1
UNMAPPED	8	G	H5''	4.06	-1.0	1
UNMAPPED	6	G	H5'	4.08	-1.0	1
UNMAPPED	8	G	H1'	5.67	-1.0	1
UNMAPPED	5	G	H4'	4.48	-1.0	1
UNMAPPED	11	G	H4'	4.25	-1.0	1
UNMAPPED	10	A	H3'	4.56	-1.0	1
UNMAPPED	7	A	H2'	4.74	-1.0	1
UNMAPPED	9	G	H4'	4.5	-1.0	1
UNMAPPED	11	G	H5''	4.06	-1.0	1
UNMAPPED	1	U	H4'	4.34	-1.0	1
UNMAPPED	3	A	H2	7.58	-1.0	1
UNMAPPED	5	G	H5''	4.09	-1.0	1
UNMAPPED	4	A	H1'	5.84	-1.0	1
UNMAPPED	11	G	H8	7.58	-1.0	1
UNMAPPED	4	A	H4'	4.52	-1.0	1
UNMAPPED	3	A	H8	8.12	-1.0	1
UNMAPPED	2	A	H2	7.8	-1.0	1
UNMAPPED	2	A	H5'	3.96	-1.0	1
UNMAPPED	1	U	H1'	5.95	-1.0	1
UNMAPPED	6	G	H8	7.13	-1.0	1
UNMAPPED	9	G	H1'	5.77	-1.0	1
UNMAPPED	10	A	H2'	4.45	-1.0	1
UNMAPPED	5	G	H1'	5.63	-1.0	1
UNMAPPED	8	G	H4'	4.5	-1.0	1
UNMAPPED	9	G	H3'	4.45	-1.0	1
UNMAPPED	10	A	H8	7.64	-1.0	1
UNMAPPED	11	G	H5'	4.08	-1.0	1

*Continued on next page...*

*Continued from previous page...*

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	11	G	H2'	4.33	-1.0	1
UNMAPPED	7	A	H3'	4.6	-1.0	1
UNMAPPED	4	A	H5'	4.27	-1.0	1
UNMAPPED	3	A	H5'	4.24	-1.0	1
UNMAPPED	5	G	H2'	4.62	-1.0	1
UNMAPPED	6	G	H2'	4.65	-1.0	1
UNMAPPED	10	A	H5''	4.11	-1.0	1
UNMAPPED	2	A	H8	8.18	-1.0	1
UNMAPPED	7	A	H1'	6.04	-1.0	1
UNMAPPED	3	A	H3'	4.75	-1.0	1
UNMAPPED	7	A	H2	7.53	-1.0	1
UNMAPPED	2	A	H2'	4.77	-1.0	1
UNMAPPED	6	G	H1'	5.75	-1.0	1
UNMAPPED	8	G	H2'	4.65	-1.0	1
UNMAPPED	8	G	H3'	4.39	-1.0	1
UNMAPPED	4	A	H2	7.67	-1.0	1
UNMAPPED	10	A	H2	7.73	-1.0	1
UNMAPPED	7	A	H8	7.66	-1.0	1
UNMAPPED	4	A	H8	7.8	-1.0	1
UNMAPPED	3	A	H4'	4.55	-1.0	1
UNMAPPED	1	U	H3'	4.99	-1.0	1
UNMAPPED	2	A	H1'	5.8	-1.0	1
UNMAPPED	9	G	H8	7.1	-1.0	1
UNMAPPED	4	A	H2'	4.7	-1.0	1
UNMAPPED	3	A	H5''	4.22	-1.0	1
UNMAPPED	9	G	H5''	4.06	-1.0	1
UNMAPPED	6	G	H5''	4.06	-1.0	1
UNMAPPED	10	A	H1'	5.95	-1.0	1
UNMAPPED	5	G	H8	7.15	-1.0	1
UNMAPPED	7	A	H5'	4.13	-1.0	1
UNMAPPED	4	A	H3'	4.56	-1.0	1
UNMAPPED	8	G	H5'	4.07	-1.0	1
UNMAPPED	2	A	H4'	4.4	-1.0	1
UNMAPPED	1	U	H2'	5.2	-1.0	1
UNMAPPED	3	A	H1'	5.7	-1.0	1
UNMAPPED	9	G	H2'	4.63	-1.0	1

## 7.2.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

### 7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 175. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	0/175 (0%)	0/103 (0%)	0/59 (0%)	0/13 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 175. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	0/175 (0%)	0/103 (0%)	0/59 (0%)	0/13 (0%)

### 7.2.4 Statistically unusual chemical shifts [i](#)

There are no statistically unusual chemical shifts.

### 7.2.5 Random Coil Index (RCI) plots [i](#)

No *random coil index* (RCI) plot could be generated from the current chemical shift list (assigned\_chem\_shift\_list\_2). RCI is only applicable to proteins.