



# Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 03:59 pm BST

PDB ID : 5NXR  
Title : Trimeric structure of Omp-Pst1, the major porin from *Providencia stuartii*  
Authors : Colletier, J.P.; Nasrallah, C.  
Deposited on : 2017-05-10  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	352	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">2%      87%      11%      •</p>
1	B	352	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 14%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">%      85%      14%      •</p>
1	C	352	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">%      87%      13%      •</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	LDA	A	401	-	-	-	X
2	LDA	A	405	-	-	-	X
2	LDA	A	406	-	-	-	X
2	LDA	A	407	-	-	-	X
2	LDA	A	408	-	-	-	X
2	LDA	A	411	-	-	-	X
2	LDA	A	412	-	-	-	X
2	LDA	B	401	-	-	-	X
2	LDA	B	407[A]	-	-	-	X
2	LDA	B	407[B]	-	-	-	X
2	LDA	B	410[A]	-	-	-	X
2	LDA	B	410[B]	-	-	-	X
2	LDA	B	411[A]	-	-	-	X
2	LDA	B	411[B]	-	-	-	X
2	LDA	B	417	-	-	-	X
2	LDA	C	409	-	-	-	X
2	LDA	C	410	-	-	-	X
2	LDA	C	421	-	-	-	X
2	LDA	C	424	-	-	-	X
2	LDA	C	428	-	-	-	X
2	LDA	C	431	-	-	-	X
2	LDA	C	432	-	-	-	X
2	LDA	C	433[A]	-	-	-	X
2	LDA	C	433[B]	-	-	-	X
2	LDA	C	434[A]	-	-	-	X
2	LDA	C	434[B]	-	-	-	X
2	LDA	C	435	-	-	-	X
2	LDA	C	436	-	-	-	X
2	LDA	C	438	-	-	-	X
2	LDA	C	440	-	-	-	X
2	LDA	C	442	-	-	-	X

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 10312 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Porin 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	352	Total 2781	C 1744	N 472	O 560	S 5	0	2	0
1	C	352	Total 2782	C 1740	N 473	O 564	S 5	0	3	0
1	B	352	Total 2793	C 1749	N 475	O 564	S 5	0	4	0

- Molecule 2 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula: C<sub>14</sub>H<sub>31</sub>NO).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 16	C 14	N 1	O 1	0	0
2	A	1	Total 16	C 14	N 1	O 1	0	0
2	A	1	Total 16	C 14	N 1	O 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 12	10	1	1	0	0
2	A	1	Total 16	14	1	1	0	0
2	A	1	Total 16	14	1	1	0	0
2	A	1	Total 13	11	1	1	0	0
2	A	1	Total 12	10	1	1	0	0
2	A	1	Total 10	8	1	1	0	0
2	A	1	Total 16	14	1	1	0	0
2	A	1	Total 16	14	1	1	0	0
2	A	1	Total 8	6	1	1	0	0
2	A	1	Total 11	9	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 10	8	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 13	11	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 11	9	1	1	0	0
2	C	1	Total 16	14	1	1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 10	8	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 9	7	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 13	11	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 15	13	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0
2	C	1	Total 16	14	1	1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C			0	1
			22	22				
2	C	1	Total	C			0	1
			20	20				
2	C	1	Total	C	N	O	0	0
			16	14	1	1		
2	C	1	Total	C			0	0
			12	12				
2	C	1	Total	C	N	O	0	0
			9	7	1	1		
2	C	1	Total	C	N	O	0	0
			11	9	1	1		
2	C	1	Total	C	N	O	0	0
			11	9	1	1		
2	C	1	Total	C			0	0
			9	9				
2	C	1	Total	C			0	0
			9	9				
2	C	1	Total	C			0	0
			9	9				
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	1
			32	28	2	2		
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	1
			32	28	2	2		
2	B	1	Total	C	N	O	0	0
			13	11	1	1		
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	1
			32	28	2	2		
2	B	1	Total	C	N	O	0	1
			32	28	2	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	0
			16	14	1	1		
2	B	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	276	Total	O	0	0
			276	276		
5	C	305	Total	O	0	0
			305	305		
5	B	253	Total	O	0	0
			253	253		




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Porin 1



- Molecule 1: Porin 1



- Molecule 1: Porin 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	108.84Å 129.00Å 159.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.70 19.99 – 2.70	Depositor EDS
% Data completeness (in resolution range)	95.0 (20.00-2.70) 95.3 (19.99-2.70)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.24 (at 2.71Å)	Xtrriage
Refinement program	REFMAC 5.8.0155	Depositor
R, $R_{free}$	0.237 , 0.285 0.228 , 0.274	Depositor DCC
$R_{free}$ test set	2960 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	55.9	Xtrriage
Anisotropy	0.651	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 48.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	10312	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	76.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.85% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, LDA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.66	0/2840	0.91	7/3835 (0.2%)
1	B	0.69	0/2850	0.86	5/3845 (0.1%)
1	C	0.69	0/2839	0.84	3/3833 (0.1%)
All	All	0.68	0/8529	0.87	15/11513 (0.1%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	137	ARG	NE-CZ-NH2	17.71	129.15	120.30
1	A	137	ARG	NE-CZ-NH1	-11.24	114.68	120.30
1	B	239	LEU	CB-CG-CD2	-7.70	97.91	111.00
1	C	12	ASP	CB-CG-OD2	6.93	124.54	118.30
1	A	146	ASP	N-CA-C	6.75	129.21	111.00
1	A	239	LEU	CB-CG-CD1	6.65	122.31	111.00
1	C	39	ARG	CG-CD-NE	-6.42	98.31	111.80
1	B	137	ARG	NE-CZ-NH2	-6.38	117.11	120.30
1	C	159	GLY	N-CA-C	6.08	128.29	113.10
1	B	159	GLY	N-CA-C	6.02	128.15	113.10
1	A	159	GLY	N-CA-C	5.82	127.64	113.10
1	A	199	ARG	NE-CZ-NH2	-5.70	117.45	120.30
1	A	103	ASP	CB-CG-OD1	5.66	123.39	118.30
1	B	222	ARG	CG-CD-NE	-5.66	99.92	111.80
1	B	59	ARG	NE-CZ-NH1	-5.20	117.70	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2781	0	2605	25	0
1	B	2793	0	2623	26	0
1	C	2782	0	2602	29	0
2	A	178	0	325	7	0
2	B	333	0	642	10	0
2	C	609	0	1137	17	0
3	A	1	0	0	0	0
4	A	1	0	0	0	0
5	A	276	0	0	3	0
5	B	253	0	0	2	0
5	C	305	0	0	6	0
All	All	10312	0	9934	102	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (102) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:122:THR:O	1:C:251:ARG:NH1	2.16	0.78
1:C:100:VAL:H	1:C:153:GLN:HE22	1.33	0.77
1:C:37:ASP:O	1:C:39:ARG:NH1	2.21	0.73
1:A:302:LYS:HB3	1:A:327:LEU:HD12	1.76	0.67
1:C:100:VAL:H	1:C:153:GLN:NE2	1.92	0.67
1:B:98:TYR:CE1	1:B:129:ARG:HG3	2.30	0.67
1:A:98:TYR:CE1	1:A:129:ARG:HG3	2.30	0.66
1:C:98:TYR:CE1	1:C:129:ARG:HG3	2.31	0.66
1:B:302:LYS:HB3	1:B:327:LEU:HD12	1.79	0.64
1:C:219:THR:HG23	5:C:506:HOH:O	1.96	0.64
1:B:286:SER:HB3	1:B:301:VAL:HG12	1.78	0.64
1:C:246:THR:CG2	5:C:501:HOH:O	2.47	0.61
1:B:27:ASP:HB2	1:B:30:LYS:HD3	1.83	0.60
1:C:84:LEU:HD23	2:C:406:LDA:H81	1.84	0.60
2:C:408:LDA:H21	2:C:410:LDA:H11	1.85	0.59
1:B:302:LYS:N	1:B:327:LEU:HD11	2.19	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:412:LDA:H92	2:C:432:LDA:H12	1.85	0.57
1:C:264:ASN:HD22	1:C:286:SER:HB2	1.70	0.56
1:C:99:GLY:HA2	1:C:153:GLN:HE22	1.70	0.55
2:A:412:LDA:HM13	2:C:401:LDA:HM11	1.88	0.54
1:A:302:LYS:N	1:A:327:LEU:HD11	2.22	0.54
2:B:403:LDA:H12	2:B:404:LDA:H22	1.89	0.54
1:C:13:VAL:HG22	1:C:44:VAL:HG12	1.89	0.54
2:B:402[B]:LDA:H111	2:B:405:LDA:H91	1.90	0.54
2:A:410:LDA:H31	2:B:416:LDA:H51	1.90	0.54
2:B:405:LDA:H32	2:B:414:LDA:HM21	1.90	0.53
1:A:77:ASN:O	1:C:70:GLU:HG3	2.07	0.53
1:A:117:ASP:H	1:A:284:ASN:ND2	2.07	0.53
1:A:65:LYS:HD2	5:A:657:HOH:O	2.09	0.53
1:C:163:LYS:HE2	1:B:33:GLU:OE1	2.09	0.53
2:A:409:LDA:HM13	2:A:412:LDA:HM21	1.91	0.52
1:C:100:VAL:N	1:C:153:GLN:HE22	2.04	0.52
1:B:51:THR:HG22	1:B:54:LEU:HB3	1.92	0.52
1:C:126:MET:HG2	1:C:153:GLN:NE2	2.26	0.51
1:C:85:LYS:HD3	1:C:91:SER:HB3	1.93	0.51
1:A:1:ALA:O	1:A:3:VAL:HG13	2.11	0.50
1:C:192:GLY:HA3	2:C:429:LDA:H122	1.93	0.50
1:B:186:TRP:HB3	2:B:403:LDA:H11	1.93	0.50
2:C:419:LDA:HM21	2:C:419:LDA:H32	1.93	0.50
1:A:286:SER:HB3	1:A:301:VAL:HG23	1.93	0.50
2:C:413:LDA:H92	2:C:414:LDA:H61	1.94	0.49
1:C:286:SER:HB3	1:C:301:VAL:HG23	1.93	0.49
1:B:21:HIS:HE1	5:B:503:HOH:O	1.96	0.49
1:A:10:LYS:CG	1:A:47:ASP:HB2	2.43	0.49
1:C:31:LYS:HB2	5:C:706:HOH:O	2.12	0.49
2:A:408:LDA:H11	2:A:413:LDA:HM21	1.94	0.48
1:C:246:THR:HB	1:C:262:THR:OG1	2.13	0.48
1:A:160:ASP:HB2	5:A:578:HOH:O	2.13	0.48
1:A:27:ASP:HB2	1:A:30:LYS:HD2	1.94	0.48
1:B:51:THR:HG23	1:B:53:GLN:H	1.79	0.48
1:A:10:LYS:HG3	1:A:47:ASP:HB2	1.95	0.47
1:B:16[B]:LYS:HB3	1:B:351:GLN:HG3	1.96	0.47
2:C:416:LDA:HM13	5:C:708:HOH:O	2.15	0.47
1:B:51:THR:HG23	1:B:54:LEU:H	1.79	0.46
2:C:412:LDA:H102	2:C:413:LDA:H71	1.97	0.46
2:C:417:LDA:HM21	2:C:417:LDA:H21	1.82	0.46
1:A:232:PHE:CZ	2:A:406:LDA:HM11	2.51	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:65:LYS:HG3	1:B:74[A]:GLU:HG3	1.98	0.46
1:C:27:ASP:HB2	1:C:30:LYS:HD3	1.98	0.46
1:C:246:THR:HG23	1:C:249:THR:HB	1.97	0.46
1:B:283:TYR:HB2	2:B:413:LDA:H62	1.97	0.45
2:B:410[B]:LDA:H91	2:B:410[B]:LDA:H62	1.46	0.45
1:A:1:ALA:HA	1:A:12:ASP:OD2	2.16	0.45
1:A:1:ALA:HA	1:A:12:ASP:CG	2.36	0.45
1:B:199:ARG:NH2	1:B:218:ALA:O	2.48	0.45
2:C:405:LDA:H61	2:C:425:LDA:H111	1.99	0.45
1:C:326:LEU:HD22	2:C:405:LDA:HM23	1.99	0.44
1:A:199:ARG:NH2	1:A:218:ALA:O	2.49	0.44
1:B:320:VAL:CG2	2:B:417:LDA:H121	2.47	0.44
2:C:420:LDA:H22	2:C:420:LDA:HM11	1.77	0.44
1:A:163:LYS:HE3	5:C:645:HOH:O	2.17	0.44
1:C:118:THR:HB	1:C:264:ASN:HD22	1.81	0.43
2:B:402[A]:LDA:H42	2:B:405:LDA:H42	2.00	0.43
1:A:70:GLU:HG3	1:B:77:ASN:O	2.18	0.43
1:A:183:GLU:HB3	5:A:506:HOH:O	2.18	0.43
1:B:276:GLY:HA2	5:B:691:HOH:O	2.19	0.43
1:B:51:THR:CG2	1:B:54:LEU:H	2.32	0.43
2:C:416:LDA:HM21	2:C:417:LDA:H31	2.01	0.43
1:A:126:MET:HG2	1:A:153:GLN:OE1	2.19	0.43
1:C:238:TYR:HB3	1:C:270:GLN:HG3	2.00	0.43
1:C:65:LYS:HD2	1:C:65:LYS:HA	1.94	0.42
1:B:119:MET:HG2	1:B:264:ASN:ND2	2.34	0.42
1:B:196:SER:OG	1:B:222:ARG:NH1	2.52	0.42
1:B:52:ASP:OD1	1:B:52:ASP:N	2.51	0.42
1:A:232:PHE:HD2	1:A:239:LEU:HD22	1.83	0.42
1:B:126:MET:HG2	1:B:153:GLN:OE1	2.20	0.42
2:C:408:LDA:H62	2:C:410:LDA:H42	2.01	0.42
2:C:419:LDA:H82	2:C:420:LDA:H72	2.02	0.42
1:A:100:VAL:HB	1:A:179:SER:HB3	2.02	0.41
1:B:224:GLN:HE21	1:B:224:GLN:HB2	1.67	0.41
2:C:415:LDA:HM21	2:C:426:LDA:H11	2.01	0.41
1:A:119:MET:HG2	1:A:264:ASN:ND2	2.36	0.41
1:C:100:VAL:HB	1:C:179:SER:HB3	2.03	0.41
2:B:411[A]:LDA:HM11	2:B:411[A]:LDA:H22	1.53	0.41
2:A:403:LDA:H21	2:A:403:LDA:HM21	1.89	0.40
1:A:65:LYS:HG3	1:A:74[A]:GLU:HG3	2.02	0.40
1:B:138:ASN:HB3	1:B:150:PHE:CE1	2.56	0.40
1:A:74[A]:GLU:OE1	1:A:74[A]:GLU:HA	2.21	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:30:LYS:HA	5:C:688:HOH:O	2.20	0.40
1:C:138:ASN:HB3	1:C:150:PHE:CE1	2.57	0.40
2:A:409:LDA:HM11	2:A:413:LDA:H22	2.02	0.40
1:B:238:TYR:HB3	1:B:270:GLN:HG3	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	352/352 (100%)	324 (92%)	26 (7%)	2 (1%)	25	50
1	B	354/352 (101%)	326 (92%)	26 (7%)	2 (1%)	25	50
1	C	353/352 (100%)	324 (92%)	27 (8%)	2 (1%)	25	50
All	All	1059/1056 (100%)	974 (92%)	79 (8%)	6 (1%)	25	50

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	7	ASP
1	A	7	ASP
1	A	160	ASP
1	C	160	ASP
1	B	7	ASP
1	B	160	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/284 (101%)	275 (96%)	11 (4%)	33	62
1	B	288/284 (101%)	275 (96%)	13 (4%)	27	55
1	C	287/284 (101%)	277 (96%)	10 (4%)	36	65
All	All	861/852 (101%)	827 (96%)	34 (4%)	32	61

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	ASN
1	A	39	ARG
1	A	47	ASP
1	A	65	LYS
1	A	105	ASN
1	A	131	ARG
1	A	139	ASN
1	A	168	MET
1	A	210	SER
1	A	211	GLU
1	A	239	LEU
1	C	5	ASN
1	C	39	ARG
1	C	47	ASP
1	C	65	LYS
1	C	93	ASP
1	C	105	ASN
1	C	131	ARG
1	C	207	VAL
1	C	210	SER
1	C	246	THR
1	B	5	ASN
1	B	11	LEU
1	B	39	ARG
1	B	65	LYS
1	B	88	ASP
1	B	93	ASP
1	B	105	ASN
1	B	131	ARG
1	B	210	SER
1	B	274	ASP

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	314[A]	LYS
1	B	314[B]	LYS
1	B	351	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	284	ASN
1	C	75	ASN
1	C	153	GLN
1	C	235	ASN
1	C	264	ASN
1	C	297	ASN
1	B	21	HIS
1	B	75	ASN
1	B	224	GLN
1	B	235	ASN
1	B	245	GLN
1	B	285	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 80 ligands modelled in this entry, 2 are monoatomic - leaving 78 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	LDA	C	408	-	12,15,15	0.69	0	14,17,17	3.08	3 (21%)
2	LDA	C	426	-	12,15,15	0.85	1 (8%)	14,17,17	0.81	0
2	LDA	A	409	-	6,9,15	0.94	0	8,11,17	0.45	0
2	LDA	B	410[B]	-	12,15,15	0.56	0	14,17,17	0.49	0
2	LDA	A	407	-	9,12,15	0.83	0	11,14,17	3.63	3 (27%)
2	LDA	A	402	-	12,15,15	0.85	1 (8%)	14,17,17	0.92	0
2	LDA	C	414	-	12,15,15	0.80	1 (8%)	14,17,17	0.63	0
2	LDA	B	408	-	9,12,15	0.73	0	11,14,17	0.57	0
2	LDA	C	403	-	12,15,15	0.77	1 (8%)	14,17,17	0.60	0
2	LDA	A	404	-	8,11,15	0.98	1 (12%)	10,13,17	0.73	0
2	LDA	B	404	-	12,15,15	1.13	1 (8%)	14,17,17	0.93	0
2	LDA	C	421	-	12,15,15	0.85	1 (8%)	14,17,17	0.74	0
2	LDA	B	413	-	12,15,15	0.89	1 (8%)	14,17,17	0.70	0
2	LDA	C	417	-	12,15,15	0.81	0	14,17,17	0.94	1 (7%)
2	LDA	B	414	-	12,15,15	0.51	0	14,17,17	3.65	3 (21%)
2	LDA	B	415	-	12,15,15	0.84	1 (8%)	14,17,17	0.53	0
2	LDA	A	405	-	12,15,15	0.67	0	14,17,17	1.01	1 (7%)
2	LDA	C	412	-	12,15,15	0.94	1 (8%)	14,17,17	0.84	1 (7%)
2	LDA	A	401	-	12,15,15	0.85	1 (8%)	14,17,17	0.67	0
2	LDA	C	423	-	12,15,15	0.97	1 (8%)	14,17,17	0.64	0
2	LDA	B	411[B]	-	12,15,15	0.71	0	14,17,17	0.34	0
2	LDA	C	411	-	12,15,15	0.91	1 (8%)	14,17,17	0.64	0
2	LDA	C	409	-	12,15,15	0.82	1 (8%)	14,17,17	0.61	0
2	LDA	B	411[A]	-	12,15,15	0.78	1 (8%)	14,17,17	0.46	0
2	LDA	C	437	-	5,8,15	1.05	1 (20%)	7,10,17	0.62	0
2	LDA	C	424	-	5,8,15	0.94	0	7,10,17	0.84	0
2	LDA	A	403	-	12,15,15	0.90	1 (8%)	14,17,17	0.64	0
2	LDA	B	416	-	12,15,15	0.87	1 (8%)	14,17,17	0.53	0
2	LDA	B	401	-	12,15,15	0.75	1 (8%)	14,17,17	0.63	0
2	LDA	B	407[A]	-	12,15,15	0.68	0	14,17,17	3.29	3 (21%)
2	LDA	C	425	-	12,15,15	0.87	1 (8%)	14,17,17	0.75	1 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	LDA	C	442	-	8,8,15	0.59	0	7,7,17	0.26	0
2	LDA	C	405	-	9,12,15	1.13	1 (11%)	11,14,17	0.94	1 (9%)
2	LDA	C	413	-	12,15,15	0.81	1 (8%)	14,17,17	0.73	1 (7%)
2	LDA	C	422	-	12,15,15	0.72	0	14,17,17	3.21	3 (21%)
2	LDA	C	406	-	12,15,15	0.91	1 (8%)	14,17,17	0.63	0
2	LDA	C	432	-	12,15,15	0.71	0	14,17,17	0.60	0
2	LDA	C	431	-	12,15,15	0.68	0	14,17,17	0.82	1 (7%)
2	LDA	B	406	-	12,15,15	0.85	1 (8%)	14,17,17	3.18	3 (21%)
2	LDA	A	411	-	12,15,15	0.62	0	14,17,17	1.12	1 (7%)
2	LDA	C	429	-	11,13,15	0.80	1 (9%)	10,14,17	0.46	0
2	LDA	C	407	-	12,15,15	0.73	0	14,17,17	0.65	0
2	LDA	C	440	-	8,8,15	0.53	0	7,7,17	0.34	0
2	LDA	C	410	-	7,10,15	0.96	1 (14%)	9,12,17	0.61	0
2	LDA	B	417	-	12,15,15	0.80	1 (8%)	14,17,17	3.40	3 (21%)
2	LDA	C	436	-	11,11,15	0.47	0	10,10,17	0.44	0
2	LDA	C	427	-	9,12,15	0.93	1 (11%)	11,14,17	0.72	0
2	LDA	C	404	-	12,15,15	1.00	1 (8%)	14,17,17	0.74	1 (7%)
2	LDA	C	433[B]	-	10,10,15	0.43	0	9,9,17	0.48	0
2	LDA	C	439	-	7,10,15	0.68	0	9,12,17	3.83	3 (33%)
2	LDA	B	403	-	12,15,15	0.95	1 (8%)	14,17,17	0.46	0
2	LDA	C	401	-	12,15,15	0.91	1 (8%)	14,17,17	0.66	0
2	LDA	A	412	-	4,7,15	1.05	1 (25%)	6,9,17	5.09	3 (50%)
2	LDA	C	433[A]	-	10,10,15	0.42	0	9,9,17	0.49	0
2	LDA	B	402[B]	-	12,15,15	0.68	0	14,17,17	3.22	3 (21%)
2	LDA	C	402	-	6,9,15	1.11	1 (16%)	8,11,17	0.88	1 (12%)
2	LDA	C	430	-	12,15,15	0.89	1 (8%)	14,17,17	0.61	0
2	LDA	C	438	-	7,10,15	0.96	0	9,12,17	3.68	3 (33%)
2	LDA	C	420	-	12,15,15	1.27	1 (8%)	14,17,17	0.73	0
2	LDA	B	409	-	12,15,15	0.84	0	14,17,17	0.72	1 (7%)
2	LDA	A	406	-	12,15,15	0.73	0	14,17,17	3.28	3 (21%)
2	LDA	C	434[A]	-	9,9,15	0.43	0	8,8,17	0.45	0
2	LDA	A	410	-	12,15,15	0.82	1 (8%)	14,17,17	0.81	1 (7%)
2	LDA	B	405	-	12,15,15	0.85	1 (8%)	14,17,17	0.72	0
2	LDA	C	441	-	8,8,15	0.47	0	7,7,17	0.39	0
2	LDA	B	412	-	12,15,15	0.73	0	14,17,17	1.11	1 (7%)
2	LDA	B	407[B]	-	12,15,15	0.66	0	14,17,17	3.17	3 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	LDA	A	413	-	7,10,15	0.72	0	9,12,17	3.62	3 (33%)
2	LDA	C	434[B]	-	9,9,15	0.41	0	8,8,17	0.47	0
2	LDA	C	418	-	12,15,15	1.18	1 (8%)	14,17,17	0.57	0
2	LDA	C	428	-	12,15,15	0.71	0	14,17,17	3.23	3 (21%)
2	LDA	C	416	-	6,9,15	0.98	0	8,11,17	0.95	0
2	LDA	B	402[A]	-	12,15,15	0.75	1 (8%)	14,17,17	0.41	0
2	LDA	B	410[A]	-	12,15,15	0.66	0	14,17,17	0.71	0
2	LDA	A	408	-	8,11,15	0.86	1 (12%)	10,13,17	0.79	0
2	LDA	C	435	-	12,15,15	0.77	0	14,17,17	3.12	3 (21%)
2	LDA	C	419	-	12,15,15	0.67	0	14,17,17	0.87	1 (7%)
2	LDA	C	415	-	12,15,15	0.78	1 (8%)	14,17,17	0.65	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LDA	C	408	-	-	9/13/13/13	-
2	LDA	C	426	-	-	7/13/13/13	-
2	LDA	A	409	-	-	4/7/7/13	-
2	LDA	B	410[B]	-	-	6/13/13/13	-
2	LDA	A	407	-	-	7/10/10/13	-
2	LDA	A	402	-	-	8/13/13/13	-
2	LDA	C	414	-	-	11/13/13/13	-
2	LDA	B	408	-	-	5/10/10/13	-
2	LDA	C	403	-	-	2/13/13/13	-
2	LDA	A	404	-	-	5/9/9/13	-
2	LDA	B	404	-	-	9/13/13/13	-
2	LDA	C	421	-	-	8/13/13/13	-
2	LDA	B	413	-	-	2/13/13/13	-
2	LDA	C	417	-	-	9/13/13/13	-
2	LDA	B	414	-	-	8/13/13/13	-
2	LDA	B	415	-	-	11/13/13/13	-
2	LDA	A	405	-	-	12/13/13/13	-
2	LDA	C	412	-	-	5/13/13/13	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LDA	A	401	-	-	6/13/13/13	-
2	LDA	C	423	-	-	1/13/13/13	-
2	LDA	B	411[B]	-	-	4/13/13/13	-
2	LDA	C	411	-	-	3/13/13/13	-
2	LDA	C	409	-	-	6/13/13/13	-
2	LDA	B	411[A]	-	-	11/13/13/13	-
2	LDA	C	437	-	-	3/6/6/13	-
2	LDA	C	424	-	-	1/6/6/13	-
2	LDA	A	403	-	-	12/13/13/13	-
2	LDA	B	416	-	-	7/13/13/13	-
2	LDA	B	401	-	-	11/13/13/13	-
2	LDA	B	407[A]	-	-	6/13/13/13	-
2	LDA	C	425	-	-	9/13/13/13	-
2	LDA	C	442	-	-	3/6/6/13	-
2	LDA	C	405	-	-	4/10/10/13	-
2	LDA	C	413	-	-	6/13/13/13	-
2	LDA	C	422	-	-	3/13/13/13	-
2	LDA	C	406	-	-	5/13/13/13	-
2	LDA	C	432	-	-	9/13/13/13	-
2	LDA	C	431	-	-	11/13/13/13	-
2	LDA	B	406	-	-	3/13/13/13	-
2	LDA	A	411	-	-	12/13/13/13	-
2	LDA	C	429	-	-	7/9/9/13	-
2	LDA	C	407	-	-	11/13/13/13	-
2	LDA	C	440	-	-	4/6/6/13	-
2	LDA	C	410	-	-	4/8/8/13	-
2	LDA	B	417	-	-	9/13/13/13	-
2	LDA	C	436	-	-	8/9/9/13	-
2	LDA	C	427	-	-	5/10/10/13	-
2	LDA	C	404	-	-	12/13/13/13	-
2	LDA	C	433[B]	-	-	8/8/8/13	-
2	LDA	C	439	-	-	6/8/8/13	-
2	LDA	B	403	-	-	5/13/13/13	-
2	LDA	C	401	-	-	8/13/13/13	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LDA	A	412	-	-	4/5/5/13	-
2	LDA	C	433[A]	-	-	6/8/8/13	-
2	LDA	B	402[B]	-	-	5/13/13/13	-
2	LDA	C	402	-	-	2/7/7/13	-
2	LDA	C	430	-	-	5/13/13/13	-
2	LDA	C	438	-	-	6/8/8/13	-
2	LDA	C	420	-	-	8/13/13/13	-
2	LDA	B	409	-	-	9/13/13/13	-
2	LDA	A	406	-	-	9/13/13/13	-
2	LDA	C	434[A]	-	-	2/7/7/13	-
2	LDA	A	410	-	-	10/13/13/13	-
2	LDA	B	405	-	-	6/13/13/13	-
2	LDA	C	441	-	-	4/6/6/13	-
2	LDA	B	412	-	-	9/13/13/13	-
2	LDA	B	407[B]	-	-	8/13/13/13	-
2	LDA	A	413	-	-	7/8/8/13	-
2	LDA	C	434[B]	-	-	5/7/7/13	-
2	LDA	C	418	-	-	3/13/13/13	-
2	LDA	C	428	-	-	9/13/13/13	-
2	LDA	C	416	-	-	0/7/7/13	-
2	LDA	B	402[A]	-	-	11/13/13/13	-
2	LDA	B	410[A]	-	-	12/13/13/13	-
2	LDA	A	408	-	-	8/9/9/13	-
2	LDA	C	435	-	-	8/13/13/13	-
2	LDA	C	419	-	-	6/13/13/13	-
2	LDA	C	415	-	-	1/13/13/13	-

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	420	LDA	O1-N1	3.93	1.51	1.42
2	B	404	LDA	O1-N1	3.44	1.50	1.42
2	C	418	LDA	O1-N1	3.29	1.49	1.42
2	C	405	LDA	O1-N1	3.01	1.49	1.42
2	C	401	LDA	O1-N1	2.86	1.48	1.42
2	C	404	LDA	O1-N1	2.82	1.48	1.42
2	A	402	LDA	O1-N1	2.71	1.48	1.42

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	403	LDA	O1-N1	2.70	1.48	1.42
2	B	403	LDA	O1-N1	2.65	1.48	1.42
2	C	411	LDA	O1-N1	2.55	1.48	1.42
2	C	423	LDA	O1-N1	2.50	1.48	1.42
2	A	410	LDA	O1-N1	2.47	1.47	1.42
2	B	413	LDA	O1-N1	2.45	1.47	1.42
2	C	425	LDA	O1-N1	2.44	1.47	1.42
2	C	426	LDA	O1-N1	2.38	1.47	1.42
2	C	421	LDA	O1-N1	2.38	1.47	1.42
2	C	406	LDA	O1-N1	2.37	1.47	1.42
2	A	404	LDA	O1-N1	2.35	1.47	1.42
2	B	415	LDA	O1-N1	2.31	1.47	1.42
2	C	412	LDA	O1-N1	2.30	1.47	1.42
2	C	414	LDA	O1-N1	2.28	1.47	1.42
2	B	411[A]	LDA	O1-N1	2.28	1.47	1.42
2	C	402	LDA	O1-N1	2.24	1.47	1.42
2	C	410	LDA	O1-N1	2.19	1.47	1.42
2	C	427	LDA	O1-N1	2.18	1.47	1.42
2	B	405	LDA	O1-N1	2.18	1.47	1.42
2	B	402[A]	LDA	O1-N1	2.18	1.47	1.42
2	C	409	LDA	O1-N1	2.14	1.47	1.42
2	B	416	LDA	O1-N1	2.13	1.47	1.42
2	A	408	LDA	O1-N1	2.13	1.47	1.42
2	C	429	LDA	O1-N1	2.12	1.47	1.42
2	B	401	LDA	O1-N1	2.11	1.47	1.42
2	C	437	LDA	O1-N1	2.10	1.47	1.42
2	B	417	LDA	O1-N1	2.07	1.47	1.42
2	C	413	LDA	O1-N1	2.05	1.46	1.42
2	B	406	LDA	O1-N1	2.04	1.46	1.42
2	A	412	LDA	O1-N1	2.03	1.46	1.42
2	C	415	LDA	O1-N1	2.02	1.46	1.42
2	C	430	LDA	O1-N1	2.01	1.46	1.42
2	A	401	LDA	O1-N1	2.01	1.46	1.42
2	C	403	LDA	O1-N1	2.00	1.46	1.42

All (62) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	414	LDA	O1-N1-C1	-11.82	80.27	109.27
2	A	412	LDA	O1-N1-C1	-10.65	83.15	109.27
2	B	407[A]	LDA	O1-N1-C1	-10.50	83.52	109.27
2	B	417	LDA	O1-N1-C1	-10.47	83.60	109.27

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	428	LDA	O1-N1-C1	-10.23	84.19	109.27
2	A	407	LDA	O1-N1-C1	-10.13	84.43	109.27
2	B	407[B]	LDA	O1-N1-C1	-10.10	84.49	109.27
2	B	402[B]	LDA	O1-N1-C1	-10.09	84.53	109.27
2	A	406	LDA	O1-N1-C1	-10.05	84.61	109.27
2	C	422	LDA	O1-N1-C1	-10.01	84.73	109.27
2	B	406	LDA	O1-N1-C1	-9.90	84.99	109.27
2	C	439	LDA	O1-N1-C1	-9.79	85.26	109.27
2	C	435	LDA	O1-N1-C1	-9.77	85.32	109.27
2	C	408	LDA	O1-N1-C1	-9.65	85.60	109.27
2	C	438	LDA	O1-N1-C1	-9.39	86.25	109.27
2	A	413	LDA	O1-N1-C1	-8.99	87.23	109.27
2	A	406	LDA	CM2-N1-C1	5.85	122.52	110.23
2	B	414	LDA	CM2-N1-C1	5.79	122.40	110.23
2	B	417	LDA	CM1-N1-C1	5.67	122.15	110.23
2	B	406	LDA	CM2-N1-C1	5.58	121.96	110.23
2	A	412	LDA	CM1-N1-C1	5.22	121.20	110.23
2	C	422	LDA	CM1-N1-C1	5.09	120.93	110.23
2	C	428	LDA	CM2-N1-C1	4.88	120.48	110.23
2	C	438	LDA	CM2-N1-C1	4.87	120.47	110.23
2	C	439	LDA	CM2-N1-C1	4.83	120.37	110.23
2	C	408	LDA	CM2-N1-C1	4.66	120.03	110.23
2	C	435	LDA	CM2-N1-C1	4.62	119.93	110.23
2	B	402[B]	LDA	CM2-N1-C1	4.51	119.71	110.23
2	A	407	LDA	CM1-N1-C1	4.50	119.69	110.23
2	A	413	LDA	CM1-N1-C1	4.45	119.58	110.23
2	A	407	LDA	CM2-N1-C1	4.44	119.57	110.23
2	B	407[A]	LDA	CM2-N1-C1	4.38	119.44	110.23
2	B	402[B]	LDA	CM1-N1-C1	4.35	119.38	110.23
2	B	407[A]	LDA	CM1-N1-C1	4.34	119.35	110.23
2	B	407[B]	LDA	CM1-N1-C1	4.32	119.31	110.23
2	C	435	LDA	CM1-N1-C1	4.08	118.81	110.23
2	B	407[B]	LDA	CM2-N1-C1	4.05	118.73	110.23
2	C	422	LDA	CM2-N1-C1	3.81	118.24	110.23
2	A	413	LDA	CM2-N1-C1	3.80	118.21	110.23
2	C	428	LDA	CM1-N1-C1	3.77	118.15	110.23
2	A	412	LDA	CM2-N1-C1	3.72	118.05	110.23
2	B	417	LDA	CM2-N1-C1	3.65	117.90	110.23
2	A	411	LDA	CM2-N1-C1	3.64	117.87	110.23
2	A	406	LDA	CM1-N1-C1	3.60	117.79	110.23
2	C	408	LDA	CM1-N1-C1	3.58	117.75	110.23
2	B	412	LDA	CM2-N1-C1	3.54	117.68	110.23

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	405	LDA	CM2-N1-C1	3.38	117.33	110.23
2	C	439	LDA	CM1-N1-C1	3.27	117.11	110.23
2	B	406	LDA	CM1-N1-C1	3.15	116.86	110.23
2	B	414	LDA	CM1-N1-C1	3.00	116.53	110.23
2	C	438	LDA	CM1-N1-C1	2.61	115.71	110.23
2	C	417	LDA	CM2-N1-C1	2.52	115.53	110.23
2	C	419	LDA	CM1-N1-C1	2.51	115.50	110.23
2	C	404	LDA	O1-N1-C1	2.43	115.22	109.27
2	C	431	LDA	CM2-N1-C1	2.39	115.27	110.23
2	A	410	LDA	O1-N1-C1	2.30	114.92	109.27
2	C	413	LDA	CM2-N1-C1	2.24	114.94	110.23
2	C	405	LDA	CM2-N1-C1	2.15	114.76	110.23
2	C	402	LDA	CM1-N1-C1	2.05	114.53	110.23
2	B	409	LDA	CM1-N1-C1	2.03	114.50	110.23
2	C	412	LDA	CM1-N1-C1	2.03	114.49	110.23
2	C	425	LDA	O1-N1-C1	2.00	114.19	109.27

There are no chirality outliers.

All (514) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	408	LDA	C2-C1-N1-O1
2	C	426	LDA	C2-C1-N1-CM1
2	C	426	LDA	C2-C1-N1-CM2
2	C	426	LDA	N1-C1-C2-C3
2	A	407	LDA	C2-C1-N1-CM2
2	A	407	LDA	N1-C1-C2-C3
2	A	402	LDA	C2-C1-N1-CM2
2	A	402	LDA	N1-C1-C2-C3
2	C	414	LDA	C2-C1-N1-CM1
2	B	408	LDA	C2-C1-N1-CM1
2	A	404	LDA	C2-C1-N1-CM2
2	B	404	LDA	C2-C1-N1-O1
2	B	404	LDA	C2-C1-N1-CM1
2	B	404	LDA	C2-C1-N1-CM2
2	C	417	LDA	C2-C1-N1-O1
2	C	417	LDA	C2-C1-N1-CM1
2	C	417	LDA	C2-C1-N1-CM2
2	B	414	LDA	C2-C1-N1-O1
2	B	415	LDA	C2-C1-N1-CM2
2	A	405	LDA	C2-C1-N1-O1
2	A	405	LDA	C2-C1-N1-CM1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	A	405	LDA	C2-C1-N1-CM2
2	A	405	LDA	N1-C1-C2-C3
2	B	411[A]	LDA	C2-C1-N1-O1
2	B	411[A]	LDA	C2-C1-N1-CM1
2	B	411[A]	LDA	C2-C1-N1-CM2
2	A	403	LDA	C2-C1-N1-O1
2	A	403	LDA	C2-C1-N1-CM2
2	A	403	LDA	N1-C1-C2-C3
2	B	401	LDA	C2-C1-N1-CM1
2	B	401	LDA	C2-C1-N1-CM2
2	B	407[A]	LDA	C2-C1-N1-O1
2	B	407[A]	LDA	C2-C1-N1-CM2
2	C	425	LDA	C2-C1-N1-CM1
2	C	425	LDA	C2-C1-N1-CM2
2	C	425	LDA	N1-C1-C2-C3
2	C	413	LDA	N1-C1-C2-C3
2	C	422	LDA	C2-C1-N1-O1
2	C	432	LDA	N1-C1-C2-C3
2	C	431	LDA	C2-C1-N1-O1
2	C	431	LDA	C2-C1-N1-CM1
2	C	431	LDA	C2-C1-N1-CM2
2	C	431	LDA	N1-C1-C2-C3
2	B	406	LDA	C2-C1-N1-O1
2	B	406	LDA	C2-C1-N1-CM1
2	A	411	LDA	C2-C1-N1-O1
2	A	411	LDA	C2-C1-N1-CM1
2	A	411	LDA	C2-C1-N1-CM2
2	A	411	LDA	N1-C1-C2-C3
2	C	407	LDA	C2-C1-N1-CM1
2	C	407	LDA	C2-C1-N1-CM2
2	C	410	LDA	C2-C1-N1-CM1
2	B	417	LDA	N1-C1-C2-C3
2	C	427	LDA	C2-C1-N1-CM1
2	C	404	LDA	C2-C1-N1-CM1
2	C	404	LDA	C2-C1-N1-CM2
2	C	439	LDA	C2-C1-N1-CM1
2	C	439	LDA	C2-C1-N1-CM2
2	C	439	LDA	N1-C1-C2-C3
2	C	401	LDA	N1-C1-C2-C3
2	A	412	LDA	C2-C1-N1-CM1
2	A	412	LDA	C2-C1-N1-CM2
2	A	412	LDA	N1-C1-C2-C3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	C	438	LDA	C2-C1-N1-O1
2	C	438	LDA	C2-C1-N1-CM2
2	C	438	LDA	N1-C1-C2-C3
2	C	428	LDA	C2-C1-N1-CM1
2	C	428	LDA	C2-C1-N1-CM2
2	C	428	LDA	N1-C1-C2-C3
2	A	406	LDA	C2-C1-N1-O1
2	A	406	LDA	N1-C1-C2-C3
2	C	420	LDA	C2-C1-N1-O1
2	C	420	LDA	C2-C1-N1-CM1
2	C	420	LDA	C2-C1-N1-CM2
2	C	419	LDA	N1-C1-C2-C3
2	A	410	LDA	C2-C1-N1-CM1
2	A	410	LDA	C2-C1-N1-CM2
2	B	405	LDA	C2-C1-N1-CM1
2	B	412	LDA	C2-C1-N1-O1
2	B	412	LDA	C2-C1-N1-CM1
2	B	412	LDA	C2-C1-N1-CM2
2	B	407[B]	LDA	C2-C1-N1-O1
2	C	418	LDA	C2-C1-N1-O1
2	C	418	LDA	C2-C1-N1-CM1
2	C	418	LDA	C2-C1-N1-CM2
2	C	429	LDA	C2-C1-N1-O1
2	C	429	LDA	C2-C1-N1-CM1
2	C	429	LDA	C2-C1-N1-CM2
2	B	402[A]	LDA	C2-C1-N1-CM1
2	B	410[A]	LDA	C2-C1-N1-O1
2	B	410[A]	LDA	C2-C1-N1-CM1
2	B	410[A]	LDA	C2-C1-N1-CM2
2	B	410[A]	LDA	N1-C1-C2-C3
2	A	408	LDA	C2-C1-N1-CM1
2	A	408	LDA	N1-C1-C2-C3
2	C	435	LDA	C2-C1-N1-CM1
2	C	435	LDA	C2-C1-N1-CM2
2	B	410[B]	LDA	C11-C10-C9-C8
2	C	423	LDA	C11-C10-C9-C8
2	B	410[B]	LDA	C6-C7-C8-C9
2	B	411[A]	LDA	C7-C8-C9-C10
2	B	402[B]	LDA	C4-C5-C6-C7
2	B	409	LDA	C2-C3-C4-C5
2	C	433[B]	LDA	C2-C3-C4-C5
2	A	407	LDA	C4-C5-C6-C7

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Atoms</b>
2	C	412	LDA	C2-C3-C4-C5
2	B	401	LDA	C3-C4-C5-C6
2	C	412	LDA	C3-C4-C5-C6
2	A	401	LDA	C5-C6-C7-C8
2	B	401	LDA	C2-C3-C4-C5
2	C	413	LDA	C6-C7-C8-C9
2	C	436	LDA	C4-C5-C6-C7
2	A	413	LDA	C3-C4-C5-C6
2	A	402	LDA	C2-C3-C4-C5
2	B	413	LDA	C6-C7-C8-C9
2	C	432	LDA	C2-C3-C4-C5
2	C	421	LDA	C7-C8-C9-C10
2	B	417	LDA	C5-C6-C7-C8
2	C	404	LDA	C2-C3-C4-C5
2	B	410[A]	LDA	C6-C7-C8-C9
2	B	410[B]	LDA	C5-C6-C7-C8
2	A	405	LDA	C3-C4-C5-C6
2	C	413	LDA	C7-C8-C9-C10
2	C	436	LDA	C7-C8-C9-C10
2	B	407[B]	LDA	C11-C10-C9-C8
2	A	402	LDA	C11-C10-C9-C8
2	A	405	LDA	C6-C7-C8-C9
2	A	403	LDA	C4-C5-C6-C7
2	B	410[B]	LDA	C3-C4-C5-C6
2	B	411[B]	LDA	C4-C5-C6-C7
2	C	432	LDA	C3-C4-C5-C6
2	C	401	LDA	C2-C3-C4-C5
2	A	406	LDA	C3-C4-C5-C6
2	C	420	LDA	C6-C7-C8-C9
2	C	441	LDA	C5-C6-C7-C8
2	C	434[A]	LDA	C5-C6-C7-C8
2	C	414	LDA	C3-C4-C5-C6
2	C	414	LDA	C5-C6-C7-C8
2	C	407	LDA	C11-C10-C9-C8
2	C	433[A]	LDA	C6-C7-C8-C9
2	C	434[B]	LDA	C3-C4-C5-C6
2	B	410[A]	LDA	C5-C6-C7-C8
2	C	408	LDA	C5-C6-C7-C8
2	A	401	LDA	C2-C3-C4-C5
2	C	436	LDA	C2-C3-C4-C5
2	B	401	LDA	C6-C7-C8-C9
2	A	411	LDA	C2-C3-C4-C5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	C	433[A]	LDA	C4-C5-C6-C7
2	C	428	LDA	C2-C3-C4-C5
2	B	405	LDA	C11-C10-C9-C8
2	B	407[B]	LDA	C4-C5-C6-C7
2	C	408	LDA	C2-C3-C4-C5
2	A	402	LDA	C7-C8-C9-C10
2	C	414	LDA	C11-C10-C9-C8
2	B	404	LDA	C11-C10-C9-C8
2	C	417	LDA	C11-C10-C9-C8
2	B	414	LDA	C2-C3-C4-C5
2	B	416	LDA	C7-C8-C9-C10
2	C	425	LDA	C2-C3-C4-C5
2	C	407	LDA	C6-C7-C8-C9
2	C	407	LDA	C7-C8-C9-C10
2	C	404	LDA	C5-C6-C7-C8
2	B	409	LDA	C5-C6-C7-C8
2	C	441	LDA	C11-C10-C9-C8
2	C	434[B]	LDA	C6-C7-C8-C9
2	A	408	LDA	C4-C5-C6-C7
2	C	435	LDA	C7-C8-C9-C10
2	A	405	LDA	C7-C8-C9-C10
2	A	403	LDA	C7-C8-C9-C10
2	B	407[A]	LDA	C4-C5-C6-C7
2	C	435	LDA	C6-C7-C8-C9
2	C	409	LDA	C7-C8-C9-C10
2	C	409	LDA	C11-C10-C9-C8
2	B	407[A]	LDA	C11-C10-C9-C8
2	C	430	LDA	C7-C8-C9-C10
2	C	433[B]	LDA	C11-C10-C9-C8
2	B	402[A]	LDA	C11-C10-C9-C8
2	B	404	LDA	C5-C6-C7-C8
2	C	417	LDA	C2-C3-C4-C5
2	B	403	LDA	C5-C6-C7-C8
2	A	411	LDA	C3-C4-C5-C6
2	C	434[A]	LDA	C2-C3-C4-C5
2	B	411[A]	LDA	C5-C6-C7-C8
2	A	407	LDA	C2-C3-C4-C5
2	C	404	LDA	C3-C4-C5-C6
2	C	401	LDA	C5-C6-C7-C8
2	C	409	LDA	C4-C5-C6-C7
2	C	401	LDA	C4-C5-C6-C7
2	C	408	LDA	C11-C10-C9-C8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	A	406	LDA	C2-C3-C4-C5
2	C	414	LDA	C4-C5-C6-C7
2	C	403	LDA	C2-C3-C4-C5
2	B	401	LDA	C7-C8-C9-C10
2	C	438	LDA	C3-C4-C5-C6
2	A	409	LDA	C2-C3-C4-C5
2	C	431	LDA	C1-C2-C3-C4
2	C	428	LDA	C4-C5-C6-C7
2	A	406	LDA	C6-C7-C8-C9
2	A	405	LDA	C2-C3-C4-C5
2	C	413	LDA	C2-C3-C4-C5
2	C	406	LDA	C6-C7-C8-C9
2	C	439	LDA	C1-C2-C3-C4
2	C	401	LDA	C1-C2-C3-C4
2	B	412	LDA	C11-C10-C9-C8
2	B	407[B]	LDA	C6-C7-C8-C9
2	A	402	LDA	C1-C2-C3-C4
2	A	408	LDA	C1-C2-C3-C4
2	C	432	LDA	C6-C7-C8-C9
2	C	440	LDA	C11-C10-C9-C8
2	C	441	LDA	C6-C7-C8-C9
2	C	434[B]	LDA	C5-C6-C7-C8
2	A	411	LDA	C5-C6-C7-C8
2	B	402[A]	LDA	C7-C8-C9-C10
2	A	405	LDA	C4-C5-C6-C7
2	C	419	LDA	C5-C6-C7-C8
2	A	401	LDA	C4-C5-C6-C7
2	B	407[A]	LDA	C7-C8-C9-C10
2	C	433[A]	LDA	C11-C10-C9-C8
2	B	407[A]	LDA	C1-C2-C3-C4
2	C	404	LDA	C1-C2-C3-C4
2	A	408	LDA	C3-C4-C5-C6
2	B	413	LDA	C7-C8-C9-C10
2	B	402[A]	LDA	C2-C3-C4-C5
2	A	401	LDA	C6-C7-C8-C9
2	A	411	LDA	C1-C2-C3-C4
2	C	436	LDA	C11-C10-C9-C8
2	C	404	LDA	C7-C8-C9-C10
2	C	431	LDA	C5-C6-C7-C8
2	C	433[B]	LDA	C5-C6-C7-C8
2	A	403	LDA	C2-C3-C4-C5
2	A	412	LDA	C1-C2-C3-C4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	C	419	LDA	C3-C4-C5-C6
2	C	432	LDA	C1-C2-C3-C4
2	A	411	LDA	C4-C5-C6-C7
2	A	411	LDA	C7-C8-C9-C10
2	C	439	LDA	C2-C3-C4-C5
2	C	439	LDA	C3-C4-C5-C6
2	A	410	LDA	C1-C2-C3-C4
2	A	413	LDA	C1-C2-C3-C4
2	C	429	LDA	C11-C10-C9-C8
2	C	414	LDA	C1-C2-C3-C4
2	B	401	LDA	C1-C2-C3-C4
2	C	414	LDA	C7-C8-C9-C10
2	C	425	LDA	C7-C8-C9-C10
2	B	410[B]	LDA	C4-C5-C6-C7
2	B	416	LDA	C3-C4-C5-C6
2	C	425	LDA	C1-C2-C3-C4
2	C	419	LDA	C1-C2-C3-C4
2	B	407[B]	LDA	C3-C4-C5-C6
2	B	415	LDA	C3-C4-C5-C6
2	C	410	LDA	C2-C3-C4-C5
2	C	438	LDA	C1-C2-C3-C4
2	C	433[A]	LDA	C7-C8-C9-C10
2	B	409	LDA	C1-C2-C3-C4
2	C	440	LDA	C7-C8-C9-C10
2	C	436	LDA	C3-C4-C5-C6
2	B	407[B]	LDA	C1-C2-C3-C4
2	A	407	LDA	C3-C4-C5-C6
2	C	417	LDA	C6-C7-C8-C9
2	B	411[B]	LDA	C1-C2-C3-C4
2	C	405	LDA	C1-C2-C3-C4
2	B	416	LDA	C5-C6-C7-C8
2	B	412	LDA	C1-C2-C3-C4
2	C	426	LDA	C3-C4-C5-C6
2	C	411	LDA	C2-C3-C4-C5
2	C	435	LDA	C3-C4-C5-C6
2	B	416	LDA	C1-C2-C3-C4
2	B	401	LDA	C4-C5-C6-C7
2	A	411	LDA	C6-C7-C8-C9
2	C	430	LDA	C11-C10-C9-C8
2	C	407	LDA	C4-C5-C6-C7
2	A	406	LDA	C7-C8-C9-C10
2	C	406	LDA	C5-C6-C7-C8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	C	432	LDA	C11-C10-C9-C8
2	C	424	LDA	C2-C3-C4-C5
2	A	403	LDA	C1-C2-C3-C4
2	B	411[A]	LDA	C4-C5-C6-C7
2	C	430	LDA	C9-C10-C11-C12
2	B	402[A]	LDA	C6-C7-C8-C9
2	A	403	LDA	C9-C10-C11-C12
2	C	420	LDA	C11-C10-C9-C8
2	B	412	LDA	C3-C4-C5-C6
2	B	410[A]	LDA	C1-C2-C3-C4
2	A	409	LDA	C1-C2-C3-C4
2	A	408	LDA	C5-C6-C7-C8
2	B	405	LDA	C9-C10-C11-C12
2	C	428	LDA	C9-C10-C11-C12
2	B	417	LDA	C9-C10-C11-C12
2	B	410[B]	LDA	C2-C3-C4-C5
2	B	409	LDA	C6-C7-C8-C9
2	C	442	LDA	C5-C6-C7-C8
2	C	427	LDA	C2-C3-C4-C5
2	C	433[B]	LDA	C7-C8-C9-C10
2	B	417	LDA	C7-C8-C9-C10
2	B	417	LDA	C11-C10-C9-C8
2	C	419	LDA	C6-C7-C8-C9
2	A	401	LDA	C11-C10-C9-C8
2	A	404	LDA	C1-C2-C3-C4
2	C	432	LDA	C9-C10-C11-C12
2	A	405	LDA	C11-C10-C9-C8
2	C	407	LDA	C9-C10-C11-C12
2	C	433[A]	LDA	C9-C10-C11-C12
2	C	414	LDA	C9-C10-C11-C12
2	B	410[A]	LDA	C9-C10-C11-C12
2	C	408	LDA	N1-C1-C2-C3
2	B	408	LDA	N1-C1-C2-C3
2	C	403	LDA	N1-C1-C2-C3
2	B	404	LDA	N1-C1-C2-C3
2	C	417	LDA	N1-C1-C2-C3
2	B	414	LDA	N1-C1-C2-C3
2	B	415	LDA	N1-C1-C2-C3
2	B	411[B]	LDA	N1-C1-C2-C3
2	C	409	LDA	N1-C1-C2-C3
2	B	411[A]	LDA	N1-C1-C2-C3
2	B	416	LDA	N1-C1-C2-C3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	B	401	LDA	N1-C1-C2-C3
2	C	405	LDA	N1-C1-C2-C3
2	C	422	LDA	N1-C1-C2-C3
2	C	404	LDA	N1-C1-C2-C3
2	B	403	LDA	N1-C1-C2-C3
2	C	402	LDA	N1-C1-C2-C3
2	B	409	LDA	N1-C1-C2-C3
2	A	410	LDA	N1-C1-C2-C3
2	A	413	LDA	N1-C1-C2-C3
2	C	436	LDA	C1-C2-C3-C4
2	C	429	LDA	C9-C10-C11-C12
2	B	410[A]	LDA	C7-C8-C9-C10
2	C	430	LDA	C5-C6-C7-C8
2	C	425	LDA	C6-C7-C8-C9
2	C	433[B]	LDA	C4-C5-C6-C7
2	B	411[A]	LDA	C3-C4-C5-C6
2	C	442	LDA	C7-C8-C9-C10
2	C	421	LDA	C6-C7-C8-C9
2	C	404	LDA	C4-C5-C6-C7
2	A	409	LDA	C3-C4-C5-C6
2	A	405	LDA	C9-C10-C11-C12
2	B	414	LDA	C4-C5-C6-C7
2	C	428	LDA	C6-C7-C8-C9
2	C	412	LDA	C6-C7-C8-C9
2	A	410	LDA	C11-C10-C9-C8
2	B	404	LDA	C4-C5-C6-C7
2	C	410	LDA	C1-C2-C3-C4
2	C	409	LDA	C9-C10-C11-C12
2	C	432	LDA	C7-C8-C9-C10
2	C	434[B]	LDA	C2-C3-C4-C5
2	C	406	LDA	C4-C5-C6-C7
2	A	413	LDA	C4-C5-C6-C7
2	C	426	LDA	C2-C3-C4-C5
2	C	404	LDA	C6-C7-C8-C9
2	B	412	LDA	C2-C3-C4-C5
2	A	404	LDA	C5-C6-C7-C8
2	B	415	LDA	C5-C6-C7-C8
2	B	414	LDA	C1-C2-C3-C4
2	B	402[A]	LDA	C1-C2-C3-C4
2	C	421	LDA	C1-C2-C3-C4
2	B	409	LDA	C11-C10-C9-C8
2	B	415	LDA	C1-C2-C3-C4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	C	437	LDA	C2-C3-C4-C5
2	C	427	LDA	C1-C2-C3-C4
2	B	402[A]	LDA	C3-C4-C5-C6
2	C	405	LDA	C6-C7-C8-C9
2	C	431	LDA	C3-C4-C5-C6
2	C	429	LDA	C5-C6-C7-C8
2	C	436	LDA	C5-C6-C7-C8
2	C	412	LDA	C1-C2-C3-C4
2	C	415	LDA	C4-C5-C6-C7
2	C	428	LDA	C3-C4-C5-C6
2	B	411[A]	LDA	C6-C7-C8-C9
2	C	433[B]	LDA	C6-C7-C8-C9
2	C	408	LDA	C2-C1-N1-CM2
2	A	407	LDA	C2-C1-N1-CM1
2	A	402	LDA	C2-C1-N1-CM1
2	C	414	LDA	C2-C1-N1-CM2
2	B	408	LDA	C2-C1-N1-CM2
2	A	404	LDA	C2-C1-N1-CM1
2	C	421	LDA	C2-C1-N1-CM1
2	C	421	LDA	C2-C1-N1-CM2
2	B	414	LDA	C2-C1-N1-CM1
2	B	415	LDA	C2-C1-N1-CM1
2	C	437	LDA	C2-C1-N1-CM2
2	C	422	LDA	C2-C1-N1-CM2
2	C	410	LDA	C2-C1-N1-CM2
2	B	417	LDA	C2-C1-N1-CM1
2	B	417	LDA	C2-C1-N1-CM2
2	C	427	LDA	C2-C1-N1-CM2
2	B	402[B]	LDA	C2-C1-N1-CM2
2	A	406	LDA	C2-C1-N1-CM1
2	B	405	LDA	C2-C1-N1-CM2
2	B	407[B]	LDA	C2-C1-N1-CM2
2	A	413	LDA	C2-C1-N1-CM1
2	A	413	LDA	C2-C1-N1-CM2
2	B	402[A]	LDA	C2-C1-N1-CM2
2	A	408	LDA	C2-C1-N1-CM2
2	A	407	LDA	C6-C7-C8-C9
2	A	411	LDA	C9-C10-C11-C12
2	B	403	LDA	C11-C10-C9-C8
2	A	403	LDA	C5-C6-C7-C8
2	C	436	LDA	C9-C10-C11-C12
2	C	427	LDA	C6-C7-C8-C9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	B	415	LDA	C11-C10-C9-C8
2	C	425	LDA	C9-C10-C11-C12
2	C	433[B]	LDA	C9-C10-C11-C12
2	C	402	LDA	C1-C2-C3-C4
2	C	442	LDA	C11-C10-C9-C8
2	B	412	LDA	C7-C8-C9-C10
2	B	409	LDA	C3-C4-C5-C6
2	C	426	LDA	C2-C1-N1-O1
2	B	408	LDA	C2-C1-N1-O1
2	A	404	LDA	C2-C1-N1-O1
2	B	415	LDA	C2-C1-N1-O1
2	B	401	LDA	C2-C1-N1-O1
2	C	425	LDA	C2-C1-N1-O1
2	C	407	LDA	C2-C1-N1-O1
2	B	417	LDA	C2-C1-N1-O1
2	C	404	LDA	C2-C1-N1-O1
2	A	410	LDA	C2-C1-N1-O1
2	B	405	LDA	C2-C1-N1-O1
2	B	402[A]	LDA	C2-C1-N1-O1
2	C	405	LDA	C4-C5-C6-C7
2	C	401	LDA	C11-C10-C9-C8
2	A	406	LDA	C4-C5-C6-C7
2	B	410[A]	LDA	C4-C5-C6-C7
2	C	421	LDA	C11-C10-C9-C8
2	B	411[B]	LDA	C6-C7-C8-C9
2	C	408	LDA	C3-C4-C5-C6
2	B	415	LDA	C9-C10-C11-C12
2	C	411	LDA	C5-C6-C7-C8
2	C	414	LDA	C2-C3-C4-C5
2	B	409	LDA	C4-C5-C6-C7
2	B	402[A]	LDA	C5-C6-C7-C8
2	C	408	LDA	C9-C10-C11-C12
2	C	431	LDA	C7-C8-C9-C10
2	C	431	LDA	C6-C7-C8-C9
2	B	417	LDA	C2-C3-C4-C5
2	C	440	LDA	C9-C10-C11-C12
2	C	435	LDA	C1-C2-C3-C4
2	C	421	LDA	C9-C10-C11-C12
2	C	408	LDA	C1-C2-C3-C4
2	A	403	LDA	C6-C7-C8-C9
2	C	401	LDA	C6-C7-C8-C9
2	A	403	LDA	C3-C4-C5-C6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	B	414	LDA	C9-C10-C11-C12
2	C	438	LDA	C2-C3-C4-C5
2	C	401	LDA	C9-C10-C11-C12
2	B	408	LDA	C2-C3-C4-C5
2	C	407	LDA	N1-C1-C2-C3
2	C	428	LDA	C1-C2-C3-C4
2	A	410	LDA	C4-C5-C6-C7
2	B	402[B]	LDA	C5-C6-C7-C8
2	B	416	LDA	C6-C7-C8-C9
2	C	431	LDA	C4-C5-C6-C7
2	A	405	LDA	C5-C6-C7-C8
2	C	409	LDA	C1-C2-C3-C4
2	B	405	LDA	C1-C2-C3-C4
2	B	409	LDA	C7-C8-C9-C10
2	C	435	LDA	C9-C10-C11-C12
2	B	407[B]	LDA	C7-C8-C9-C10
2	B	410[A]	LDA	C3-C4-C5-C6
2	C	413	LDA	C1-C2-C3-C4
2	B	406	LDA	C1-C2-C3-C4
2	B	414	LDA	C3-C4-C5-C6
2	C	430	LDA	C6-C7-C8-C9
2	A	401	LDA	C1-C2-C3-C4
2	B	411[A]	LDA	C11-C10-C9-C8
2	C	433[B]	LDA	C3-C4-C5-C6
2	B	402[B]	LDA	C3-C4-C5-C6
2	B	404	LDA	C9-C10-C11-C12
2	B	411[A]	LDA	C1-C2-C3-C4
2	C	407	LDA	C1-C2-C3-C4
2	C	420	LDA	C5-C6-C7-C8
2	C	429	LDA	C4-C5-C6-C7
2	C	426	LDA	C1-C2-C3-C4
2	C	406	LDA	C9-C10-C11-C12
2	C	412	LDA	C11-C10-C9-C8
2	B	401	LDA	C9-C10-C11-C12
2	C	420	LDA	C7-C8-C9-C10
2	C	440	LDA	C4-C5-C6-C7
2	A	410	LDA	C9-C10-C11-C12
2	B	404	LDA	C1-C2-C3-C4
2	C	431	LDA	C9-C10-C11-C12
2	C	435	LDA	C4-C5-C6-C7
2	B	403	LDA	C9-C10-C11-C12
2	C	404	LDA	C11-C10-C9-C8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	C	432	LDA	C5-C6-C7-C8
2	B	402[A]	LDA	C9-C10-C11-C12
2	C	406	LDA	C7-C8-C9-C10
2	A	410	LDA	C3-C4-C5-C6
2	B	416	LDA	C4-C5-C6-C7
2	C	437	LDA	C2-C1-N1-CM1
2	A	403	LDA	C2-C1-N1-CM1
2	C	420	LDA	C3-C4-C5-C6
2	B	415	LDA	C6-C7-C8-C9
2	C	441	LDA	C4-C5-C6-C7
2	C	411	LDA	C3-C4-C5-C6
2	B	403	LDA	C4-C5-C6-C7
2	A	410	LDA	C7-C8-C9-C10
2	A	409	LDA	N1-C1-C2-C3
2	B	415	LDA	C7-C8-C9-C10
2	A	402	LDA	C2-C1-N1-O1
2	C	414	LDA	C2-C1-N1-O1
2	C	421	LDA	C2-C1-N1-O1
2	C	413	LDA	C2-C1-N1-O1
2	B	402[B]	LDA	C2-C1-N1-O1
2	C	419	LDA	C2-C1-N1-O1
2	A	413	LDA	C2-C1-N1-O1
2	A	408	LDA	C2-C1-N1-O1
2	C	434[B]	LDA	C7-C8-C9-C10
2	B	410[A]	LDA	C2-C3-C4-C5
2	C	417	LDA	C1-C2-C3-C4
2	C	417	LDA	C5-C6-C7-C8
2	C	433[A]	LDA	C3-C4-C5-C6
2	B	412	LDA	C4-C5-C6-C7
2	A	406	LDA	C9-C10-C11-C12
2	C	407	LDA	C2-C3-C4-C5

There are no ring outliers.

35 monomers are involved in 32 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	408	LDA	2	0
2	C	426	LDA	1	0
2	A	409	LDA	2	0
2	B	410[B]	LDA	1	0
2	C	414	LDA	1	0
2	B	404	LDA	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	413	LDA	1	0
2	C	417	LDA	2	0
2	B	414	LDA	1	0
2	C	412	LDA	2	0
2	B	411[A]	LDA	1	0
2	A	403	LDA	1	0
2	B	416	LDA	1	0
2	C	425	LDA	1	0
2	C	405	LDA	2	0
2	C	413	LDA	2	0
2	C	406	LDA	1	0
2	C	432	LDA	1	0
2	C	429	LDA	1	0
2	C	410	LDA	2	0
2	B	417	LDA	1	0
2	B	403	LDA	2	0
2	C	401	LDA	1	0
2	A	412	LDA	2	0
2	B	402[B]	LDA	1	0
2	C	420	LDA	2	0
2	A	406	LDA	1	0
2	A	410	LDA	1	0
2	B	405	LDA	3	0
2	A	413	LDA	2	0
2	C	416	LDA	2	0
2	B	402[A]	LDA	1	0
2	A	408	LDA	1	0
2	C	419	LDA	2	0
2	C	415	LDA	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	352/352 (100%)	-0.23	8 (2%) 60 62	48, 69, 116, 145	0
1	B	352/352 (100%)	-0.34	5 (1%) 75 77	49, 67, 104, 156	0
1	C	352/352 (100%)	-0.28	5 (1%) 75 77	48, 65, 104, 150	0
All	All	1056/1056 (100%)	-0.28	18 (1%) 70 72	48, 67, 110, 156	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	7	ASP	4.9
1	A	86	PHE	4.1
1	C	7	ASP	3.6
1	A	6	LYS	3.5
1	C	28	LYS	3.2
1	B	6	LYS	3.1
1	C	6	LYS	3.0
1	C	4	TYR	2.9
1	C	144	TYR	2.9
1	A	143	GLY	2.5
1	A	7	ASP	2.4
1	A	144	TYR	2.4
1	B	144	TYR	2.3
1	B	29	GLY	2.3
1	A	145	VAL	2.2
1	A	8	GLY	2.2
1	B	4	TYR	2.1
1	A	146	ASP	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	LDA	C	409	16/16	0.20	0.68	99,155,225,234	0
2	LDA	C	431	16/16	0.24	0.47	136,186,208,210	0
2	LDA	C	434[B]	10/16	0.33	0.69	71,85,90,91	10
2	LDA	C	435	16/16	0.33	0.77	165,185,192,194	0
2	LDA	C	434[A]	10/16	0.33	0.69	80,86,91,91	10
2	LDA	C	442	9/16	0.35	0.44	102,112,124,126	0
2	LDA	C	436	12/16	0.36	0.54	151,173,191,194	0
2	LDA	C	432	16/16	0.36	0.44	156,188,201,204	0
2	LDA	C	424	9/16	0.40	0.72	130,167,186,191	0
2	LDA	C	438	11/16	0.41	0.57	119,159,166,168	0
2	LDA	B	407[B]	16/16	0.49	0.63	64,82,87,87	16
2	LDA	B	407[A]	16/16	0.49	0.63	68,74,80,82	16
2	LDA	A	407	13/16	0.50	0.64	114,167,188,189	0
2	LDA	B	412	16/16	0.50	0.34	101,123,164,165	0
2	LDA	C	410	11/16	0.53	0.43	105,168,202,203	0
2	LDA	A	409	10/16	0.53	0.40	141,166,185,186	0
2	LDA	C	421	16/16	0.53	0.42	116,130,152,154	0
2	LDA	C	440	9/16	0.53	0.46	108,122,132,136	0
2	LDA	B	417	16/16	0.55	0.42	73,149,205,206	0
2	LDA	C	433[A]	11/16	0.57	0.46	76,82,83,83	11
2	LDA	C	433[B]	11/16	0.57	0.46	64,68,70,70	11
2	LDA	A	401	16/16	0.60	0.45	63,113,187,194	0
2	LDA	A	411	16/16	0.60	0.57	89,126,196,201	0
2	LDA	C	420	16/16	0.62	0.36	74,80,120,124	0
2	LDA	A	408	12/16	0.64	0.52	130,180,194,199	0
2	LDA	B	410[B]	16/16	0.64	0.42	33,36,38,40	16
2	LDA	B	410[A]	16/16	0.64	0.42	62,70,76,77	16
2	LDA	A	405	16/16	0.66	0.44	77,130,155,162	0
2	LDA	C	406	16/16	0.66	0.34	69,99,149,156	0
2	LDA	A	406	16/16	0.67	0.47	87,114,134,138	0
2	LDA	C	408	16/16	0.67	0.34	62,121,187,191	0

*Continued on next page...*



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	LDA	C	412	16/16	0.67	0.30	82,97,158,161	0
2	LDA	A	404	12/16	0.69	0.34	109,112,143,145	0
2	LDA	C	419	16/16	0.71	0.38	92,140,151,154	0
2	LDA	C	430	16/16	0.71	0.36	97,106,121,124	0
2	LDA	C	423	16/16	0.72	0.31	75,89,165,175	0
2	LDA	C	428	16/16	0.72	0.61	128,186,194,196	0
2	LDA	A	413	11/16	0.73	0.39	133,164,193,194	0
2	LDA	C	441	9/16	0.73	0.38	116,136,145,147	0
2	LDA	C	437	9/16	0.74	0.26	92,107,140,151	0
2	LDA	B	402[A]	16/16	0.74	0.36	43,57,76,77	16
2	LDA	B	402[B]	16/16	0.74	0.36	47,52,85,89	16
2	LDA	C	411	16/16	0.75	0.22	64,97,137,142	0
2	LDA	A	412	8/16	0.76	0.51	116,148,170,179	0
2	LDA	B	401	16/16	0.76	0.40	73,104,142,143	0
2	LDA	C	418	16/16	0.77	0.26	47,66,100,102	0
2	LDA	C	422	16/16	0.78	0.21	70,90,168,179	0
2	LDA	C	439	11/16	0.78	0.27	106,113,119,121	0
2	LDA	C	413	16/16	0.78	0.26	60,71,125,129	0
2	LDA	C	427	13/16	0.78	0.25	73,98,143,145	0
2	LDA	C	429	15/16	0.78	0.33	56,64,172,173	0
2	LDA	B	415	16/16	0.79	0.39	73,101,138,142	0
2	LDA	C	402	10/16	0.79	0.23	67,100,133,134	0
2	LDA	C	404	16/16	0.80	0.28	68,75,126,128	0
2	LDA	B	411[A]	16/16	0.80	0.41	55,66,80,81	16
2	LDA	C	425	16/16	0.80	0.27	60,71,131,135	0
2	LDA	B	411[B]	16/16	0.80	0.41	52,63,84,85	16
2	LDA	C	407	16/16	0.81	0.26	50,63,120,124	0
2	LDA	C	405	13/16	0.81	0.27	70,80,116,117	0
2	LDA	A	403	16/16	0.81	0.36	80,96,123,124	0
2	LDA	B	416	16/16	0.81	0.23	68,100,145,146	0
2	LDA	C	426	16/16	0.81	0.26	61,84,173,173	0
2	LDA	C	415	16/16	0.81	0.23	75,89,135,138	0
2	LDA	C	416	10/16	0.82	0.26	42,52,82,88	0
2	LDA	C	414	16/16	0.84	0.22	69,82,118,118	0
2	LDA	B	409	16/16	0.85	0.23	49,93,124,128	0
2	LDA	B	408	13/16	0.85	0.19	54,64,95,105	0
2	LDA	B	406	16/16	0.85	0.20	51,93,151,160	0
2	LDA	B	414	16/16	0.85	0.30	72,89,132,132	0
2	LDA	C	417	16/16	0.86	0.26	53,67,103,104	0
2	LDA	B	405	16/16	0.87	0.24	62,84,168,171	0
2	LDA	B	404	16/16	0.88	0.21	50,62,75,75	0
2	LDA	B	403	16/16	0.88	0.20	61,78,87,88	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	LDA	A	410	16/16	0.88	0.18	65,89,148,148	0
2	LDA	C	401	16/16	0.89	0.17	55,76,127,128	0
4	CL	A	415	1/1	0.90	0.28	108,108,108,108	0
2	LDA	C	403	16/16	0.90	0.19	47,63,85,87	0
2	LDA	A	402	16/16	0.90	0.23	54,63,104,107	0
2	LDA	B	413	16/16	0.91	0.16	53,64,103,119	0
3	CA	A	414	1/1	0.96	0.30	80,80,80,80	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.