



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 09:31 AM EDT

PDB ID : 6O1A  
Title : Alpha-L-fucosidase AlfC from Lactobacillus casei in complex with alpha-L-fucose product  
Authors : Klontz, E.H.; Sundberg, E.J.  
Deposited on : 2019-02-18  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	345	
1	B	345	
1	C	345	
1	D	345	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10255 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called AlfC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	327	2604	1666	429	497	12	0	0	0
1	B	318	2508	1599	407	490	12	0	0	0
1	C	325	2566	1636	421	497	12	0	0	0
1	D	321	2520	1605	415	488	12	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	345	LEU	-	expression tag	UNP K0NB39
B	345	LEU	-	expression tag	UNP K0NB39
C	345	LEU	-	expression tag	UNP K0NB39
D	345	LEU	-	expression tag	UNP K0NB39

- Molecule 2 is beta-L-fucopyranose (three-letter code: FUL) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>5</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 11 6 5	0	0
2	B	1	Total C O 11 6 5	0	0
2	C	1	Total C O 11 6 5	0	0
2	D	1	Total C O 11 6 5	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O 1 1	0	0
3	B	4	Total O 4 4	0	0
3	C	2	Total O 2 2	0	0
3	D	6	Total O 6 6	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: AlfC



- Molecule 1: AlfC





- Molecule 1: AlfC





- Molecule 1: AlfC



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.98Å 138.24Å 264.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.84 – 2.60 29.82 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.5 (29.84-2.60) 99.6 (29.82-2.60)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.48 (at 2.61Å)	Xtrriage
Refinement program	REFMAC 5.8.0238	Depositor
R, $R_{free}$	0.208 , 0.226 0.217 , 0.239	Depositor DCC
$R_{free}$ test set	2486 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	86.5	Xtrriage
Anisotropy	0.125	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 68.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	10255	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	113.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.00% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.66	0/2678	0.74	0/3643
1	B	0.65	0/2579	0.73	0/3515
1	C	0.65	0/2639	0.73	1/3593 (0.0%)
1	D	0.65	0/2591	0.74	1/3528 (0.0%)
All	All	0.65	0/10487	0.73	2/14279 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	C	287	TYR	CB-CA-C	5.92	122.23	110.40
1	D	287	TYR	CB-CA-C	5.55	121.50	110.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	267	PRO	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2604	0	2426	38	0
1	B	2508	0	2283	27	0
1	C	2566	0	2351	33	0
1	D	2520	0	2292	30	0
2	A	11	0	11	0	0
2	B	11	0	12	0	0
2	C	11	0	11	0	0
2	D	11	0	12	0	0
3	A	1	0	0	0	0
3	B	4	0	0	0	0
3	C	2	0	0	0	0
3	D	6	0	0	5	1
All	All	10255	0	9398	122	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:10:GLN:HE22	1:C:79:GLN:HE22	1.21	0.87
1:B:10:GLN:HE22	1:B:79:GLN:HE22	1.22	0.87
1:A:278:THR:CG2	1:A:315:ASN:HD22	1.91	0.84
1:C:16:MET:HG3	1:C:315:ASN:HD22	1.49	0.78
1:D:16:MET:HG2	1:D:315:ASN:HD22	1.47	0.77
1:D:244:GLU:OE2	3:D:501:HOH:O	2.02	0.76
1:B:16:MET:HG3	1:B:315:ASN:HD22	1.52	0.74
1:A:278:THR:HG22	1:A:315:ASN:HD22	1.53	0.73
1:A:103:VAL:HG21	1:A:113:ILE:CD1	2.18	0.73
1:C:2:ASN:ND2	1:C:4:ASN:HB2	2.03	0.72
1:D:278:THR:HG23	1:D:280:ASN:O	1.90	0.72
1:A:103:VAL:HG21	1:A:113:ILE:HD12	1.72	0.70
1:C:2:ASN:HD21	1:C:4:ASN:HB2	1.56	0.69
1:C:278:THR:HG21	1:C:282:SER:O	1.91	0.69
1:A:278:THR:HG21	1:A:282:SER:O	1.92	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:278:THR:HG23	1:C:315:ASN:HB3	1.74	0.68
1:B:86:LYS:HD3	1:B:90:GLY:HA2	1.76	0.68
1:B:278:THR:HG23	1:B:315:ASN:HB3	1.76	0.68
1:B:278:THR:HG21	1:B:282:SER:O	1.94	0.67
1:A:86:LYS:HD3	1:A:90:GLY:HA2	1.77	0.67
1:C:91:PHE:HD2	1:C:93:MET:CE	2.07	0.66
1:D:299:TYR:CZ	3:D:505:HOH:O	2.49	0.66
1:A:278:THR:HG23	1:A:315:ASN:HB3	1.78	0.66
1:B:91:PHE:HD2	1:B:93:MET:CE	2.09	0.66
1:D:86:LYS:HD3	1:D:90:GLY:HA2	1.77	0.65
1:A:54:ASN:ND2	1:C:62:LEU:HD11	2.10	0.65
1:D:206:SER:OG	3:D:502:HOH:O	2.15	0.65
1:C:86:LYS:HD3	1:C:90:GLY:HA2	1.79	0.64
1:A:235:TYR:OH	1:A:267:PRO:O	2.13	0.63
1:A:93:MET:CE	1:A:113:ILE:HD13	2.29	0.63
1:A:287:TYR:CD1	1:C:287:TYR:HB2	2.33	0.63
1:D:40:TRP:CZ3	1:D:153:THR:OG1	2.52	0.62
1:D:226:ILE:HD12	1:D:226:ILE:N	2.15	0.61
1:B:287:TYR:CD1	1:D:287:TYR:HB2	2.35	0.60
1:C:91:PHE:CD2	1:C:93:MET:HE2	2.37	0.60
1:C:91:PHE:CD2	1:C:93:MET:CE	2.84	0.60
1:B:16:MET:CG	1:B:315:ASN:HD22	2.15	0.59
1:A:2:ASN:C	1:A:4:ASN:H	2.05	0.58
1:A:93:MET:HE3	1:A:113:ILE:HD13	1.84	0.58
1:B:91:PHE:CD2	1:B:93:MET:CE	2.86	0.58
1:D:279:ILE:HD13	1:D:314:LEU:HD11	1.86	0.58
1:A:278:THR:CG2	1:A:315:ASN:ND2	2.65	0.58
1:D:4:ASN:OD1	1:D:5:VAL:N	2.37	0.57
1:C:16:MET:CG	1:C:315:ASN:HD22	2.16	0.56
1:A:325:PRO:HB3	1:C:287:TYR:OH	2.06	0.55
1:C:345:LEU:HD12	1:C:345:LEU:O	2.06	0.55
1:D:16:MET:CG	1:D:315:ASN:HD22	2.16	0.55
1:A:111:ARG:HD2	1:A:116:GLU:OE2	2.06	0.55
1:A:103:VAL:HG21	1:A:113:ILE:HD11	1.89	0.54
1:A:231:GLY:O	1:A:234:LYS:HG2	2.07	0.54
1:B:91:PHE:CD2	1:B:93:MET:HE2	2.42	0.54
1:C:153:THR:HG22	1:C:158:TRP:CE2	2.44	0.53
1:B:153:THR:HG22	1:B:158:TRP:CE2	2.44	0.53
1:D:232:ASN:ND2	3:D:503:HOH:O	2.41	0.52
1:A:153:THR:HG22	1:A:158:TRP:CE2	2.44	0.51
1:B:10:GLN:HE22	1:B:79:GLN:NE2	2.01	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:166:ASP:HB3	1:C:169:GLN:HG2	1.92	0.50
1:B:325:PRO:HB3	1:D:287:TYR:OH	2.11	0.50
1:D:2:ASN:CB	1:D:4:ASN:ND2	2.74	0.50
1:D:240:LEU:HA	3:D:501:HOH:O	2.10	0.49
1:C:91:PHE:HD2	1:C:93:MET:HE2	1.76	0.49
1:D:153:THR:HG22	1:D:156:THR:O	2.13	0.49
1:D:302:LYS:NZ	1:D:306:ASN:HD21	2.10	0.49
1:C:2:ASN:C	1:C:4:ASN:H	2.15	0.49
1:C:302:LYS:HZ3	1:C:306:ASN:HD21	1.59	0.49
1:D:67:LYS:O	1:D:70:VAL:HG12	2.13	0.48
1:B:136:LEU:HD12	1:B:136:LEU:N	2.28	0.48
1:B:181:LEU:HB3	1:B:182:PRO:HD3	1.95	0.47
1:C:181:LEU:HB3	1:C:182:PRO:HD3	1.96	0.47
1:C:302:LYS:NZ	1:C:306:ASN:HD21	2.12	0.47
1:A:2:ASN:O	1:A:4:ASN:N	2.41	0.47
1:D:13:TYR:CG	1:D:302:LYS:HE2	2.49	0.46
1:B:276:ALA:HA	1:B:313:LEU:O	2.16	0.46
1:A:276:ALA:HA	1:A:313:LEU:O	2.16	0.46
1:C:276:ALA:HA	1:C:313:LEU:O	2.16	0.46
1:C:13:TYR:CG	1:C:302:LYS:HE2	2.51	0.45
1:A:129:GLY:HA3	1:A:196:THR:HG22	1.99	0.45
1:B:13:TYR:CG	1:B:302:LYS:HE2	2.52	0.45
1:B:278:THR:HG21	1:B:283:TRP:HA	1.99	0.45
1:C:278:THR:HG21	1:C:283:TRP:HA	1.99	0.45
1:D:2:ASN:C	1:D:4:ASN:H	2.18	0.45
1:D:226:ILE:N	1:D:226:ILE:CD1	2.77	0.45
1:D:129:GLY:HA3	1:D:196:THR:HG22	1.99	0.45
1:B:278:THR:CG2	1:B:315:ASN:HB3	2.46	0.45
1:D:276:ALA:HA	1:D:313:LEU:O	2.17	0.44
1:A:238:VAL:HG13	1:A:268:SER:HB2	1.99	0.44
1:A:278:THR:CG2	1:A:315:ASN:HB3	2.47	0.44
1:C:10:GLN:HE22	1:C:79:GLN:NE2	2.00	0.44
1:D:279:ILE:HD11	1:D:314:LEU:HG	2.00	0.43
1:A:109:PHE:CZ	1:A:111:ARG:NH2	2.86	0.43
1:A:134:GLN:O	1:A:180:ILE:CD1	2.65	0.43
1:A:13:TYR:CG	1:A:302:LYS:HE2	2.54	0.43
1:A:86:LYS:HE3	1:A:132:TYR:CZ	2.54	0.43
1:A:278:THR:HG21	1:A:283:TRP:HA	2.00	0.42
1:A:58:ALA:HB2	1:C:62:LEU:HD23	2.01	0.42
1:B:129:GLY:HA3	1:B:196:THR:HG22	2.00	0.42
1:C:83:VAL:CG1	1:C:114:ILE:HD12	2.49	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:128:PHE:CE2	1:B:130:LEU:HD21	2.55	0.42
1:A:176:PHE:CE2	1:A:209:GLN:HB3	2.55	0.42
1:A:202:PRO:HB3	1:A:205:LEU:HB3	2.02	0.42
1:A:238:VAL:HG22	1:A:273:TYR:CD1	2.55	0.42
1:D:86:LYS:HE3	1:D:132:TYR:CZ	2.55	0.42
1:D:343:ASN:HD22	1:D:343:ASN:N	2.17	0.42
1:B:86:LYS:HE3	1:B:132:TYR:CZ	2.55	0.41
1:A:2:ASN:C	1:A:4:ASN:N	2.72	0.41
1:A:205:LEU:CD2	1:A:210:SER:OG	2.68	0.41
1:C:142:ASN:HB3	1:C:171:ASN:O	2.21	0.41
1:D:205:LEU:CD2	1:D:210:SER:OG	2.69	0.41
1:D:223:ASN:HD22	1:D:223:ASN:N	2.19	0.41
1:B:205:LEU:CD2	1:B:210:SER:OG	2.68	0.41
1:B:238:VAL:HG13	1:B:268:SER:HB2	2.03	0.41
1:B:331:ASN:HD22	1:B:331:ASN:N	2.18	0.41
1:C:278:THR:CG2	1:C:315:ASN:HB3	2.46	0.41
1:B:142:ASN:HB3	1:B:171:ASN:O	2.21	0.41
1:B:228:SER:HB3	1:B:238:VAL:HA	2.03	0.41
1:C:43:SER:HA	1:C:162:TRP:CH2	2.56	0.41
1:C:198:TRP:CH2	1:C:229:ARG:NH1	2.89	0.41
1:A:142:ASN:HB3	1:A:171:ASN:O	2.21	0.41
1:D:86:LYS:CE	1:D:132:TYR:CZ	3.04	0.41
1:A:86:LYS:CE	1:A:132:TYR:CZ	3.04	0.40
1:C:86:LYS:CE	1:C:132:TYR:CZ	3.05	0.40
1:A:238:VAL:CG2	1:A:273:TYR:CD1	3.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:503:HOH:O	3:D:503:HOH:O[3_554]	2.08	0.12

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	323/345 (94%)	305 (94%)	16 (5%)	2 (1%)	25	47
1	B	314/345 (91%)	298 (95%)	15 (5%)	1 (0%)	41	64
1	C	321/345 (93%)	304 (95%)	15 (5%)	2 (1%)	25	47
1	D	317/345 (92%)	299 (94%)	16 (5%)	2 (1%)	25	47
All	All	1275/1380 (92%)	1206 (95%)	62 (5%)	7 (0%)	29	52

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	ASP
1	C	3	ASP
1	D	3	ASP
1	A	166	ASP
1	B	166	ASP
1	D	166	ASP
1	C	246	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/293 (92%)	250 (93%)	19 (7%)	14	29
1	B	256/293 (87%)	243 (95%)	13 (5%)	24	46
1	C	262/293 (89%)	249 (95%)	13 (5%)	24	47
1	D	254/293 (87%)	236 (93%)	18 (7%)	14	29
All	All	1041/1172 (89%)	978 (94%)	63 (6%)	18	38

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	13	TYR
1	A	16	MET
1	A	24	LEU
1	A	75	GLN
1	A	86	LYS
1	A	127	LYS
1	A	151	VAL
1	A	167	GLU
1	A	181	LEU
1	A	196	THR
1	A	198	TRP
1	A	203	MET
1	A	204	THR
1	A	227	ASN
1	A	234	LYS
1	A	239	SER
1	A	268	SER
1	A	278	THR
1	B	13	TYR
1	B	75	GLN
1	B	86	LYS
1	B	151	VAL
1	B	167	GLU
1	B	196	THR
1	B	198	TRP
1	B	200	ASP
1	B	203	MET
1	B	204	THR
1	B	227	ASN
1	B	239	SER
1	B	278	THR
1	C	12	LYS
1	C	13	TYR
1	C	75	GLN
1	C	86	LYS
1	C	167	GLU
1	C	168	ASP
1	C	198	TRP
1	C	203	MET
1	C	227	ASN
1	C	229	ARG
1	C	239	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	278	THR
1	C	287	TYR
1	D	13	TYR
1	D	16	MET
1	D	75	GLN
1	D	86	LYS
1	D	151	VAL
1	D	167	GLU
1	D	168	ASP
1	D	196	THR
1	D	198	TRP
1	D	200	ASP
1	D	201	VAL
1	D	203	MET
1	D	204	THR
1	D	206	SER
1	D	227	ASN
1	D	234	LYS
1	D	239	SER
1	D	287	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	2	ASN
1	A	54	ASN
1	A	122	GLN
1	A	223	ASN
1	A	243	ASN
1	A	315	ASN
1	B	79	GLN
1	B	178	ASN
1	B	223	ASN
1	B	243	ASN
1	B	315	ASN
1	B	331	ASN
1	C	2	ASN
1	C	79	GLN
1	C	183	GLN
1	C	223	ASN
1	C	243	ASN
1	C	306	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	315	ASN
1	D	221	GLN
1	D	223	ASN
1	D	290	GLN
1	D	306	ASN
1	D	315	ASN
1	D	331	ASN
1	D	343	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	FUL	A	401	-	11,11,11	1.31	1 (9%)	15,16,16	0.86	1 (6%)
2	FUL	C	401	-	11,11,11	1.21	1 (9%)	15,16,16	0.70	0
2	FUL	B	401	-	11,11,11	1.50	2 (18%)	15,16,16	1.34	2 (13%)
2	FUL	D	401	-	11,11,11	1.30	1 (9%)	15,16,16	1.38	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FUL	A	401	-	-	-	0/1/1/1
2	FUL	C	401	-	-	-	0/1/1/1
2	FUL	B	401	-	-	-	0/1/1/1
2	FUL	D	401	-	-	-	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	FUL	O5-C1	3.60	1.51	1.42
2	D	401	FUL	O5-C1	3.46	1.51	1.42
2	A	401	FUL	O5-C1	3.29	1.51	1.42
2	C	401	FUL	O5-C1	2.92	1.50	1.42
2	B	401	FUL	O5-C5	2.06	1.49	1.44

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	401	FUL	O5-C1-C2	3.55	116.62	110.28
2	B	401	FUL	O5-C5-C4	3.10	115.08	109.52
2	D	401	FUL	C1-C2-C3	2.63	115.78	110.31
2	A	401	FUL	O5-C5-C4	2.59	114.16	109.52
2	B	401	FUL	O5-C1-C2	2.55	114.83	110.28

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	327/345 (94%)	0.45	34 (10%) 6 4	60, 99, 144, 173	0
1	B	318/345 (92%)	0.58	46 (14%) 2 1	65, 104, 160, 190	0
1	C	325/345 (94%)	0.51	43 (13%) 3 2	73, 110, 153, 174	0
1	D	321/345 (93%)	0.68	48 (14%) 2 1	77, 127, 188, 203	0
All	All	1291/1380 (93%)	0.55	171 (13%) 3 2	60, 110, 170, 203	0

All (171) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	245	ILE	7.7
1	B	231	GLY	7.5
1	A	87	HIS	7.1
1	D	151	VAL	7.1
1	B	131	TYR	6.9
1	A	133	SER	6.7
1	B	151	VAL	6.1
1	D	84	THR	6.1
1	A	131	TYR	5.8
1	A	83	VAL	5.5
1	D	131	TYR	5.5
1	A	84	THR	5.5
1	C	84	THR	5.3
1	D	198	TRP	5.2
1	A	86	LYS	5.2
1	C	87	HIS	5.2
1	C	131	TYR	5.1
1	B	242	ASP	5.0
1	A	17	ILE	5.0
1	B	198	TRP	4.9
1	B	84	THR	4.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	100	ALA	4.7
1	C	18	HIS	4.7
1	D	240	LEU	4.7
1	B	132	TYR	4.7
1	D	236	ASP	4.6
1	A	85	THR	4.5
1	A	132	TYR	4.5
1	B	133	SER	4.5
1	D	16	MET	4.5
1	B	86	LYS	4.3
1	C	82	VAL	4.2
1	A	20	GLY	4.2
1	D	168	ASP	4.2
1	D	17	ILE	4.2
1	A	150	ASP	4.2
1	B	83	VAL	4.1
1	D	270	LEU	4.1
1	D	18	HIS	4.0
1	B	270	LEU	4.0
1	D	133	SER	4.0
1	B	87	HIS	4.0
1	A	89	ASP	3.9
1	B	199	PHE	3.9
1	B	130	LEU	3.9
1	C	83	VAL	3.8
1	C	86	LYS	3.8
1	D	82	VAL	3.8
1	C	151	VAL	3.8
1	C	133	SER	3.8
1	A	18	HIS	3.7
1	C	17	ILE	3.7
1	C	85	THR	3.7
1	D	87	HIS	3.6
1	B	82	VAL	3.6
1	D	152	GLU	3.6
1	A	198	TRP	3.6
1	C	198	TRP	3.6
1	A	16	MET	3.5
1	B	150	ASP	3.5
1	B	243	ASN	3.5
1	C	152	GLU	3.5
1	A	90	GLY	3.5

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	244	GLU	3.4
1	C	166	ASP	3.4
1	A	82	VAL	3.4
1	D	83	VAL	3.4
1	B	16	MET	3.3
1	A	166	ASP	3.3
1	C	268	SER	3.3
1	B	149	ASN	3.3
1	B	152	GLU	3.3
1	C	167	GLU	3.3
1	A	23	SER	3.3
1	C	170	LYS	3.3
1	C	272	LEU	3.3
1	A	151	VAL	3.2
1	D	241	GLY	3.2
1	A	22	TYR	3.2
1	D	199	PHE	3.2
1	C	90	GLY	3.2
1	D	232	ASN	3.2
1	D	132	TYR	3.2
1	D	150	ASP	3.1
1	A	88	HIS	3.1
1	B	6	ALA	3.1
1	D	243	ASN	3.1
1	C	16	MET	3.0
1	B	269	PRO	3.0
1	B	90	GLY	3.0
1	B	85	THR	3.0
1	D	4	ASN	3.0
1	A	91	PHE	3.0
1	C	246	PRO	3.0
1	C	240	LEU	3.0
1	D	269	PRO	3.0
1	A	19	TRP	2.9
1	A	168	ASP	2.9
1	C	146	TYR	2.9
1	B	18	HIS	2.9
1	A	200	ASP	2.9
1	B	17	ILE	2.9
1	B	167	GLU	2.9
1	A	130	LEU	2.9
1	A	167	GLU	2.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	146	TYR	2.8
1	B	307	ASP	2.8
1	D	197	ALA	2.7
1	D	271	GLY	2.7
1	D	85	THR	2.7
1	B	234	LYS	2.7
1	B	200	ASP	2.7
1	B	201	VAL	2.7
1	D	176	PHE	2.7
1	B	197	ALA	2.7
1	C	110	HIS	2.7
1	C	89	ASP	2.7
1	D	310	ILE	2.7
1	D	146	TYR	2.6
1	C	100	ALA	2.6
1	C	88	HIS	2.6
1	C	269	PRO	2.6
1	C	132	TYR	2.6
1	C	20	GLY	2.6
1	B	155	GLY	2.5
1	C	243	ASN	2.5
1	B	129	GLY	2.5
1	B	148	SER	2.5
1	B	14	GLY	2.5
1	B	220	LEU	2.5
1	C	19	TRP	2.5
1	D	153	THR	2.4
1	D	149	ASN	2.4
1	C	317	GLY	2.4
1	C	157	THR	2.4
1	C	130	LEU	2.4
1	B	88	HIS	2.4
1	C	226	ILE	2.4
1	C	273	TYR	2.4
1	B	89	ASP	2.4
1	D	158	TRP	2.4
1	B	134	GLN	2.3
1	D	86	LYS	2.3
1	A	129	GLY	2.3
1	D	169	GLN	2.3
1	D	313	LEU	2.3
1	B	15	MET	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	214	TYR	2.2
1	A	318	LEU	2.2
1	B	273	TYR	2.2
1	A	136	LEU	2.2
1	A	92	ALA	2.2
1	D	89	ASP	2.2
1	C	92	ALA	2.2
1	D	237	PHE	2.2
1	D	200	ASP	2.1
1	B	4	ASN	2.1
1	C	150	ASP	2.1
1	D	136	LEU	2.1
1	C	15	MET	2.1
1	D	315	ASN	2.1
1	B	136	LEU	2.1
1	D	19	TRP	2.1
1	C	104	TYR	2.0
1	C	81	LEU	2.0
1	C	2	ASN	2.0
1	B	19	TRP	2.0
1	D	88	HIS	2.0
1	A	170	LYS	2.0
1	A	21	LEU	2.0
1	D	98	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	FUL	A	401	11/11	0.90	0.25	88,97,100,102	0
2	FUL	D	401	11/11	0.93	0.26	108,111,119,120	0
2	FUL	B	401	11/11	0.95	0.27	88,93,98,101	0
2	FUL	C	401	11/11	0.96	0.32	96,102,106,110	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around FUL D 401:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around FUL B 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.