



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 19, 2021 – 04:09 pm BST

PDB ID : 7O2N  
Title : Crystal structure of B. subtilis UGPase YngB  
Authors : Wu, C.  
Deposited on : 2021-03-30  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	
1	B	296	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4383 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable UTP--glucose-1-phosphate uridylyltransferase YngB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	291	2193	1388	368	426	11	0	0	0
1	B	289	2142	1349	369	413	11	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	24	Total 24	O 24	0	0
2	B	24	Total 24	O 24	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable UTP--glucose-1-phosphate uridylyltransferase YngB



- Molecule 1: Probable UTP--glucose-1-phosphate uridylyltransferase YngB



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	54.16Å 158.98Å 180.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	56.29 – 2.80 56.22 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.9 (56.29-2.80) 99.9 (56.22-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.20 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.213 , 0.264 0.215 , 0.266	Depositor DCC
$R_{free}$ test set	982 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	65.6	Xtriage
Anisotropy	0.773	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4383	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.39	0/2227	0.87	3/3021 (0.1%)
1	B	0.37	0/2173	0.86	2/2951 (0.1%)
All	All	0.38	0/4400	0.87	5/5972 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	258	ASP	CB-CA-C	-10.36	89.69	110.40
1	A	17	THR	CA-CB-OG1	-7.39	93.47	109.00
1	B	286	ASP	CB-CA-C	6.14	122.68	110.40
1	A	104	ARG	CG-CD-NE	-5.81	99.61	111.80
1	A	33	ILE	C-N-CA	-5.05	109.08	121.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2193	0	2148	75	0
1	B	2142	0	2081	60	0
2	A	24	0	0	3	0
2	B	24	0	0	1	0
All	All	4383	0	4229	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:THR:HG22	1:A:178:GLY:H	1.39	0.87
1:A:205:MET:HE2	1:A:205:MET:HA	1.58	0.83
1:A:104:ARG:NH2	1:B:67:ASP:OD1	2.13	0.81
1:B:91:MET:HA	1:B:91:MET:HE2	1.62	0.80
1:A:122:ILE:HD11	1:A:215:PHE:HZ	1.50	0.77
1:A:156:GLU:O	1:A:244:ILE:HG23	1.83	0.76
1:B:136:MET:CE	1:B:253:ARG:HB2	2.15	0.75
1:B:136:MET:HE1	1:B:253:ARG:HB2	1.68	0.74
1:A:152:VAL:HG22	1:A:153:TYR:CD1	2.23	0.73
1:B:217:VAL:O	1:B:221:ILE:HG12	1.88	0.73
1:B:111:LEU:O	1:B:115:VAL:HG23	1.87	0.73
1:A:89:LYS:O	1:A:93:GLN:HG3	1.89	0.72
1:B:164:LEU:O	1:B:167:ASP:HB2	1.90	0.72
1:A:247:ARG:NH1	1:A:248:LEU:O	2.22	0.72
1:B:258:ASP:HB2	1:B:261:GLY:H	1.55	0.71
1:A:176:THR:CG2	1:A:178:GLY:O	2.37	0.71
1:A:205:MET:HA	1:A:205:MET:CE	2.21	0.71
1:B:91:MET:HE2	1:B:94:ILE:HD12	1.72	0.71
1:B:247:ARG:NH1	1:B:248:LEU:O	2.24	0.70
1:A:176:THR:HG21	1:A:178:GLY:O	1.91	0.69
1:A:171:TYR:CE1	1:A:205:MET:HE1	2.28	0.69
1:B:89:LYS:O	1:B:93:GLN:HG3	1.92	0.68
1:A:217:VAL:O	1:A:221:ILE:HG12	1.92	0.68
1:B:104:ARG:CG	1:B:104:ARG:HH11	2.07	0.66
1:B:214:ILE:HD13	1:B:214:ILE:O	1.95	0.65
1:A:140:THR:HG22	1:A:145:GLN:HG3	1.80	0.64
1:B:104:ARG:HH11	1:B:104:ARG:HG2	1.64	0.62
1:B:88:LEU:O	1:B:88:LEU:HG	2.01	0.61
1:B:149:VAL:HG11	1:B:247:ARG:HB2	1.82	0.60
1:B:20:LEU:HD12	1:B:23:THR:OG1	2.01	0.60
1:B:173:ILE:HG21	1:B:199:PRO:HD2	1.82	0.60
1:B:271:LEU:HD21	1:B:281:LEU:HD13	1.82	0.60
1:A:136:MET:HA	1:A:136:MET:HE3	1.83	0.60
1:A:122:ILE:HD11	1:A:215:PHE:CZ	2.34	0.59
1:A:152:VAL:CG2	1:A:153:TYR:CD1	2.85	0.59
1:A:7:LYS:HD2	1:A:125:GLU:OE1	2.02	0.59
1:A:140:THR:HG22	1:A:145:GLN:CG	2.33	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:149:VAL:HG11	1:A:247:ARG:HB2	1.86	0.58
1:A:180:GLN:HB3	2:A:316:HOH:O	2.02	0.58
1:A:7:LYS:HD3	1:A:122:ILE:HG22	1.84	0.58
1:A:107:GLU:HG2	1:A:109:LEU:HD21	1.85	0.58
1:B:131:LEU:HD13	1:B:206:GLY:HA2	1.86	0.58
1:B:172:GLY:O	1:B:203:ALA:HA	2.04	0.57
1:B:7:LYS:NZ	1:B:121:PHE:O	2.37	0.56
1:B:239:CYS:HA	1:B:242:GLU:O	2.04	0.56
1:A:153:TYR:CD2	1:A:245:HIS:CD2	2.93	0.56
1:A:244:ILE:HG22	1:A:245:HIS:N	2.21	0.55
1:B:152:VAL:HG12	1:B:153:TYR:N	2.22	0.55
1:A:176:THR:HG23	1:A:185:GLU:H	1.71	0.55
1:A:244:ILE:CG2	1:A:245:HIS:N	2.70	0.55
1:A:153:TYR:CD2	1:A:245:HIS:NE2	2.75	0.54
1:B:229:ILE:H	1:B:229:ILE:HD12	1.72	0.54
1:B:131:LEU:H	1:B:131:LEU:HD12	1.73	0.54
1:A:239:CYS:HA	1:A:242:GLU:O	2.07	0.54
1:B:91:MET:HA	1:B:91:MET:CE	2.37	0.53
1:B:66:GLU:HG2	1:B:102:TYR:CE2	2.43	0.53
1:B:229:ILE:HD12	1:B:229:ILE:N	2.24	0.53
1:A:94:ILE:O	1:A:97:LEU:HD12	2.09	0.52
1:A:242:GLU:HG2	1:A:243:PRO:HD2	1.90	0.52
1:A:66:GLU:HA	1:A:102:TYR:OH	2.10	0.52
1:A:139:GLU:HB3	2:A:317:HOH:O	2.10	0.52
1:A:171:TYR:HE1	1:A:205:MET:HE1	1.75	0.52
1:B:80:ARG:NH2	1:B:80:ARG:HB2	2.25	0.52
1:B:62:LYS:HB3	1:B:65:ILE:HD12	1.91	0.51
1:B:186:VAL:HB	1:B:244:ILE:HG13	1.93	0.51
1:A:108:PRO:C	1:A:109:LEU:HD23	2.31	0.50
1:B:131:LEU:CD1	1:B:208:TYR:HE1	2.23	0.50
1:A:152:VAL:CG2	1:A:153:TYR:N	2.73	0.50
1:A:136:MET:HG3	1:A:207:ARG:NH2	2.26	0.50
1:A:103:ILE:HD12	1:B:100:ILE:O	2.11	0.50
1:B:136:MET:HE2	1:B:253:ARG:HB2	1.93	0.50
1:B:130:LEU:HD21	1:B:143:LEU:HD13	1.94	0.49
1:A:108:PRO:O	1:A:109:LEU:HD23	2.12	0.49
1:B:104:ARG:CG	1:B:104:ARG:NH1	2.73	0.49
1:B:273:ARG:NH1	2:B:303:HOH:O	2.45	0.49
1:A:70:ASP:CG	1:B:104:ARG:HD2	2.32	0.49
1:A:153:TYR:CG	1:A:245:HIS:CD2	3.01	0.49
1:A:36:LYS:HB2	1:A:41:TYR:CE2	2.48	0.48

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:209:VAL:O	1:B:210:LEU:HD23	2.14	0.48
1:A:62:LYS:HB3	1:A:65:ILE:HD12	1.95	0.48
1:B:156:GLU:O	1:B:244:ILE:HB	2.13	0.47
1:A:33:ILE:HD13	1:A:33:ILE:HA	1.69	0.47
1:A:70:ASP:OD2	1:B:104:ARG:HD2	2.15	0.47
1:A:169:SER:O	1:A:192:LYS:HB2	2.15	0.46
1:A:8:ALA:HA	1:A:128:ALA:O	2.15	0.46
1:B:177:SER:HB2	1:B:187:ASN:OD1	2.16	0.46
1:A:176:THR:HG22	1:A:178:GLY:O	2.14	0.46
1:A:126:PRO:HA	1:A:210:LEU:O	2.16	0.45
1:B:171:TYR:HB3	1:B:203:ALA:HB1	1.99	0.45
1:A:86:GLU:HG2	1:A:87:THR:N	2.32	0.45
1:B:290:ARG:NH1	1:B:291:GLU:OE2	2.49	0.45
1:A:3:LYS:HE2	1:A:3:LYS:HB2	1.80	0.44
1:A:174:ILE:HA	1:A:189:LEU:CD1	2.47	0.44
1:A:209:VAL:O	1:A:210:LEU:HD23	2.16	0.44
1:B:247:ARG:HG3	1:B:248:LEU:O	2.17	0.44
1:A:144:ARG:HH11	1:A:144:ARG:HG3	1.82	0.44
1:B:276:MET:O	1:B:280:LEU:HB2	2.17	0.44
1:A:158:VAL:HG12	1:A:160:VAL:HG13	1.99	0.44
1:B:66:GLU:HA	1:B:102:TYR:OH	2.17	0.44
1:B:211:ASN:O	1:B:214:ILE:HG22	2.17	0.44
1:B:122:ILE:HG13	1:B:127:PHE:HB3	1.99	0.44
1:A:56:ILE:HD12	1:A:102:TYR:CE1	2.53	0.44
1:B:152:VAL:CG1	1:B:153:TYR:N	2.80	0.43
1:A:189:LEU:HD12	1:A:189:LEU:HA	1.82	0.43
1:A:242:GLU:HG2	1:A:243:PRO:CD	2.49	0.43
1:A:111:LEU:HA	1:A:114:ALA:HB3	2.01	0.43
1:A:33:ILE:HB	1:A:41:TYR:CE2	2.54	0.43
1:A:174:ILE:HA	1:A:189:LEU:HD12	2.01	0.43
1:B:8:ALA:HA	1:B:128:ALA:O	2.19	0.42
1:B:273:ARG:HA	1:B:274:PRO:HD2	1.88	0.42
1:A:265:ALA:O	1:A:269:ILE:HG12	2.19	0.42
1:B:80:ARG:CZ	1:B:80:ARG:CB	2.97	0.42
1:A:83:GLY:O	1:A:85:THR:N	2.53	0.42
1:B:199:PRO:O	1:B:200:SER:HB3	2.19	0.42
1:A:107:GLU:HG2	1:A:109:LEU:HD11	2.01	0.42
1:A:119:GLU:HA	1:A:215:PHE:CZ	2.54	0.42
1:A:193:PRO:HG2	1:A:198:ALA:HB2	2.02	0.42
1:A:252:ASN:HA	2:A:307:HOH:O	2.19	0.42
1:B:239:CYS:SG	1:B:244:ILE:HG12	2.60	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179:SER:C	1:A:180:GLN:HG3	2.40	0.42
1:B:33:ILE:HB	1:B:41:TYR:CE2	2.55	0.42
1:A:122:ILE:HD12	1:A:127:PHE:CG	2.55	0.41
1:A:211:ASN:O	1:A:214:ILE:HG22	2.20	0.41
1:B:158:VAL:HG12	1:B:160:VAL:HG13	2.02	0.41
1:B:258:ASP:HB2	1:B:261:GLY:N	2.28	0.41
1:B:126:PRO:HA	1:B:210:LEU:O	2.20	0.41
1:A:140:THR:CG2	1:A:145:GLN:HG2	2.51	0.41
1:A:171:TYR:HB3	1:A:203:ALA:HB1	2.02	0.41
1:A:112:GLY:H	1:A:115:VAL:HG23	1.86	0.41
1:A:116:LEU:HD23	1:A:116:LEU:HA	1.83	0.40
1:A:152:VAL:HG22	1:A:153:TYR:N	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	287/296 (97%)	257 (90%)	28 (10%)	2 (1%)	22	53
1	B	285/296 (96%)	253 (89%)	30 (10%)	2 (1%)	22	53
All	All	572/592 (97%)	510 (89%)	58 (10%)	4 (1%)	22	53

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	84	LYS
1	B	84	LYS
1	B	82	LYS
1	A	82	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	229/252 (91%)	190 (83%)	39 (17%)	2	6
1	B	219/252 (87%)	175 (80%)	44 (20%)	1	4
All	All	448/504 (89%)	365 (82%)	83 (18%)	1	5

All (83) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	39	ILE
1	A	60	ARG
1	A	61	ASN
1	A	76	GLU
1	A	80	ARG
1	A	81	GLU
1	A	82	LYS
1	A	91	MET
1	A	104	ARG
1	A	107	GLU
1	A	122	ILE
1	A	124	ASP
1	A	136	MET
1	A	149	VAL
1	A	152	VAL
1	A	155	THR
1	A	158	VAL
1	A	162	SER
1	A	176	THR
1	A	180	GLN
1	A	196	GLU
1	A	200	SER
1	A	205	MET
1	A	212	SER
1	A	213	SER
1	A	216	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	232	THR
1	A	245	HIS
1	A	250	GLU
1	A	255	ASP
1	A	273	ARG
1	A	276	MET
1	A	278	SER
1	A	281	LEU
1	A	286	ASP
1	A	288	ILE
1	A	295	MET
1	A	296	LEU
1	B	6	ARG
1	B	15	LEU
1	B	17	THR
1	B	20	LEU
1	B	39	ILE
1	B	61	ASN
1	B	72	SER
1	B	74	GLU
1	B	80	ARG
1	B	85	THR
1	B	88	LEU
1	B	91	MET
1	B	103	ILE
1	B	104	ARG
1	B	107	GLU
1	B	122	ILE
1	B	124	ASP
1	B	140	THR
1	B	149	VAL
1	B	155	THR
1	B	158	VAL
1	B	162	SER
1	B	163	VAL
1	B	164	LEU
1	B	173	ILE
1	B	176	THR
1	B	177	SER
1	B	180	GLN
1	B	189	LEU
1	B	204	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	212	SER
1	B	213	SER
1	B	214	ILE
1	B	216	SER
1	B	220	THR
1	B	232	THR
1	B	239	CYS
1	B	245	HIS
1	B	253	ARG
1	B	260	LEU
1	B	276	MET
1	B	280	LEU
1	B	281	LEU
1	B	286	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	180	GLN
1	A	211	ASN
1	B	93	GLN
1	B	211	ASN
1	B	279	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	291/296 (98%)	-0.10	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	37, 67, 100, 121	0
1	B	289/296 (97%)	0.12	9 (3%) <span style="border: 1px solid red; padding: 2px;">49</span> <span style="border: 1px solid red; padding: 2px;">39</span>	39, 75, 125, 161	0
All	All	580/592 (97%)	0.01	9 (1%) <span style="border: 1px solid blue; padding: 2px;">72</span> <span style="border: 1px solid blue; padding: 2px;">66</span>	37, 70, 120, 161	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	246	ALA	6.2
1	B	158	VAL	2.8
1	B	174	ILE	2.6
1	B	167	ASP	2.3
1	B	177	SER	2.2
1	B	157	VAL	2.1
1	B	152	VAL	2.1
1	B	159	GLY	2.0
1	B	234	ALA	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.