



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 12:33 am BST

PDB ID : 2O3C
Title : Crystal structure of zebrafish Ape
Authors : Georgiadis, M.M.; Gaur, R.K.; Delaplane, S.; Svenson, J.
Deposited on : 2006-12-01
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	282	 4% 76% 21% ..
1	B	282	 4% 72% 24% ..
1	C	282	 7% 73% 24% ..

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 7009 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called APEX nuclease 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	276	2204	1406	372	413	13	0	0	0
1	B	280	2236	1425	378	419	14	0	0	0
1	C	276	2204	1406	372	413	13	0	0	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	29	GLY	-	EXPRESSION TAG	UNP Q7SXL6
A	30	SER	-	EXPRESSION TAG	UNP Q7SXL6
A	31	HIS	-	EXPRESSION TAG	UNP Q7SXL6
A	32	MET	-	EXPRESSION TAG	UNP Q7SXL6
B	29	GLY	-	EXPRESSION TAG	UNP Q7SXL6
B	30	SER	-	EXPRESSION TAG	UNP Q7SXL6
B	31	HIS	-	EXPRESSION TAG	UNP Q7SXL6
B	32	MET	-	EXPRESSION TAG	UNP Q7SXL6
C	29	GLY	-	EXPRESSION TAG	UNP Q7SXL6
C	30	SER	-	EXPRESSION TAG	UNP Q7SXL6
C	31	HIS	-	EXPRESSION TAG	UNP Q7SXL6
C	32	MET	-	EXPRESSION TAG	UNP Q7SXL6

- Molecule 2 is LEAD (II) ION (three-letter code: Pb) (formula: Pb).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total 1	Pb 1	0	0
2	A	1	Total 1	Pb 1	0	0
2	C	1	Total 1	Pb 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	126	Total 126	O 126	0	0
3	B	140	Total 140	O 140	0	0
3	C	96	Total 96	O 96	0	0



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	54.66Å 117.78Å 85.84Å 90.00° 98.34° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 49.15 – 2.30	Depositor EDS
% Data completeness (in resolution range)	96.5 (50.00-2.30) 96.5 (49.15-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.69 (at 2.29Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.199 , 0.236 0.200 , 0.236	Depositor DCC
R_{free} test set	2294 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	27.4	Xtrriage
Anisotropy	0.118	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 58.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7009	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.38	1/2261 (0.0%)	0.65	2/3065 (0.1%)
1	B	0.35	0/2294	0.65	0/3110
1	C	0.33	0/2261	0.61	0/3065
All	All	0.36	1/6816 (0.0%)	0.64	2/9240 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	210	GLU	CD-OE2	7.19	1.33	1.25

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	213	LEU	CA-CB-CG	5.24	127.35	115.30
1	A	207	ALA	N-CA-C	-5.05	97.36	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2204	0	2153	46	0
1	B	2236	0	2179	72	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2204	0	2153	55	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	126	0	0	6	0
3	B	140	0	0	6	0
3	C	96	0	0	5	0
All	All	7009	0	6485	170	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (170) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:94:GLU:H	1:B:115:SER:HB2	1.23	1.03
1:B:95:LYS:HD3	1:B:95:LYS:H	1.40	0.87
1:B:94:GLU:N	1:B:115:SER:HB2	1.93	0.83
1:B:199:VAL:HG22	1:B:279:LEU:HD22	1.60	0.82
1:B:114:GLY:HA3	1:B:148:GLY:HA3	1.61	0.82
1:B:114:GLY:HA2	3:B:408:HOH:O	1.81	0.81
1:C:260:THR:HG22	1:C:262:MET:H	1.51	0.74
1:A:143:GLU:HB2	3:A:508:HOH:O	1.88	0.74
1:B:266:ARG:HD3	3:B:438:HOH:O	1.88	0.72
1:A:61:ASN:C	1:A:61:ASN:HD22	1.94	0.70
1:A:130:THR:HG22	3:A:503:HOH:O	1.90	0.70
1:A:89:GLU:HG2	1:A:91:LYS:HE3	1.74	0.69
1:C:186:ARG:HD3	3:C:429:HOH:O	1.92	0.68
1:A:89:GLU:CG	1:A:91:LYS:HE3	2.23	0.68
1:B:119:GLU:O	1:B:121:TYR:N	2.28	0.67
1:B:215:ASN:HB3	3:B:527:HOH:O	1.93	0.67
1:A:144:HIS:HE1	1:A:184:ASP:OD2	1.81	0.63
1:B:61:ASN:C	1:B:61:ASN:HD22	2.01	0.63
1:C:117:ASP:HB2	1:C:119:GLU:CD	2.19	0.63
1:A:259:TRP:HE1	1:A:269:ASN:HD22	1.46	0.63
1:B:259:TRP:CD2	1:B:266:ARG:HG3	2.34	0.62
1:B:295:THR:HB	3:B:416:HOH:O	1.99	0.62
1:C:179:LYS:HD3	1:C:228:GLU:HG2	1.79	0.62
1:B:114:GLY:CA	1:B:148:GLY:HA3	2.30	0.62
1:C:220:ARG:HE	1:C:220:ARG:C	2.01	0.62
1:A:243:ASP:CG	1:A:273:ARG:HH22	2.04	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:245:PHE:HB3	1:C:273:ARG:HH21	1.65	0.61
1:C:234:THR:O	1:C:238:GLU:HG3	2.01	0.61
1:C:170:ARG:O	1:C:173:VAL:HG23	2.02	0.60
1:C:89:GLU:HG2	1:C:91:LYS:CD	2.32	0.59
1:C:89:GLU:HG2	1:C:91:LYS:HD3	1.83	0.59
1:A:142:GLU:O	1:A:146:LYS:HG3	2.02	0.59
1:A:141:LYS:HE2	1:A:143:GLU:OE1	2.03	0.58
1:A:60:TRP:CE2	1:A:303:PRO:HD3	2.38	0.58
1:C:226:THR:O	1:C:230:ARG:HG2	2.05	0.57
1:C:44:LYS:HE3	3:C:404:HOH:O	2.03	0.57
1:B:79:LYS:NZ	1:B:79:LYS:HB3	2.21	0.56
1:C:36:ILE:HD12	1:C:36:ILE:H	1.70	0.56
1:A:243:ASP:OD1	1:A:273:ARG:NH2	2.38	0.55
1:C:291:LYS:HA	1:C:291:LYS:HE2	1.87	0.55
1:B:198:LEU:HD12	1:B:198:LEU:C	2.27	0.55
1:B:243:ASP:OD1	1:B:273:ARG:NH2	2.39	0.55
1:A:210:GLU:HG2	1:A:216:PRO:HB3	1.87	0.55
1:A:259:TRP:HE1	1:A:269:ASN:ND2	2.05	0.55
1:B:127:LEU:HD23	1:B:127:LEU:N	2.22	0.54
1:C:36:ILE:N	1:C:36:ILE:HD12	2.22	0.54
1:B:109:HIS:CE1	1:B:131:GLU:HB2	2.42	0.54
1:B:121:TYR:HE1	1:B:147:GLU:OE2	1.91	0.54
1:A:208:HIS:HE1	1:A:234:THR:OG1	1.91	0.54
1:B:154:GLU:HG3	1:B:159:PHE:CE2	2.43	0.53
1:B:225:PHE:CE1	1:B:230:ARG:HD3	2.43	0.53
1:A:47:SER:HB2	1:A:285:PRO:O	2.08	0.53
1:C:82:PRO:HD2	1:C:107:TYR:OH	2.08	0.53
1:A:208:HIS:HD2	3:A:496:HOH:O	1.91	0.53
1:B:121:TYR:O	1:B:121:TYR:CD1	2.62	0.53
1:C:213:LEU:HD21	1:C:216:PRO:HB3	1.89	0.53
1:A:198:LEU:C	1:A:198:LEU:HD12	2.30	0.53
1:C:60:TRP:CE2	1:C:303:PRO:HD3	2.44	0.53
1:A:175:LEU:O	1:A:179:LYS:HG3	2.09	0.52
1:B:243:ASP:CG	1:B:273:ARG:HH22	2.14	0.52
1:C:198:LEU:C	1:C:198:LEU:HD12	2.30	0.51
1:B:61:ASN:ND2	1:B:63:ASP:H	2.09	0.51
1:B:119:GLU:C	1:B:121:TYR:H	2.13	0.51
1:B:114:GLY:O	1:B:116:GLU:N	2.32	0.51
1:B:170:ARG:O	1:B:173:VAL:HG22	2.11	0.51
1:A:215:ASN:HB3	3:A:500:HOH:O	2.11	0.51
1:B:162:THR:HA	1:B:201:CYS:O	2.11	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:48:LYS:HB3	1:C:285:PRO:HA	1.94	0.50
1:C:94:GLU:HA	1:C:97:LEU:HG	1.94	0.50
1:C:293:ARG:HB2	1:C:303:PRO:HG2	1.94	0.50
1:C:162:THR:HA	1:C:201:CYS:O	2.12	0.50
1:C:186:ARG:HG2	1:C:186:ARG:HH11	1.77	0.49
1:B:89:GLU:HG2	1:B:164:TYR:CZ	2.46	0.49
1:A:51:ARG:HD2	3:A:469:HOH:O	2.10	0.49
1:B:66:ARG:HD3	3:B:509:HOH:O	2.13	0.49
1:C:254:TYR:HA	1:C:256:TYR:CZ	2.48	0.49
1:C:101:ILE:O	1:C:110:LYS:HE2	2.12	0.49
1:C:91:LYS:HA	1:C:120:GLY:O	2.13	0.49
1:A:166:PRO:HA	3:A:455:HOH:O	2.12	0.49
1:C:243:ASP:OD1	1:C:273:ARG:NH2	2.42	0.49
1:A:127:LEU:N	1:A:127:LEU:HD12	2.29	0.48
1:B:31:HIS:O	1:B:32:MET:HB3	2.12	0.48
1:C:245:PHE:HB3	1:C:273:ARG:NH2	2.28	0.48
1:B:126:MET:C	1:B:127:LEU:HD23	2.34	0.48
1:C:243:ASP:CG	1:C:273:ARG:HH22	2.16	0.48
1:A:165:VAL:CG2	1:A:204:LEU:HA	2.44	0.48
1:A:293:ARG:HB2	1:A:303:PRO:HG2	1.95	0.47
1:B:293:ARG:HB2	1:B:303:PRO:HG2	1.97	0.47
1:C:54:ASN:OD1	1:C:309:ALA:HA	2.14	0.47
1:C:81:ASP:N	1:C:82:PRO:HD3	2.29	0.47
1:B:60:TRP:CE2	1:B:303:PRO:HD3	2.50	0.47
1:B:55:MET:HE3	1:B:158:PHE:HZ	1.80	0.47
1:B:216:PRO:O	1:B:220:ARG:HG3	2.14	0.47
1:C:109:HIS:CE1	1:C:131:GLU:HB2	2.50	0.47
1:B:65:LEU:C	1:B:65:LEU:HD23	2.35	0.46
1:C:284:LEU:HB2	1:C:285:PRO:HD3	1.97	0.46
1:B:296:ALA:HB3	1:B:303:PRO:HD2	1.98	0.46
1:B:94:GLU:HB2	1:B:115:SER:CB	2.45	0.46
1:B:165:VAL:HG13	1:B:166:PRO:HD2	1.97	0.46
1:A:61:ASN:C	1:A:61:ASN:ND2	2.66	0.46
1:A:40:ASP:OD2	1:A:291:LYS:HE3	2.16	0.46
1:B:95:LYS:N	1:B:95:LYS:HD3	2.19	0.45
1:C:116:GLU:C	1:C:118:LYS:H	2.19	0.45
1:B:101:ILE:O	1:B:110:LYS:HE2	2.16	0.45
1:B:234:THR:O	1:B:238:GLU:HG3	2.17	0.45
1:A:61:ASN:ND2	1:A:63:ASP:H	2.15	0.45
1:C:291:LYS:HE2	3:C:406:HOH:O	2.17	0.45
1:C:89:GLU:HG2	1:C:91:LYS:HD2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:ARG:HH11	1:A:220:ARG:HG2	1.82	0.45
1:B:89:GLU:HG2	1:B:164:TYR:CE2	2.52	0.44
1:B:101:ILE:HA	1:B:104:MET:HG3	1.99	0.44
1:B:94:GLU:HB2	1:B:115:SER:HB2	1.98	0.44
1:B:246:ARG:HA	1:B:246:ARG:HD3	1.74	0.44
1:C:205:ASN:ND2	3:C:432:HOH:O	2.44	0.44
1:C:65:LEU:HD23	1:C:65:LEU:C	2.37	0.44
1:B:114:GLY:C	1:B:116:GLU:H	2.19	0.44
1:A:106:GLU:HA	1:B:263:MET:CE	2.48	0.44
1:C:149:ARG:O	1:C:163:ALA:HA	2.18	0.44
1:A:231:GLU:O	1:A:235:GLN:HG3	2.18	0.44
1:C:248:LEU:CD1	1:C:289:ASP:HA	2.48	0.43
1:A:213:LEU:HD13	1:A:216:PRO:HG3	2.00	0.43
1:A:219:ASN:HA	1:A:222:ASN:HD22	1.83	0.43
1:A:65:LEU:HD23	1:A:65:LEU:C	2.39	0.43
1:A:91:LYS:HG2	1:A:120:GLY:O	2.18	0.43
1:C:186:ARG:NH1	1:C:186:ARG:HG2	2.32	0.43
1:C:279:LEU:HD21	1:C:308:LEU:HD21	2.00	0.43
1:A:101:ILE:O	1:A:110:LYS:HE2	2.18	0.43
1:B:105:PRO:HD2	1:B:106:GLU:OE1	2.19	0.43
1:B:157:ASP:O	1:B:197:PRO:HD2	2.19	0.43
1:C:263:MET:O	1:C:264:ASN:C	2.56	0.43
1:B:61:ASN:C	1:B:61:ASN:ND2	2.71	0.42
1:A:56:LYS:HE3	1:A:307:PHE:CZ	2.54	0.42
1:B:106:GLU:O	1:B:129:LYS:HG2	2.19	0.42
1:B:61:ASN:HD22	1:B:63:ASP:H	1.67	0.42
1:A:106:GLU:HA	1:B:263:MET:HE3	2.01	0.42
1:C:159:PHE:CE1	1:C:196:LYS:HB3	2.54	0.42
1:B:291:LYS:NZ	1:B:291:LYS:HA	2.34	0.42
1:A:154:GLU:HB2	1:A:159:PHE:CE2	2.54	0.42
1:B:152:THR:HG23	1:B:161:VAL:HG22	2.02	0.42
1:B:257:THR:O	1:B:301:HIS:HA	2.20	0.42
1:C:65:LEU:O	1:C:65:LEU:HD23	2.20	0.42
1:B:165:VAL:HA	1:B:166:PRO:HD3	1.97	0.42
1:A:162:THR:HA	1:A:201:CYS:O	2.20	0.42
1:B:254:TYR:HA	1:B:256:TYR:CZ	2.55	0.42
1:B:113:ALA:HB3	1:B:124:VAL:CG2	2.50	0.41
1:A:73:GLY:O	1:A:77:VAL:HG23	2.20	0.41
1:A:74:LEU:HD22	1:A:104:MET:SD	2.60	0.41
1:B:61:ASN:HB3	1:B:301:HIS:CG	2.56	0.41
1:A:61:ASN:HD22	1:A:63:ASP:H	1.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:252:GLN:HG2	3:C:440:HOH:O	2.20	0.41
1:A:105:PRO:O	1:B:263:MET:HE1	2.21	0.41
1:B:213:LEU:HD11	1:B:216:PRO:HB3	2.03	0.41
1:A:296:ALA:HB3	1:A:303:PRO:HD2	2.03	0.41
1:B:40:ASP:HA	1:B:41:PRO:HD3	1.88	0.41
1:B:105:PRO:HG3	3:B:451:HOH:O	2.19	0.40
1:B:284:LEU:N	1:B:285:PRO:CD	2.84	0.40
1:C:89:GLU:CG	1:C:91:LYS:HD2	2.51	0.40
1:B:225:PHE:CD1	1:B:230:ARG:HD3	2.56	0.40
1:C:117:ASP:HB2	1:C:119:GLU:OE1	2.21	0.40
1:C:244:SER:OG	1:C:277:PHE:HB2	2.21	0.40
1:B:213:LEU:HD13	1:B:213:LEU:O	2.21	0.40
1:B:226:THR:O	1:B:230:ARG:HG3	2.20	0.40
1:C:116:GLU:O	1:C:118:LYS:N	2.55	0.40
1:C:175:LEU:O	1:C:178:ARG:HB3	2.22	0.40
1:C:246:ARG:HD3	1:C:250:PRO:HA	2.04	0.40
1:C:257:THR:O	1:C:301:HIS:HA	2.21	0.40
1:A:181:TRP:C	1:A:181:TRP:CD1	2.95	0.40
1:B:114:GLY:C	1:B:116:GLU:N	2.75	0.40
1:B:89:GLU:CG	1:B:164:TYR:CZ	3.04	0.40
1:C:181:TRP:C	1:C:181:TRP:CD1	2.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/282 (97%)	260 (95%)	12 (4%)	2 (1%)	22	26
1	B	278/282 (99%)	262 (94%)	14 (5%)	2 (1%)	22	26
1	C	274/282 (97%)	262 (96%)	10 (4%)	2 (1%)	22	26
All	All	826/846 (98%)	784 (95%)	36 (4%)	6 (1%)	22	26

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	120	GLY
1	A	169	SER
1	C	117	ASP
1	A	116	GLU
1	B	115	SER
1	C	116	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	234/238 (98%)	231 (99%)	3 (1%)	69 82
1	B	237/238 (100%)	230 (97%)	7 (3%)	41 57
1	C	234/238 (98%)	233 (100%)	1 (0%)	91 96
All	All	705/714 (99%)	694 (98%)	11 (2%)	62 78

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	LEU
1	A	61	ASN
1	A	213	LEU
1	B	61	ASN
1	B	66	ARG
1	B	95	LYS
1	B	127	LEU
1	B	213	LEU
1	B	291	LYS
1	B	295	THR
1	C	220	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	ASN
1	A	144	HIS
1	A	208	HIS
1	A	219	ASN
1	A	222	ASN
1	A	269	ASN
1	B	61	ASN
1	B	109	HIS
1	C	72	ASN
1	C	205	ASN
1	C	219	ASN
1	C	222	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	276/282 (97%)	0.22	11 (3%) 38 45	13, 24, 42, 78	0
1	B	280/282 (99%)	0.22	12 (4%) 35 42	14, 24, 39, 69	0
1	C	276/282 (97%)	0.44	20 (7%) 15 20	17, 30, 48, 80	0
All	All	832/846 (98%)	0.29	43 (5%) 27 34	13, 26, 48, 80	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	115	SER	7.4
1	B	32	MET	6.3
1	C	117	ASP	6.2
1	A	117	ASP	5.8
1	A	121	TYR	5.5
1	C	118	LYS	5.2
1	A	118	LYS	5.0
1	C	121	TYR	4.8
1	B	35	PRO	4.7
1	A	116	GLU	4.5
1	B	117	ASP	3.3
1	B	121	TYR	3.0
1	B	114	GLY	3.0
1	C	251	ASP	2.9
1	C	48	LYS	2.8
1	C	116	GLU	2.8
1	C	79	LYS	2.8
1	C	249	TYR	2.8
1	B	267	SER	2.7
1	A	170	ARG	2.6
1	B	31	HIS	2.6
1	C	50	GLY	2.5
1	B	120	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	95	LYS	2.4
1	C	254	TYR	2.4
1	A	100	ASP	2.4
1	B	36	ILE	2.4
1	A	263	MET	2.4
1	C	42	PRO	2.4
1	C	284	LEU	2.3
1	A	120	GLY	2.3
1	B	170	ARG	2.2
1	C	52	ALA	2.2
1	C	53	ALA	2.1
1	C	250	PRO	2.1
1	C	38	TYR	2.1
1	C	282	ALA	2.1
1	A	119	GLU	2.1
1	C	39	GLU	2.1
1	C	45	LEU	2.1
1	C	46	THR	2.0
1	B	281	SER	2.0
1	A	103	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PB	C	401	1/1	0.92	0.10	36,36,36,36	1
2	PB	B	403	1/1	0.93	0.15	65,65,65,65	1
2	PB	A	402	1/1	0.94	0.11	40,40,40,40	1

6.5 Other polymers

There are no such residues in this entry.