

# Full wwPDB X-ray Structure Validation Report (i)

#### Aug 20, 2023 – 12:05 PM EDT

:	206V
:	Crystal structure and solution NMR studies of Lys48-linked tetraubiquitin at
	neutral pH
:	Eddins, M.J.; Wolberger, C.
:	2006-12-08
:	2.20  Å(reported)
	: : : :

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
1	А	76	3% <b>79</b> %	16%	<del>.</del> .				
1	С	76	3% 50%	47%	•				
1	Е	76	% 66%	30%	• •				
1	G	76	63%	33%	•				
2	В	76	.% <b>6</b> 4%	33%	·				



Mol	Chain	Length	Quality of chain						
2	F	76	74%	24%	•				
3	D	76	4% 67%	28%	5%				
3	Н	76	% 50%	45%	• ••				

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	А	801	-	-	Х	-
4	SO4	Е	804	-	-	Х	-
5	MES	В	901	-	-	-	Х



## 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 4976 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	75	Total	С	Ν	0	$\mathbf{S}$	0	0	0
	A	75	75 592 375 104 112 1 0		0	0	0			
1	C	76	Total	С	Ν	0	S	0	0	0
	U	70	598	377	104	116	1	0	0	
1	F	75	Total	С	Ν	0	S	0	0	0
1	Ľ	15	595	376	104	114	1	0	0	0
1	1 C	76	Total	С	Ν	0	$\mathbf{S}$	0	0	0
I G	70	601	378	105	117	1			U	

• Molecule 1 is a protein called Ubiquitin.

• Molecule 2 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	Р	76	Total	С	Ν	0	S	0	0	0
	D	70	600	376	107	115	2	0	0	0
0	Б	76	Total	С	N O S 0 0	0	0			
	Г	10	600	376	107	115	2	0	U	U

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	148	SLZ	LYS	engineered mutation	UNP P62988
В	163	ARG	LYS	engineered mutation	UNP P62988
F	548	SLZ	LYS	engineered mutation	UNP P62988
F	563	ARG	LYS	engineered mutation	UNP P62988

• Molecule 3 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	D	76	Total         C         N         O         S           601         376         109         115         1	0	0	0
3	Н	75	Total C N O 596 373 108 115	0	0	0



Chain	Residue	Modelled	Actual	Comment	Reference
D	348	ARG	LYS	engineered mutation	UNP P62988
D	363	ARG	LYS	engineered mutation	UNP P62988
Н	748	ARG	LYS	engineered mutation	UNP P62988
Н	763	ARG	LYS	engineered mutation	UNP P62988

There are 4 discrepancies between the modelled and reference sequences:

• Molecule 4 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
4	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
4	Ε	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 5 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
Б	В	1	Total	С	Ν	0	S	0	0
D D	1	12	6	1	4	1	0	0	
5	Л	1	Total	С	Ν	0	S	0	0
0	D	1	12	6	1	4	1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	28	Total         O           28         28	0	0
6	В	11	Total O 11 11	0	0
6	С	16	Total         O           16         16	0	0
6	D	21	TotalO2121	0	0
6	Е	24	Total O 24 24	0	0
6	F	21	Total O 21 21	0	0
6	G	14	Total O 14 14	0	0
6	Н	14	Total O 14 14	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Ubiquitin







# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	59.10Å 77.08Å 139.36Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.32^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	38.00 - 2.20	Depositor
Resolution (A)	38.83 - 2.20	EDS
% Data completeness	93.4 (38.00-2.20)	Depositor
(in resolution range)	91.1 (38.83-2.20)	EDS
R <sub>merge</sub>	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$< I/\sigma(I) > 1$	$2.59 (at 2.20 \text{\AA})$	Xtriage
Refinement program	CNS	Depositor
P. P.	0.222 , $0.262$	Depositor
$n, n_{free}$	0.220 , $0.236$	DCC
$R_{free}$ test set	1463 reflections $(4.97\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	43.2	Xtriage
Anisotropy	0.169	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.36 , $42.9$	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.44, < L^2 > = 0.27$	Xtriage
Estimated twinning fraction	0.114 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4976	wwPDB-VP
Average B, all atoms $(Å^2)$	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.59% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MES, SLZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
MIOI	Unain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.42	0/598	0.69	0/804	
1	С	0.35	0/604	0.68	0/812	
1	Е	0.38	0/601	0.71	0/808	
1	G	0.37	0/607	0.68	0/816	
2	В	0.35	0/596	0.64	0/801	
2	F	0.37	0/596	0.69	0/801	
3	D	0.39	0/607	0.73	1/816~(0.1%)	
3	Н	0.31	0/602	0.64	0/811	
All	All	0.37	0/4811	0.68	1/6469~(0.0%)	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	D	373	LEU	CA-CB-CG	-5.10	103.58	115.30

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	592	0	621	21	0
1	С	598	0	619	49	0



2	Ο	6	V	

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Е	595	0	620	32	0
1	G	601	0	623	28	0
2	В	600	0	618	32	0
2	F	600	0	619	25	0
3	D	601	0	619	28	0
3	Н	596	0	614	45	0
4	А	5	0	0	2	0
4	В	5	0	0	0	0
4	D	5	0	0	0	0
4	Е	5	0	0	5	0
5	В	12	0	13	0	0
5	D	12	0	13	0	0
6	А	28	0	0	1	0
6	В	11	0	0	2	0
6	С	16	0	0	5	0
6	D	21	0	0	2	0
6	Е	24	0	0	2	0
6	F	21	0	0	1	0
6	G	14	0	0	0	0
6	Н	14	0	0	3	0
All	All	4976	0	4979	220	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (220) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
3:H:716:GLU:O	3:H:717:VAL:HG22	1.38	1.22
1:G:663:LYS:H	1:G:663:LYS:HD2	1.06	1.19
1:E:449:GLN:HE22	2:F:572:ARG:NH1	1.52	1.07
3:H:702:GLN:HE21	3:H:714:THR:HG23	1.22	1.01
1:C:273:LEU:HD11	3:D:351:GLU:HG2	1.45	0.96
1:A:75:GLY:HA2	3:D:359:TYR:CE2	2.01	0.96
1:C:242:ARG:HE	1:C:272:ARG:HH11	1.14	0.94
1:A:72:ARG:HD2	4:A:801:SO4:O3	1.68	0.92
3:H:717:VAL:HG21	3:H:729:LYS:HE3	1.54	0.90
3:H:722:THR:HA	3:H:755:THR:HA	1.52	0.89
3:H:723:ILE:HG12	3:H:752:ASP:HA	1.53	0.89
1:E:444:ILE:HD13	2:F:570:VAL:HG11	1.55	0.87
1:C:237:PRO:HG2	1:C:240:GLN:HB2	1.57	0.85



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:142:ARG:HH21	2:B:172:ARG:HH11	1.20	0.85
2:B:123:ILE:HD13	2:B:150:LEU:HB3	1.58	0.84
1:G:663:LYS:H	1:G:663:LYS:CD	1.87	0.84
3:H:717:VAL:HG21	3:H:729:LYS:CE	2.08	0.81
1:G:663:LYS:HD2	1:G:663:LYS:N	1.91	0.81
3:H:716:GLU:C	3:H:717:VAL:HG22	2.01	0.81
1:G:639:ASP:OD2	1:G:676:GLY:HA2	1.81	0.79
3:H:719:PRO:HG3	3:H:763:ARG:NH2	1.99	0.78
3:H:716:GLU:O	3:H:717:VAL:CG2	2.27	0.78
1:E:449:GLN:NE2	2:F:572:ARG:NH1	2.31	0.77
2:B:102:GLN:HG3	2:B:114:THR:HG23	1.67	0.76
3:D:342:ARG:HB2	3:D:370:VAL:HG22	1.66	0.75
2:B:161:ILE:HD13	2:B:167:LEU:HD11	1.69	0.74
1:G:622:THR:OG1	1:G:624:GLU:HG3	1.88	0.74
3:D:340:GLN:HA	3:D:372:ARG:HB2	1.69	0.73
1:A:61:ILE:HD13	1:A:67:LEU:HD21	1.71	0.72
2:B:123:ILE:HD12	2:B:151:GLU:O	1.88	0.72
3:H:705:VAL:HG13	6:H:99:HOH:O	1.89	0.72
1:C:242:ARG:NE	1:C:272:ARG:HD2	2.04	0.72
3:H:702:GLN:NE2	3:H:714:THR:HG23	2.03	0.71
1:A:72:ARG:NH1	1:A:74:ARG:HD3	2.05	0.71
2:B:123:ILE:CD1	2:B:150:LEU:HB3	2.20	0.71
1:E:423:ILE:HB	1:E:452:ASP:HA	1.73	0.71
2:B:124:GLU:CG	2:B:152:ASP:HB3	2.21	0.71
1:C:240:GLN:HG3	1:C:276:GLY:HA3	1.73	0.70
3:H:743:LEU:HD22	6:H:99:HOH:O	1.90	0.70
3:D:315:LEU:HD11	3:D:330:ILE:HD11	1.73	0.70
3:H:723:ILE:CG1	3:H:752:ASP:HA	2.21	0.70
1:A:49:GLN:NE2	2:B:172:ARG:HE	1.89	0.69
1:G:662:GLN:HB2	1:G:663:LYS:HD2	1.74	0.69
2:B:142:ARG:HB2	2:B:170:VAL:HG23	1.73	0.69
1:G:601:MET:HB3	1:G:617:VAL:O	1.93	0.69
3:H:742:ARG:NH2	3:H:772:ARG:HD2	2.06	0.69
1:C:233:LYS:NZ	6:C:68:HOH:O	2.25	0.69
1:C:273:LEU:HD11	3:D:351:GLU:CG	2.20	0.69
1:A:70:VAL:HG21	2:B:144:ILE:HD13	1.75	0.69
2:B:111:LYS:HE3	2:B:111:LYS:HA	1.75	0.68
1:E:454:ARG:HG3	1:E:459:TYR:OH	1.93	0.68
1:E:474:ARG:HH12	3:H:758:ASP:HB3	1.59	0.67
3:H:703:ILE:C	3:H:704:PHE:HD2	1.97	0.67
2:B:142:ARG:NH2	2:B:172:ARG:HH11	1.91	0.66



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:672:ARG:HH12	3:H:742:ARG:CZ	2.09	0.65
1:G:661:ILE:HD13	1:G:667:LEU:HD21	1.78	0.65
3:D:342:ARG:HB2	3:D:370:VAL:CG2	2.26	0.65
3:D:342:ARG:NH2	3:D:372:ARG:HG2	2.10	0.65
1:E:444:ILE:CD1	2:F:570:VAL:HG11	2.26	0.65
1:G:642:ARG:HD2	1:G:649:GLN:NE2	2.11	0.65
1:E:454:ARG:HD2	6:E:8:HOH:O	1.96	0.64
1:G:606:LYS:HG2	1:G:612:THR:OG1	1.97	0.64
1:C:231:GLN:OE1	1:C:238:PRO:HD3	1.97	0.64
3:H:754:ARG:HD2	3:H:759:TYR:OH	1.97	0.64
1:C:218:GLU:N	1:C:221:ASP:OD2	2.31	0.63
2:F:511:LYS:HG2	6:F:61:HOH:O	1.98	0.63
2:B:123:ILE:HB	2:B:152:ASP:HA	1.81	0.63
2:B:142:ARG:HE	2:B:172:ARG:HD2	1.63	0.63
3:D:363:ARG:HD2	6:D:76:HOH:O	1.98	0.63
3:D:373:LEU:HB2	3:D:376:GLY:O	1.98	0.63
4:E:804:SO4:S	2:F:572:ARG:NH1	2.72	0.62
1:G:672:ARG:NE	1:G:674:ARG:HD2	2.14	0.62
1:C:217:VAL:HA	1:C:229:LYS:NZ	2.14	0.62
3:D:315:LEU:HD21	3:D:330:ILE:HD13	1.82	0.62
2:F:526:VAL:HG21	2:F:556:LEU:HD21	1.82	0.62
1:G:672:ARG:HE	1:G:674:ARG:HD2	1.65	0.61
1:A:72:ARG:HG3	2:B:149:GLN:CD	2.21	0.61
1:C:222:THR:HA	1:C:255:THR:HA	1.81	0.61
1:E:474:ARG:C	1:E:474:ARG:HD3	2.21	0.61
2:F:548:SLZ:HB2	1:G:673:LEU:HD23	1.83	0.61
3:H:704:PHE:HD2	3:H:704:PHE:N	1.99	0.60
3:D:315:LEU:HD11	3:D:330:ILE:CD1	2.31	0.60
3:H:704:PHE:N	3:H:704:PHE:CD2	2.69	0.60
1:A:68:HIS:HD2	6:A:807:HOH:O	1.84	0.60
4:E:804:SO4:O4	2:F:572:ARG:NH1	2.32	0.60
2:B:142:ARG:HB2	2:B:170:VAL:CG2	2.32	0.60
1:C:244:ILE:HG21	3:D:308:LEU:HD22	1.84	0.60
3:H:754:ARG:HD2	3:H:759:TYR:CZ	2.38	0.59
3:H:719:PRO:HG3	3:H:763:ARG:HH22	1.66	0.59
6:B:907:HOH:O	1:C:275:GLY:HA3	2.02	0.59
1:A:63:LYS:O	1:A:64:GLU:HB2	2.03	0.59
1:G:672:ARG:HH12	3:H:742:ARG:NH2	2.00	0.59
4:A:801:SO4:O2	2:B:172:ARG:NH2	2.36	0.58
1:E:422:THR:HA	1:E:455:THR:HA	1.85	0.58
3:D:323:ILE:HB	3:D:352:ASP:HA	1.84	0.58



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:E:470:VAL:HG21	2:F:544:ILE:HD13	1.86	0.57
3:H:716:GLU:C	3:H:717:VAL:CG2	2.71	0.57
2:B:123:ILE:HG23	2:B:143:LEU:HD12	1.85	0.57
1:A:73:LEU:HD12	1:A:73:LEU:N	2.19	0.57
1:C:237:PRO:HG2	1:C:240:GLN:CB	2.30	0.57
4:E:804:SO4:O3	2:F:572:ARG:CZ	2.53	0.57
1:E:454:ARG:NH1	1:E:458:ASP:OD2	2.38	0.57
1:E:473:LEU:HD22	1:G:673:LEU:HB2	1.87	0.57
1:C:240:GLN:HA	6:C:86:HOH:O	2.05	0.56
2:B:111:LYS:HE3	2:B:112:THR:H	1.70	0.56
1:A:72:ARG:NH1	1:A:74:ARG:CD	2.66	0.56
2:F:540:GLN:HG2	2:F:573:LEU:HG	1.87	0.56
1:G:645:PHE:HB3	1:G:650:LEU:HD21	1.89	0.55
1:C:273:LEU:HA	1:C:276:GLY:O	2.05	0.55
1:C:228:ALA:HB1	3:H:704:PHE:CE1	2.41	0.55
3:D:306:LYS:HE2	6:D:67:HOH:O	2.06	0.55
3:D:373:LEU:CG	3:D:373:LEU:O	2.53	0.55
1:E:440:GLN:OE1	1:E:473:LEU:HG	2.07	0.55
2:B:123:ILE:HD13	2:B:150:LEU:CB	2.33	0.54
2:B:140:GLN:HG2	2:B:173:LEU:HG	1.90	0.54
1:E:451:GLU:OE2	2:F:574:ARG:HD3	2.08	0.54
1:C:205:VAL:HB	1:C:213:ILE:HG23	1.89	0.54
3:D:340:GLN:HA	3:D:372:ARG:CB	2.37	0.54
1:G:622:THR:HA	1:G:655:THR:HA	1.89	0.53
1:A:49:GLN:HE22	2:B:172:ARG:NE	2.06	0.53
1:G:640:GLN:OE1	1:G:673:LEU:HG	2.08	0.53
1:E:449:GLN:HE22	2:F:572:ARG:HH12	1.49	0.53
1:C:242:ARG:NE	1:C:272:ARG:HH11	1.96	0.52
1:C:272:ARG:HG3	3:D:349:GLN:HE22	1.74	0.52
4:E:804:SO4:O3	2:F:572:ARG:NH2	2.42	0.52
2:B:123:ILE:HD11	2:B:159:TYR:CE1	2.44	0.52
1:C:223:ILE:HG13	1:C:251:GLU:O	2.10	0.52
3:D:340:GLN:CA	3:D:372:ARG:HB2	2.39	0.52
3:H:742:ARG:HB2	3:H:770:VAL:HG22	1.90	0.52
1:C:205:VAL:O	1:C:213:ILE:HG23	2.10	0.51
1:C:242:ARG:HE	$1:C:272:AR\overline{G:HD2}$	1.75	0.51
1:E:422:THR:O	1:E:426:VAL:HG23	2.10	0.51
1:C:225:ASN:ND2	3:H:702:GLN:OE1	2.43	0.51
1:C:201:MET:CE	1:C:263:LYS:N	2.74	0.51
3:D:305:VAL:HB	3:D:313:ILE:HG23	1.91	0.51
1:A:49:GLN:HE22	2:B:172:ARG:HE	1.57	0.51



	io ao pagom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
3:D:351:GLU:HB2	3:D:354:ARG:CG	2.41	0.51	
1:C:245:PHE:HB3	1:C:250:LEU:HD21	1.92	0.51	
1:E:468:HIS:HD2	6:E:5:HOH:O	1.93	0.51	
1:C:242:ARG:NH2	1:C:272:ARG:HD3	2.26	0.50	
1:A:49:GLN:NE2	2:B:172:ARG:NE	2.59	0.50	
1:G:608:LEU:HD12	3:H:744:ILE:HG21	1.93	0.49	
1:C:231:GLN:O	1:C:235:GLY:N	2.38	0.49	
1:C:240:GLN:HG3	1:C:276:GLY:CA	2.42	0.49	
3:H:707:THR:OG1	3:H:711:LYS:HB3	2.12	0.49	
1:A:72:ARG:O	1:A:74:ARG:N	2.45	0.49	
3:D:351:GLU:HB2	3:D:354:ARG:HG2	1.94	0.49	
3:H:702:GLN:NE2	3:H:704:PHE:CE2	2.79	0.48	
1:E:463:LYS:HE2	1:E:464:GLU:OE2	2.14	0.48	
1:E:474:ARG:CZ	3:H:754:ARG:HD3	2.43	0.48	
1:G:671:LEU:HB3	1:G:673:LEU:CD1	2.43	0.48	
1:G:651:GLU:OE2	3:H:774:ARG:HA	2.14	0.48	
1:C:272:ARG:HE	1:C:274:ARG:NH1	2.12	0.48	
3:H:717:VAL:HB	3:H:721:ASP:OD1	2.14	0.48	
1:C:201:MET:HE1	6:C:80:HOH:O	2.13	0.47	
1:C:276:GLY:HA3	6:C:86:HOH:O	2.14	0.47	
1:C:201:MET:N	1:C:217:VAL:O	2.48	0.47	
1:C:244:ILE:HD13	3:D:370:VAL:HG11	1.97	0.47	
1:E:444:ILE:HD13	2:F:570:VAL:CG1	2.35	0.47	
1:C:201:MET:O	1:C:217:VAL:N	2.47	0.47	
1:E:449:GLN:NE2	2:F:572:ARG:CZ	2.78	0.47	
1:A:73:LEU:HD13	6:B:904:HOH:O	2.15	0.47	
3:H:713:ILE:HG13	3:H:713:ILE:O	2.14	0.47	
1:C:201:MET:CE	6:C:80:HOH:O	2.63	0.46	
1:C:223:ILE:HG12	1:C:254:ARG:O	2.16	0.46	
2:F:542:ARG:CZ	2:F:572:ARG:HD2	2.45	0.46	
1:C:201:MET:O	1:C:216:GLU:HA	2.16	0.46	
1:C:272:ARG:HG3	3:D:349:GLN:NE2	2.31	0.46	
2:F:548:SLZ:CD	1:G:673:LEU:O	2.63	0.46	
1:C:201:MET:HE2	1:C:263:LYS:HB2	1.97	0.46	
3:H:716:GLU:HB3	6:H:132:HOH:O	2.15	0.46	
2:B:142:ARG:NE	2:B:172:ARG:HD2	2.31	0.46	
1:A:73:LEU:N	1:A:73:LEU:CD1	2.79	0.45	
2:B:111:LYS:CE	2:B:112:THR:H	2.29	0.45	
1:A:44:ILE:HD13	2:B:170:VAL:HG11	1.97	0.45	
1:G:674:ARG:H	1:G:674:ARG:HG3	1.52	0.45	
3:D:339:ASP:OD1	3:D:340:GLN:HG3	2.16	0.45	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:201:MET:HE1	1:C:263:LYS:N	2.32	0.45
1:E:434:GLU:OE1	1:G:611:LYS:HE2	2.17	0.45
1:E:440:GLN:OE1	1:E:473:LEU:CD1	2.65	0.45
2:F:531:GLN:O	2:F:535:GLY:N	2.46	0.45
2:B:111:LYS:HE3	2:B:111:LYS:CA	2.46	0.44
1:G:639:ASP:OD2	1:G:676:GLY:CA	2.61	0.44
2:F:548:SLZ:HD2	1:G:673:LEU:O	2.16	0.44
3:H:708:LEU:HD23	3:H:770:VAL:HG12	1.99	0.44
1:E:442:ARG:NH2	4:E:804:SO4:O2	2.29	0.43
1:C:272:ARG:HE	1:C:274:ARG:CZ	2.31	0.43
1:E:474:ARG:NH2	3:H:754:ARG:HG2	2.33	0.43
1:E:444:ILE:HA	1:E:448:LYS:O	2.19	0.43
1:E:454:ARG:HB2	1:E:459:TYR:CE1	2.54	0.43
2:F:523:ILE:HG23	2:F:543:LEU:HD12	2.01	0.43
2:F:531:GLN:HB2	2:F:536:ILE:O	2.18	0.43
1:E:440:GLN:HE21	3:H:748:ARG:NH2	2.17	0.42
1:C:225:ASN:N	1:C:225:ASN:HD22	2.16	0.42
1:C:263:LYS:O	1:C:264:GLU:HB2	2.19	0.42
3:H:719:PRO:HA	3:H:756:LEU:HB2	2.00	0.42
1:A:72:ARG:HG3	2:B:149:GLN:OE1	2.20	0.42
1:A:63:LYS:O	1:A:63:LYS:HG3	2.18	0.42
1:C:206:LYS:O	1:C:268:HIS:HA	2.19	0.42
1:C:228:ALA:HB1	3:H:704:PHE:HE1	1.82	0.42
3:D:322:THR:HA	3:D:355:THR:HA	2.02	0.42
3:D:343:LEU:C	3:D:344:ILE:HG13	2.40	0.42
3:H:717:VAL:HG21	3:H:729:LYS:CD	2.50	0.42
2:B:145:PHE:O	2:B:146:ALA:HB3	2.20	0.42
2:F:542:ARG:HB2	2:F:570:VAL:HG23	2.02	0.41
3:H:722:THR:OG1	3:H:724:GLU:HG2	2.20	0.41
1:C:242:ARG:HH21	1:C:272:ARG:HD3	1.85	0.41
1:E:413:ILE:O	1:E:413:ILE:HG13	2.20	0.41
2:B:122:THR:H	2:B:125:ASN:HD22	1.69	0.41
1:G:601:MET:O	1:G:616:GLU:HA	2.21	0.41
3:H:723:ILE:HG13	3:H:724:GLU:N	2.34	0.41
1:C:250:LEU:HD22	1:C:259:TYR:CE1	2.55	0.41
3:D:372:ARG:C	3:D:372:ARG:HD2	2.41	0.41
3:H:731:GLN:O	3:H:735:GLY:N	2.54	0.41
1:A:45:PHE:HB3	1:A:50:LEU:HD21	2.02	0.40
3:H:708:LEU:HD13	3:H:708:LEU:HA	1.77	0.40
2:F:522:THR:H	2:F:525:ASN:HD22	1.69	0.40
1:C:211:LYS:HE2	1:C:234:GLU:OE1	2.22	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
1:E:437:PRO:HA	1:E:438:PRO:HD3	1.92	0.40	
1:E:474:ARG:C	1:E:474:ARG:CD	2.88	0.40	

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	73/76~(96%)	$71 \ (97\%)$	2(3%)	0	100	100
1	С	74/76~(97%)	71~(96%)	3~(4%)	0	100	100
1	Е	73/76~(96%)	71 (97%)	2(3%)	0	100	100
1	G	74/76~(97%)	71 (96%)	3~(4%)	0	100	100
2	В	73/76~(96%)	73~(100%)	0	0	100	100
2	F	73/76~(96%)	72~(99%)	1 (1%)	0	100	100
3	D	74/76~(97%)	71~(96%)	3~(4%)	0	100	100
3	Н	73/76~(96%)	69 (94%)	3 (4%)	1 (1%)	11	8
All	All	587/608~(96%)	569 (97%)	17 (3%)	1 (0%)	47	55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	Н	717	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	66/68~(97%)	62~(94%)	4 (6%)	18	21
1	С	67/68~(98%)	64 (96%)	3 (4%)	27	34
1	Ε	67/68~(98%)	64~(96%)	3~(4%)	27	34
1	G	68/68~(100%)	63~(93%)	5 (7%)	13	14
2	В	66/67~(98%)	62~(94%)	4 (6%)	18	21
2	F	66/67~(98%)	63~(96%)	3~(4%)	27	34
3	D	66/68~(97%)	62~(94%)	4 (6%)	18	21
3	Н	66/68~(97%)	59(89%)	7 (11%)	6	6
All	All	532/542~(98%)	499 (94%)	33 (6%)	18	21

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	14	THR
1	А	64	GLU
1	А	72	ARG
1	А	74	ARG
2	В	108	LEU
2	В	111	LYS
2	В	139	ASP
2	В	151	GLU
1	С	213	ILE
1	С	252	ASP
1	С	254	ARG
3	D	313	ILE
3	D	363	ARG
3	D	372	ARG
3	D	374	ARG
1	Ε	439	ASP
1	Ε	454	ARG
1	Ε	474	ARG
2	F	524	GLU
2	F	563	ARG
2	F	573	LEU
1	G	602	GLN
1	G	620	SER
1	G	663	LYS



Continuea front prettous page								
Mol	Chain	$\mathbf{Res}$	Type					
1	G	672	ARG					
1	G	674	ARG					
3	Н	704	PHE					
3	Н	708	LEU					
3	Н	717	VAL					
3	Н	718	GLU					
3	Н	740	GLN					
3	Н	764	GLU					
3	Н	773	LEU					

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	49	GLN
1	А	68	HIS
2	В	125	ASN
2	В	131	GLN
1	С	225	ASN
1	С	260	ASN
1	С	262	GLN
3	D	302	GLN
3	D	340	GLN
3	D	349	GLN
1	Ε	449	GLN
1	Е	460	ASN
1	Ε	462	GLN
1	Е	468	HIS
2	F	502	GLN
1	G	602	GLN
1	G	649	GLN
3	Н	702	GLN
3	Н	725	ASN
3	Н	731	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Link Bond lengths			В	ond ang	gles	
IVIOI	туре	Chain	nes	LINK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2
2	SLZ	F	548	1,2	7,8,9	0.77	0	4,8,10	1.51	1 (25%)
2	SLZ	В	148	1,2	7,8,9	0.79	0	4,8,10	1.51	1 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SLZ	F	548	1,2	-	0/5/7/9	-
2	SLZ	В	148	1,2	-	3/5/7/9	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	F	548	SLZ	CB-SG-CD	2.73	110.46	102.27
2	В	148	SLZ	CB-SG-CD	2.46	109.64	102.27

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	В	148	SLZ	N-CA-CB-SG
2	В	148	SLZ	C-CA-CB-SG
2	В	148	SLZ	CE-CD-SG-CB

There are no ring outliers.

1 monomer is involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	548	SLZ	3	0

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain		Res	s Link	Bo	Bond lengths			Bond angles		
Moi Type	Ullalli	Counts			RMSZ	# Z >2	Counts	RMSZ	# Z >2		
5	MES	В	901	-	12,12,12	1.59	1 (8%)	14,16,16	0.99	1 (7%)	
4	SO4	Е	804	-	4,4,4	0.93	0	6,6,6	1.71	1 (16%)	
4	SO4	А	801	-	4,4,4	1.09	0	6,6,6	1.56	1 (16%)	
5	MES	D	902	-	12,12,12	1.14	1 (8%)	14,16,16	1.16	2 (14%)	
4	SO4	В	802	-	4,4,4	1.15	0	6,6,6	1.63	1 (16%)	
4	SO4	D	803	-	4,4,4	1.06	0	6,6,6	1.54	1 (16%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MES	В	901	-	-	0/6/14/14	0/1/1/1
5	MES	D	902	-	-	0/6/14/14	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
5	В	901	MES	C8-S	4.26	1.83	1.77
5	D	902	MES	C8-S	2.67	1.81	1.77



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
4	Ε	804	SO4	O4-S-O3	3.94	125.89	109.06
4	В	802	SO4	O4-S-O3	3.75	125.05	109.06
4	А	801	SO4	O4-S-O3	3.58	124.34	109.06
4	D	803	SO4	O4-S-O3	3.54	124.16	109.06
5	D	902	MES	O3S-S-C8	2.26	109.42	105.77
5	D	902	MES	O1S-S-C8	2.22	109.59	106.92
5	В	901	MES	O3S-S-C8	2.09	109.14	105.77

All (7) bond angle outliers are listed below:

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	Е	804	SO4	5	0
4	А	801	SO4	2	0

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	75/76~(98%)	-0.08	2 (2%) 54 52	27, 37, 54, 77	0
1	С	76/76~(100%)	0.23	2 (2%) 56 53	31, 53, 65, 83	0
1	Е	75/76~(98%)	-0.17	1 (1%) 77 75	29, 41, 54, 80	0
1	G	76/76~(100%)	-0.11	0 100 100	32, 46, 69, 80	0
2	В	75/76~(98%)	-0.09	1 (1%) 77 75	34, 51, 64, 76	0
2	F	75/76~(98%)	-0.10	0 100 100	33, 45, 58, 62	0
3	D	76/76~(100%)	-0.10	3 (3%) 39 37	29, 39, 67, 86	0
3	Н	75/76~(98%)	0.31	1 (1%) 77 75	36, 62, 78, 89	0
All	All	603/608~(99%)	-0.01	10 (1%) 70 68	27, 46, 70, 89	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	75	GLY	4.5
3	D	374	ARG	4.3
3	D	373	LEU	3.4
3	D	372	ARG	3.0
2	В	154	ARG	2.7
1	С	273	LEU	2.6
3	Н	732	ASP	2.5
1	А	73	LEU	2.2
1	Е	473	LEU	2.2
1	С	276	GLY	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q < 0.9
2	SLZ	В	148	9/10	0.75	0.26	$55,\!57,\!77,\!81$	0
2	SLZ	F	548	9/10	0.76	0.20	42,45,72,75	0

median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
5	MES	В	901	12/12	0.49	0.47	90,90,93,94	12
5	MES	D	902	12/12	0.55	0.37	85,87,92,93	12
4	SO4	В	802	5/5	0.62	0.31	82,82,82,84	5
4	SO4	А	801	5/5	0.81	0.19	73,74,74,75	5
4	SO4	D	803	5/5	0.84	0.14	83,83,85,85	0
4	SO4	Е	804	5/5	0.88	0.18	79,79,81,81	0

#### 6.5 Other polymers (i)

There are no such residues in this entry.

