



wwPDB EM Validation Summary Report ⓘ

Apr 16, 2024 – 12:18 pm BST

PDB ID : 8OIN
EMDB ID : EMD-16894
Title : 55S mammalian mitochondrial ribosome with mtRF1 and P-site tRNA
Authors : Saurer, M.; Leibundgut, M.; Scaiola, A.; Schoenhut, T.; Ban, N.
Deposited on : 2023-03-23
Resolution : 3.60 Å(reported)
Based on initial models : 7QI4, 7NQH, .

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B1	198	 23% 77%
1	B2	198	 14% 86%
1	B3	198	 14% 86%
1	B4	198	 14% 86%
1	B5	198	 14% 86%
1	B6	198	 13% 87%
2	B7	3	 100% 67% 33%
3	B8	1571	 6% 83% 17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	B9	73	49% 79% 21%
5	BA	210	79% 21%
6	BB	150	18% 99%
7	BC	216	38% 95% 5%
8	BD	148	76% 24%
9	BE	256	23% 95% 5%
10	BF	250	6% 72% 28%
11	BG	161	66% 34%
12	BH	207	53% 47%
13	BI	65	34% 80% 20%
14	BJ	95	48% 52%
15	BK	188	51% 49%
16	BL	306	78% 22%
17	BM	399	77% 23%
18	BN	294	85% 15%
19	BO	268	57% 75% 25%
20	BP	257	51% 82% 18%
21	BQ	192	74% 92% 8%
22	BR	197	88% 10%
23	BS	325	35% 65%
24	BT	296	8% 97%
25	BU	251	88% 12%
26	BV	169	91% 9%
27	BW	188	76% 24%
28	BX	303	10% 79% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	BY	149	
30	BZ	209	
31	Ba	160	
32	Bb	112	
33	Bc	138	
34	Bd	126	
35	Be	102	
36	Bf	205	
37	Bg	222	
38	Bh	196	
39	Bi	433	
40	Bj	304	
41	Bl	100	
42	Bm	423	
43	Bn	380	
44	Bo	334	
45	Bp	162	
46	Bq	135	
47	Br	142	
48	Bs	159	
49	Bt	332	
50	Bu	306	
51	Bv	279	
52	Bw	269	
53	Bx	166	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	By	198	
55	Bz	128	
56	AA	960	
57	AB	366	
58	AC	167	
59	AD	199	
60	AE	124	
61	AF	242	
62	AG	71	
63	AH	200	
64	AI	9	
65	AJ	139	
66	AK	128	
67	AL	259	
68	AM	135	
69	AN	130	
70	AO	258	
71	AP	143	
72	AQ	87	
73	AR	382	
74	AS	190	
75	AT	173	
76	AU	205	
77	AV	395	
78	AW	188	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
79	AX	410	
80	AY	381	
81	AZ	148	
82	Aa	474	
83	Ab	289	
84	Ac	118	
85	Ad	430	
86	Ae	692	
87	Ag	397	
88	Ai	196	
89	Aj	505	

2 Entry composition [i](#)

There are 100 unique types of molecules in this entry. The entry contains 180624 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mitochondrial ribosomal protein L12.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	B1	45	317	203	52	62	0	0
1	B2	27	213	137	33	43	0	0
1	B3	28	222	143	35	44	0	0
1	B4	27	213	137	33	43	0	0
1	B5	27	213	137	33	43	0	0
1	B6	26	205	131	32	42	0	0

- Molecule 2 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	B7	3	62	28	11	20	3	0	0

- Molecule 3 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	B8	1571	33427	15015	6087	10754	1571	0	0

- Molecule 4 is a RNA chain called CP Phe-tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
4	B9	73	1560	703	283	500	73	1	0	0

- Molecule 5 is a protein called uL22m.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	BA	166	Total	C	N	O	S	0	0
			1374	876	258	234	6		

- Molecule 6 is a protein called 39S ribosomal protein L23, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	BB	149	Total	C	N	O	S	0	0
			1184	754	227	201	2		

- Molecule 7 is a protein called uL24m.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	BC	206	Total	C	N	O	S	0	0
			1678	1056	308	309	5		

- Molecule 8 is a protein called Mitochondrial ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	BD	112	Total	C	N	O	S	0	0
			867	558	158	148	3		

- Molecule 9 is a protein called Mitochondrial ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	BE	244	Total	C	N	O	S	0	0
			2036	1315	363	353	5		

- Molecule 10 is a protein called Mitochondrial ribosomal protein L47.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	BF	179	Total	C	N	O	S	0	0
			1548	992	290	260	6		

- Molecule 11 is a protein called uL30m.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	BG	107	Total	C	N	O	S	0	0
			874	562	159	150	3		

- Molecule 12 is a protein called Mitochondrial ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	BH	110	902	553	181	162	6	0	0

- Molecule 13 is a protein called bL33m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	BI	52	425	274	78	71	2	0	0

- Molecule 14 is a protein called Mitochondrial ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	BJ	46	387	239	89	58	1	0	0

- Molecule 15 is a protein called Mitochondrial ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	BK	95	833	539	163	129	2	0	0

- Molecule 16 is a protein called uL2m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	BL	240	1860	1160	371	319	10	0	0

- Molecule 17 is a protein called ICT1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	BM	307	2420	1554	426	430	10	0	0

- Molecule 18 is a protein called Mitochondrial ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	BN	250	2019	1299	370	344	6	1	0

- Molecule 19 is a protein called Mitochondrial ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	BO	202	Total	C	N	O	S	0	0
			1660	1059	311	286	4		

- Molecule 20 is a protein called Mitochondrial ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	BP	212	Total	C	N	O	S	0	0
			1705	1100	306	290	9		

- Molecule 21 is a protein called Mitochondrial ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	BQ	176	Total	C	N	O	S	0	0
			1339	851	243	243	2		

- Molecule 22 is a protein called 39S ribosomal protein L13, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	BR	177	Total	C	N	O	S	0	0
			1447	928	258	254	7		

- Molecule 23 is a protein called Mitochondrial ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	BS	115	Total	C	N	O	S	0	0
			896	562	176	154	4		

- Molecule 24 is a protein called 39S ribosomal protein L15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	BT	288	Total	C	N	O	S	0	0
			2312	1473	430	403	6		

- Molecule 25 is a protein called uL16m.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BU	222	Total	C	N	O	S	0	0
			1803	1156	331	306	10		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BU	237	HIS	TYR	conflict	UNP F1RI89

- Molecule 26 is a protein called bL17m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	BV	153	1240	777	236	222	5	0	0

- Molecule 27 is a protein called Mitochondrial ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	BW	143	1168	733	227	204	4	0	0

- Molecule 28 is a protein called 39S ribosomal protein L19, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	BX	240	1954	1253	338	354	9	0	0

- Molecule 29 is a protein called Mitochondrial ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	BY	140	1159	732	239	185	3	0	0

- Molecule 30 is a protein called Mitochondrial ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	BZ	155	1231	789	219	219	4	0	0

- Molecule 31 is a protein called 39S ribosomal protein L52, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	Ba	97	772	481	148	141	2	0	0

- Molecule 32 is a protein called Mitochondrial ribosomal protein L53.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Bb	97	Total	C	N	O	S	0	0
			745	461	143	135	6		

- Molecule 33 is a protein called mL54.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Bc	84	Total	C	N	O	S	0	0
			716	458	128	127	3		

- Molecule 34 is a protein called bL31m.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Bd	92	Total	C	N	O	S	0	0
			763	477	148	135	3		

- Molecule 35 is a protein called Mitochondrial ribosomal protein L57.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Be	94	Total	C	N	O	S	0	0
			780	485	168	126	1		

- Molecule 36 is a protein called mL62 (ICT1).

Mol	Chain	Residues	Atoms					AltConf	Trace
36	Bf	151	Total	C	N	O	S	0	0
			1198	738	233	222	5		

- Molecule 37 is a protein called mL64.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	Bg	135	Total	C	N	O	S	0	0
			1131	692	223	211	5		

- Molecule 38 is a protein called Mitochondrial ribosomal protein S18A.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Bh	162	Total	C	N	O	S	0	0
			1325	845	249	224	7		

- Molecule 39 is a protein called 39S ribosomal protein S30, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	Bi	387	3126	2011	548	555	12	0	0

- Molecule 40 is a protein called 39S ribosomal protein L1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	Bj	164	1325	853	217	251	4	0	0

- Molecule 41 is a protein called Ribosomal protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	Bl	38	335	214	70	47	4	0	0

- Molecule 42 is a protein called Mitochondrial ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	Bm	393	3173	2040	556	565	12	0	0

- Molecule 43 is a protein called Mitochondrial ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	Bn	354	2952	1876	542	525	9	0	0

- Molecule 44 is a protein called Mitochondrial ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	Bo	295	2408	1541	410	441	16	0	0

- Molecule 45 is a protein called Mitochondrial ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	Bp	143	1202	757	217	227	1	0	0

- Molecule 46 is a protein called Mitochondrial ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	Bq	122	972	628	168	173	3	0	0

- Molecule 47 is a protein called mL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	Br	108	906	570	167	165	4	0	0

- Molecule 48 is a protein called 39S ribosomal protein L43, mitochondrial isoform X2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	Bs	150	1185	738	227	217	3	0	0

- Molecule 49 is a protein called mL44.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	Bt	289	2319	1486	399	426	8	0	0

- Molecule 50 is a protein called Mitochondrial ribosomal protein L45.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	Bu	260	2138	1370	379	379	10	0	0

- Molecule 51 is a protein called Mitochondrial ribosomal protein L46.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
51	Bv	238	1948	1240	338	363	7	0	0

- Molecule 52 is a protein called 39S ribosomal protein L48, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
52	Bw	165	1295	825	224	241	5	0	0

- Molecule 53 is a protein called Mrpl34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
53	Bx	133	1097	709	192	194	2	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Bx	59	ARG	LYS	conflict	UNP A0A0R4J8D6

- Molecule 54 is a protein called Mitochondrial ribosomal protein L50.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	By	109	893	568	160	162	3	0	0

- Molecule 55 is a protein called Mitochondrial ribosomal protein L51.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	Bz	97	837	539	166	128	4	0	0

- Molecule 56 is a RNA chain called 12S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
56	AA	960	20418	9169	3708	6581	960	0	0

- Molecule 57 is a protein called 28S ribosomal protein S35, mitochondrial isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	AB	275	2222	1414	380	419	9	0	0

- Molecule 58 is a protein called Mitochondrial ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	AC	132	1075	695	195	181	4	0	0

- Molecule 59 is a protein called Aurora kinase A interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	AD	72	Total	C	N	O	S	0	0
			639	407	139	92	1		

- Molecule 60 is a protein called Mitoribosomal protein bs6m, mrps6.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	AE	122	Total	C	N	O	S	0	0
			981	620	178	177	6		

- Molecule 61 is a protein called Mitochondrial ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	AF	208	Total	C	N	O	S	0	0
			1722	1097	314	300	11		

- Molecule 62 is a RNA chain called P-site Met-tRNA(fMet).

Mol	Chain	Residues	Atoms					AltConf	Trace
62	AG	71	Total	C	N	O	P	0	0
			1502	673	264	494	71		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AG	69	C	-	insertion	GB 1208989970
AG	70	C	-	insertion	GB 1208989970
AG	71	A	-	insertion	GB 1208989970

- Molecule 63 is a protein called Mitochondrial ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	AH	140	Total	C	N	O	S	0	0
			1155	746	197	208	4		

- Molecule 64 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	AI	9	Total	C	N	O	P	0	0
			193	88	40	57	8		

- Molecule 65 is a protein called Mitochondrial ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	AJ	109	Total	C	N	O	S	0	0
			840	524	172	138	6		

- Molecule 66 is a protein called Mitochondrial ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	AK	101	Total	C	N	O	S	0	0
			858	534	174	144	6		

- Molecule 67 is a protein called 28S ribosomal protein S15, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	AL	175	Total	C	N	O	S	0	0
			1448	919	272	248	9		

- Molecule 68 is a protein called 28S ribosomal protein S16, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	AM	117	Total	C	N	O	S	0	0
			932	588	184	155	5		

- Molecule 69 is a protein called uS17m.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	AN	112	Total	C	N	O	S	0	0
			875	568	153	151	3		

- Molecule 70 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	AO	190	Total	C	N	O	S	0	0
			1564	991	292	273	8		

- Molecule 71 is a protein called Mitochondrial ribosomal protein S18C.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	AP	97	Total	C	N	O	S	0	0
			784	507	132	138	7		

- Molecule 72 is a protein called 28S ribosomal protein S21, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	AQ	86	737	455	148	126	8	0	0

- Molecule 73 is a protein called Mitochondrial ribosomal protein S22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
73	AR	292	2378	1518	409	442	9	0	0

- Molecule 74 is a protein called mS23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	AS	135	1101	709	199	192	1	0	0

- Molecule 75 is a protein called Mitochondrial ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	AT	169	1367	876	236	245	10	0	0

- Molecule 76 is a protein called Mitochondrial ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	AU	177	1467	904	288	273	2	0	0

- Molecule 77 is a protein called Mitochondrial ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
77	AV	388	3109	1971	535	589	14	0	0

- Molecule 78 is a protein called Mitoribosomal protein ms28, mrps28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
78	AW	99	778	494	134	146	4	0	0

- Molecule 79 is a protein called Death associated protein 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
79	AX	353	2875	1837	515	513	10	0	0

- Molecule 80 is a protein called 28S ribosomal protein S31, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
80	AY	149	1250	807	211	229	3	0	0

- Molecule 81 is a protein called Mitochondrial ribosomal protein S33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
81	AZ	99	824	522	156	143	3	0	0

- Molecule 82 is a protein called Peptide chain release factor 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
82	Aa	381	3120	1943	572	592	13	1	0

There are 29 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Aa	446	GLY	-	expression tag	UNP O75570
Aa	447	GLY	-	expression tag	UNP O75570
Aa	448	SER	-	expression tag	UNP O75570
Aa	449	GLY	-	expression tag	UNP O75570
Aa	450	GLY	-	expression tag	UNP O75570
Aa	451	SER	-	expression tag	UNP O75570
Aa	452	GLY	-	expression tag	UNP O75570
Aa	453	ASP	-	expression tag	UNP O75570
Aa	454	TYR	-	expression tag	UNP O75570
Aa	455	LYS	-	expression tag	UNP O75570
Aa	456	ASP	-	expression tag	UNP O75570
Aa	457	HIS	-	expression tag	UNP O75570
Aa	458	ASP	-	expression tag	UNP O75570
Aa	459	GLY	-	expression tag	UNP O75570
Aa	460	ASP	-	expression tag	UNP O75570
Aa	461	TYR	-	expression tag	UNP O75570
Aa	462	LYS	-	expression tag	UNP O75570
Aa	463	ASP	-	expression tag	UNP O75570
Aa	464	HIS	-	expression tag	UNP O75570

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Aa	465	ASP	-	expression tag	UNP O75570
Aa	466	ILE	-	expression tag	UNP O75570
Aa	467	ASP	-	expression tag	UNP O75570
Aa	468	TYR	-	expression tag	UNP O75570
Aa	469	LYS	-	expression tag	UNP O75570
Aa	470	ASP	-	expression tag	UNP O75570
Aa	471	ASP	-	expression tag	UNP O75570
Aa	472	ASP	-	expression tag	UNP O75570
Aa	473	ASP	-	expression tag	UNP O75570
Aa	474	LYS	-	expression tag	UNP O75570

- Molecule 83 is a protein called Mitochondrial ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
83	Ab	220	1762	1126	326	304	6	0	0

- Molecule 84 is a protein called Coiled-coil-helix-coiled-coil-helix domain containing 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
84	Ac	116	933	579	185	161	8	0	0

- Molecule 85 is a protein called 28S ribosomal protein S5, mitochondrial isoform X2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
85	Ad	343	2732	1707	527	487	11	0	0

- Molecule 86 is a protein called mS39.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
86	Ae	588	4748	3039	804	879	26	0	0

- Molecule 87 is a protein called uS9m.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
87	Ag	328	2650	1678	478	481	13	0	0

- Molecule 88 is a protein called Mitochondrial ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
88	Ai	137	1008	632	192	181	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ai	186	5F0	ASN	conflict	UNP A0A286ZJJ6

- Molecule 89 is a protein called Mitochondrial ribosomal protein S34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
89	Aj	213	1788	1131	338	311	8	0	0

- Molecule 90 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
90	B8	192	Total 192	Mg 192	0
90	B9	1	Total 1	Mg 1	0
90	BL	2	Total 2	Mg 2	0
90	BM	2	Total 2	Mg 2	0
90	BT	1	Total 1	Mg 1	0
90	BV	3	Total 3	Mg 3	0
90	BY	1	Total 1	Mg 1	0
90	Be	1	Total 1	Mg 1	0
90	Bq	1	Total 1	Mg 1	0
90	Bx	1	Total 1	Mg 1	0
90	AA	121	Total 121	Mg 121	0
90	AD	1	Total 1	Mg 1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
90	AG	1	Total 1	Mg 1	0
90	AI	1	Total 1	Mg 1	0
90	AJ	1	Total 1	Mg 1	0
90	AX	1	Total 1	Mg 1	0
90	Ab	1	Total 1	Mg 1	0

- Molecule 91 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
91	B8	25	Total 25	K 25	0
91	BL	1	Total 1	K 1	0
91	BU	1	Total 1	K 1	0
91	BW	1	Total 1	K 1	0
91	Be	1	Total 1	K 1	0
91	Bz	1	Total 1	K 1	0
91	AA	11	Total 11	K 11	0

- Molecule 92 is PHENYLALANINE (three-letter code: PHE) (formula: C₉H₁₁NO₂).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
92	B9	1	11	9	1	1	0

- Molecule 93 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
93	BH	1	1	1	0
93	Bl	1	1	1	0
93	AO	1	1	1	0

- Molecule 94 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).




Mol	Chain	Residues	Atoms			AltConf
			Total	Fe	S	
94	Bh	1	4	2	2	0
94	AP	1	4	2	2	0
94	AT	1	4	2	2	0

- Molecule 95 is SPERMINE (three-letter code: SPM) (formula: $C_{10}H_{26}N_4$).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	N	
95	AA	1	14	10	4	0

- Molecule 96 is SPERMIDINE (three-letter code: SPD) (formula: $C_7H_{19}N_3$).



Mol	Chain	Residues	Atoms			AltConf
96	AA	1	Total	C	N	0
			10	7	3	


- Molecule 97 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $C_6H_{11}NO_3S$).



Mol	Chain	Residues	Atoms					AltConf
97	AG	1	Total	C	N	O	S	0
			10	6	1	2	1	


- Molecule 98 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:

$C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
98	AX	1	31	10	5	13	3	0

- Molecule 99 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms				AltConf	
			Total	C	N	O		P
99	AX	1	28	10	5	11	2	0

- Molecule 100 is water.



Mol	Chain	Residues	Atoms		AltConf
100	AX	3	Total	O	0
			3	3	

ALA	GLU	LYS	ILE	LYS	ALA	ALA	LEU	GLU	VAL	VAL	GLY	THR	VAL	VAL	LEU	GLU
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----


• Molecule 2: E-site tRNA




• Molecule 3: 16S rRNA




• Molecule 4: CP Phe-tRNA









- Molecule 5: uL22m





- Molecule 6: 39S ribosomal protein L23, mitochondrial



- Molecule 7: uL24m




- Molecule 8: Mitochondrial ribosomal protein L27





- Molecule 9: Mitochondrial ribosomal protein L28









• Molecule 20: Mitochondrial ribosomal protein L10




• Molecule 21: Mitochondrial ribosomal protein L11




• Molecule 22: 39S ribosomal protein L13, mitochondrial





• Molecule 23: Mitochondrial ribosomal protein L14




- Molecule 29: Mitochondrial ribosomal protein L20





- Molecule 30: Mitochondrial ribosomal protein L21





- Molecule 31: 39S ribosomal protein L52, mitochondrial




- Molecule 32: Mitochondrial ribosomal protein L53






- Molecule 33: mL54










• Molecule 34: bL31m






• Molecule 35: Mitochondrial ribosomal protein L57





• Molecule 36: mL62 (ICT1)






• Molecule 37: mL64




• Molecule 46: Mitochondrial ribosomal protein L41






• Molecule 47: mL42






• Molecule 48: 39S ribosomal protein L43, mitochondrial isoform X2




• Molecule 49: mL44





• Molecule 50: Mitochondrial ribosomal protein L45









• Molecule 55: Mitochondrial ribosomal protein L51




• Molecule 56: 12S rRNA





• Molecule 57: 28S ribosomal protein S35, mitochondrial isoform 1







• Molecule 58: Mitochondrial ribosomal protein S24





• Molecule 59: Aurora kinase A interacting protein 1




• Molecule 60: Mitoribosomal protein bs6m, mrps6




• Molecule 61: Mitochondrial ribosomal protein S7








• Molecule 62: P-site Met-tRNA(fMet)





• Molecule 63: Mitochondrial ribosomal protein S10





• Molecule 64: mRNA




• Molecule 65: Mitochondrial ribosomal protein S12





• Molecule 66: Mitochondrial ribosomal protein S14





• Molecule 67: 28S ribosomal protein S15, mitochondrial





• Molecule 68: 28S ribosomal protein S16, mitochondrial




• Molecule 69: uS17m




• Molecule 70: 28S ribosomal protein S18b, mitochondrial








• Molecule 74: mS23





• Molecule 75: Mitochondrial ribosomal protein S25




• Molecule 76: Mitochondrial ribosomal protein S26





• Molecule 77: Mitochondrial ribosomal protein S27







• Molecule 85: 28S ribosomal protein S5, mitochondrial isoform X2



• Molecule 86: mS39



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	50622	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	3.040	Depositor
Minimum map value	-1.903	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.108	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	532.5, 532.5, 532.5	wwPDB
Map dimensions	500, 500, 500	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.065, 1.065, 1.065	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MA6, 5F0, MIA, 5MC, AYA, OMU, 1MA, MG, THC, B8T, PSU, GDP, 5MU, FES, OMG, SPM, K, FME, ATP, SAC, SPD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	B1	0.23	0/319	0.37	0/435
1	B2	0.21	0/212	0.35	0/286
1	B3	0.22	0/221	0.35	0/297
1	B4	0.22	0/212	0.33	0/286
1	B5	0.22	0/212	0.32	0/286
1	B6	0.22	0/204	0.36	0/275
2	B7	0.12	0/68	0.66	0/103
3	B8	0.20	0/37315	0.69	6/58099 (0.0%)
4	B9	0.30	1/1712 (0.1%)	0.69	0/2659
5	BA	0.25	0/1407	0.48	0/1891
6	BB	0.25	0/1206	0.52	0/1639
7	BC	0.23	0/1719	0.50	0/2329
8	BD	0.25	0/890	0.45	0/1202
9	BE	0.23	0/2093	0.46	0/2835
10	BF	0.23	0/1586	0.47	0/2123
11	BG	0.23	0/897	0.45	0/1213
12	BH	0.24	0/917	0.51	0/1227
13	BI	0.24	0/430	0.48	0/570
14	BJ	0.22	0/395	0.54	0/524
15	BK	0.24	0/853	0.51	0/1136
16	BL	0.25	0/1898	0.52	0/2555
17	BM	0.24	0/2493	0.44	0/3387
18	BN	0.24	0/2080	0.49	0/2830
19	BO	0.23	0/1695	0.49	0/2288
20	BP	0.24	0/1742	0.46	0/2358
21	BQ	0.24	0/1359	0.46	0/1828
22	BR	0.28	1/1481 (0.1%)	0.44	0/2009
23	BS	0.24	0/912	0.53	0/1231
24	BT	0.25	0/2368	0.51	0/3198
25	BU	0.25	0/1850	0.50	0/2491
26	BV	0.23	0/1262	0.50	0/1700

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
27	BW	0.23	0/1197	0.51	0/1624
28	BX	0.25	0/2002	0.47	0/2708
29	BY	0.24	0/1179	0.53	0/1578
30	BZ	0.24	0/1256	0.49	0/1706
31	Ba	0.24	0/787	0.46	0/1056
32	Bb	0.24	0/747	0.51	0/1006
33	Bc	0.23	0/737	0.46	0/997
34	Bd	0.23	0/778	0.54	0/1048
35	Be	0.23	0/798	0.54	0/1073
36	Bf	0.23	0/1214	0.51	0/1630
37	Bg	0.23	0/1157	0.48	0/1560
38	Bh	0.24	0/1364	0.49	0/1849
39	Bi	0.25	0/3206	0.46	0/4354
40	Bj	0.24	0/1350	0.44	0/1823
41	Bl	0.24	0/342	0.53	0/450
42	Bm	0.25	0/3267	0.47	0/4455
43	Bn	0.25	0/3047	0.49	0/4139
44	Bo	0.24	0/2464	0.43	0/3330
45	Bp	0.24	0/1228	0.48	0/1656
46	Bq	0.26	0/1000	0.46	0/1345
47	Br	0.25	0/934	0.50	0/1267
48	Bs	0.25	0/1200	0.53	0/1627
49	Bt	0.24	0/2372	0.45	0/3211
50	Bu	0.24	0/2199	0.47	0/2980
51	Bv	0.23	0/1988	0.44	0/2678
52	Bw	0.24	0/1320	0.47	1/1785 (0.1%)
53	Bx	0.25	0/1135	0.47	0/1549
54	By	0.24	0/917	0.45	0/1248
55	Bz	0.24	0/860	0.48	0/1150
56	AA	0.16	0/22734	0.67	2/35392 (0.0%)
57	AB	0.23	0/2268	0.44	0/3069
58	AC	0.24	0/1105	0.47	0/1496
59	AD	0.23	0/650	0.53	0/858
60	AE	0.25	0/999	0.51	0/1347
61	AF	0.24	0/1764	0.45	0/2368
62	AG	0.30	1/1677 (0.1%)	0.69	0/2606
63	AH	0.24	0/1181	0.47	0/1597
64	AI	0.17	0/217	0.66	0/337
65	AJ	0.25	0/858	0.53	0/1152
66	AK	0.22	0/874	0.53	0/1171
67	AL	0.23	0/1473	0.44	0/1970
68	AM	0.24	0/954	0.51	0/1284
69	AN	0.24	0/894	0.47	0/1213

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
70	AO	0.24	0/1616	0.47	0/2195
71	AP	0.24	0/802	0.42	0/1079
72	AQ	0.24	0/740	0.53	0/986
73	AR	0.23	0/2428	0.43	0/3279
74	AS	0.25	0/1126	0.49	0/1514
75	AT	0.25	0/1399	0.45	0/1881
76	AU	0.23	0/1490	0.49	0/2005
77	AV	0.23	0/3171	0.44	0/4292
78	AW	0.25	0/790	0.49	0/1064
79	AX	0.24	0/2945	0.44	0/3984
80	AY	0.24	0/1285	0.41	0/1734
81	AZ	0.24	0/841	0.48	0/1121
82	Aa	0.23	0/3171	0.45	0/4263
83	Ab	0.24	0/1804	0.48	0/2445
84	Ac	0.23	0/942	0.50	0/1261
85	Ad	0.24	0/2785	0.50	0/3735
86	Ae	0.24	0/4856	0.40	0/6579
87	Ag	0.24	0/2707	0.47	0/3636
88	Ai	0.24	0/1018	0.49	0/1375
89	Aj	0.23	0/1835	0.51	0/2484
All	All	0.23	3/189452 (0.0%)	0.56	9/268944 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
62	AG	1	A	OP3-P	-10.59	1.48	1.61
4	B9	1	G	OP3-P	-10.53	1.48	1.61
22	BR	4	PHE	C-N	-5.11	1.22	1.34

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B8	1527	U	C2-N1-C1'	7.20	126.34	117.70
52	Bw	68	PRO	N-CA-CB	6.15	110.68	103.30
3	B8	1527	U	N1-C2-O2	6.10	127.07	122.80
3	B8	1119	C	N1-C2-O2	5.92	122.45	118.90
56	AA	119	C	C2-N1-C1'	5.74	125.11	118.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B1	43/198 (22%)	41 (95%)	2 (5%)	0	100	100
1	B2	25/198 (13%)	25 (100%)	0	0	100	100
1	B3	26/198 (13%)	26 (100%)	0	0	100	100
1	B4	25/198 (13%)	25 (100%)	0	0	100	100
1	B5	25/198 (13%)	25 (100%)	0	0	100	100
1	B6	24/198 (12%)	24 (100%)	0	0	100	100
5	BA	164/210 (78%)	159 (97%)	5 (3%)	0	100	100
6	BB	147/150 (98%)	144 (98%)	3 (2%)	0	100	100
7	BC	204/216 (94%)	199 (98%)	5 (2%)	0	100	100
8	BD	110/148 (74%)	109 (99%)	1 (1%)	0	100	100
9	BE	242/256 (94%)	238 (98%)	4 (2%)	0	100	100
10	BF	177/250 (71%)	175 (99%)	2 (1%)	0	100	100
11	BG	105/161 (65%)	105 (100%)	0	0	100	100
12	BH	108/207 (52%)	108 (100%)	0	0	100	100
13	BI	50/65 (77%)	49 (98%)	1 (2%)	0	100	100
14	BJ	44/95 (46%)	43 (98%)	1 (2%)	0	100	100
15	BK	93/188 (50%)	92 (99%)	1 (1%)	0	100	100
16	BL	238/306 (78%)	229 (96%)	8 (3%)	1 (0%)	34	71
17	BM	305/399 (76%)	296 (97%)	9 (3%)	0	100	100
18	BN	249/294 (85%)	247 (99%)	2 (1%)	0	100	100
19	BO	200/268 (75%)	188 (94%)	12 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
20	BP	210/257 (82%)	207 (99%)	3 (1%)	0	100	100
21	BQ	174/192 (91%)	171 (98%)	3 (2%)	0	100	100
22	BR	175/197 (89%)	171 (98%)	4 (2%)	0	100	100
23	BS	113/325 (35%)	112 (99%)	1 (1%)	0	100	100
24	BT	286/296 (97%)	274 (96%)	12 (4%)	0	100	100
25	BU	220/251 (88%)	215 (98%)	5 (2%)	0	100	100
26	BV	151/169 (89%)	147 (97%)	4 (3%)	0	100	100
27	BW	141/188 (75%)	135 (96%)	6 (4%)	0	100	100
28	BX	238/303 (78%)	234 (98%)	4 (2%)	0	100	100
29	BY	138/149 (93%)	137 (99%)	1 (1%)	0	100	100
30	BZ	153/209 (73%)	151 (99%)	2 (1%)	0	100	100
31	Ba	95/160 (59%)	94 (99%)	1 (1%)	0	100	100
32	Bb	95/112 (85%)	91 (96%)	4 (4%)	0	100	100
33	Bc	82/138 (59%)	82 (100%)	0	0	100	100
34	Bd	90/126 (71%)	88 (98%)	2 (2%)	0	100	100
35	Be	92/102 (90%)	89 (97%)	3 (3%)	0	100	100
36	Bf	147/205 (72%)	144 (98%)	3 (2%)	0	100	100
37	Bg	133/222 (60%)	132 (99%)	1 (1%)	0	100	100
38	Bh	160/196 (82%)	152 (95%)	8 (5%)	0	100	100
39	Bi	385/433 (89%)	371 (96%)	13 (3%)	1 (0%)	41	75
40	Bj	160/304 (53%)	156 (98%)	4 (2%)	0	100	100
41	Bl	36/100 (36%)	36 (100%)	0	0	100	100
42	Bm	391/423 (92%)	384 (98%)	7 (2%)	0	100	100
43	Bn	352/380 (93%)	334 (95%)	18 (5%)	0	100	100
44	Bo	293/334 (88%)	284 (97%)	9 (3%)	0	100	100
45	Bp	141/162 (87%)	135 (96%)	6 (4%)	0	100	100
46	Bq	120/135 (89%)	115 (96%)	5 (4%)	0	100	100
47	Br	106/142 (75%)	102 (96%)	4 (4%)	0	100	100
48	Bs	148/159 (93%)	145 (98%)	3 (2%)	0	100	100
49	Bt	287/332 (86%)	283 (99%)	4 (1%)	0	100	100
50	Bu	258/306 (84%)	253 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
51	Bv	236/279 (85%)	229 (97%)	7 (3%)	0	100	100
52	Bw	163/269 (61%)	156 (96%)	7 (4%)	0	100	100
53	Bx	131/166 (79%)	128 (98%)	3 (2%)	0	100	100
54	By	107/198 (54%)	104 (97%)	3 (3%)	0	100	100
55	Bz	95/128 (74%)	93 (98%)	2 (2%)	0	100	100
57	AB	273/366 (75%)	270 (99%)	3 (1%)	0	100	100
58	AC	130/167 (78%)	126 (97%)	4 (3%)	0	100	100
59	AD	70/199 (35%)	70 (100%)	0	0	100	100
60	AE	120/124 (97%)	118 (98%)	2 (2%)	0	100	100
61	AF	206/242 (85%)	202 (98%)	4 (2%)	0	100	100
63	AH	138/200 (69%)	134 (97%)	3 (2%)	1 (1%)	22	61
65	AJ	107/139 (77%)	106 (99%)	1 (1%)	0	100	100
66	AK	99/128 (77%)	99 (100%)	0	0	100	100
67	AL	173/259 (67%)	170 (98%)	3 (2%)	0	100	100
68	AM	115/135 (85%)	111 (96%)	4 (4%)	0	100	100
69	AN	110/130 (85%)	106 (96%)	4 (4%)	0	100	100
70	AO	188/258 (73%)	187 (100%)	1 (0%)	0	100	100
71	AP	95/143 (66%)	95 (100%)	0	0	100	100
72	AQ	84/87 (97%)	84 (100%)	0	0	100	100
73	AR	290/382 (76%)	287 (99%)	3 (1%)	0	100	100
74	AS	133/190 (70%)	131 (98%)	2 (2%)	0	100	100
75	AT	167/173 (96%)	165 (99%)	2 (1%)	0	100	100
76	AU	175/205 (85%)	175 (100%)	0	0	100	100
77	AV	386/395 (98%)	373 (97%)	13 (3%)	0	100	100
78	AW	97/188 (52%)	96 (99%)	1 (1%)	0	100	100
79	AX	351/410 (86%)	344 (98%)	7 (2%)	0	100	100
80	AY	147/381 (39%)	145 (99%)	2 (1%)	0	100	100
81	AZ	97/148 (66%)	96 (99%)	1 (1%)	0	100	100
82	Aa	380/474 (80%)	373 (98%)	7 (2%)	0	100	100
83	Ab	218/289 (75%)	211 (97%)	7 (3%)	0	100	100
84	Ac	114/118 (97%)	112 (98%)	2 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
85	Ad	341/430 (79%)	332 (97%)	9 (3%)	0	100	100
86	Ae	584/692 (84%)	576 (99%)	8 (1%)	0	100	100
87	Ag	326/397 (82%)	322 (99%)	4 (1%)	0	100	100
88	Ai	134/196 (68%)	131 (98%)	3 (2%)	0	100	100
89	Aj	211/505 (42%)	209 (99%)	2 (1%)	0	100	100
All	All	14965/20598 (73%)	14637 (98%)	325 (2%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
63	AH	126	ILE
39	Bi	159	VAL
16	BL	208	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B1	30/157 (19%)	30 (100%)	0	100	100
1	B2	26/157 (17%)	26 (100%)	0	100	100
1	B3	27/157 (17%)	27 (100%)	0	100	100
1	B4	26/157 (17%)	26 (100%)	0	100	100
1	B5	26/157 (17%)	26 (100%)	0	100	100
1	B6	25/157 (16%)	25 (100%)	0	100	100
5	BA	144/180 (80%)	144 (100%)	0	100	100
6	BB	116/134 (87%)	116 (100%)	0	100	100
7	BC	185/192 (96%)	185 (100%)	0	100	100
8	BD	91/115 (79%)	91 (100%)	0	100	100
9	BE	219/229 (96%)	217 (99%)	2 (1%)	78	90
10	BF	164/226 (73%)	164 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	BG	99/150 (66%)	99 (100%)	0	100	100
12	BH	99/177 (56%)	98 (99%)	1 (1%)	76	88
13	BI	49/60 (82%)	49 (100%)	0	100	100
14	BJ	41/78 (53%)	41 (100%)	0	100	100
15	BK	87/162 (54%)	87 (100%)	0	100	100
16	BL	193/248 (78%)	192 (100%)	1 (0%)	88	95
17	BM	263/320 (82%)	263 (100%)	0	100	100
18	BN	218/251 (87%)	217 (100%)	1 (0%)	88	95
19	BO	181/228 (79%)	181 (100%)	0	100	100
20	BP	192/231 (83%)	190 (99%)	2 (1%)	76	88
21	BQ	138/151 (91%)	138 (100%)	0	100	100
22	BR	155/173 (90%)	154 (99%)	1 (1%)	86	94
23	BS	99/243 (41%)	98 (99%)	1 (1%)	76	88
24	BT	245/249 (98%)	244 (100%)	1 (0%)	91	97
25	BU	190/210 (90%)	190 (100%)	0	100	100
26	BV	132/143 (92%)	132 (100%)	0	100	100
27	BW	123/161 (76%)	122 (99%)	1 (1%)	81	91
28	BX	212/266 (80%)	210 (99%)	2 (1%)	78	90
29	BY	118/127 (93%)	118 (100%)	0	100	100
30	BZ	136/178 (76%)	136 (100%)	0	100	100
31	Ba	77/129 (60%)	77 (100%)	0	100	100
32	Bb	79/88 (90%)	77 (98%)	2 (2%)	47	75
33	Bc	79/114 (69%)	79 (100%)	0	100	100
34	Bd	79/114 (69%)	77 (98%)	2 (2%)	47	75
35	Be	75/82 (92%)	74 (99%)	1 (1%)	69	86
36	Bf	126/177 (71%)	126 (100%)	0	100	100
37	Bg	115/183 (63%)	115 (100%)	0	100	100
38	Bh	149/173 (86%)	148 (99%)	1 (1%)	84	93
39	Bi	340/373 (91%)	338 (99%)	2 (1%)	86	94
40	Bj	150/267 (56%)	148 (99%)	2 (1%)	69	86
41	Bl	36/77 (47%)	36 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	Bm	348/365 (95%)	345 (99%)	3 (1%)	78	90
43	Bn	310/328 (94%)	308 (99%)	2 (1%)	86	94
44	Bo	271/299 (91%)	269 (99%)	2 (1%)	84	93
45	Bp	132/150 (88%)	131 (99%)	1 (1%)	81	91
46	Bq	100/108 (93%)	100 (100%)	0	100	100
47	Br	103/133 (77%)	102 (99%)	1 (1%)	76	88
48	Bs	129/135 (96%)	127 (98%)	2 (2%)	62	83
49	Bt	251/284 (88%)	251 (100%)	0	100	100
50	Bu	236/275 (86%)	234 (99%)	2 (1%)	81	91
51	Bv	210/242 (87%)	210 (100%)	0	100	100
52	Bw	135/226 (60%)	133 (98%)	2 (2%)	65	84
53	Bx	122/147 (83%)	122 (100%)	0	100	100
54	By	103/178 (58%)	102 (99%)	1 (1%)	76	88
55	Bz	88/113 (78%)	88 (100%)	0	100	100
57	AB	249/322 (77%)	247 (99%)	2 (1%)	81	91
58	AC	115/142 (81%)	113 (98%)	2 (2%)	60	82
59	AD	66/174 (38%)	66 (100%)	0	100	100
60	AE	107/109 (98%)	107 (100%)	0	100	100
61	AF	181/205 (88%)	180 (99%)	1 (1%)	86	94
63	AH	130/180 (72%)	130 (100%)	0	100	100
65	AJ	92/116 (79%)	92 (100%)	0	100	100
66	AK	92/114 (81%)	92 (100%)	0	100	100
67	AL	159/222 (72%)	159 (100%)	0	100	100
68	AM	97/113 (86%)	95 (98%)	2 (2%)	53	78
69	AN	97/114 (85%)	97 (100%)	0	100	100
70	AO	170/225 (76%)	168 (99%)	2 (1%)	71	87
71	AP	89/127 (70%)	89 (100%)	0	100	100
72	AQ	77/78 (99%)	76 (99%)	1 (1%)	69	86
73	AR	258/330 (78%)	257 (100%)	1 (0%)	91	97
74	AS	113/162 (70%)	111 (98%)	2 (2%)	59	81
75	AT	152/155 (98%)	152 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
76	AU	149/168 (89%)	149 (100%)	0	100	100
77	AV	325/347 (94%)	322 (99%)	3 (1%)	78	90
78	AW	86/160 (54%)	84 (98%)	2 (2%)	50	76
79	AX	312/361 (86%)	312 (100%)	0	100	100
80	AY	134/342 (39%)	133 (99%)	1 (1%)	84	93
81	AZ	86/125 (69%)	86 (100%)	0	100	100
82	Aa	339/424 (80%)	336 (99%)	3 (1%)	78	90
83	Ab	187/233 (80%)	187 (100%)	0	100	100
84	Ac	100/102 (98%)	100 (100%)	0	100	100
85	Ad	282/351 (80%)	279 (99%)	3 (1%)	73	88
86	Ae	521/604 (86%)	521 (100%)	0	100	100
87	Ag	273/333 (82%)	273 (100%)	0	100	100
88	Ai	102/150 (68%)	102 (100%)	0	100	100
89	Aj	188/404 (46%)	187 (100%)	1 (0%)	88	95
All	All	13220/17576 (75%)	13155 (100%)	65 (0%)	89	95

5 of 65 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
80	AY	341	HIS
82	Aa	284	VAL
42	Bm	152	GLU
42	Bm	121	LEU
82	Aa	314	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 147 such sidechains are listed below:

Mol	Chain	Res	Type
77	AV	399	GLN
88	Ai	107	GLN
79	AX	301	GLN
85	Ad	155	GLN
37	Bg	106	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B7	2/3 (66%)	1 (50%)	0
3	B8	1570/1571 (99%)	259 (16%)	0
4	B9	71/73 (97%)	13 (18%)	0
56	AA	956/960 (99%)	139 (14%)	0
62	AG	70/71 (98%)	9 (12%)	0
64	AI	8/9 (88%)	2 (25%)	0
All	All	2677/2687 (99%)	423 (15%)	0

5 of 423 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B7	76	A
3	B8	15	A
3	B8	19	U
3	B8	20	A
3	B8	21	C

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

18 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	MIA	B9	38	4	24,31,32	0.85	1 (4%)	26,44,47	4.75	2 (7%)
3	OMG	B8	1376	3	18,26,27	0.93	1 (5%)	19,38,41	1.04	2 (10%)
56	5MU	AA	428	56	19,22,23	1.39	5 (26%)	28,32,35	2.05	6 (21%)
32	AYA	Bb	2	32	6,7,8	0.73	0	5,8,10	0.38	0
48	THC	Bs	2	48	8,9,10	0.56	0	9,11,13	0.91	1 (11%)
3	PSU	B8	1403	3	18,21,22	1.37	2 (11%)	22,30,33	1.85	3 (13%)
84	AYA	Ac	2	84	6,7,8	0.78	0	5,8,10	0.28	0
56	MA6	AA	945	56	18,26,27	1.10	2 (11%)	19,38,41	1.91	3 (15%)
88	5F0	Ai	186	88	8,8,9	1.46	2 (25%)	7,9,11	1.70	1 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
56	B8T	AA	846	56	19,22,23	0.42	0	26,31,34	0.37	0
3	1MA	B8	949	3	16,25,26	0.89	2 (12%)	18,37,40	1.06	2 (11%)
56	MA6	AA	944	56	18,26,27	1.11	2 (11%)	19,38,41	2.02	3 (15%)
56	5MC	AA	848	56	18,22,23	0.94	2 (11%)	26,32,35	1.08	2 (7%)
72	AYA	AQ	2	72	6,7,8	0.76	0	5,8,10	0.28	0
22	SAC	BR	2	22	7,8,9	0.53	0	8,9,11	0.94	1 (12%)
3	OMG	B8	1151	91,3,62	18,26,27	0.93	1 (5%)	19,38,41	1.06	2 (10%)
6	AYA	BB	2	6	6,7,8	0.77	0	5,8,10	0.18	0
3	OMU	B8	1375	91,3	19,22,23	1.18	2 (10%)	26,31,34	1.68	5 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MIA	B9	38	4	-	0/11/33/34	0/3/3/3
3	OMG	B8	1376	3	-	0/5/27/28	0/3/3/3
56	5MU	AA	428	56	-	0/7/25/26	0/2/2/2
32	AYA	Bb	2	32	-	3/4/6/8	-
48	THC	Bs	2	48	-	1/8/10/12	-
3	PSU	B8	1403	3	-	0/7/25/26	0/2/2/2
84	AYA	Ac	2	84	-	3/4/6/8	-
56	MA6	AA	945	56	-	4/7/29/30	0/3/3/3
88	5F0	Ai	186	88	-	3/9/9/10	-
56	B8T	AA	846	56	-	0/7/27/28	0/2/2/2
3	1MA	B8	949	3	-	0/3/25/26	0/3/3/3
56	MA6	AA	944	56	-	0/7/29/30	0/3/3/3
56	5MC	AA	848	56	-	0/7/25/26	0/2/2/2
72	AYA	AQ	2	72	-	2/4/6/8	-
22	SAC	BR	2	22	-	4/7/8/10	-
3	OMG	B8	1151	91,3,62	-	0/5/27/28	0/3/3/3
6	AYA	BB	2	6	-	1/4/6/8	-
3	OMU	B8	1375	91,3	-	0/9/27/28	0/2/2/2

The worst 5 of 22 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	AA	944	MA6	C5-N7	3.37	1.51	1.39
56	AA	945	MA6	C5-N7	3.32	1.51	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B8	1403	PSU	C6-C5	3.03	1.38	1.35
88	Ai	186	5F0	OD1-C1	2.92	1.40	1.33
3	B8	1403	PSU	C4-N3	-2.76	1.33	1.38

The worst 5 of 33 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B9	38	MIA	C11-S10-C2	23.84	120.07	102.27
3	B8	1403	PSU	N1-C2-N3	5.88	121.79	115.13
56	AA	944	MA6	C4-C5-N7	-5.83	103.32	109.40
56	AA	945	MA6	C4-C5-N7	-5.13	104.06	109.40
56	AA	428	5MU	C4-N3-C2	-5.10	120.75	127.35

There are no chirality outliers.

5 of 21 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
22	BR	2	SAC	C2A-C1A-N-CA
22	BR	2	SAC	OAC-C1A-N-CA
22	BR	2	SAC	C-CA-CB-OG
72	AQ	2	AYA	OT-CT-N-CA
56	AA	945	MA6	C5-C6-N6-C9

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 385 ligands modelled in this entry, 376 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
98	ATP	AX	501	90	26,33,33	0.60	0	31,52,52	0.73	2 (6%)
94	FES	AT	201	75,68	0,4,4	-	-	-		
92	PHE	B9	101	4	10,11,12	0.38	0	10,13,15	0.29	0
96	SPD	AA	1121	-	9,9,9	0.33	0	8,8,8	0.87	0
94	FES	AP	201	71,60	0,4,4	-	-	-		
97	FME	AG	101	62	8,9,10	0.54	0	7,9,11	0.97	1 (14%)
94	FES	Bh	201	20,38	0,4,4	-	-	-		
99	GDP	AX	503	-	24,30,30	0.94	1 (4%)	30,47,47	1.30	4 (13%)
95	SPM	AA	1120	-	13,13,13	0.35	0	12,12,12	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
98	ATP	AX	501	90	-	3/18/38/38	0/3/3/3
94	FES	AT	201	75,68	-	-	0/1/1/1
92	PHE	B9	101	4	-	1/5/6/8	0/1/1/1
96	SPD	AA	1121	-	-	0/7/7/7	-
94	FES	AP	201	71,60	-	-	0/1/1/1
97	FME	AG	101	62	-	2/7/9/11	-
94	FES	Bh	201	20,38	-	-	0/1/1/1
99	GDP	AX	503	-	-	3/12/32/32	0/3/3/3
95	SPM	AA	1120	-	-	2/11/11/11	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
99	AX	503	GDP	C6-N1	-2.31	1.34	1.37

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
99	AX	503	GDP	PA-O3A-PB	-3.64	120.32	132.83
99	AX	503	GDP	C3'-C2'-C1'	3.09	105.63	100.98
97	AG	101	FME	O-C-CA	-2.53	118.14	124.78
99	AX	503	GDP	C8-N7-C5	2.32	107.40	102.99
98	AX	501	ATP	C5-C6-N6	2.30	123.84	120.35

There are no chirality outliers.


5 of 11 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
92	B9	101	PHE	O-C-CA-CB
97	AG	101	FME	O1-CN-N-CA
97	AG	101	FME	CB-CA-N-CN
98	AX	501	ATP	O4'-C4'-C5'-O5'
99	AX	503	GDP	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16894. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 250




Y Index: 250




Z Index: 250


6.2.2 Raw map



X Index: 250



Y Index: 250




Z Index: 250


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 291




Y Index: 253




Z Index: 263


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 880 nm^3 ; this corresponds to an approximate mass of 795 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.278 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	3.59	3.98	3.62
Unmasked-calculated*	5.00	8.92	5.53

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 5.00 differs from the reported value 3.6 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-16894 and PDB model 8OIN. Per-residue inclusion information can be found in section 3 on page 28.

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 65% of all backbone atoms, 60% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5970	 0.3840
AA	 0.7520	 0.4070
AB	 0.3430	 0.2840
AC	 0.5180	 0.4150
AD	 0.6490	 0.4510
AE	 0.6030	 0.4180
AF	 0.4550	 0.3200
AG	 0.4840	 0.3230
AH	 0.4450	 0.3420
AI	 0.7470	 0.4470
AJ	 0.5680	 0.4440
AK	 0.5500	 0.4110
AL	 0.5390	 0.3830
AM	 0.4060	 0.3320
AN	 0.5920	 0.4030
AO	 0.3760	 0.3220
AP	 0.5740	 0.4030
AQ	 0.6480	 0.4300
AR	 0.2430	 0.2670
AS	 0.3750	 0.2950
AT	 0.5360	 0.3740
AU	 0.4150	 0.2690
AV	 0.1150	 0.1370
AW	 0.4350	 0.3570
AX	 0.2690	 0.2030
AY	 0.2530	 0.2350
AZ	 0.3890	 0.3370
Aa	 0.2460	 0.2700
Ab	 0.5880	 0.3910
Ac	 0.4780	 0.3630
Ad	 0.4920	 0.3900
Ae	 0.0600	 0.1060
Ag	 0.4520	 0.3230
Ai	 0.6200	 0.4200
Aj	 0.2400	 0.2550







































Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
B1	0.0190	0.0620
B2	0.0000	0.0960
B3	0.0000	0.0660
B4	0.0050	0.0570
B5	0.0000	0.0690
B6	0.0000	0.0150
B7	0.0320	0.1360
B8	0.8300	0.4530
B9	0.4850	0.2420
BA	0.7320	0.4940
BB	0.6760	0.4460
BC	0.4610	0.3960
BD	0.7840	0.5030
BE	0.5830	0.4210
BF	0.7220	0.4600
BG	0.7950	0.4910
BH	0.7190	0.4780
BI	0.4520	0.3930
BJ	0.8210	0.5180
BK	0.8020	0.5130
BL	0.7650	0.4890
BM	0.7590	0.4750
BN	0.7470	0.4830
BO	0.2260	0.2160
BP	0.3440	0.2660
BQ	0.2190	0.2150
BR	0.7910	0.4950
BS	0.7030	0.4750
BT	0.7190	0.4690
BU	0.7610	0.4780
BV	0.7480	0.4920
BW	0.6930	0.4530
BX	0.6500	0.4540
BY	0.7710	0.4940
BZ	0.7550	0.4880
Ba	0.7000	0.4560
Bb	0.4840	0.3510
Bc	0.3490	0.2680
Bd	0.3510	0.2650
Be	0.8110	0.5000
Bf	0.3990	0.3500
Bg	0.4530	0.3670

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Bh	 0.7200	 0.4550
Bi	 0.7340	 0.4590
Bj	 0.0300	 0.0700
Bl	 0.8010	 0.4990
Bm	 0.7200	 0.4490
Bn	 0.6980	 0.4250
Bo	 0.6460	 0.4280
Bp	 0.4420	 0.3250
Bq	 0.5770	 0.4220
Br	 0.6210	 0.4300
Bs	 0.7700	 0.4910
Bt	 0.7120	 0.4540
Bu	 0.4000	 0.3590
Bv	 0.3970	 0.2620
Bw	 0.4900	 0.3630
Bx	 0.7250	 0.4680
By	 0.2870	 0.3620
Bz	 0.7870	 0.4960