



Full wwPDB EM Validation Report ⓘ

Mar 16, 2024 – 11:19 am GMT

PDB ID : 8OJ0
EMDB ID : EMD-16902
Title : 60S ribosomal subunit bound to the E3-UFM1 complex - state 2 (native)
Authors : Penchev, I.; DaRosa, P.A.; Becker, T.; Beckmann, R.; Kopito, R.
Deposited on : 2023-03-23
Resolution : 3.30 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	476	
2	2	68	
3	3	96	
4	5	5070	
5	7	121	
6	8	157	
7	A	794	
8	B	506	





















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	C	314	
10	D	85	
11	K	245	
12	LA	257	
13	LB	403	
14	LC	427	
15	LD	297	
16	LE	288	
17	LF	248	
18	LG	266	
19	LH	192	
20	LI	214	
21	LJ	178	
22	LL	211	
23	LM	215	
24	LN	204	
25	LO	203	
26	LP	184	
27	LQ	188	
28	LR	196	
29	LS	176	
30	LT	160	
31	LU	128	
32	LV	140	
33	LW	157	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	LX	156	 75% 24%
35	LY	145	 90% 8%
36	LZ	136	 99%
37	La	148	 99%
38	Lb	159	 67% 31%
39	Lc	115	 84% 15%
40	Ld	125	 84% 14%
41	Le	135	 95% 5%
42	Lf	110	 98%
43	Lg	117	 96%
44	Lh	123	 98%
45	Li	105	 96%
46	Lj	97	 87% 11%
47	Lk	70	 97%
48	Ll	51	 98%
49	Lm	128	 40% 59%
50	Lo	106	 98%
51	Lp	92	 98%
52	Lr	137	 91% 9%
53	Lz	217	 98%

2 Entry composition

There are 55 unique types of molecules in this entry. The entry contains 150098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein transport protein Sec61 subunit alpha isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1	426	3322	2189	535	577	21	0	0

- Molecule 2 is a protein called Protein transport protein Sec61 subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	2	62	494	326	86	79	3	0	0

- Molecule 3 is a protein called Protein transport protein Sec61 subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	3	29	229	157	36	34	2	0	0

- Molecule 4 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	5	3474	74502	33181	13653	24195	3473	0	0

- Molecule 5 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	7	120	2561	1141	456	844	120	0	0

- Molecule 6 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
6	8	148	3152	1407	563	1035	147	0	0

- Molecule 7 is a protein called E3 UFM1-protein ligase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	A	692	5479	3453	957	1050	19	0	0

- Molecule 8 is a protein called CDK5 regulatory subunit-associated protein 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	B	403	3234	2049	545	624	16	0	0

- Molecule 9 is a protein called DDRGK domain-containing protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	C	109	855	539	143	172	1	0	0

- Molecule 10 is a protein called Ubiquitin-fold modifier 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	D	78	588	382	96	109	1	0	0

- Molecule 11 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	K	224	1704	1061	293	338	12	0	0

- Molecule 12 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	LA	248	1898	1189	389	314	6	0	0

- Molecule 13 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	LB	402	3239	2060	608	557	14	0	0

- Molecule 14 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	LC	368	2927	1840	583	489	15	0	0

- Molecule 15 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	LD	293	2382	1507	434	427	14	0	0

- Molecule 16 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	LE	220	1765	1136	334	291	4	0	0

- Molecule 17 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	LF	225	1870	1202	358	301	9	0	0

- Molecule 18 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	LG	241	1927	1228	371	324	4	0	0

- Molecule 19 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	LH	190	1518	956	284	272	6	0	0

- Molecule 20 is a protein called Ribosomal protein uL16-like.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	LI	202	1634	1038	314	269	13	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
LI	87	ILE	MET	conflict	UNP Q96L21

- Molecule 21 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	LJ	175	1401	882	261	252	6	0	0

- Molecule 22 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	LL	194	1573	987	327	255	4	0	0

- Molecule 23 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	LM	136	1120	719	215	179	7	0	0

- Molecule 24 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	LN	203	1701	1072	359	266	4	0	0

- Molecule 25 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	LO	201	1650	1063	321	261	5	0	0

- Molecule 26 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	LP	153	1242	776	241	216	9	0	0

- Molecule 27 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	LQ	187	1513	944	314	250	5	0	0

- Molecule 28 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	LR	155	1294	808	278	199	9	0	0

- Molecule 29 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	LS	175	1453	925	283	235	10	0	0

- Molecule 30 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	LT	159	1298	823	252	217	6	0	0

- Molecule 31 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	LU	101	825	529	144	150	2	0	0

- Molecule 32 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	LV	131	979	618	184	172	5	0	0

- Molecule 33 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	LW	62	519	332	101	83	3	0	0

- Molecule 34 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	LX	118	967	618	181	167	1	0	0

- Molecule 35 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	LY	134	1115	700	226	186	3	0	0

- Molecule 36 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	LZ	135	1107	714	208	182	3	0	0

- Molecule 37 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	La	147	1162	736	237	186	3	0	0

- Molecule 38 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	Lb	109	876	546	189	137	4	0	0

- Molecule 39 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	Lc	98	764	485	135	138	6	0	0

- Molecule 40 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	Ld	107	888	560	171	155	2	0	0

- Molecule 41 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Le	128	Total	C	N	O	S	0	0
			1053	667	216	165	5		

- Molecule 42 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Lf	109	Total	C	N	O	S	0	0
			876	555	174	144	3		

- Molecule 43 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Lg	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 44 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Lh	122	Total	C	N	O	S	0	0
			1015	641	205	168	1		

- Molecule 45 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Li	102	Total	C	N	O	S	0	0
			832	521	177	129	5		

- Molecule 46 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	Lj	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 47 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Lk	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 48 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Ll	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 49 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Lm	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 50 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Lo	105	Total	C	N	O	S	0	0
			863	542	175	140	6		

- Molecule 51 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Lp	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 52 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Lr	125	Total	C	N	O	S	0	0
			1002	622	207	168	5		

- Molecule 53 is a protein called 60S ribosomal protein L10a.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Lz	217	Total	C	N	O	S	0	0
			1744	1114	314	307	9		

- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
54	5	206	Total	Mg	0
			206	206	
54	7	2	Total	Mg	0
			2	2	
54	8	5	Total	Mg	0
			5	5	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
54	LI	1	Total 1	Mg 1	0
54	LP	1	Total 1	Mg 1	0
54	LV	1	Total 1	Mg 1	0
54	Le	1	Total 1	Mg 1	0
54	Lf	1	Total 1	Mg 1	0
54	Lj	2	Total 2	Mg 2	0


- Molecule 55 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
55	Lg	1	Total 1	Zn 1	0
55	Lj	1	Total 1	Zn 1	0
55	Lm	1	Total 1	Zn 1	0
55	Lo	1	Total 1	Zn 1	0
55	Lp	1	Total 1	Zn 1	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein transport protein Sec61 subunit alpha isoform 1




- Molecule 2: Protein transport protein Sec61 subunit gamma





- Molecule 3: Protein transport protein Sec61 subunit beta






● Molecule 5: 5S rRNA




● Molecule 6: 5.8S rRNA








● Molecule 7: E3 UFM1-protein ligase 1











• Molecule 8: CDK5 regulatory subunit-associated protein 3



• Molecule 9: DDRGK domain-containing protein 1




• Molecule 10: Ubiquitin-fold modifier 1




• Molecule 11: Eukaryotic translation initiation factor 6








• Molecule 12: 60S ribosomal protein L8



• Molecule 13: 60S ribosomal protein L3






• Molecule 14: 60S ribosomal protein L4



• Molecule 15: 60S ribosomal protein L5




• Molecule 16: 60S ribosomal protein L6




• Molecule 17: 60S ribosomal protein L7






- Molecule 18: 60S ribosomal protein L7a




- Molecule 19: 60S ribosomal protein L9




- Molecule 20: Ribosomal protein uL16-like





- Molecule 21: 60S ribosomal protein L11



- Molecule 22: 60S ribosomal protein L13



- Molecule 23: 60S ribosomal protein L14



- Molecule 24: 60S ribosomal protein L15

Chain LN:  99%






- Molecule 25: 60S ribosomal protein L13a

Chain LO:  98%




- Molecule 26: 60S ribosomal protein L17

Chain LP:  83%  17%






- Molecule 27: 60S ribosomal protein L18

Chain LQ:  99%




- Molecule 28: 60S ribosomal protein L19

Chain LR:  77%  21%



- Molecule 29: 60S ribosomal protein L18a

Chain LS:  99%




- Molecule 30: 60S ribosomal protein L21

Chain LT:  98%




- Molecule 31: 60S ribosomal protein L22

Chain LU:  77% 21%




- Molecule 32: 60S ribosomal protein L23

Chain LV:  93% 6%





- Molecule 33: 60S ribosomal protein L24

Chain LW:  39% 61%




- Molecule 34: 60S ribosomal protein L23a

Chain LX:  75% 24%



- Molecule 35: 60S ribosomal protein L26

Chain LY:  90% 8%



- Molecule 36: 60S ribosomal protein L27

Chain LZ:  99%




- Molecule 37: 60S ribosomal protein L27a


Chain La:  99%




- Molecule 38: 60S ribosomal protein L29




- Molecule 39: 60S ribosomal protein L30




- Molecule 40: 60S ribosomal protein L31




- Molecule 41: 60S ribosomal protein L32



- Molecule 42: 60S ribosomal protein L35a




- Molecule 43: 60S ribosomal protein L34



- Molecule 44: 60S ribosomal protein L35








- Molecule 45: 60S ribosomal protein L36



- Molecule 46: 60S ribosomal protein L37





- Molecule 47: 60S ribosomal protein L38




- Molecule 48: 60S ribosomal protein L39



- Molecule 49: Ubiquitin-60S ribosomal protein L40



- Molecule 50: 60S ribosomal protein L36a




- Molecule 51: 60S ribosomal protein L37a

Chain Lp:  98% ..



- Molecule 52: 60S ribosomal protein L28

Chain Lr:  91% • 9%



- Molecule 53: 60S ribosomal protein L10a

Chain Lz:  98% •



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	20377	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.043	Depositor
Minimum map value	-0.011	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0055	Depositor
Map size (\AA)	392.58, 392.58, 392.58	wwPDB
Map dimensions	540, 540, 540	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.727, 0.727, 0.727	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1	0.25	0/3393	0.45	0/4597
2	2	0.26	0/504	0.48	0/673
3	3	0.40	0/236	0.64	0/321
4	5	0.16	0/83342	0.71	2/129985 (0.0%)
5	7	0.16	0/2861	0.70	0/4459
6	8	0.16	0/3520	0.72	1/5481 (0.0%)
7	A	0.24	0/5549	0.46	0/7469
8	B	0.24	0/3280	0.43	0/4426
9	C	0.23	0/864	0.45	0/1169
10	D	0.25	0/601	0.46	0/818
11	K	0.23	0/1728	0.49	0/2351
12	LA	0.25	0/1936	0.56	0/2596
13	LB	0.24	0/3307	0.50	0/4424
14	LC	0.24	0/2981	0.53	0/4002
15	LD	0.25	0/2428	0.49	0/3252
16	LE	0.24	0/1799	0.50	0/2414
17	LF	0.25	0/1905	0.51	0/2539
18	LG	0.24	0/1960	0.51	0/2637
19	LH	0.24	0/1537	0.52	0/2066
20	LI	0.24	0/1673	0.51	0/2234
21	LJ	0.24	0/1424	0.51	0/1904
22	LL	0.24	0/1604	0.56	0/2149
23	LM	0.25	0/1142	0.50	0/1527
24	LN	0.24	0/1746	0.57	0/2338
25	LO	0.25	0/1682	0.51	0/2250
26	LP	0.24	0/1268	0.50	0/1701
27	LQ	0.25	0/1537	0.58	0/2052
28	LR	0.24	0/1310	0.56	0/1734
29	LS	0.24	0/1493	0.53	0/2003
30	LT	0.25	0/1326	0.50	0/1770
31	LU	0.25	0/839	0.46	0/1126
32	LV	0.26	0/993	0.51	0/1332

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	LW	0.26	0/532	0.50	0/708
34	LX	0.24	0/984	0.50	0/1323
35	LY	0.24	0/1132	0.53	0/1504
36	LZ	0.27	0/1130	0.51	0/1507
37	La	0.23	0/1191	0.50	0/1591
38	Lb	0.25	0/889	0.53	0/1175
39	Lc	0.26	0/774	0.49	0/1038
40	Ld	0.24	0/903	0.54	0/1216
41	Le	0.24	0/1071	0.52	0/1429
42	Lf	0.25	0/895	0.56	0/1198
43	Lg	0.24	0/916	0.57	0/1220
44	Lh	0.24	0/1023	0.52	0/1351
45	Li	0.24	0/843	0.55	0/1115
46	Lj	0.24	0/720	0.58	0/952
47	Lk	0.25	0/575	0.49	0/761
48	Ll	0.24	0/454	0.55	0/599
49	Lm	0.24	0/435	0.51	0/575
50	Lo	0.25	0/877	0.52	0/1156
51	Lp	0.24	0/718	0.52	0/953
52	Lr	0.24	0/1017	0.55	0/1364
53	Lz	0.24	0/1772	0.47	0/2375
All	All	0.20	0/160619	0.64	3/234909 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	5	2022	C	N3-C2-O2	-6.33	117.47	121.90
4	5	2022	C	N1-C2-O2	5.56	122.23	118.90
6	8	111	U	C2-N1-C1'	5.37	124.15	117.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	420/476 (88%)	399 (95%)	21 (5%)	0	100	100
2	2	60/68 (88%)	58 (97%)	2 (3%)	0	100	100
3	3	27/96 (28%)	25 (93%)	2 (7%)	0	100	100
7	A	684/794 (86%)	671 (98%)	13 (2%)	0	100	100
8	B	397/506 (78%)	390 (98%)	7 (2%)	0	100	100
9	C	107/314 (34%)	107 (100%)	0	0	100	100
10	D	76/85 (89%)	76 (100%)	0	0	100	100
11	K	222/245 (91%)	215 (97%)	7 (3%)	0	100	100
12	LA	246/257 (96%)	239 (97%)	7 (3%)	0	100	100
13	LB	400/403 (99%)	395 (99%)	5 (1%)	0	100	100
14	LC	366/427 (86%)	360 (98%)	6 (2%)	0	100	100
15	LD	291/297 (98%)	285 (98%)	5 (2%)	1 (0%)	41	71
16	LE	214/288 (74%)	207 (97%)	7 (3%)	0	100	100
17	LF	223/248 (90%)	217 (97%)	6 (3%)	0	100	100
18	LG	239/266 (90%)	233 (98%)	6 (2%)	0	100	100
19	LH	188/192 (98%)	187 (100%)	1 (0%)	0	100	100
20	LI	198/214 (92%)	193 (98%)	5 (2%)	0	100	100
21	LJ	173/178 (97%)	170 (98%)	3 (2%)	0	100	100
22	LL	192/211 (91%)	187 (97%)	5 (3%)	0	100	100
23	LM	134/215 (62%)	132 (98%)	2 (2%)	0	100	100
24	LN	201/204 (98%)	195 (97%)	6 (3%)	0	100	100
25	LO	199/203 (98%)	199 (100%)	0	0	100	100
26	LP	151/184 (82%)	148 (98%)	3 (2%)	0	100	100
27	LQ	185/188 (98%)	183 (99%)	2 (1%)	0	100	100
28	LR	153/196 (78%)	149 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	LS	173/176 (98%)	166 (96%)	7 (4%)	0	100	100
30	LT	157/160 (98%)	155 (99%)	2 (1%)	0	100	100
31	LU	99/128 (77%)	96 (97%)	2 (2%)	1 (1%)	15	46
32	LV	129/140 (92%)	125 (97%)	4 (3%)	0	100	100
33	LW	60/157 (38%)	59 (98%)	1 (2%)	0	100	100
34	LX	116/156 (74%)	115 (99%)	1 (1%)	0	100	100
35	LY	132/145 (91%)	128 (97%)	4 (3%)	0	100	100
36	LZ	133/136 (98%)	131 (98%)	2 (2%)	0	100	100
37	La	145/148 (98%)	139 (96%)	6 (4%)	0	100	100
38	Lb	105/159 (66%)	102 (97%)	3 (3%)	0	100	100
39	Lc	96/115 (84%)	96 (100%)	0	0	100	100
40	Ld	105/125 (84%)	101 (96%)	4 (4%)	0	100	100
41	Le	126/135 (93%)	123 (98%)	3 (2%)	0	100	100
42	Lf	107/110 (97%)	107 (100%)	0	0	100	100
43	Lg	112/117 (96%)	112 (100%)	0	0	100	100
44	Lh	120/123 (98%)	117 (98%)	3 (2%)	0	100	100
45	Li	100/105 (95%)	97 (97%)	3 (3%)	0	100	100
46	Lj	84/97 (87%)	84 (100%)	0	0	100	100
47	Lk	67/70 (96%)	67 (100%)	0	0	100	100
48	Ll	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
49	Lm	50/128 (39%)	49 (98%)	1 (2%)	0	100	100
50	Lo	103/106 (97%)	101 (98%)	2 (2%)	0	100	100
51	Lp	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
52	Lr	123/137 (90%)	122 (99%)	1 (1%)	0	100	100
53	Lz	215/217 (99%)	208 (97%)	7 (3%)	0	100	100
All	All	8540/9988 (86%)	8352 (98%)	186 (2%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
15	LD	4	VAL
31	LU	19	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	1	361/398 (91%)	354 (98%)	7 (2%)	57 77
2	2	53/59 (90%)	48 (91%)	5 (9%)	8 30
3	3	26/74 (35%)	25 (96%)	1 (4%)	33 62
7	A	612/704 (87%)	605 (99%)	7 (1%)	73 85
8	B	360/438 (82%)	349 (97%)	11 (3%)	40 67
9	C	93/254 (37%)	91 (98%)	2 (2%)	52 74
10	D	66/72 (92%)	66 (100%)	0	100 100
11	K	194/213 (91%)	190 (98%)	4 (2%)	53 75
12	LA	190/199 (96%)	188 (99%)	2 (1%)	73 85
13	LB	348/349 (100%)	341 (98%)	7 (2%)	55 76
14	LC	306/348 (88%)	300 (98%)	6 (2%)	55 76
15	LD	246/250 (98%)	244 (99%)	2 (1%)	81 89
16	LE	194/252 (77%)	190 (98%)	4 (2%)	53 75
17	LF	194/215 (90%)	192 (99%)	2 (1%)	76 86
18	LG	203/223 (91%)	198 (98%)	5 (2%)	47 72
19	LH	169/171 (99%)	166 (98%)	3 (2%)	59 78
20	LI	172/181 (95%)	168 (98%)	4 (2%)	50 73
21	LJ	147/149 (99%)	145 (99%)	2 (1%)	67 82
22	LL	164/177 (93%)	161 (98%)	3 (2%)	59 78
23	LM	116/161 (72%)	115 (99%)	1 (1%)	78 87
24	LN	171/172 (99%)	170 (99%)	1 (1%)	86 91
25	LO	173/174 (99%)	171 (99%)	2 (1%)	71 83
26	LP	134/163 (82%)	133 (99%)	1 (1%)	84 90
27	LQ	164/165 (99%)	163 (99%)	1 (1%)	86 91
28	LR	138/175 (79%)	134 (97%)	4 (3%)	42 69
29	LS	156/157 (99%)	155 (99%)	1 (1%)	86 91

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
30	LT	139/140 (99%)	137 (99%)	2 (1%)	67	82
31	LU	91/115 (79%)	89 (98%)	2 (2%)	52	74
32	LV	101/107 (94%)	100 (99%)	1 (1%)	76	86
33	LW	54/126 (43%)	54 (100%)	0	100	100
34	LX	106/133 (80%)	105 (99%)	1 (1%)	78	87
35	LY	124/135 (92%)	120 (97%)	4 (3%)	39	67
36	LZ	117/118 (99%)	117 (100%)	0	100	100
37	La	120/121 (99%)	119 (99%)	1 (1%)	81	89
38	Lb	88/126 (70%)	86 (98%)	2 (2%)	50	73
39	Lc	83/97 (86%)	82 (99%)	1 (1%)	71	83
40	Ld	98/110 (89%)	96 (98%)	2 (2%)	55	76
41	Le	114/121 (94%)	114 (100%)	0	100	100
42	Lf	88/89 (99%)	87 (99%)	1 (1%)	73	85
43	Lg	98/100 (98%)	96 (98%)	2 (2%)	55	76
44	Lh	109/110 (99%)	108 (99%)	1 (1%)	78	87
45	Li	86/89 (97%)	85 (99%)	1 (1%)	71	83
46	Lj	73/80 (91%)	71 (97%)	2 (3%)	44	71
47	Lk	64/65 (98%)	63 (98%)	1 (2%)	62	79
48	Ll	47/48 (98%)	47 (100%)	0	100	100
49	Lm	48/116 (41%)	47 (98%)	1 (2%)	53	75
50	Lo	93/94 (99%)	92 (99%)	1 (1%)	73	85
51	Lp	74/75 (99%)	73 (99%)	1 (1%)	67	82
52	Lr	109/121 (90%)	108 (99%)	1 (1%)	78	87
53	Lz	196/196 (100%)	191 (97%)	5 (3%)	46	71
All	All	7470/8525 (88%)	7349 (98%)	121 (2%)	64	79

All (121) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	5	PHE
1	1	42	PHE
1	1	346	SER
1	1	360	HIS
1	1	367	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	401	MET
1	1	452	THR
2	2	13	GLN
2	2	29	ASP
2	2	33	PHE
2	2	38	MET
2	2	47	MET
3	3	77	SER
7	A	38	LYS
7	A	144	LYS
7	A	294	LEU
7	A	485	PHE
7	A	521	PHE
7	A	559	LYS
7	A	595	MET
8	B	1	MET
8	B	67	HIS
8	B	95	LYS
8	B	120	ARG
8	B	131	LYS
8	B	200	SER
8	B	201	LEU
8	B	339	ASP
8	B	358	MET
8	B	456	GLN
8	B	500	ASN
9	C	219	PHE
9	C	236	SER
11	K	10	ASN
11	K	44	ASP
11	K	63	CYS
11	K	203	CYS
12	LA	33	ASP
12	LA	208	GLU
13	LB	4	ARG
13	LB	13	SER
13	LB	30	LYS
13	LB	61	ASP
13	LB	134	CYS
13	LB	200	ARG
13	LB	396	ARG
14	LC	3	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	LC	95	MET
14	LC	122	TYR
14	LC	268	ARG
14	LC	348	LYS
14	LC	368	LYS
15	LD	50	ARG
15	LD	262	LYS
16	LE	56	ARG
16	LE	99	ASP
16	LE	101	ASN
16	LE	120	ASP
17	LF	102	SER
17	LF	134	ARG
18	LG	44	ASP
18	LG	111	LYS
18	LG	159	HIS
18	LG	175	ARG
18	LG	254	GLU
19	LH	17	ASP
19	LH	115	ARG
19	LH	183	GLU
20	LI	21	ARG
20	LI	35	ASP
20	LI	69	ARG
20	LI	83	ASP
21	LJ	18	ARG
21	LJ	118	LYS
22	LL	21	ARG
22	LL	67	HIS
22	LL	146	LEU
23	LM	63	LYS
24	LN	34	SER
25	LO	49	ARG
25	LO	53	LYS
26	LP	153	LYS
27	LQ	77	ASN
28	LR	116	ASP
28	LR	148	ASP
28	LR	151	ARG
28	LR	153	LYS
29	LS	31	ARG
30	LT	17	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	LT	114	GLN
31	LU	23	LEU
31	LU	97	ARG
32	LV	115	SER
34	LX	118	ASP
35	LY	10	ASP
35	LY	14	ASN
35	LY	52	ASP
35	LY	74	TYR
37	La	68	SER
38	Lb	51	LYS
38	Lb	94	ASP
39	Lc	106	ARG
40	Ld	54	MET
40	Ld	67	ARG
42	Lf	89	ARG
43	Lg	32	TYR
43	Lg	73	HIS
44	Lh	87	LYS
45	Li	86	LYS
46	Lj	55	ARG
46	Lj	63	ARG
47	Lk	21	LYS
49	Lm	110	CYS
50	Lo	96	ASP
51	Lp	75	SER
52	Lr	113	ARG
53	Lz	4	LYS
53	Lz	11	TYR
53	Lz	22	GLN
53	Lz	41	TYR
53	Lz	81	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
11	K	162	HIS
22	LL	67	HIS
30	LT	54	HIS
33	LW	50	ASN
33	LW	59	HIS

5.3.3 RNA 

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
4	5	3451/5070 (68%)	381 (11%)	5 (0%)
5	7	119/121 (98%)	5 (4%)	0
6	8	145/157 (92%)	13 (8%)	0
All	All	3715/5348 (69%)	399 (10%)	5 (0%)

All (399) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
4	5	2	G
4	5	13	U
4	5	39	A
4	5	42	A
4	5	48	G
4	5	59	A
4	5	64	A
4	5	65	A
4	5	73	A
4	5	91	G
4	5	98	A
4	5	110	C
4	5	119	G
4	5	120	A
4	5	134	G
4	5	135	G
4	5	136	C
4	5	141	C
4	5	142	G
4	5	143	C
4	5	159	C
4	5	172	C
4	5	178	C
4	5	179	G
4	5	197	A
4	5	200	U
4	5	209	U
4	5	218	A
4	5	219	G
4	5	233	U
4	5	234	G
4	5	253	G
4	5	266	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	280	G
4	5	297	U
4	5	316	U
4	5	340	C
4	5	381	U
4	5	387	G
4	5	409	G
4	5	410	A
4	5	412	G
4	5	413	G
4	5	449	C
4	5	450	G
4	5	451	C
4	5	453	G
4	5	454	U
4	5	467	U
4	5	485	C
4	5	662	C
4	5	664	G
4	5	666	G
4	5	669	C
4	5	686	A
4	5	687	U
4	5	697	G
4	5	704	C
4	5	705	G
4	5	731	G
4	5	738	C
4	5	739	G
4	5	740	G
4	5	760	G
4	5	915	A
4	5	917	A
4	5	926	G
4	5	932	A
4	5	933	G
4	5	936	C
4	5	943	A
4	5	944	A
4	5	945	U
4	5	956	A
4	5	960	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	961	G
4	5	962	C
4	5	965	G
4	5	967	C
4	5	968	C
4	5	969	C
4	5	982	U
4	5	1070	G
4	5	1072	C
4	5	1078	A
4	5	1101	C
4	5	1170	G
4	5	1182	C
4	5	1183	C
4	5	1199	G
4	5	1211	G
4	5	1215	C
4	5	1241	C
4	5	1266	G
4	5	1269	G
4	5	1270	A
4	5	1272	C
4	5	1273	G
4	5	1284	G
4	5	1287	G
4	5	1302	U
4	5	1303	A
4	5	1304	C
4	5	1326	A
4	5	1354	A
4	5	1359	G
4	5	1366	G
4	5	1387	A
4	5	1397	A
4	5	1399	G
4	5	1413	C
4	5	1414	C
4	5	1415	G
4	5	1439	C
4	5	1443	A
4	5	1445	U
4	5	1497	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	1498	G
4	5	1502	G
4	5	1516	G
4	5	1523	A
4	5	1534	A
4	5	1547	A
4	5	1578	U
4	5	1591	U
4	5	1596	U
4	5	1613	A
4	5	1624	G
4	5	1625	G
4	5	1631	A
4	5	1633	G
4	5	1634	A
4	5	1638	A
4	5	1641	G
4	5	1654	G
4	5	1661	C
4	5	1676	C
4	5	1677	U
4	5	1691	G
4	5	1697	G
4	5	1699	A
4	5	1701	A
4	5	1742	A
4	5	1755	C
4	5	1761	G
4	5	1765	A
4	5	1766	A
4	5	1767	A
4	5	1768	C
4	5	1787	A
4	5	1804	A
4	5	1836	G
4	5	1837	A
4	5	1842	G
4	5	1855	G
4	5	1869	G
4	5	1897	A
4	5	1918	U
4	5	1921	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	1922	G
4	5	1931	C
4	5	1932	A
4	5	1940	G
4	5	1941	A
4	5	1948	G
4	5	1961	G
4	5	2026	A
4	5	2046	G
4	5	2048	U
4	5	2055	G
4	5	2056	G
4	5	2069	A
4	5	2084	C
4	5	2092	G
4	5	2093	A
4	5	2096	G
4	5	2098	G
4	5	2102	G
4	5	2107	C
4	5	2261	G
4	5	2300	A
4	5	2301	G
4	5	2306	G
4	5	2313	A
4	5	2314	G
4	5	2348	G
4	5	2350	U
4	5	2351	C
4	5	2360	A
4	5	2395	A
4	5	2397	G
4	5	2417	A
4	5	2421	G
4	5	2470	C
4	5	2471	G
4	5	2474	G
4	5	2475	G
4	5	2478	C
4	5	2504	C
4	5	2505	C
4	5	2506	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	2513	A
4	5	2554	U
4	5	2583	C
4	5	2587	A
4	5	2589	C
4	5	2601	A
4	5	2627	C
4	5	2653	C
4	5	2660	A
4	5	2669	C
4	5	2687	U
4	5	2694	G
4	5	2695	A
4	5	2696	A
4	5	2708	U
4	5	2711	G
4	5	2743	A
4	5	2761	U
4	5	2764	A
4	5	2769	U
4	5	2788	U
4	5	2790	U
4	5	2814	C
4	5	2826	U
4	5	2827	G
4	5	2829	U
4	5	2855	G
4	5	2899	C
4	5	3597	G
4	5	3605	C
4	5	3615	G
4	5	3618	C
4	5	3626	G
4	5	3635	A
4	5	3653	A
4	5	3662	A
4	5	3673	C
4	5	3692	A
4	5	3709	U
4	5	3710	G
4	5	3712	A
4	5	3753	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	3757	G
4	5	3776	G
4	5	3777	G
4	5	3784	A
4	5	3811	G
4	5	3814	U
4	5	3817	A
4	5	3819	G
4	5	3838	U
4	5	3839	G
4	5	3840	U
4	5	3877	A
4	5	3878	C
4	5	3879	G
4	5	3897	G
4	5	3898	G
4	5	3901	A
4	5	3906	A
4	5	3907	G
4	5	3908	A
4	5	3915	U
4	5	3939	G
4	5	3951	G
4	5	3956	G
4	5	3958	G
4	5	3959	U
4	5	3961	G
4	5	3962	A
4	5	3963	A
4	5	3965	A
4	5	3966	A
4	5	3967	G
4	5	3968	U
4	5	3969	G
4	5	3974	G
4	5	3975	C
4	5	4040	C
4	5	4046	A
4	5	4048	A
4	5	4049	U
4	5	4050	A
4	5	4051	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	4061	G
4	5	4076	G
4	5	4119	C
4	5	4122	G
4	5	4163	U
4	5	4170	A
4	5	4183	G
4	5	4184	G
4	5	4191	G
4	5	4203	A
4	5	4213	A
4	5	4229	U
4	5	4233	A
4	5	4234	A
4	5	4251	A
4	5	4254	G
4	5	4266	G
4	5	4268	A
4	5	4273	A
4	5	4281	A
4	5	4291	G
4	5	4305	G
4	5	4306	U
4	5	4330	G
4	5	4332	C
4	5	4339	A
4	5	4373	G
4	5	4377	G
4	5	4378	A
4	5	4381	A
4	5	4387	C
4	5	4394	A
4	5	4421	C
4	5	4422	A
4	5	4437	U
4	5	4448	G
4	5	4464	A
4	5	4465	U
4	5	4466	C
4	5	4500	U
4	5	4512	U
4	5	4513	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	4524	G
4	5	4548	A
4	5	4549	G
4	5	4567	G
4	5	4590	A
4	5	4627	U
4	5	4636	U
4	5	4637	G
4	5	4656	A
4	5	4670	C
4	5	4671	C
4	5	4672	A
4	5	4700	A
4	5	4708	A
4	5	4709	U
4	5	4720	C
4	5	4730	C
4	5	4731	G
4	5	4732	G
4	5	4734	A
4	5	4741	C
4	5	4742	G
4	5	4743	G
4	5	4745	G
4	5	4750	G
4	5	4754	G
4	5	4757	C
4	5	4759	C
4	5	4761	G
4	5	4765	G
4	5	4771	C
4	5	4870	G
4	5	4871	C
4	5	4882	U
4	5	4883	C
4	5	4895	C
4	5	4900	C
4	5	4901	G
4	5	4910	A
4	5	4912	G
4	5	4938	A
4	5	4943	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	4976	U
4	5	4988	U
4	5	4990	C
4	5	4991	U
4	5	4994	G
4	5	5017	G
4	5	5034	A
4	5	5041	G
4	5	5048	A
4	5	5050	C
4	5	5062	G
4	5	5069	U
5	7	7	G
5	7	53	U
5	7	54	A
5	7	64	G
5	7	110	G
6	8	23	C
6	8	34	U
6	8	35	C
6	8	39	G
6	8	59	A
6	8	62	A
6	8	63	U
6	8	80	A
6	8	87	G
6	8	103	A
6	8	105	C
6	8	110	U
6	8	114	G

All (5) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
4	5	739	G
4	5	1633	G
4	5	3964	U
4	5	4048	A
4	5	4699	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 225 ligands modelled in this entry, 225 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16902. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 270




Y Index: 270




Z Index: 270


6.2.2 Raw map



X Index: 270



Y Index: 270




Z Index: 270


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 261




Y Index: 276




Z Index: 249


6.3.2 Raw map



X Index: 266



Y Index: 275




Z Index: 261


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0055. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2573 nm³; this corresponds to an approximate mass of 2324 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.55	4.48	3.63

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-16902 and PDB model 8OJ0. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0055 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0055).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary







































The table lists the average atom inclusion at the recommended contour level (0.0055) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9530	 0.4630
1	 0.3380	 0.1740
2	 0.4900	 0.2340
3	 0.0310	 0.0890
5	 0.9960	 0.4760
7	 0.9970	 0.4830
8	 0.9960	 0.4930
A	 0.8250	 0.3310
B	 0.7420	 0.2050
C	 0.7590	 0.1790
D	 0.5320	 0.1230
K	 0.7380	 0.4300
LA	 0.9900	 0.5380
LB	 0.9730	 0.5150
LC	 0.9760	 0.5140
LD	 0.9760	 0.4830
LE	 0.9880	 0.4980
LF	 0.9830	 0.5090
LG	 0.9530	 0.4660
LH	 0.9760	 0.4980
LI	 0.9820	 0.5110
LJ	 0.9430	 0.4590
LL	 0.9740	 0.5010
LM	 0.9820	 0.5000
LN	 0.9960	 0.5420
LO	 0.9810	 0.5110
LP	 0.9860	 0.5250
LQ	 0.9890	 0.5210
LR	 0.9730	 0.5050
LS	 0.9880	 0.5230
LT	 0.9840	 0.5040
LU	 0.9650	 0.4390
LV	 0.9730	 0.5070
LW	 0.9880	 0.5190
LX	 0.9680	 0.5120



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
LY	 0.9870	 0.5120
LZ	 0.9870	 0.5060
La	 0.9860	 0.5300
Lb	 0.9550	 0.4550
Lc	 0.9600	 0.4890
Ld	 0.9690	 0.5000
Le	 0.9900	 0.5310
Lf	 0.9910	 0.5290
Lg	 0.9790	 0.5120
Lh	 0.9760	 0.5050
Li	 0.9790	 0.5000
Lj	 0.9930	 0.5380
Lk	 0.9250	 0.4620
Ll	 0.9910	 0.5320
Lm	 0.9830	 0.5050
Lo	 0.9790	 0.5180
Lp	 0.9800	 0.5060
Lr	 0.9930	 0.5240
Lz	 0.8800	 0.3660