



Full wwPDB EM Validation Report ⓘ

Mar 16, 2024 – 11:34 am GMT

PDB ID : 8OJ8
EMDB ID : EMD-16908
Title : 60S ribosomal subunit bound to the E3-UFM1 complex - state 1 (native)
Authors : Penchev, I.; DaRosa, P.A.; Becker, T.; Beckmann, R.; Kopito, R.
Deposited on : 2023-03-24
Resolution : 3.30 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	476	
2	2	68	
3	3	96	
4	5	5070	
5	7	121	
6	8	157	
7	A	794	
8	K	245	


















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	LA	257	 96%
10	LB	403	 98%
11	LC	427	 85% 14%
12	LD	297	 97%
13	LE	288	 75% 24%
14	LF	248	 89% 9%
15	LG	266	 89% 9%
16	LH	192	 96%
17	LI	214	 92% 6%
18	LJ	178	 97%
19	LL	211	 94% 5%
20	LM	215	 63% 37%
21	LN	204	 99%
22	LO	203	 97%
23	LP	184	 83% 17%
24	LQ	188	 99%
25	LR	196	 77% 21%
26	LS	176	 98%
27	LT	160	 97%
28	LU	128	 77% 21%
29	LV	140	 92% 6%
30	LW	157	 39% 61%
31	LX	156	 74% 24%
32	LY	145	 91% 8%
33	LZ	136	 99%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	La	148	 99%
35	Lb	159	 68% 31%
36	Lc	115	 83% 15%
37	Ld	125	 84% 14%
38	Le	135	 95% 5%
39	Lf	110	 96%
40	Lg	117	 97%
41	Lh	123	 98%
42	Li	105	 96%
43	Lj	97	 87% 11%
44	Lk	70	 97%
45	Ll	51	 98%
46	Lm	128	 39% 59%
47	Lo	106	 99%
48	Lp	92	 98%
49	Lr	137	 91% 9%
50	Lz	217	 45% 96%

2 Entry composition [i](#)

There are 52 unique types of molecules in this entry. The entry contains 144625 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein transport protein Sec61 subunit alpha isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	1	426	3322	2189	535	577	21	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	145	SER	ALA	conflict	UNP P38377

- Molecule 2 is a protein called Protein transport protein Sec61 subunit gamma.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	2	62	494	326	86	79	3	0	0

- Molecule 3 is a protein called Protein transport protein Sec61 subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	3	29	229	157	36	34	2	0	0

- Molecule 4 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	5	3515	75376	33569	13808	24485	3514	0	0

- Molecule 5 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
5	7	120	2561	1141	456	844	120	0	0

- Molecule 6 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	8	148	Total	C	N	O	P	0	0
			3152	1407	563	1035	147		

- Molecule 7 is a protein called E3 UFM1-protein ligase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A	474	Total	C	N	O	S	0	0
			3748	2365	643	724	16		

- Molecule 8 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	K	224	Total	C	N	O	S	0	0
			1704	1061	293	338	12		

- Molecule 9 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	LA	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 10 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	LB	402	Total	C	N	O	S	0	0
			3239	2060	608	557	14		

- Molecule 11 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	LC	368	Total	C	N	O	S	0	0
			2927	1840	583	489	15		

- Molecule 12 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	LD	293	Total	C	N	O	S	0	0
			2382	1507	434	427	14		

- Molecule 13 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	LE	220	1765	1136	334	291	4	0	0

- Molecule 14 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	LF	225	1870	1202	358	301	9	0	0

- Molecule 15 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	LG	241	1927	1228	371	324	4	0	0

- Molecule 16 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	LH	190	1518	956	284	272	6	0	0

- Molecule 17 is a protein called Ribosomal protein uL16-like.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	LI	202	1634	1038	314	269	13	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
LI	87	ILE	MET	conflict	UNP Q96L21

- Molecule 18 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	LJ	175	1401	882	261	252	6	0	0

- Molecule 19 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	LL	201	Total	C	N	O	S	1	0
			1634	1024	342	264	4		

- Molecule 20 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	LM	136	Total	C	N	O	S	0	0
			1120	719	215	179	7		

- Molecule 21 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	LN	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 22 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	LO	201	Total	C	N	O	S	0	0
			1650	1063	321	261	5		

- Molecule 23 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	LP	153	Total	C	N	O	S	0	0
			1242	776	241	216	9		

- Molecule 24 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	LQ	187	Total	C	N	O	S	0	0
			1513	944	314	250	5		

- Molecule 25 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	LR	155	Total	C	N	O	S	0	0
			1294	808	278	199	9		

- Molecule 26 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	LS	175	1453	925	283	235	10	0	0

- Molecule 27 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	LT	159	1298	823	252	217	6	0	0

- Molecule 28 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	LU	101	825	529	144	150	2	0	0

- Molecule 29 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	LV	131	979	618	184	172	5	0	0

- Molecule 30 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	LW	62	519	332	101	83	3	0	0

- Molecule 31 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	LX	118	967	618	181	167	1	0	0

- Molecule 32 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	LY	134	1115	700	226	186	3	0	0

- Molecule 33 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	LZ	135	1107	714	208	182	3	0	0

- Molecule 34 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	La	147	1162	736	237	186	3	0	0

- Molecule 35 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	Lb	109	876	546	189	137	4	0	0

- Molecule 36 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	Lc	98	764	485	135	138	6	0	0

- Molecule 37 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	Ld	107	888	560	171	155	2	0	0

- Molecule 38 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	Le	128	1053	667	216	165	5	0	0

- Molecule 39 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	Lf	109	876	555	174	144	3	0	0

- Molecule 40 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	Lg	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 41 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	Lh	122	Total	C	N	O	S	0	0
			1015	641	205	168	1		

- Molecule 42 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Li	102	Total	C	N	O	S	0	0
			832	521	177	129	5		

- Molecule 43 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Lj	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 44 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Lk	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 45 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	Ll	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 46 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	Lm	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 47 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	Lo	105	863	542	175	140	6	0	0

- Molecule 48 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	Lp	91	708	445	136	120	7	0	0

- Molecule 49 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	Lr	125	1002	622	207	168	5	0	0

- Molecule 50 is a protein called 60S ribosomal protein L10a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
50	Lz	217	1744	1114	314	307	9	0	0

- Molecule 51 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
51	5	204	Total	Mg	0
			204	204	
51	7	2	Total	Mg	0
			2	2	
51	8	5	Total	Mg	0
			5	5	
51	LA	1	Total	Mg	0
			1	1	
51	LI	1	Total	Mg	0
			1	1	
51	LP	1	Total	Mg	0
			1	1	
51	LV	1	Total	Mg	0
			1	1	
51	Le	2	Total	Mg	0
			2	2	
51	Lf	1	Total	Mg	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
51	Lj	2	Total 2	Mg 2	0


- Molecule 52 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
52	Lg	1	Total 1	Zn 1	0
52	Lj	1	Total 1	Zn 1	0
52	Lm	1	Total 1	Zn 1	0
52	Lo	1	Total 1	Zn 1	0
52	Lp	1	Total 1	Zn 1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein transport protein Sec61 subunit alpha isoform 1



- Molecule 2: Protein transport protein Sec61 subunit gamma





- Molecule 3: Protein transport protein Sec61 subunit beta






• Molecule 5: 5S rRNA




• Molecule 6: 5.8S rRNA





• Molecule 7: E3 UFM1-protein ligase 1







• Molecule 8: Eukaryotic translation initiation factor 6





• Molecule 9: 60S ribosomal protein L8




• Molecule 10: 60S ribosomal protein L3




• Molecule 11: 60S ribosomal protein L4





• Molecule 12: 60S ribosomal protein L5



• Molecule 19: 60S ribosomal protein L13



• Molecule 20: 60S ribosomal protein L14





• Molecule 21: 60S ribosomal protein L15



• Molecule 22: 60S ribosomal protein L13a





• Molecule 23: 60S ribosomal protein L17




• Molecule 24: 60S ribosomal protein L18



• Molecule 25: 60S ribosomal protein L19





- Molecule 26: 60S ribosomal protein L18a




- Molecule 27: 60S ribosomal protein L21





- Molecule 28: 60S ribosomal protein L22





- Molecule 29: 60S ribosomal protein L23



- Molecule 30: 60S ribosomal protein L24




- Molecule 31: 60S ribosomal protein L23a



- Molecule 32: 60S ribosomal protein L26

Chain LY:  91% 8%



- Molecule 33: 60S ribosomal protein L27

Chain LZ:  99%




- Molecule 34: 60S ribosomal protein L27a

Chain La:  99%




- Molecule 35: 60S ribosomal protein L29

Chain Lb:  68% 31%





- Molecule 36: 60S ribosomal protein L30

Chain Lc:  83% 15%




- Molecule 37: 60S ribosomal protein L31

Chain Ld:  84% 14%



- Molecule 38: 60S ribosomal protein L32

Chain Le:  95% 5%



- Molecule 39: 60S ribosomal protein L35a

Chain Lf:  96% ..



- Molecule 40: 60S ribosomal protein L34

Chain Lg:  97% ..




- Molecule 41: 60S ribosomal protein L35

Chain Lh:  98% ..





- Molecule 42: 60S ribosomal protein L36

Chain Li:  96% ..




- Molecule 43: 60S ribosomal protein L37

Chain Lj:  87% • 11%



- Molecule 44: 60S ribosomal protein L38

Chain Lk:  97% ..





- Molecule 45: 60S ribosomal protein L39

Chain Ll:  98% .



• Molecule 46: Ubiquitin-60S ribosomal protein L40



• Molecule 47: 60S ribosomal protein L36a




• Molecule 48: 60S ribosomal protein L37a



• Molecule 49: 60S ribosomal protein L28



• Molecule 50: 60S ribosomal protein L10a



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	20750	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.044	Depositor
Minimum map value	-0.012	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0055	Depositor
Map size (Å)	392.58, 392.58, 392.58	wwPDB
Map dimensions	540, 540, 540	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.727, 0.727, 0.727	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	1	0.25	0/3393	0.47	0/4597
2	2	0.28	0/504	0.47	0/673
3	3	0.25	0/236	0.44	0/321
4	5	0.17	0/84316	0.72	2/131502 (0.0%)
5	7	0.16	0/2861	0.71	0/4459
6	8	0.17	0/3520	0.72	1/5481 (0.0%)
7	A	0.27	0/3797	0.47	0/5103
8	K	0.23	0/1728	0.50	0/2351
9	LA	0.24	0/1936	0.55	0/2596
10	LB	0.24	0/3307	0.50	0/4424
11	LC	0.24	0/2981	0.53	0/4002
12	LD	0.25	0/2428	0.49	0/3252
13	LE	0.24	0/1799	0.50	0/2414
14	LF	0.25	0/1905	0.52	0/2539
15	LG	0.25	0/1960	0.51	0/2637
16	LH	0.24	0/1537	0.52	0/2066
17	LI	0.25	0/1673	0.51	0/2234
18	LJ	0.24	0/1424	0.52	0/1904
19	LL	0.24	0/1668	0.53	0/2232
20	LM	0.25	0/1142	0.50	0/1527
21	LN	0.24	0/1746	0.56	0/2338
22	LO	0.25	0/1682	0.52	0/2250
23	LP	0.24	0/1268	0.50	0/1701
24	LQ	0.25	0/1537	0.58	0/2052
25	LR	0.24	0/1310	0.56	0/1734
26	LS	0.25	0/1493	0.53	0/2003
27	LT	0.24	0/1326	0.51	0/1770
28	LU	0.25	0/839	0.47	0/1126
29	LV	0.25	0/993	0.51	0/1332
30	LW	0.26	0/532	0.53	0/708
31	LX	0.24	0/984	0.50	0/1323
32	LY	0.24	0/1132	0.53	0/1504

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	LZ	0.26	0/1130	0.51	0/1507
34	La	0.23	0/1191	0.50	0/1591
35	Lb	0.25	0/889	0.53	0/1175
36	Lc	0.26	0/774	0.48	0/1038
37	Ld	0.24	0/903	0.55	0/1216
38	Le	0.24	0/1071	0.52	0/1429
39	Lf	0.26	0/895	0.56	0/1198
40	Lg	0.24	0/916	0.56	0/1220
41	Lh	0.25	0/1023	0.54	0/1351
42	Li	0.25	0/843	0.55	0/1115
43	Lj	0.24	0/720	0.58	0/952
44	Lk	0.25	0/575	0.50	0/761
45	Ll	0.25	0/454	0.59	0/599
46	Lm	0.24	0/435	0.51	0/575
47	Lo	0.25	0/877	0.53	0/1156
48	Lp	0.25	0/718	0.53	0/953
49	Lr	0.23	0/1017	0.54	0/1364
50	Lz	0.26	0/1772	0.48	0/2375
All	All	0.20	0/155160	0.65	3/227730 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	5	2022	C	N3-C2-O2	-6.41	117.42	121.90
4	5	2022	C	N1-C2-O2	5.67	122.30	118.90
6	8	111	U	C2-N1-C1'	5.41	124.19	117.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	420/476 (88%)	403 (96%)	17 (4%)	0	100	100
2	2	60/68 (88%)	59 (98%)	1 (2%)	0	100	100
3	3	27/96 (28%)	27 (100%)	0	0	100	100
7	A	466/794 (59%)	448 (96%)	18 (4%)	0	100	100
8	K	222/245 (91%)	216 (97%)	6 (3%)	0	100	100
9	LA	246/257 (96%)	236 (96%)	10 (4%)	0	100	100
10	LB	400/403 (99%)	396 (99%)	4 (1%)	0	100	100
11	LC	366/427 (86%)	359 (98%)	7 (2%)	0	100	100
12	LD	291/297 (98%)	284 (98%)	6 (2%)	1 (0%)	41	71
13	LE	214/288 (74%)	205 (96%)	9 (4%)	0	100	100
14	LF	223/248 (90%)	219 (98%)	4 (2%)	0	100	100
15	LG	239/266 (90%)	231 (97%)	8 (3%)	0	100	100
16	LH	188/192 (98%)	186 (99%)	2 (1%)	0	100	100
17	LI	198/214 (92%)	194 (98%)	4 (2%)	0	100	100
18	LJ	173/178 (97%)	170 (98%)	3 (2%)	0	100	100
19	LL	200/211 (95%)	197 (98%)	3 (2%)	0	100	100
20	LM	134/215 (62%)	131 (98%)	3 (2%)	0	100	100
21	LN	201/204 (98%)	196 (98%)	5 (2%)	0	100	100
22	LO	199/203 (98%)	198 (100%)	1 (0%)	0	100	100
23	LP	151/184 (82%)	149 (99%)	2 (1%)	0	100	100
24	LQ	185/188 (98%)	182 (98%)	3 (2%)	0	100	100
25	LR	153/196 (78%)	149 (97%)	4 (3%)	0	100	100
26	LS	173/176 (98%)	166 (96%)	7 (4%)	0	100	100
27	LT	157/160 (98%)	155 (99%)	2 (1%)	0	100	100
28	LU	99/128 (77%)	96 (97%)	2 (2%)	1 (1%)	15	46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	LV	129/140 (92%)	125 (97%)	4 (3%)	0	100	100
30	LW	60/157 (38%)	59 (98%)	1 (2%)	0	100	100
31	LX	116/156 (74%)	114 (98%)	2 (2%)	0	100	100
32	LY	132/145 (91%)	130 (98%)	2 (2%)	0	100	100
33	LZ	133/136 (98%)	129 (97%)	4 (3%)	0	100	100
34	La	145/148 (98%)	139 (96%)	6 (4%)	0	100	100
35	Lb	105/159 (66%)	103 (98%)	2 (2%)	0	100	100
36	Lc	96/115 (84%)	96 (100%)	0	0	100	100
37	Ld	105/125 (84%)	101 (96%)	4 (4%)	0	100	100
38	Le	126/135 (93%)	123 (98%)	3 (2%)	0	100	100
39	Lf	107/110 (97%)	107 (100%)	0	0	100	100
40	Lg	112/117 (96%)	112 (100%)	0	0	100	100
41	Lh	120/123 (98%)	118 (98%)	2 (2%)	0	100	100
42	Li	100/105 (95%)	96 (96%)	4 (4%)	0	100	100
43	Lj	84/97 (87%)	82 (98%)	2 (2%)	0	100	100
44	Lk	67/70 (96%)	67 (100%)	0	0	100	100
45	Ll	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
46	Lm	50/128 (39%)	49 (98%)	1 (2%)	0	100	100
47	Lo	103/106 (97%)	101 (98%)	2 (2%)	0	100	100
48	Lp	89/92 (97%)	85 (96%)	4 (4%)	0	100	100
49	Lr	123/137 (90%)	122 (99%)	1 (1%)	0	100	100
50	Lz	215/217 (99%)	209 (97%)	6 (3%)	0	100	100
All	All	7750/9083 (85%)	7566 (98%)	182 (2%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
12	LD	4	VAL
28	LU	19	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	361/399 (90%)	348 (96%)	13 (4%)	35	63
2	2	53/59 (90%)	51 (96%)	2 (4%)	33	62
3	3	26/74 (35%)	26 (100%)	0	100	100
7	A	420/704 (60%)	414 (99%)	6 (1%)	67	82
8	K	194/213 (91%)	190 (98%)	4 (2%)	53	75
9	LA	190/199 (96%)	190 (100%)	0	100	100
10	LB	348/349 (100%)	342 (98%)	6 (2%)	60	78
11	LC	306/348 (88%)	299 (98%)	7 (2%)	50	73
12	LD	246/250 (98%)	243 (99%)	3 (1%)	71	83
13	LE	194/252 (77%)	191 (98%)	3 (2%)	65	81
14	LF	194/215 (90%)	190 (98%)	4 (2%)	53	75
15	LG	203/223 (91%)	199 (98%)	4 (2%)	55	76
16	LH	169/171 (99%)	164 (97%)	5 (3%)	41	68
17	LI	172/181 (95%)	167 (97%)	5 (3%)	42	69
18	LJ	147/149 (99%)	145 (99%)	2 (1%)	67	82
19	LL	169/177 (96%)	166 (98%)	3 (2%)	59	78
20	LM	116/161 (72%)	115 (99%)	1 (1%)	78	87
21	LN	171/172 (99%)	169 (99%)	2 (1%)	71	83
22	LO	173/174 (99%)	169 (98%)	4 (2%)	50	73
23	LP	134/163 (82%)	134 (100%)	0	100	100
24	LQ	164/165 (99%)	164 (100%)	0	100	100
25	LR	138/175 (79%)	134 (97%)	4 (3%)	42	69
26	LS	156/157 (99%)	154 (99%)	2 (1%)	69	82
27	LT	139/140 (99%)	135 (97%)	4 (3%)	42	69
28	LU	91/115 (79%)	89 (98%)	2 (2%)	52	74
29	LV	101/107 (94%)	99 (98%)	2 (2%)	55	76
30	LW	54/126 (43%)	54 (100%)	0	100	100
31	LX	106/133 (80%)	104 (98%)	2 (2%)	57	77
32	LY	124/135 (92%)	122 (98%)	2 (2%)	62	79

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
33	LZ	117/118 (99%)	116 (99%)	1 (1%)	78	87
34	La	120/121 (99%)	119 (99%)	1 (1%)	81	89
35	Lb	88/126 (70%)	87 (99%)	1 (1%)	73	85
36	Lc	83/97 (86%)	81 (98%)	2 (2%)	49	73
37	Ld	98/110 (89%)	96 (98%)	2 (2%)	55	76
38	Le	114/121 (94%)	114 (100%)	0	100	100
39	Lf	88/89 (99%)	85 (97%)	3 (3%)	37	65
40	Lg	98/100 (98%)	97 (99%)	1 (1%)	76	86
41	Lh	109/110 (99%)	108 (99%)	1 (1%)	78	87
42	Li	86/89 (97%)	85 (99%)	1 (1%)	71	83
43	Lj	73/80 (91%)	71 (97%)	2 (3%)	44	71
44	Lk	64/65 (98%)	63 (98%)	1 (2%)	62	79
45	Ll	47/48 (98%)	47 (100%)	0	100	100
46	Lm	48/116 (41%)	46 (96%)	2 (4%)	30	60
47	Lo	93/94 (99%)	93 (100%)	0	100	100
48	Lp	74/75 (99%)	73 (99%)	1 (1%)	67	82
49	Lr	109/121 (90%)	108 (99%)	1 (1%)	78	87
50	Lz	196/196 (100%)	187 (95%)	9 (5%)	27	58
All	All	6764/7762 (87%)	6643 (98%)	121 (2%)	61	78

All (121) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1	5	PHE
1	1	18	GLU
1	1	60	ASP
1	1	65	MET
1	1	116	GLN
1	1	207	MET
1	1	225	ASP
1	1	236	ARG
1	1	262	ARG
1	1	346	SER
1	1	364	TYR
1	1	405	ARG
1	1	437	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	33	PHE
2	2	44	PHE
7	A	267	LEU
7	A	329	LEU
7	A	346	MET
7	A	359	SER
7	A	372	CYS
7	A	715	PHE
8	K	10	ASN
8	K	52	SER
8	K	201	ASP
8	K	203	CYS
10	LB	4	ARG
10	LB	13	SER
10	LB	30	LYS
10	LB	134	CYS
10	LB	200	ARG
10	LB	396	ARG
11	LC	95	MET
11	LC	122	TYR
11	LC	267	TRP
11	LC	269	LYS
11	LC	348	LYS
11	LC	352	ASP
11	LC	368	LYS
12	LD	50	ARG
12	LD	185	SER
12	LD	262	LYS
13	LE	56	ARG
13	LE	101	ASN
13	LE	120	ASP
14	LF	102	SER
14	LF	134	ARG
14	LF	178	SER
14	LF	238	ASP
15	LG	111	LYS
15	LG	162	ASP
15	LG	175	ARG
15	LG	254	GLU
16	LH	110	SER
16	LH	115	ARG
16	LH	142	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
16	LH	177	ASP
16	LH	183	GLU
17	LI	21	ARG
17	LI	28	ASP
17	LI	35	ASP
17	LI	52	MET
17	LI	168	SER
18	LJ	42	GLN
18	LJ	129	ASP
19	LL	105	LYS
19	LL	135	LYS
19	LL	136	LYS
20	LM	63	LYS
21	LN	34	SER
21	LN	124	ASP
22	LO	49	ARG
22	LO	53	LYS
22	LO	190	ASP
22	LO	194	GLU
25	LR	111	GLU
25	LR	116	ASP
25	LR	122	SER
25	LR	153	LYS
26	LS	31	ARG
26	LS	85	ASP
27	LT	17	ARG
27	LT	45	MET
27	LT	114	GLN
27	LT	149	GLU
28	LU	34	MET
28	LU	115	PHE
29	LV	59	ASP
29	LV	127	ASP
31	LX	118	ASP
31	LX	131	ASP
32	LY	10	ASP
32	LY	74	TYR
33	LZ	31	ASP
34	La	106	SER
35	Lb	51	LYS
36	Lc	50	ASN
36	Lc	103	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
37	Ld	54	MET
37	Ld	123	ASP
39	Lf	2	SER
39	Lf	81	SER
39	Lf	89	ARG
40	Lg	73	HIS
41	Lh	87	LYS
42	Li	86	LYS
43	Lj	55	ARG
43	Lj	63	ARG
44	Lk	21	LYS
46	Lm	92	ASP
46	Lm	110	CYS
48	Lp	75	SER
49	Lr	113	ARG
50	Lz	4	LYS
50	Lz	11	TYR
50	Lz	12	GLU
50	Lz	22	GLN
50	Lz	41	TYR
50	Lz	70	ASP
50	Lz	81	ASP
50	Lz	86	ASP
50	Lz	210	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
15	LG	159	HIS
27	LT	54	HIS
30	LW	50	ASN
30	LW	59	HIS
50	Lz	73	HIS
50	Lz	140	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
4	5	3491/5070 (68%)	378 (10%)	4 (0%)
5	7	119/121 (98%)	5 (4%)	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
6	8	145/157 (92%)	14 (9%)	0
All	All	3755/5348 (70%)	397 (10%)	4 (0%)

All (397) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
4	5	2	G
4	5	13	U
4	5	39	A
4	5	42	A
4	5	48	G
4	5	59	A
4	5	64	A
4	5	65	A
4	5	73	A
4	5	91	G
4	5	98	A
4	5	110	C
4	5	119	G
4	5	120	A
4	5	134	G
4	5	135	G
4	5	136	C
4	5	141	C
4	5	142	G
4	5	143	C
4	5	159	C
4	5	172	C
4	5	178	C
4	5	179	G
4	5	197	A
4	5	200	U
4	5	209	U
4	5	218	A
4	5	219	G
4	5	233	U
4	5	234	G
4	5	253	G
4	5	256	G
4	5	266	C
4	5	280	G
4	5	297	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	316	U
4	5	340	C
4	5	381	U
4	5	387	G
4	5	409	G
4	5	410	A
4	5	412	G
4	5	413	G
4	5	449	C
4	5	450	G
4	5	451	C
4	5	453	G
4	5	454	U
4	5	467	U
4	5	484	U
4	5	485	C
4	5	489	C
4	5	496	G
4	5	504	G
4	5	509	A
4	5	510	U
4	5	513	U
4	5	514	U
4	5	644	G
4	5	663	G
4	5	666	G
4	5	669	C
4	5	686	A
4	5	687	U
4	5	697	G
4	5	704	C
4	5	705	G
4	5	731	G
4	5	738	C
4	5	739	G
4	5	740	G
4	5	760	G
4	5	915	A
4	5	917	A
4	5	926	G
4	5	933	G
4	5	936	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	943	A
4	5	944	A
4	5	945	U
4	5	956	A
4	5	960	A
4	5	961	G
4	5	962	C
4	5	965	G
4	5	967	C
4	5	968	C
4	5	969	C
4	5	982	U
4	5	1070	G
4	5	1072	C
4	5	1078	A
4	5	1101	C
4	5	1170	G
4	5	1182	C
4	5	1183	C
4	5	1199	G
4	5	1211	G
4	5	1215	C
4	5	1241	C
4	5	1266	G
4	5	1269	G
4	5	1270	A
4	5	1272	C
4	5	1273	G
4	5	1284	G
4	5	1287	G
4	5	1302	U
4	5	1303	A
4	5	1304	C
4	5	1326	A
4	5	1354	A
4	5	1359	G
4	5	1366	G
4	5	1387	A
4	5	1397	A
4	5	1399	G
4	5	1413	C
4	5	1414	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	1415	G
4	5	1439	C
4	5	1443	A
4	5	1445	U
4	5	1497	A
4	5	1498	G
4	5	1502	G
4	5	1516	G
4	5	1534	A
4	5	1547	A
4	5	1578	U
4	5	1591	U
4	5	1596	U
4	5	1624	G
4	5	1625	G
4	5	1631	A
4	5	1633	G
4	5	1634	A
4	5	1641	G
4	5	1654	G
4	5	1661	C
4	5	1676	C
4	5	1677	U
4	5	1691	G
4	5	1697	G
4	5	1699	A
4	5	1701	A
4	5	1742	A
4	5	1755	C
4	5	1765	A
4	5	1766	A
4	5	1767	A
4	5	1768	C
4	5	1787	A
4	5	1804	A
4	5	1836	G
4	5	1837	A
4	5	1842	G
4	5	1855	G
4	5	1869	G
4	5	1897	A
4	5	1918	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	1921	C
4	5	1922	G
4	5	1931	C
4	5	1932	A
4	5	1940	G
4	5	1941	A
4	5	1948	G
4	5	1961	G
4	5	2026	A
4	5	2046	G
4	5	2048	U
4	5	2055	G
4	5	2056	G
4	5	2069	A
4	5	2084	C
4	5	2092	G
4	5	2093	A
4	5	2096	G
4	5	2098	G
4	5	2102	G
4	5	2107	C
4	5	2261	G
4	5	2300	A
4	5	2301	G
4	5	2313	A
4	5	2314	G
4	5	2348	G
4	5	2351	C
4	5	2360	A
4	5	2395	A
4	5	2397	G
4	5	2417	A
4	5	2421	G
4	5	2470	C
4	5	2471	G
4	5	2474	G
4	5	2475	G
4	5	2478	C
4	5	2504	C
4	5	2505	C
4	5	2506	G
4	5	2513	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	2554	U
4	5	2583	C
4	5	2587	A
4	5	2589	C
4	5	2601	A
4	5	2627	C
4	5	2653	C
4	5	2660	A
4	5	2661	U
4	5	2669	C
4	5	2687	U
4	5	2694	G
4	5	2695	A
4	5	2696	A
4	5	2708	U
4	5	2711	G
4	5	2743	A
4	5	2761	U
4	5	2764	A
4	5	2769	U
4	5	2788	U
4	5	2790	U
4	5	2814	C
4	5	2826	U
4	5	2827	G
4	5	2855	G
4	5	2899	C
4	5	3597	G
4	5	3605	C
4	5	3615	G
4	5	3618	C
4	5	3626	G
4	5	3635	A
4	5	3653	A
4	5	3662	A
4	5	3692	A
4	5	3709	U
4	5	3710	G
4	5	3712	A
4	5	3753	G
4	5	3776	G
4	5	3777	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	3784	A
4	5	3811	G
4	5	3814	U
4	5	3817	A
4	5	3819	G
4	5	3838	U
4	5	3839	G
4	5	3840	U
4	5	3877	A
4	5	3878	C
4	5	3879	G
4	5	3897	G
4	5	3901	A
4	5	3906	A
4	5	3907	G
4	5	3908	A
4	5	3915	U
4	5	3939	G
4	5	3951	G
4	5	3956	G
4	5	3958	G
4	5	3959	U
4	5	3961	G
4	5	3962	A
4	5	3963	A
4	5	3965	A
4	5	3966	A
4	5	3967	G
4	5	3968	U
4	5	3969	G
4	5	3973	G
4	5	3974	G
4	5	3975	C
4	5	4040	C
4	5	4046	A
4	5	4048	A
4	5	4049	U
4	5	4050	A
4	5	4051	C
4	5	4061	G
4	5	4076	G
4	5	4084	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	4119	C
4	5	4122	G
4	5	4163	U
4	5	4170	A
4	5	4183	G
4	5	4184	G
4	5	4191	G
4	5	4203	A
4	5	4229	U
4	5	4233	A
4	5	4251	A
4	5	4254	G
4	5	4266	G
4	5	4268	A
4	5	4281	A
4	5	4291	G
4	5	4305	G
4	5	4306	U
4	5	4330	G
4	5	4332	C
4	5	4339	A
4	5	4373	G
4	5	4377	G
4	5	4378	A
4	5	4387	C
4	5	4394	A
4	5	4421	C
4	5	4422	A
4	5	4448	G
4	5	4464	A
4	5	4465	U
4	5	4466	C
4	5	4500	U
4	5	4512	U
4	5	4513	A
4	5	4524	G
4	5	4548	A
4	5	4549	G
4	5	4567	G
4	5	4590	A
4	5	4627	U
4	5	4636	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	4637	G
4	5	4656	A
4	5	4670	C
4	5	4671	C
4	5	4672	A
4	5	4700	A
4	5	4708	A
4	5	4709	U
4	5	4720	C
4	5	4730	C
4	5	4731	G
4	5	4732	G
4	5	4734	A
4	5	4741	C
4	5	4742	G
4	5	4743	G
4	5	4745	G
4	5	4750	G
4	5	4754	G
4	5	4757	C
4	5	4759	C
4	5	4761	G
4	5	4765	G
4	5	4771	C
4	5	4870	G
4	5	4871	C
4	5	4882	U
4	5	4883	C
4	5	4895	C
4	5	4900	C
4	5	4901	G
4	5	4910	A
4	5	4912	G
4	5	4913	G
4	5	4914	C
4	5	4938	A
4	5	4943	A
4	5	4976	U
4	5	4988	U
4	5	4990	C
4	5	4991	U
4	5	4994	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	5	5017	G
4	5	5034	A
4	5	5041	G
4	5	5050	C
4	5	5062	G
4	5	5069	U
5	7	7	G
5	7	53	U
5	7	54	A
5	7	64	G
5	7	110	G
6	8	23	C
6	8	34	U
6	8	35	C
6	8	39	G
6	8	51	U
6	8	59	A
6	8	62	A
6	8	63	U
6	8	80	A
6	8	87	G
6	8	103	A
6	8	105	C
6	8	110	U
6	8	114	G

All (4) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
4	5	739	G
4	5	1633	G
4	5	3964	U
4	5	4699	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 225 ligands modelled in this entry, 225 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-16908. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 270




Y Index: 270




Z Index: 270


6.2.2 Raw map



X Index: 270



Y Index: 270




Z Index: 270


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 261




Y Index: 276




Z Index: 249


6.3.2 Raw map



X Index: 266



Y Index: 277




Z Index: 249


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0055. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2529 nm³; this corresponds to an approximate mass of 2284 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.51	4.35	3.60

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-16908 and PDB model 8OJ8. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0055 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0055).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

































The table lists the average atom inclusion at the recommended contour level (0.0055) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9470	 0.4680
1	 0.3330	 0.1240
2	 0.4320	 0.1650
3	 0.0130	 0.0300
5	 0.9930	 0.4760
7	 0.9980	 0.4980
8	 0.9920	 0.4990
A	 0.4900	 0.2220
K	 0.6820	 0.4190
LA	 0.9890	 0.5340
LB	 0.9770	 0.5140
LC	 0.9850	 0.5220
LD	 0.9760	 0.4900
LE	 0.9880	 0.5050
LF	 0.9930	 0.5190
LG	 0.9450	 0.4640
LH	 0.9800	 0.4980
LI	 0.9840	 0.5150
LJ	 0.9420	 0.4440
LL	 0.9850	 0.5210
LM	 0.9850	 0.5150
LN	 0.9980	 0.5490
LO	 0.9820	 0.5130
LP	 0.9910	 0.5300
LQ	 0.9960	 0.5350
LR	 0.9640	 0.4940
LS	 0.9880	 0.5270
LT	 0.9870	 0.5110
LU	 0.9590	 0.4120
LV	 0.9770	 0.5060
LW	 0.9940	 0.5170
LX	 0.9850	 0.5190
LY	 0.9930	 0.5190
LZ	 0.9760	 0.4900
La	 0.9890	 0.5380



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Lb	 0.9620	 0.4630
Lc	 0.9590	 0.4740
Ld	 0.9650	 0.4950
Le	 0.9970	 0.5350
Lf	 0.9950	 0.5430
Lg	 0.9710	 0.5060
Lh	 0.9820	 0.4990
Li	 0.9750	 0.4980
Lj	 0.9960	 0.5450
Lk	 0.9120	 0.4460
Ll	 0.9880	 0.5300
Lm	 0.9760	 0.5010
Lo	 0.9690	 0.5240
Lp	 0.9800	 0.4950
Lr	 0.9930	 0.5280
Lz	 0.4790	 0.1970