



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 9, 2023 – 04:54 pm GMT

PDB ID : 1OK7
Title : A Conserved protein binding-site on Bacterial Sliding Clamps
Authors : Burnouf, D.Y.; Olieric, V.; Wagner, J.; Fujii, S.; Reinbolt, J.; Fuchs, R.P.P.;
Dumas, P.
Deposited on : 2003-07-18
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1827 (1.66-1.66)
Clashscore	141614	1931 (1.66-1.66)
Ramachandran outliers	138981	1891 (1.66-1.66)
Sidechain outliers	138945	1891 (1.66-1.66)
RSRZ outliers	127900	1791 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	366	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">6% 78% 19% •</p>
1	B	366	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 21%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">6% 79% 21%</p>
2	C	16	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 31%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 56%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">6% 31% 12% 56%</p>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6235 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA POLYMERASE III.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	366	Total 2866	C 1799	N 501	O 545	S 21	0	5	0
1	B	366	Total 2853	C 1792	N 500	O 541	S 20	0	3	0

- Molecule 2 is a protein called DNA POLYMERASE IV.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	7	Total 56	C 36	N 11	O 9	0	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	227	Total 227	O 227	0	0
3	B	231	Total 231	O 231	0	0
3	C	2	Total 2	O 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DNA POLYMERASE III



• Molecule 1: DNA POLYMERASE III



• Molecule 2: DNA POLYMERASE IV



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	41.23Å 65.22Å 73.38Å 73.11° 85.58° 85.80°	Depositor
Resolution (Å)	20.00 – 1.65 24.34 – 1.64	Depositor EDS
% Data completeness (in resolution range)	96.8 (20.00-1.65) 96.3 (24.34-1.64)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.80 (at 1.64Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.203 , 0.229 0.207 , 0.235	Depositor DCC
R_{free} test set	4293 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	17.9	Xtrriage
Anisotropy	0.250	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 53.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6235	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/2934	0.70	0/3969
1	B	0.45	0/2917	0.69	0/3948
2	C	0.40	0/55	0.71	0/71
All	All	0.45	0/5906	0.69	0/7988

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	39[B]	ASP	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2866	0	2874	76	0
1	B	2853	0	2870	70	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	56	0	65	4	0
3	A	227	0	0	8	0
3	B	231	0	0	3	0
3	C	2	0	0	0	0
All	All	6235	0	5809	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:338[B]:MET:HG3	1:A:347:VAL:HG21	1.49	0.95
1:B:249:PRO:HB2	1:B:252:PRO:HG3	1.50	0.91
1:B:150:ASP:H	1:B:156:ASN:HD21	1.18	0.86
1:A:214:LEU:CD1	1:A:227:VAL:HG22	2.06	0.85
1:A:320:ASN:HB2	1:A:364[A]:MET:HE3	1.59	0.84
1:A:214:LEU:HD12	1:A:227:VAL:HG22	1.59	0.83
1:B:163:GLU:HG3	1:B:168:ARG:NH2	1.94	0.83
1:B:163:GLU:HG3	1:B:168:ARG:HH22	1.44	0.83
1:A:338[B]:MET:HG3	1:A:347:VAL:CG2	2.11	0.80
1:B:161:GLU:CD	1:B:168:ARG:HH21	1.87	0.78
1:A:27:LEU:H	1:A:27:LEU:HD12	1.49	0.77
1:A:137:ARG:HD2	1:A:182[B]:MET:SD	2.25	0.76
1:A:215:ARG:HH11	1:A:215:ARG:HB3	1.50	0.74
1:A:150:ASP:H	1:A:156:ASN:HD21	1.37	0.73
1:A:51:MET:HE3	1:A:202:GLU:HG2	1.71	0.72
1:A:184:ILE:HD11	1:A:188:LEU:HD11	1.70	0.72
1:B:249:PRO:HD2	1:B:348:GLN:HE21	1.53	0.72
1:A:33:LEU:HG	1:A:72:ALA:HB2	1.73	0.70
1:B:24:ARG:HG2	1:B:24:ARG:HH11	1.57	0.69
1:A:338[B]:MET:CG	1:A:347:VAL:HG21	2.22	0.68
1:B:246:ARG:HG3	1:B:246:ARG:HH11	1.59	0.68
1:A:33:LEU:HG	1:A:72:ALA:CB	2.25	0.67
1:B:217:GLN:HE21	1:B:226[A]:HIS:HE1	1.41	0.67
1:B:165:GLU:O	1:B:165:GLU:HG2	1.93	0.67
1:A:249:PRO:HD2	1:A:348:GLN:HE21	1.58	0.66
1:A:26:THR:HG22	1:A:27:LEU:HD12	1.77	0.66
1:A:123[A]:GLN:NE2	3:A:2085:HOH:O	2.20	0.66
1:A:165:GLU:HG2	1:A:165:GLU:O	1.97	0.65
1:B:170:VAL:HG22	1:B:179:VAL:HG23	1.77	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:282:ARG:HH21	1:A:366:LEU:HB2	1.61	0.64
1:B:291:LYS:HE3	1:B:303:GLU:OE1	1.98	0.63
1:B:318:GLY:HA3	1:B:366:LEU:HD23	1.81	0.63
1:A:288:ASN:HD22	1:A:310:TYR:H	1.44	0.63
1:B:129:THR:H	1:B:186:GLN:HE22	1.46	0.61
1:B:126:VAL:CG1	1:B:218:ILE:HB	2.30	0.61
1:B:150:ASP:H	1:B:156:ASN:ND2	1.95	0.61
1:A:48:ASP:O	1:A:49:LEU:HB2	2.01	0.61
1:A:16:GLN:HG2	1:A:230:PHE:CD1	2.35	0.61
1:A:27:LEU:H	1:A:27:LEU:CD1	2.14	0.61
1:B:33:LEU:HG	1:B:72:ALA:HB2	1.83	0.60
1:B:365:ARG:O	2:C:10:ARG:HG2	2.02	0.59
1:B:129:THR:H	1:B:186:GLN:NE2	2.01	0.59
1:B:249:PRO:HB2	1:B:252:PRO:CG	2.28	0.59
1:B:249:PRO:CB	1:B:252:PRO:HG3	2.28	0.58
1:A:26:THR:CG2	1:A:27:LEU:HD12	2.33	0.57
1:A:215:ARG:HB3	1:A:215:ARG:NH1	2.18	0.57
1:B:24:ARG:HG2	1:B:24:ARG:NH1	2.19	0.57
1:A:320:ASN:HD22	1:A:364[A]:MET:HE1	1.69	0.56
1:B:71:PRO:HG3	3:B:2023:HOH:O	2.06	0.56
1:A:21:LEU:HD21	3:A:2012:HOH:O	2.05	0.55
1:A:159:LEU:HD11	1:A:192:SER:OG	2.08	0.53
1:B:291:LYS:NZ	3:B:2194:HOH:O	2.35	0.53
1:A:27:LEU:HD12	1:A:27:LEU:N	2.20	0.53
1:A:144:PHE:CD2	1:A:326:ASP:HB3	2.44	0.53
1:A:12:LYS:HB3	1:A:12:LYS:NZ	2.23	0.53
1:A:19:GLY:HA3	1:A:205:ARG:NH1	2.23	0.52
1:B:298:GLU:O	1:B:299:GLN:HB2	2.10	0.52
1:A:118:ASN:HA	3:A:2077:HOH:O	2.08	0.52
1:A:282:ARG:HD2	3:A:2169:HOH:O	2.10	0.52
1:A:320:ASN:HD22	1:A:364[A]:MET:CE	2.21	0.52
1:B:332:LYS:HG3	1:B:332:LYS:O	2.10	0.52
1:B:291:LYS:HE2	1:B:293:THR:CG2	2.40	0.52
1:A:161:GLU:CD	3:A:2104:HOH:O	2.47	0.52
1:A:12:LYS:HB3	1:A:13:PRO:HD3	1.91	0.51
1:B:296:ASN:HB2	1:B:297:PRO:CD	2.40	0.51
1:B:217:GLN:NE2	1:B:226[A]:HIS:HE1	2.06	0.51
1:B:184:ILE:HG22	1:B:184:ILE:O	2.11	0.51
1:B:338:MET:HE3	1:B:347:VAL:HG21	1.92	0.51
1:B:168:ARG:NH2	1:B:245:ARG:NH2	2.60	0.50
1:A:21:LEU:HG	1:A:22:GLY:N	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:21:LEU:HG	1:A:22:GLY:H	1.78	0.49
1:B:365:ARG:O	2:C:10:ARG:HB3	2.12	0.49
1:A:27:LEU:HB2	1:A:30:LEU:HG	1.94	0.48
1:A:153:TYR:H	1:A:153:TYR:HD1	1.60	0.48
1:B:33:LEU:HG	1:B:72:ALA:CB	2.43	0.48
1:B:126:VAL:HG12	1:B:218:ILE:HB	1.93	0.48
1:A:153:TYR:CD1	1:A:153:TYR:N	2.81	0.48
1:A:20:PRO:O	1:A:21:LEU:HB2	2.13	0.47
1:B:214:LEU:HD11	1:B:225:ALA:HB1	1.97	0.47
1:B:252:PRO:HB2	1:B:339:MET:HB3	1.97	0.47
1:B:282:ARG:NH1	1:B:316:GLU:OE1	2.48	0.46
1:B:318:GLY:HA3	1:B:366:LEU:CD2	2.45	0.46
1:A:25:PRO:O	1:A:26:THR:O	2.34	0.46
1:A:193:VAL:HB	1:A:236:LEU:HD13	1.96	0.46
1:A:267:PHE:CE1	1:A:281:VAL:HG21	2.51	0.45
1:B:252:PRO:O	1:B:255:HIS:CE1	2.70	0.45
1:A:132:GLN:HG3	1:A:212:ASN:O	2.16	0.45
1:B:196:PRO:HG3	1:B:237:VAL:HG23	1.99	0.45
1:B:165:GLU:HA	1:B:186:GLN:O	2.16	0.45
1:B:241:PHE:HA	1:B:242:PRO:HD3	1.87	0.45
1:B:235:LYS:HE2	3:B:2161:HOH:O	2.16	0.45
1:B:12:LYS:HB3	1:B:13:PRO:HD3	1.99	0.45
1:B:285:VAL:HG12	1:B:310:TYR:CD2	2.52	0.45
1:A:346:SER:HA	1:A:363:PRO:HD3	1.99	0.45
1:A:288:ASN:ND2	1:A:310:TYR:H	2.11	0.44
1:B:226[B]:HIS:CD2	1:B:231:ILE:HG12	2.52	0.44
1:B:161:GLU:CD	1:B:168:ARG:NH2	2.64	0.44
1:B:184:ILE:O	1:B:184:ILE:CG2	2.65	0.44
1:A:26:THR:HG22	1:A:27:LEU:N	2.33	0.44
1:B:244:TYR:O	1:B:248:LEU:HG	2.18	0.44
1:B:226[B]:HIS:HD2	1:B:230:PHE:O	2.01	0.43
1:A:250:LYS:HG3	3:A:2146:HOH:O	2.17	0.43
1:A:282:ARG:HD3	1:A:316:GLU:HG2	2.01	0.43
1:B:147:ALA:HB1	1:B:150:ASP:HB2	2.00	0.43
1:B:152:ARG:HD3	1:B:152:ARG:H	1.83	0.43
1:B:365:ARG:O	2:C:10:ARG:CB	2.66	0.43
1:A:206:MET:HG3	1:A:227:VAL:HG21	2.00	0.43
1:A:282:ARG:HH21	1:A:366:LEU:CB	2.30	0.43
1:B:150:ASP:OD1	1:B:151:VAL:N	2.52	0.43
1:B:291:LYS:HE3	1:B:303:GLU:CD	2.39	0.43
1:B:226[B]:HIS:CD2	1:B:230:PHE:O	2.72	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:136:LYS:HG3	1:A:204:MET:HE2	2.01	0.42
1:A:56:ARG:HG3	3:A:2027:HOH:O	2.20	0.42
1:A:143:GLN:OE1	1:A:201:ILE:HD13	2.19	0.42
1:A:153:TYR:CE2	1:A:238:ASP:O	2.73	0.42
1:A:137:ARG:HH11	1:A:141:ALA:HB2	1.85	0.42
1:B:130:LEU:HD21	1:B:214:LEU:HD23	2.01	0.42
1:B:214:LEU:HD13	1:B:227:VAL:CG2	2.50	0.42
1:B:197:ARG:HH21	1:B:198:LYS:NZ	2.18	0.42
1:A:19:GLY:C	1:A:205:ARG:HH12	2.22	0.42
1:B:249:PRO:HD2	1:B:348:GLN:NE2	2.28	0.42
1:A:256:LEU:C	1:A:256:LEU:HD23	2.40	0.41
1:A:135:MET:HG3	1:A:207:LEU:HD21	2.02	0.41
1:A:252:PRO:O	1:A:255:HIS:CE1	2.74	0.41
1:A:137:ARG:NH1	1:A:141:ALA:HB2	2.36	0.41
1:B:11:LEU:HD13	1:B:79[B]:CYS:SG	2.61	0.41
1:B:144:PHE:CD2	1:B:326:ASP:HB3	2.56	0.41
1:A:44:LEU:HD22	1:A:44:LEU:N	2.36	0.41
1:A:196:PRO:HG2	3:A:2139:HOH:O	2.21	0.41
1:A:320:ASN:CB	1:A:364[A]:MET:HE3	2.42	0.41
1:B:224:ARG:HG2	1:B:226[A]:HIS:CE1	2.56	0.41
1:A:19:GLY:CA	1:A:205:ARG:HH12	2.34	0.41
1:A:19:GLY:O	1:A:21:LEU:N	2.54	0.41
1:B:362:MET:HG3	2:C:12:LEU:HB2	2.03	0.41
1:B:366:LEU:HD22	1:B:366:LEU:N	2.36	0.41
1:A:143:GLN:OE1	1:A:201:ILE:CD1	2.69	0.40
1:A:150:ASP:H	1:A:156:ASN:ND2	2.13	0.40
1:A:214:LEU:HD11	1:A:225:ALA:HB1	2.03	0.40
1:B:291:LYS:HE2	1:B:293:THR:HG21	2.03	0.40
1:A:197:ARG:O	1:A:201:ILE:HG12	2.22	0.40
1:A:296:ASN:HB2	1:A:297:PRO:CD	2.52	0.40
1:A:282:ARG:HD3	1:A:316:GLU:CG	2.52	0.40
1:B:208:ASP:OD2	1:B:210:GLY:HA3	2.22	0.40
1:B:217:GLN:NE2	1:B:226[A]:HIS:CE1	2.88	0.40
1:B:241:PHE:CD1	1:B:242:PRO:HD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	369/366 (101%)	356 (96%)	10 (3%)	3 (1%)	19	5
1	B	367/366 (100%)	359 (98%)	8 (2%)	0	100	100
2	C	5/16 (31%)	4 (80%)	1 (20%)	0	100	100
All	All	741/748 (99%)	719 (97%)	19 (3%)	3 (0%)	34	16

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	26	THR
1	A	20	PRO
1	A	19	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/313 (102%)	307 (96%)	11 (4%)	36	11
1	B	316/313 (101%)	310 (98%)	6 (2%)	57	34
2	C	6/15 (40%)	6 (100%)	0	100	100
All	All	640/641 (100%)	623 (97%)	17 (3%)	44	19

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LEU
1	A	56	ARG
1	A	96	ARG
1	A	137	ARG
1	A	153	TYR
1	A	176	ARG
1	A	212	ASN
1	A	215	ARG
1	A	238	ASP
1	A	278	PHE
1	A	282	ARG
1	B	96	ARG
1	B	121	ASP
1	B	137	ARG
1	B	167	LEU
1	B	176	ARG
1	B	211	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	156	ASN
1	A	212	ASN
1	A	255	HIS
1	A	288	ASN
1	A	295	ASN
1	A	320	ASN
1	A	329	ASN
1	A	348	GLN
1	B	16	GLN
1	B	36	GLN
1	B	91	GLN
1	B	123	GLN
1	B	156	ASN
1	B	175	HIS
1	B	186	GLN
1	B	217	GLN
1	B	255	HIS
1	B	329	ASN
1	B	348	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	366/366 (100%)	0.27	21 (5%) 23 23	11, 20, 43, 79	0
1	B	366/366 (100%)	0.20	21 (5%) 23 23	10, 21, 42, 51	1 (0%)
2	C	7/16 (43%)	1.30	1 (14%) 2 2	25, 26, 34, 39	7 (100%)
All	All	739/748 (98%)	0.24	43 (5%) 23 22	10, 21, 43, 79	8 (1%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	21	LEU	21.5
1	A	24	ARG	10.1
1	A	23	GLY	9.9
1	B	22	GLY	6.6
1	B	366	LEU	6.6
1	A	22	GLY	6.5
1	A	19	GLY	5.6
1	A	20	PRO	5.4
1	A	209	GLY	4.6
1	A	27	LEU	4.5
1	B	209	GLY	4.5
1	B	240	ARG	4.4
1	A	25	PRO	4.3
1	A	26	THR	4.1
1	B	211	ASP	4.0
1	B	24	ARG	4.0
1	A	120	ASP	3.5
1	A	118	ASN	3.4
1	B	148	HIS	3.1
1	B	39	ASP	3.1
1	A	211	ASP	3.1
1	B	23	GLY	3.1
1	B	332	LYS	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	121	ASP	3.0
1	B	250	LYS	2.8
2	C	10	ARG	2.8
1	B	246	ARG	2.7
1	B	121	ASP	2.7
1	A	240	ARG	2.6
1	A	207	LEU	2.6
1	B	238	ASP	2.6
1	A	208	ASP	2.4
1	A	153	TYR	2.3
1	B	247	VAL	2.3
1	A	148	HIS	2.3
1	A	151	VAL	2.2
1	B	151	VAL	2.2
1	B	153	TYR	2.1
1	B	253	ASP	2.1
1	B	149	GLN	2.0
1	A	210	GLY	2.0
1	B	212	ASN	2.0
1	B	365	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.