



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 06:49 pm GMT

PDB ID : 2OMT
Title : Crystal structure of InlA G194S+S/hEC1 complex
Authors : Wollert, T.; Heinz, D.W.; Schubert, W.D.
Deposited on : 2007-01-23
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	7193 (2.00-2.00)
Clashscore	122126	8267 (2.00-2.00)
Ramachandran outliers	120053	8166 (2.00-2.00)
Sidechain outliers	120020	8165 (2.00-2.00)
RSRZ outliers	108989	7011 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	462	
2	B	105	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5119 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Internalin-A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	462	3624	2267	602	753	2	0	16	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	194	SER	GLY	ENGINEERED	UNP P25146
A	195	SER	ASN	ENGINEERED	UNP P25146

- Molecule 2 is a protein called Epithelial-cadherin; E-Cad/CTF1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	105	891	566	152	171	2	0	10	1

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-3	GLY	-	EXPRESSION TAG	UNP P12830
B	-2	PRO	-	EXPRESSION TAG	UNP P12830
B	-1	LEU	-	EXPRESSION TAG	UNP P12830
B	0	GLY	-	EXPRESSION TAG	UNP P12830
B	1	SER	-	EXPRESSION TAG	UNP P12830

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cl 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	491	Total O 495 495	0	4
5	B	107	Total O 107 107	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Internalin-A



- Molecule 2: Epithelial-cadherin; E-Cad/CTF1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.24Å 88.47Å 110.49Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.00 19.99 – 2.00	Depositor EDS
% Data completeness (in resolution range)	96.5 (40.00-2.00) 96.6 (19.99-2.00)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 2.01Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.194 , 0.283 0.197 , 0.284	Depositor DCC
R_{free} test set	1800 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	16.6	Xtrriage
Anisotropy	0.087	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 43.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5119	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.05	3/3677 (0.1%)	1.08	13/5031 (0.3%)
2	B	1.09	2/911 (0.2%)	0.94	1/1237 (0.1%)
All	All	1.06	5/4588 (0.1%)	1.06	14/6268 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	39	THR	C-N	-8.99	1.13	1.34
2	B	69	GLU	CG-CD	6.67	1.61	1.51
2	B	22	VAL	CB-CG1	6.39	1.66	1.52
1	A	491	VAL	CB-CG2	6.02	1.65	1.52
1	A	461	TRP	CE3-CZ3	5.22	1.47	1.38

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	40	GLN	N-CA-CB	9.16	127.08	110.60
1	A	39	THR	O-C-N	-8.74	108.72	122.70
1	A	39	THR	N-CA-C	6.51	128.58	111.00
1	A	156	ASP	CB-CG-OD2	-6.49	112.46	118.30
1	A	171	LEU	CA-CB-CG	6.35	129.90	115.30
1	A	39	THR	CA-C-N	6.20	130.84	117.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	257	LEU	CB-CG-CD2	-5.86	101.04	111.00
1	A	40	GLN	N-CA-C	-5.76	95.44	111.00
1	A	116	LEU	CA-CB-CG	5.41	127.75	115.30
1	A	301	LEU	CB-CG-CD2	-5.33	101.94	111.00
2	B	44	ASP	CB-CG-OD1	5.18	122.97	118.30
1	A	144	LEU	CB-CG-CD1	-5.15	102.24	111.00
1	A	276	LEU	CB-CG-CD2	5.15	119.75	111.00
1	A	303	LEU	CB-CG-CD2	-5.04	102.43	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	54	GLU	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3624	0	3690	93	0
2	B	891	0	894	35	0
3	A	1	0	0	0	0
4	A	1	0	0	0	0
5	A	495	0	0	27	2
5	B	107	0	0	11	1
All	All	5119	0	4584	125	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:70[A]:ARG:NH1	5:B:178:HOH:O	1.78	1.14
2:B:25[B]:LYS:HE3	2:B:29:ASP:OD2	1.55	1.05

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:7:ILE:HD12	2:B:94[A]:ILE:CG2	1.94	0.97
1:A:242:ILE:HG23	5:A:1090:HOH:O	1.68	0.92
1:A:329:GLN:NE2	5:A:1020:HOH:O	2.04	0.90
1:A:129:ASN:HB2	5:A:1051:HOH:O	1.71	0.89
1:A:112:ASP:OD1	1:A:114:THR:HG23	1.71	0.88
1:A:45:ASN:HD21	1:A:67:THR:HG22	1.39	0.88
1:A:366:ARG:HG2	1:A:388:TRP:HB2	1.57	0.85
2:B:25[B]:LYS:CE	2:B:29:ASP:OD2	2.29	0.79
1:A:89:LYS:HE2	5:A:1091:HOH:O	1.82	0.78
1:A:197:GLN:HG3	5:A:839:HOH:O	1.84	0.77
2:B:25[A]:LYS:NZ	5:B:176:HOH:O	1.60	0.77
2:B:25[B]:LYS:CE	5:B:140:HOH:O	2.33	0.74
2:B:7:ILE:HD12	2:B:94[A]:ILE:HG21	1.68	0.73
1:A:98:ASN:HB2	5:A:995:HOH:O	1.87	0.73
1:A:45:ASN:HB3	1:A:66[B]:VAL:HG12	1.72	0.71
2:B:70[B]:ARG:NH1	5:B:106:HOH:O	2.09	0.69
1:A:43:PRO:HG2	1:A:46:GLN:NE2	2.08	0.68
2:B:7:ILE:CD1	2:B:94[A]:ILE:HG21	2.23	0.68
1:A:320:LEU:HD12	1:A:339:LEU:HD13	1.75	0.67
1:A:36:ALA:N	5:A:1022:HOH:O	2.30	0.65
1:A:165:ASN:OD1	5:A:865:HOH:O	2.13	0.65
1:A:318:THR:O	5:A:612:HOH:O	2.14	0.65
1:A:377[B]:VAL:HG22	1:A:380:LEU:HD12	1.78	0.65
1:A:227:ALA:HB3	5:A:1031:HOH:O	1.97	0.64
2:B:70[B]:ARG:NE	5:B:193:HOH:O	2.20	0.63
1:A:178:ASP:OD1	1:A:180:SER:OG	2.17	0.63
1:A:356:SER:HA	5:A:1010:HOH:O	1.98	0.63
2:B:41[B]:GLN:HE22	2:B:75:THR:H	1.44	0.62
2:B:41[A]:GLN:HG3	5:B:191:HOH:O	1.99	0.62
1:A:377[B]:VAL:HG13	1:A:402:LEU:HD21	1.82	0.61
1:A:45:ASN:ND2	1:A:67:THR:HG22	2.12	0.61
1:A:117:LYS:HD2	5:A:1083:HOH:O	2.02	0.60
1:A:359:SER:O	1:A:382[B]:ASN:ND2	2.35	0.59
1:A:75:LEU:HB2	5:A:1075:HOH:O	2.03	0.58
1:A:211:GLU:OE1	5:A:1001:HOH:O	2.17	0.57
2:B:7:ILE:CD1	2:B:94[A]:ILE:CG2	2.76	0.57
1:A:373:LYS:HE3	5:A:876:HOH:O	2.03	0.57
1:A:285:GLN:OE1	5:A:638:HOH:O	2.18	0.57
2:B:1:SER:HB3	2:B:27:ASN:HB2	1.87	0.56
1:A:179:ILE:HB	1:A:182:LEU:HD12	1.86	0.56
1:A:143:ASN:O	5:A:1048:HOH:O	2.18	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:179:ILE:HB	1:A:182:LEU:CD1	2.36	0.55
1:A:414[B]:ASN:ND2	1:A:414[B]:ASN:H	2.04	0.55
2:B:25[B]:LYS:HE2	5:B:140:HOH:O	2.02	0.55
1:A:342:LEU:HD12	1:A:361:LEU:HD13	1.89	0.55
1:A:332[B]:ASP:OD1	1:A:332[B]:ASP:C	2.42	0.54
1:A:213[B]:LEU:HD21	1:A:215:ILE:HG23	1.89	0.54
1:A:380:LEU:HB3	5:A:1064:HOH:O	2.07	0.54
1:A:393:HIS:ND1	1:A:393:HIS:O	2.40	0.54
1:A:157:ILE:HD11	1:A:179:ILE:HA	1.89	0.53
1:A:199[A]:THR:HG22	1:A:219[A]:LYS:HB2	1.91	0.53
1:A:126:LEU:HA	1:A:148:THR:HB	1.90	0.53
1:A:408:ILE:HG22	1:A:483:GLY:HA3	1.91	0.53
1:A:67:THR:OG1	5:A:1077:HOH:O	2.19	0.52
2:B:76:LEU:HB2	2:B:94[B]:ILE:HG13	1.90	0.52
1:A:425:TYR:H	1:A:497:ALA:N	2.07	0.52
2:B:41[A]:GLN:HG2	2:B:46:PRO:O	2.08	0.52
1:A:91:ILE:O	1:A:94:VAL:HG12	2.10	0.52
1:A:170:GLU:HG2	2:B:17:PHE:O	2.10	0.52
2:B:95:LEU:HD12	5:B:139:HOH:O	2.09	0.51
1:A:54:ALA:HB1	1:A:66[B]:VAL:HG13	1.91	0.50
1:A:113:ILE:HB	1:A:116:LEU:HD22	1.93	0.50
1:A:360:SER:O	5:A:634:HOH:O	2.18	0.50
1:A:423:VAL:O	1:A:495:LEU:HA	2.11	0.49
1:A:43:PRO:HG3	5:A:803:HOH:O	2.12	0.49
1:A:97:LEU:HD12	1:A:100:LEU:HD11	1.93	0.49
1:A:366:ARG:HG2	1:A:388:TRP:CB	2.34	0.49
1:A:358:VAL:HG22	5:A:1010:HOH:O	2.13	0.48
2:B:67:ASP:HB3	2:B:70[B]:ARG:HB2	1.96	0.48
2:B:71:ILE:HG22	2:B:73[A]:THR:O	2.14	0.48
1:A:158:ASP:O	1:A:161:LYS:HG2	2.14	0.48
1:A:359:SER:HB3	1:A:379[B]:SER:HB2	1.96	0.48
1:A:44:ILE:HB	1:A:66[B]:VAL:O	2.14	0.47
1:A:377[B]:VAL:CG1	1:A:402:LEU:HD21	2.43	0.47
1:A:399:LEU:HD11	1:A:487:PHE:CD2	2.49	0.47
1:A:54:ALA:HB1	1:A:66[B]:VAL:CG1	2.45	0.47
1:A:111:THR:HG22	1:A:131:GLN:HB2	1.96	0.47
1:A:395:GLN:HG2	1:A:417:ALA:O	2.16	0.46
1:A:56:LYS:HE2	1:A:82:GLN:O	2.15	0.46
1:A:45:ASN:HB3	1:A:66[B]:VAL:CG1	2.44	0.46
1:A:455:THR:O	1:A:456:GLU:C	2.53	0.46
1:A:75:LEU:CB	5:A:1075:HOH:O	2.62	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:7:ILE:HD12	2:B:94[A]:ILE:HG23	1.87	0.46
1:A:136:THR:N	1:A:137:PRO:CD	2.79	0.45
1:A:44:ILE:HD13	1:A:58:LYS:HA	1.98	0.45
2:B:43:ALA:HB2	2:B:76:LEU:HD22	1.98	0.45
1:A:259:LEU:HD13	1:A:264:LEU:HD11	1.98	0.45
1:A:111:THR:HG22	1:A:131:GLN:O	2.16	0.45
1:A:459:ILE:HD13	1:A:472:TYR:CD1	2.51	0.45
1:A:229:LEU:HB3	1:A:232:LEU:HG	1.98	0.45
2:B:41[A]:GLN:CG	2:B:46:PRO:O	2.65	0.45
2:B:57:THR:HG1	2:B:59:TRP:HD1	1.62	0.45
1:A:366:ARG:HD2	2:B:6:PRO:HD3	1.98	0.45
1:A:266:ASP:OD1	1:A:266:ASP:C	2.55	0.44
2:B:32:GLY:HA2	2:B:33[B]:LYS:HE2	1.98	0.44
2:B:4:ILE:HA	2:B:5:PRO:HD3	1.72	0.44
1:A:113:ILE:O	1:A:116:LEU:HB2	2.17	0.44
1:A:414[B]:ASN:HD22	1:A:414[B]:ASN:H	1.64	0.44
1:A:153:GLN:HE21	1:A:153:GLN:HB2	1.66	0.44
1:A:114:THR:HA	1:A:137:PRO:HB3	1.99	0.44
1:A:418:TRP:CE2	1:A:491:VAL:HG22	2.53	0.44
1:A:73:THR:O	1:A:77:GLN:HG2	2.16	0.44
2:B:25[B]:LYS:NZ	5:B:140:HOH:O	1.96	0.44
1:A:366:ARG:HG2	1:A:388:TRP:CG	2.52	0.43
1:A:207:LEU:HA	5:A:1087:HOH:O	2.18	0.43
1:A:82:GLN:HE22	1:A:102:GLN:HE22	1.66	0.43
1:A:66[B]:VAL:HG23	5:A:791:HOH:O	2.17	0.43
1:A:331[B]:GLU:CD	1:A:351:ASN:ND2	2.72	0.43
1:A:331[B]:GLU:CG	1:A:351:ASN:ND2	2.82	0.43
2:B:78:SER:O	2:B:91:PRO:HA	2.19	0.43
1:A:194:SER:HA	1:A:216:SER:O	2.19	0.42
1:A:138:LEU:CD2	1:A:141:LEU:HD12	2.49	0.42
2:B:25[B]:LYS:HG2	2:B:26:SER:N	2.34	0.42
1:A:123:VAL:CG1	5:A:1082:HOH:O	2.67	0.42
1:A:424:ASN:HB3	5:A:874:HOH:O	2.17	0.42
1:A:274:THR:O	1:A:297:LYS:HD2	2.19	0.42
1:A:390:SER:HB2	2:B:-1:LEU:HD21	2.02	0.42
1:A:138:LEU:HD23	1:A:141:LEU:HD12	2.01	0.42
1:A:41:ASP:HB3	1:A:69:THR:HB	2.01	0.42
2:B:33[A]:LYS:HD2	5:B:159:HOH:O	2.19	0.41
2:B:77:PHE:HA	2:B:92:MET:O	2.20	0.41
1:A:142:THR:O	1:A:165:ASN:ND2	2.52	0.40
2:B:101:GLN:N	5:B:171:HOH:O	2.55	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:844:HOH:O	5:A:1018:HOH:O[2_565]	2.18	0.02
5:A:1073:HOH:O	5:B:182:HOH:O[4_556]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	476/462 (103%)	423 (89%)	52 (11%)	1 (0%)	49	46
2	B	113/105 (108%)	106 (94%)	7 (6%)	0	100	100
All	All	589/567 (104%)	529 (90%)	59 (10%)	1 (0%)	49	46

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	481	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	433/417 (104%)	414 (96%)	19 (4%)	31	27
2	B	101/92 (110%)	97 (96%)	4 (4%)	34	31
All	All	534/509 (105%)	511 (96%)	23 (4%)	30	28

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	SER
1	A	91	ILE
1	A	116	LEU
1	A	129	ASN
1	A	140	ASN
1	A	142	THR
1	A	153	GLN
1	A	167	ASN
1	A	170	GLU
1	A	180	SER
1	A	197	GLN
1	A	221	SER
1	A	229	LEU
1	A	272	SER
1	A	297	LYS
1	A	336	ILE
1	A	386	ILE
1	A	468	ASN
1	A	469	GLU
2	B	31	GLU
2	B	54	GLU
2	B	95	LEU
2	B	100	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	40	GLN
1	A	46	GLN
1	A	65	ASN
1	A	72	GLN
1	A	77	GLN
1	A	82	GLN
1	A	107	ASN
1	A	131	GLN
1	A	153	GLN
1	A	285	GLN
1	A	365	GLN
1	A	395	GLN
1	A	424	ASN
2	B	86	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	39:THR	C	40:GLN	N	1.13

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	462/462 (100%)	-0.34	1 (0%) 94 94	9, 16, 30, 48	0
2	B	105/105 (100%)	-0.12	3 (2%) 51 51	9, 19, 30, 38	0
All	All	567/567 (100%)	-0.30	4 (0%) 87 87	9, 16, 31, 48	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	39	THR	3.7
2	B	100	ASP	2.3
2	B	8[A]	SER	2.3
2	B	55[A]	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CA	A	601	1/1	0.97	0.06	24,24,24,24	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	CL	A	602	1/1	0.98	0.04	17,17,17,17	0

6.5 Other polymers [i](#)

There are no such residues in this entry.