

# Full wwPDB X-ray Structure Validation Report (i)

### Jun 17, 2024 – 05:54 AM EDT

PDB ID	:	50QQ
Title	:	Crystal structure of the S. cerevisiae condensin Ycg1-Brn1 subcomplex
Authors	:	Kschonsak, M.; Hassler, M.; Haering, C.H.
Deposited on	:	2017-08-14
Resolution	:	2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	3140 (2.80-2.80)
Clashscore	141614	3569(2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length			Quality	of chain	L		
1	А	871	7%		80%			11%	9%
1	В	871	2%		88%				6% • 5%
2	С	152	.%	39%	••		58%		
2	D	152	3%	559	%	8%		37%	



# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 28987 atoms, of which 14578 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Condensin complex subunit 3.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	А	792	Total 12884	C 4080	H 6506	N 1079	O 1190	S 29	0	0	0
1	В	824	Total 13380	C 4230	Н 6742	N 1123	O 1256	S 29	0	0	0

Chain	Residue	Modelled	Actual	$\mathbf{Comment}$	Reference
А	5	MET	-	initiating methionine	UNP Q06680
A	?	-	GLN	GLN deletion	
A	?	-	GLU	deletion	UNP Q06680
А	?	-	GLU	deletion	UNP Q06680
А	?	-	LYS	deletion	UNP Q06680
А	?	-	ILE	deletion	UNP Q06680
А	?	-	LYS	deletion	UNP Q06680
А	?	-	SER	deletion	UNP Q06680
А	?	-	LYS	deletion	UNP Q06680
А	?	-	LYS	deletion	UNP Q06680
А	?	-	ILE	deletion	UNP Q06680
А	?	-	ASN	deletion	UNP Q06680
А	?	-	ARG	deletion	UNP Q06680
А	?	-	ARG	deletion	UNP Q06680
А	?	-	ASN	deletion	UNP Q06680
А	?	-	GLU	deletion	UNP Q06680
А	?	-	THR	deletion	UNP Q06680
А	?	-	SER	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680
А	?	-	ASP	deletion	UNP Q06680
А	?	-	GLU	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	ASP	deletion	UNP Q06680
A	?	_	GLU	deletion	UNP Q06680
A	?	_	ASN	deletion	UNP Q06680

There are 116 discrepancies between the modelled and reference sequences:



50	QQ
	-0 -0

Chain	<b>Besidue</b>	due Modelled Actual Comment			
	?	Wibucheu		deletion	UNP O06680
	· · · · · · · · · · · · · · · · · · ·	_	THR	deletion	UNP 006680
	2	-		HIS deletion I	
	2	-	ACN deletion L		UNI Q00080
	2	-	ASN	deletion	UNI Q00080
	2	-	CLU	deletion	UNI Q00080
	2	-	UAT GLU	deletion	UNI Q00080
	2	-	VAL	deletion	UNI Q00080
	2	-	CLU	deletion	UNI Q00080
	2	-		deletion	UNI Q00080 UNP Q06680
	2	-	CLU	deletion	UNI Q00080
A	2	-	GLU	deletion	$\frac{\text{UNF}}{\text{UND}} = \frac{000080}{000000000000000000000000000000$
A	2	-		deletion	UNF Q00080
A	:	-	ASP	deletion	$\frac{\text{UNP}}{\text{UNP}} = \frac{000080}{000000000000000000000000000000$
A	:	-	ASP	deletion	$\frac{\text{UNP}}{\text{UND}} \frac{000080}{006680}$
A		-	ASN	deletion	UNP Q00080
A	: 2	-	ILE CED	deletion	UNP Q06680
A	:	-	SER	deletion	UNP Q00680
A	:	-	SER	deletion	UNP Q06680
A	<u> </u>	-	PHE	deletion	UNP Q06680
A	:	-	HIS	deletion	UNP Q06680
A	?	-	SER	deletion	UNP Q06680
A	:	-	ALA	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680
A	?	-	GLU	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	LEU	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680
A	?	-	GLN	deletion	UNP Q06680
A	?	-	GLY	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	GLY	deletion	UNP Q06680
A	?	-	ASN	deletion	UNP Q06680
A	?	-	VAL	deletion	UNP Q06680
B	5	ME'T	-	initiating methionine	UNP Q06680
B	?	-	GLN	deletion	UNP Q06680
B	?	-	GLU	GLU deletion	
B	?	-	GLU	deletion	UNP Q06680
В	?	-	LYS	deletion	UNP Q06680
В	?	-	ILE	deletion	UNP Q06680
В	?	-	LYS	deletion	UNP Q06680
В	?	-	SER	deletion	UNP Q06680
В	?	-	LYS	deletion	UNP Q06680



50	00
00	જજ

Chain	Residue	Modelled	Actual	Comment	Reference
В	?	_	LYS	deletion	UNP Q06680
B	?	_	ILE	deletion	UNP Q06680
B	?	_	ASN	deletion	UNP Q06680
B	?	_	ARG	deletion	UNP Q06680
B	?	_	ARG	deletion	UNP Q06680
В	?	_	ASN	deletion	UNP Q06680
В	?	_	GLU	deletion	UNP Q06680
В	?	_	THR	deletion	UNP Q06680
В	?	_	SER	deletion	UNP Q06680
В	?	_	VAL	deletion	UNP Q06680
В	?	_	ASP	deletion	UNP Q06680
В	?	_	GLU	deletion	UNP Q06680
В	?	_	GLU	deletion	UNP Q06680
В	?	-	ASP	deletion	UNP Q06680
В	?	-	GLU	deletion	UNP Q06680
В	?	-	ASN	deletion	UNP Q06680
В	?	-	GLY	deletion	UNP Q06680
В	?	-	THR	deletion	UNP Q06680
В	?	-	HIS	deletion	UNP Q06680
В	?	-	ASN	deletion	UNP Q06680
В	?	-	ASP	deletion	UNP Q06680
В	?	-	GLU	deletion	UNP Q06680
В	?	-	VAL	deletion	UNP Q06680
В	?	-	ASN	deletion	UNP Q06680
В	?	-	GLU	deletion	UNP Q06680
В	?	-	ASP	deletion	UNP Q06680
В	?	-	GLU	deletion	UNP Q06680
В	?	-	GLU	deletion	UNP Q06680
В	?	-	ASP	deletion	UNP Q06680
В	?	-	ASP	deletion	UNP Q06680
В	?	-	ASN	deletion	UNP Q06680
В	?	-	ILE	deletion	UNP Q06680
В	?	-	SER	deletion	UNP Q06680
В	?	-	SER	deletion	UNP Q06680
В	?	-	PHE	deletion	UNP Q06680
В	?	-	HIS	deletion	UNP Q06680
B	?	-	SER	deletion	UNP Q06680
В	?	-	ALA	deletion	UNP Q06680
В	?	-	VAL	deletion	UNP Q06680
B	?	-	GLU	deletion	UNP Q06680
В	?	-	ASN	deletion	UNP Q06680
В	?	-	LEU	deletion	UNP Q06680



Chain	Residue	Modelled	Actual	Comment	Reference
В	?	-	VAL	deletion	UNP Q06680
В	?	-	GLN	deletion	UNP Q06680
В	?	-	GLY	deletion	UNP Q06680
В	?	-	ASN	deletion	UNP Q06680
В	?	-	GLY	deletion	UNP Q06680
В	?	-	ASN	deletion	UNP Q06680
В	?	-	VAL	deletion	UNP Q06680

• Molecule 2 is a protein called Condensin complex subunit 2.

Mol	Chain	Residues		Atoms						AltConf	Trace
2	D	96	Total 1625	C 528	Н 799	N 147	0 148	${ m S} { m 3}$	0	0	0
2	С	64	Total 1066	C 343	Н 531	N 91	O 99	S 2	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	378	GLY	-	expression tag	UNP P38170
D	379	PRO	-	expression tag	UNP P38170
D	380	LEU	-	expression tag	UNP P38170
D	381	GLY	-	expression tag	UNP P38170
D	382	HIS	-	expression tag	UNP P38170
D	383	MET	-	expression tag	UNP P38170
С	378	GLY	-	expression tag	UNP P38170
С	379	PRO	-	expression tag	UNP P38170
С	380	LEU	-	expression tag	UNP P38170
С	381	GLY	-	expression tag	UNP P38170
С	382	HIS	-	expression tag	UNP P38170
С	383	MET	-	expression tag	UNP P38170

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	19	Total O 19 19	0	0
3	В	9	Total O 9 9	0	0
3	D	4	Total O 4 4	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Condensin complex subunit 3

#### LEU GLY ASN

• Molecule 2: Con-	densin complex su	ıbunit 2		
Chain D:	55%	8%	37%	-
GLY PR0 LEU GLY HIS MET <b>385</b> F385 F385 F385 F385 F385 F385 F385 F385	N399 N400 N402 N402 N410 N411 PHE PHE LYS LYS	ALIS ALSU ASN LEU VAL LEV GLU SER ASP LEU LEU	GLU GLU GLU THR THR THR THR GLY GLY ASP ASP ASP ASP THR THR THR	ASP ASP LYS SER MET ASP
THR LYS LYS LYS LYS LYS VAL VAL VAL <b>L459</b>	N489 1497 1497 1509 1509 1510 1511 1511 1522 1522 1522	HI IS THR THR		
• Molecule 2: Con-	densin complex su	ıbunit 2		
Chain C:	39% •		58%	-
GLY PRO CLY CLY CLY HIS MET SER TLE CLU CLU CYS ASP LYS MET	ALA TYR PHE ASP GLU GLU ASN LEU ASN ARG ARG	ARG ARG GLU HIS TRP LYS ARG ARG ARG ARG CYS LYS	ALA ASN ASN LEU VEL VS ASN CVS GLU CLU CLU CLU CLU CLU CLU CLU CLU CLU	THR ILE GLY ASP THR THR
ASP LYS LYS THR THR THR ASP ASP ASP SER SER ASP ASP THR THR TTR SER SER ASP	LYS LYS GLN GLN GLN GLN GLN G478 S477 K478 C478 G479	Decision of the second	THR	



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants	185.53Å 185.53Å 148.32Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	47.25 - 2.79	Depositor
Resolution (A)	47.25 - 2.79	EDS
% Data completeness	$100.0 \ (47.25-2.79)$	Depositor
(in resolution range)	$100.0 \ (47.25-2.79)$	EDS
R <sub>merge</sub>	0.14	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.44 (at 2.77 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
P. P.	0.205 , $0.249$	Depositor
$n, n_{free}$	0.206 , $0.252$	DCC
$R_{free}$ test set	1988 reflections $(2.71\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	74.1	Xtriage
Anisotropy	0.023	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.38 , $49.3$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	0.024 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	28987	wwPDB-VP
Average B, all atoms $(Å^2)$	88.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.14% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
	Ullaili	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.24	0/6472	0.40	0/8742
1	В	0.24	0/6740	0.40	0/9113
2	С	0.25	0/547	0.48	0/732
2	D	0.25	0/847	0.43	0/1133
All	All	0.24	0/14606	0.40	0/19720

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	6378	6506	6531	60	0
1	В	6638	6742	6744	36	0
2	С	535	531	531	5	0
2	D	826	799	799	9	0
3	А	19	0	0	1	0
3	В	9	0	0	2	0
3	D	4	0	0	2	0
All	All	14409	14578	14605	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash



magnitude.

A + a 1	A + 2	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:B:403:ASN:OD1	1:B:403:ASN:N	2.17	0.75	
1:A:861:SER:O	1:A:864:GLN:NE2	2.21	0.73	
1:A:793:ARG:HG2	1:A:795:ALA:H	1.54	0.72	
1:A:287:ARG:NH1	2:C:501:ASP:OD1	2.24	0.70	
1:A:722:ASP:OD1	1:A:764:ARG:NH1	2.25	0.70	
1:A:771:ASP:OD2	1:A:775:ARG:NH1	2.27	0.68	
1:A:277:ASP:OD2	1:A:323:SER:OG	2.09	0.68	
2:D:405:ARG:O	3:D:601:HOH:O	2.12	0.67	
1:A:237:ARG:NH1	1:A:270:ASP:O	2.29	0.66	
1:B:477:ASP:OD2	3:B:1001:HOH:O	2.13	0.65	
1:A:783:LEU:HD23	1:A:793:ARG:HB3	1.79	0.65	
1:A:824:LYS:HZ2	1:A:864:GLN:N	1.95	0.64	
1:A:720:THR:OG1	1:A:764:ARG:NH2	2.30	0.64	
1:A:399:ARG:NH2	1:A:419:GLU:OE2	2.31	0.64	
2:D:489:ASN:O	3:D:602:HOH:O	2.16	0.62	
1:B:786:SER:O	1:B:793:ARG:NH1	2.35	0.60	
1:A:726:GLU:OE2	1:A:775:ARG:NH1	2.33	0.60	
1:B:739:SER:OG	3:B:1002:HOH:O	2.16	0.59	
1:A:348:GLU:OE1	3:A:1001:HOH:O	2.17	0.59	
1:A:648:VAL:O	1:A:656:LYS:NZ	2.24	0.59	
1:B:490:ARG:NH2	1:B:491:ASP:OD1	2.34	0.57	
1:A:116:ASP:OD2	1:A:120:ARG:NH1	2.39	0.56	
1:B:909:GLU:O	1:B:911:SER:N	2.40	0.55	
1:A:221:GLU:N	1:A:221:GLU:OE1	2.39	0.54	
1:A:614:THR:HB	1:A:615:ALA:HA	1.89	0.54	
1:A:646:MET:HE3	1:A:650:LYS:HG3	1.90	0.54	
1:B:401:HIS:O	1:B:403:ASN:N	2.42	0.53	
1:A:620:GLU:OE1	1:A:654:SER:OG	2.21	0.53	
1:A:166:ARG:NH1	1:A:169:ASP:OD1	2.42	0.52	
1:A:51:GLU:OE2	1:A:113:ARG:NH1	2.42	0.52	
1:B:694:LEU:O	1:B:703:GLN:NE2	2.43	0.51	
1:B:832:LEU:HD22	1:B:858:ILE:CD1	2.41	0.51	
1:B:832:LEU:HD23	1:B:872:LEU:HD11	1.91	0.51	
1:B:51:GLU:OE2	1:B:113:ARG:NH1	2.45	0.50	
1:B:866:TYR:OH	1:B:870:LYS:NZ	2.36	0.50	
1:A:852:ILE:HA	1:A:855:ILE:CD1	2.42	0.50	
1:A:615:ALA:HB1	1:A:616:PRO:HD2	1.94	0.49	
1:A:788:ILE:HG23	1:A:789:PRO:HA	1.95	0.48	
1:A:175:ARG:NH1	1:A:217:ASP:OD2	2.45	0.48	
1:A:843:GLU:OE1	1:B:819:THR:OG1	2.30	0.48	
1:A:751:ILE:N	1:A:752:PRO:CD	2.77	0.47	



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:712:LYS:NZ	2:D:511:ARG:O	2.47	0.47
2:D:399:ASN:O	2:D:400:ARG:HB2	2.14	0.47
1:A:252:ARG:NH1	1:A:286:ASP:OD1	2.48	0.47
1:A:59:ASP:OD2	1:A:117:GLN:NE2	2.47	0.47
1:B:9:ILE:HD12	1:B:10:ASN:N	2.30	0.47
2:C:477:SER:O	2:C:478:LYS:CB	2.62	0.46
1:A:363:ARG:HD3	1:A:424:GLN:OE1	2.16	0.46
2:C:477:SER:O	2:C:478:LYS:HB3	2.16	0.46
1:A:245:ARG:HD3	1:A:282:TRP:CD2	2.50	0.45
1:A:216:ASN:HB3	2:C:491:LYS:HA	1.99	0.45
1:A:722:ASP:OD2	1:A:767:ARG:NH1	2.48	0.45
1:B:648:VAL:O	1:B:656:LYS:HD3	2.17	0.45
1:A:176:ILE:HG13	1:A:222:VAL:HG12	1.99	0.45
1:A:497:GLN:O	1:A:568:LYS:NZ	2.42	0.45
1:B:374:ILE:O	1:B:374:ILE:CG1	2.64	0.45
1:A:303:TRP:O	1:A:307:LEU:HD12	2.17	0.45
1:B:865:ASP:O	1:B:869:LEU:HD12	2.17	0.45
1:A:842:ILE:HG23	1:A:847:ILE:HD11	1.98	0.45
1:B:380:GLU:OE2	1:B:380:GLU:N	2.42	0.45
1:A:217:ASP:CG	1:A:222:VAL:HG21	2.38	0.45
1:B:128:SER:O	1:B:134:ARG:HD2	2.17	0.45
1:B:832:LEU:HD22	1:B:858:ILE:HD13	1.99	0.44
1:A:28:TYR:CZ	1:A:77:ARG:HG2	2.53	0.44
1:A:272:GLU:HB2	1:A:275:ILE:HG22	1.98	0.44
1:A:780:TRP:HZ3	1:A:847:ILE:HG22	1.82	0.44
1:A:788:ILE:CG2	1:A:789:PRO:HA	2.48	0.44
1:B:414:ASP:OD1	1:B:415:TYR:N	2.50	0.44
2:D:509:ILE:HG22	2:D:522:LEU:HD21	2.00	0.44
1:B:179:VAL:O	1:B:183:THR:HG23	2.18	0.44
1:B:353:ASP:N	1:B:353:ASP:OD1	2.50	0.44
1:B:887:ASN:O	1:B:891:ASN:N	2.38	0.44
1:A:608:THR:OG1	1:A:609:PRO:HD3	2.17	0.44
1:A:856:ASN:H	1:A:858:ILE:CD1	2.31	0.44
1:A:756:PHE:HA	1:A:815:LEU:HD23	2.00	0.44
1:A:369:CYS:HB3	1:A:378:LEU:HD11	2.00	0.43
1:B:371:ASP:OD2	1:B:431:ARG:NH2	2.49	0.43
2:D:399:ASN:O	2:D:400:ARG:CB	2.66	0.43
1:B:374:ILE:O	1:B:374:ILE:HG12	2.18	0.43
1:A:371:ASP:OD1	1:A:431:ARG:NH2	2.45	0.43
2:D:392:ALA:O	2:D:396:GLU:HG3	2.19	0.43
1:A:494:ILE:HG22	1:A:494:ILE:O	2.19	0.43



A 4 am 1	A.t. a.m. D	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:851:ILE:O	1:A:855:ILE:HD12	2.19	0.43
1:A:369:CYS:CB	1:A:378:LEU:HD11	2.49	0.43
1:A:233:ASP:OD1	1:A:234:ASN:N	2.51	0.43
1:A:363:ARG:HG3	1:A:364:ALA:N	2.34	0.43
1:B:369:CYS:HA	1:B:374:ILE:HG23	2.00	0.42
1:A:855:ILE:HG22	1:A:856:ASN:N	2.35	0.42
1:A:839:TYR:CD2	1:A:840:ALA:N	2.88	0.42
1:A:844:LYS:HE3	1:B:819:THR:HB	2.01	0.42
1:B:864:GLN:HB2	1:B:869:LEU:HD11	2.02	0.42
1:A:248:ASN:OD1	1:A:249:ILE:N	2.53	0.41
1:B:103:LEU:O	1:B:104:THR:HG22	2.20	0.41
1:B:242:GLU:HG2	2:D:497:LEU:HD21	2.02	0.41
1:B:272:GLU:HG2	1:B:273:PRO:HD2	2.01	0.41
1:B:194:LEU:HD12	1:B:194:LEU:H	1.85	0.41
1:A:848:LYS:O	1:A:851:ILE:HG22	2.21	0.41
2:C:478:LYS:O	2:C:479:GLY:C	2.58	0.41
1:B:616:PRO:O	1:B:617:ASN:HB2	2.19	0.41
1:A:437:GLU:HG3	1:A:441:ARG:HE	1.86	0.40
1:A:831:PHE:CE2	1:A:835:VAL:CG2	3.05	0.40
1:B:287:ARG:HD3	2:D:402:TRP:CD1	2.57	0.40
1:A:869:LEU:HD11	1:A:900:LEU:HD13	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	776/871~(89%)	744 (96%)	32 (4%)	0	100	100
1	В	816/871~(94%)	788 (97%)	25 (3%)	3 (0%)	34	66
2	С	62/152~(41%)	56 (90%)	4 (6%)	2 (3%)	4	13
2	D	92/152~(60%)	85 (92%)	7 (8%)	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1746/2046~(85%)	1673 (96%)	68 (4%)	5(0%)	41 72

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	В	402	HIS
1	В	910	ARG
2	С	478	LYS
2	С	479	GLY
1	В	413	PHE

## 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	719/794~(91%)	712~(99%)	7 (1%)	76	93
1	В	750/794~(94%)	740~(99%)	10 (1%)	69	91
2	С	61/143~(43%)	61 (100%)	0	100	100
2	D	91/143~(64%)	90~(99%)	1 (1%)	73	92
All	All	1621/1874 (86%)	1603 (99%)	18 (1%)	73	92

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	117	GLN
1	А	432	TYR
1	А	496	LYS
1	А	498	GLU
1	А	699	LEU
1	А	864	GLN
1	А	900	LEU
1	В	117	GLN
1	В	171	GLU
1	В	272	GLU



Commuted from previous page						
Mol	Chain	Res	Type			
1	В	321	SER			
1	В	341	LEU			
1	В	353	ASP			
1	В	374	ILE			
1	В	403	ASN			
1	В	432	TYR			
1	В	910	ARG			
2	D	410	VAL			

Continued from provious nage

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	864	GLN
1	В	117	GLN

#### 5.3.3RNA (i)

There are no RNA molecules in this entry.

#### Non-standard residues in protein, DNA, RNA chains (i) 5.4

There are no non-standard protein/DNA/RNA residues in this entry.

#### Carbohydrates (i) 5.5

There are no monosaccharides in this entry.

#### Ligand geometry (i) 5.6

There are no ligands in this entry.

#### 5.7Other polymers (i)

There are no such residues in this entry.

#### Polymer linkage issues (i) 5.8

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

# 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	792/871~(90%)	0.51	58 (7%) 15 8	51, 79, 136, 256	0
1	В	824/871~(94%)	0.35	19 (2%) 60 51	46, 68, 114, 145	0
2	С	64/152~(42%)	0.19	1 (1%) 72 66	64, 88, 108, 122	0
2	D	96/152~(63%)	0.42	4 (4%) 36 26	50, 81, 122, 131	0
All	All	1776/2046~(86%)	0.42	82 (4%) 32 22	46, 74, 127, 256	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	866	TYR	5.5
1	А	860	LEU	5.5
1	А	900	LEU	5.1
1	В	885	LEU	4.8
1	А	833	ILE	4.4
1	А	832	LEU	4.4
1	А	904	ILE	4.3
1	А	907	ILE	4.1
1	А	829	LEU	3.9
1	А	851	ILE	3.9
1	А	813	ARG	3.8
1	А	836	LEU	3.5
1	А	803	PHE	3.4
2	D	525	HIS	3.3
1	А	794	GLU	3.2
1	А	776	LEU	3.1
1	А	872	LEU	3.1
1	А	804	GLN	3.0
1	А	861	SER	3.0
1	А	898	ASN	2.9
1	А	897	ARG	2.9



Mol	Chain	Res	Type	RSRZ
1	А	618	ILE	2.9
1	В	307	LEU	2.8
2	D	386	PHE	2.8
1	А	859	PHE	2.8
1	В	350	ILE	2.7
1	А	756	PHE	2.7
1	А	896	LEU	2.6
1	А	715	LEU	2.6
1	А	797	LEU	2.5
1	В	903	LEU	2.5
1	В	104	THR	2.5
1	А	828	GLN	2.5
1	А	837	LYS	2.5
2	D	480	ARG	2.5
1	В	100	ASN	2.5
1	В	97	LYS	2.5
1	А	425	LEU	2.5
1	А	732	TYR	2.5
1	А	777	CYS	2.5
1	А	870	LYS	2.4
1	А	808	PHE	2.4
1	А	893	LEU	2.4
1	А	869	LEU	2.4
1	А	498	GLU	2.4
1	В	755	CYS	2.4
1	В	872	LEU	2.3
1	А	856	ASN	2.3
1	А	773	LEU	2.3
1	В	155	LEU	2.3
1	В	904	ILE	2.3
1	A	809	TRP	2.3
2	C	458	VAL	2.3
1	A	825	ASP	2.3
1	А	230	LEU	2.3
1	A	843	GLU	2.3
1	A	275	ILE	2.3
1	A	240	ILE	2.2
1	A	812	PRO	2.2
1	В	896	LEU	2.2
1	A	849	LYS	2.2
1	А	729	VAL	2.2
1	А	873	LEU	2.2



Mol	Chain	Res	Type	RSRZ
2	D	459	LEU	2.2
1	В	300	ALA	2.2
1	В	862	SER	2.2
1	А	635	LYS	2.1
1	А	903	LEU	2.1
1	А	854	ASN	2.1
1	А	340	ILE	2.1
1	В	160	ILE	2.1
1	А	72	GLU	2.1
1	А	857	ALA	2.1
1	А	899	ASN	2.1
1	А	910	ARG	2.1
1	В	353	ASP	2.1
1	А	806	LEU	2.0
1	А	847	ILE	2.0
1	В	900	LEU	2.0
1	В	412	HIS	2.0
1	А	839	TYR	2.0
1	В	199	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

There are no ligands in this entry.

## 6.5 Other polymers (i)

There are no such residues in this entry.

