



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 8, 2021 – 09:45 pm GMT

PDB ID : 7OTA  
Title : HIV-1 REVERSE TRANSCRIPTASE COMPLEX WITH DNA AND INHIBITOR RMC-230  
Authors : Martinez, S.E.; Singh, A.K.; Gu, W.; Das, K.  
Deposited on : 2021-06-09  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.24  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.24


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	556	 9% 88% 12%
1	C	556	 10% 88% 11%
2	B	428	 4% 86% 10% .
2	D	428	 % 85% 11% .
3	E	27	 4% 37% 48% 15%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	T	27	
4	F	21	
4	P	21	

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 17623 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	C	555	Total	C	N	O	S	0	0	0
			4509	2919	750	832	8			
1	A	556	Total	C	N	O	S	0	0	0
			4521	2927	752	833	9			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	MET	-	initiating methionine	UNP P03366
C	0	VAL	-	expression tag	UNP P03366
C	258	CYS	GLN	conflict	UNP P03366
C	280	SER	CYS	conflict	UNP P03366
C	498	ASN	ASP	conflict	UNP P03366
A	-1	MET	-	initiating methionine	UNP P03366
A	0	VAL	-	expression tag	UNP P03366
A	258	CYS	GLN	conflict	UNP P03366
A	280	SER	CYS	conflict	UNP P03366
A	498	ASN	ASP	conflict	UNP P03366

- Molecule 2 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	411	Total	C	N	O	S	0	0	0
			3398	2213	563	616	6			
2	B	412	Total	C	N	O	S	0	0	0
			3391	2206	560	619	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	280	SER	CYS	conflict	UNP P03366
B	280	SER	CYS	conflict	UNP P03366

- Molecule 3 is a DNA chain called DNA (5'-D(P\*GP\*GP\*TP\*CP\*GP\*GP\*CP\*GP\*CP\*CP\*CP\*GP\*AP\*AP\*CP\*AP\*GP\*GP\*GP\*AP\*CP\*TP\*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	23	Total	C	N	O	P	0	0	0
			477	223	95	136	23			
3	T	24	Total	C	N	O	P	0	0	0
			494	233	97	141	23			


- Molecule 4 is a DNA chain called DNA (5'-D(\*CP\*AP\*GP\*TP\*CP\*CP\*CP\*TP\*GP\*TP\*TP\*CP\*GP\*GP\*(MRG)\*CP\*GP\*CP\*CP\*(DDG))-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F	20	Total	C	N	O	P	0	0	0
			403	192	72	120	19			
4	P	20	Total	C	N	O	P	0	0	0
			403	192	72	120	19			

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

- Molecule 6 is ((2-(6-amino-9H-purin-9-yl)ethyl)-L-seryl)phosphoramidic acid (three-letter code: 1I1) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>7</sub>O<sub>5</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
6	A	1	23	10	7	5	1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	D	2	Total	O	0	0
			2	2		
7	B	1	Total	O	0	0
			1	1		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Reverse transcriptase/ribonuclease H



- Molecule 1: Reverse transcriptase/ribonuclease H






- Molecule 2: Reverse transcriptase/ribonuclease H






- Molecule 2: Reverse transcriptase/ribonuclease H




- Molecule 3: DNA (5'-D(P\*GP\*GP\*TP\*CP\*GP\*GP\*CP\*GP\*CP\*CP\*CP\*GP\*AP\*AP\*CP\*A P\*GP\*GP\*GP\*AP\*CP\*TP\*G)-3')




- Molecule 3: DNA (5'-D(P\*GP\*GP\*TP\*CP\*GP\*GP\*CP\*GP\*CP\*CP\*CP\*GP\*AP\*AP\*CP\*A P\*GP\*GP\*GP\*AP\*CP\*TP\*G)-3')



- Molecule 4: DNA (5'-D(\*CP\*AP\*GP\*TP\*CP\*CP\*CP\*TP\*GP\*TP\*TP\*CP\*GP\*GP\*(MRG)\* CP\*GP\*CP\*CP\*(DDG))-3')



- Molecule 4: DNA (5'-D(\*CP\*AP\*GP\*TP\*CP\*CP\*CP\*TP\*GP\*TP\*TP\*CP\*GP\*GP\*(MRG)\* CP\*GP\*CP\*CP\*(DDG))-3')





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.68Å 132.09Å 138.49Å 90.00° 98.41° 90.00°	Depositor
Resolution (Å)	53.50 – 3.00 53.50 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (53.50-3.00) 100.0 (53.50-3.00)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.37 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, $R_{free}$	0.231 , 0.269 0.231 , 0.267	Depositor DCC
$R_{free}$ test set	1870 reflections (2.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	104.3	Xtriage
Anisotropy	0.314	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	17623	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	134.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MRG, DDG, 1I1, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/4639	0.44	0/6303
1	C	0.27	0/4627	0.44	0/6289
2	B	0.25	0/3488	0.46	0/4740
2	D	0.33	0/3496	0.47	1/4749 (0.0%)
3	E	0.45	0/536	0.78	0/826
3	T	0.44	0/555	0.80	0/856
4	F	0.44	0/400	0.72	0/612
4	P	0.50	0/400	0.72	0/612
All	All	0.30	0/18141	0.50	1/24987 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	423	VAL	N-CA-C	-5.74	95.51	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4521	0	4587	40	0
1	C	4509	0	4567	42	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	3391	0	3413	22	2
2	D	3398	0	3424	29	2
3	E	477	0	256	11	0
3	T	494	0	269	7	0
4	F	403	0	224	4	0
4	P	403	0	224	10	0
5	A	1	0	0	0	0
6	A	23	0	0	1	0
7	B	1	0	0	0	0
7	D	2	0	0	0	0
All	All	17623	0	16964	151	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:195:ILE:HG13	1:C:199:ARG:HH22	1.49	0.76
3:E:709:DC:H2'	3:E:710:DG:H8	1.54	0.73
1:C:181:TYR:HB2	1:C:188:TYR:HB3	1.76	0.67
1:C:334:GLN:HB3	1:C:512:LYS:HE2	1.77	0.65
3:E:709:DC:H2'	3:E:710:DG:C8	2.31	0.65
1:A:56:TYR:O	1:A:143:ARG:NH2	2.30	0.65
1:C:288:ALA:HB3	1:C:291:GLU:HB2	1.79	0.64
1:A:125:ARG:HE	1:A:147:ASN:HA	1.62	0.64
1:A:178:ILE:HG13	1:A:191:SER:HB3	1.80	0.62
1:A:172:LYS:HE2	1:A:180:ILE:HB	1.81	0.62
1:A:261:VAL:HG13	1:A:276:VAL:HG11	1.81	0.62
1:A:448:ARG:NH2	3:T:723:DC:H1'	2.15	0.61
2:B:254:VAL:HG13	2:B:283:LEU:HD22	1.83	0.60
2:D:122:GLU:OE1	2:D:125:ARG:NH1	2.34	0.60
1:A:181:TYR:HB2	1:A:188:TYR:HB3	1.83	0.60
3:T:706:DC:H42	4:P:822:DDG:H1	1.48	0.59
1:C:206:ARG:NH2	1:C:216:THR:O	2.34	0.59
1:C:172:LYS:HE2	1:C:180:ILE:HB	1.84	0.59
2:D:365:VAL:HG11	2:D:401:TRP:HB2	1.84	0.59
1:C:115:TYR:HD2	1:C:151:GLN:HG2	1.68	0.59
1:C:308:GLU:HA	1:C:311:LYS:HE2	1.85	0.58
2:D:358:ARG:NH2	2:D:405:TYR:O	2.30	0.58
2:B:270:ILE:HG12	2:B:346:PHE:HB3	1.85	0.58

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:364:ASP:OD1	1:A:512:LYS:NZ	2.34	0.58
4:F:816:DG:H2'	4:F:817:MRG:H8	1.86	0.58
1:C:131:THR:HG22	1:C:143:ARG:HG2	1.87	0.57
1:A:498:ASN:HD22	1:A:545:ASN:HD21	1.52	0.57
1:C:84:THR:HG21	1:C:153:TRP:HE1	1.70	0.57
1:C:21:VAL:HG23	1:C:58:THR:HA	1.87	0.57
1:C:503:LEU:HD22	1:C:535:TRP:HB2	1.87	0.56
2:D:199:ARG:HA	2:D:202:ILE:HD12	1.86	0.56
1:A:498:ASN:ND2	1:A:545:ASN:HD21	2.03	0.56
1:A:503:LEU:HD22	1:A:535:TRP:HB2	1.88	0.56
2:B:115:TYR:O	2:B:149:LEU:HB2	2.06	0.56
1:A:115:TYR:HD2	1:A:151:GLN:HG2	1.71	0.56
1:C:125:ARG:HD3	1:C:147:ASN:HA	1.88	0.55
1:A:102:LYS:NZ	1:A:236:PRO:O	2.35	0.55
1:C:21:VAL:HG23	1:C:59:PRO:HD3	1.88	0.54
1:C:23:GLN:HE22	1:C:60:VAL:H	1.56	0.54
1:A:288:ALA:HB3	1:A:291:GLU:HB2	1.90	0.54
3:E:713:DC:H2'	3:E:714:DG:C8	2.42	0.54
4:P:818:DC:H2'	4:P:819:DG:H8	1.73	0.54
2:B:125:ARG:HD3	2:B:147:ASN:HA	1.89	0.54
2:D:88:TRP:CZ2	2:D:154:LYS:HD3	2.43	0.53
2:B:323:LYS:NZ	2:B:344:GLU:OE2	2.37	0.53
2:D:125:ARG:HE	2:D:147:ASN:HA	1.74	0.53
1:C:56:TYR:O	1:C:143:ARG:NH2	2.42	0.53
1:C:46:LYS:HD3	1:C:116:PHE:HB3	1.91	0.52
1:A:342:TYR:HB3	1:A:348:ASN:HA	1.91	0.52
2:D:21:VAL:HB	2:D:59:PRO:HD3	1.92	0.52
1:C:24:TRP:HD1	1:C:59:PRO:HB3	1.75	0.52
2:B:263:LYS:HE3	2:B:425:LEU:HA	1.93	0.51
2:D:276:VAL:HG22	2:D:277:ARG:HH21	1.76	0.51
1:C:93:GLY:HA2	3:E:709:DC:H5'	1.93	0.50
1:C:542:ILE:HG23	2:D:283:LEU:HD13	1.93	0.50
1:A:402:TRP:O	2:B:331:LYS:NZ	2.38	0.50
1:A:199:ARG:HA	1:A:202:ILE:HD12	1.94	0.50
1:A:247:PRO:O	1:A:307:ARG:NH2	2.45	0.49
2:B:265:ASN:O	2:B:268:SER:OG	2.23	0.49
4:P:805:DG:H2''	4:P:806:DT:O5'	2.12	0.49
4:P:818:DC:H2'	4:P:819:DG:C8	2.47	0.49
6:A:601:1I1:N13	6:A:601:1I1:O22	2.46	0.49
1:C:21:VAL:CG2	1:C:59:PRO:HD3	2.43	0.48
1:C:543:GLY:N	2:D:283:LEU:O	2.46	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:193:LEU:HB3	2:B:197:GLN:HG3	1.95	0.48
1:A:185:ASP:OD1	4:P:822:DDG:H3'1	2.13	0.48
1:C:442:VAL:HG12	1:C:457:TYR:HB3	1.96	0.48
1:A:184:MET:HG2	4:P:822:DDG:H2'	1.95	0.48
3:T:724:DT:H3	4:P:804:DA:H61	1.61	0.48
1:C:317:VAL:HG23	1:C:349:LEU:HD23	1.96	0.48
1:A:405:TYR:CE2	1:A:407:GLN:HB2	2.49	0.48
2:D:13:LYS:HE3	2:D:16:MET:HE1	1.96	0.47
3:E:706:DC:H2'	3:E:707:DG:C8	2.49	0.47
2:D:114:ALA:HB2	2:D:214:LEU:HD13	1.96	0.47
1:A:442:VAL:HG12	1:A:457:TYR:HB3	1.96	0.47
1:A:469:LEU:HD12	1:A:477:THR:HG22	1.95	0.47
1:C:443:ASP:OD1	1:C:444:GLY:N	2.48	0.46
2:B:54:ASN:HB3	2:B:143:ARG:HH21	1.80	0.46
1:A:317:VAL:HG23	1:A:349:LEU:HD23	1.98	0.46
3:T:718:DA:H4'	3:T:719:DG:OP1	2.16	0.46
1:A:503:LEU:HD12	1:A:533:LEU:HD13	1.98	0.46
1:C:458:VAL:HG12	2:D:286:THR:HG21	1.97	0.46
2:B:154:LYS:HG2	2:B:184:MET:SD	2.56	0.46
1:A:289:LEU:HD11	4:P:817:MRG:H4'	1.98	0.45
1:C:58:THR:HG21	1:C:77:PHE:CE1	2.52	0.45
3:E:711:DC:H2'	3:E:712:DC:C6	2.50	0.45
1:C:494:ASN:HB3	2:D:289:LEU:HD12	1.98	0.45
1:A:448:ARG:NH2	3:T:724:DT:O4'	2.49	0.45
2:B:420:PRO:HA	2:B:421:PRO:HD3	1.86	0.45
1:C:58:THR:HG22	1:C:129:ALA:O	2.16	0.45
1:A:46:LYS:HD3	1:A:116:PHE:HB3	1.98	0.45
2:D:81:ASN:HB3	2:D:154:LYS:HD2	1.99	0.45
1:C:114:ALA:HB1	1:C:160:PHE:CZ	2.52	0.45
2:B:56:TYR:HE2	2:B:126:LYS:HE2	1.82	0.44
4:P:806:DT:H2'	4:P:807:DC:C6	2.52	0.44
2:B:266:TRP:CZ3	2:B:425:LEU:HD22	2.52	0.44
1:C:354:TYR:HD1	1:C:374:LYS:HD2	1.82	0.44
2:D:38:CYS:SG	2:D:132:ILE:HD11	2.58	0.44
2:D:282:LEU:HD21	2:D:295:LEU:HA	1.99	0.44
2:D:260:LEU:HD21	2:D:303:LEU:HD13	2.00	0.44
2:D:233:GLU:O	2:D:234:LEU:HD23	2.18	0.44
1:A:218:ASP:HA	1:A:221:HIS:HB2	2.00	0.44
1:A:57:ASN:HD21	1:A:131:THR:HG22	1.83	0.43
1:A:303:LEU:HD23	1:A:307:ARG:HG3	1.99	0.43
2:B:17:ASP:O	2:B:83:ARG:HD3	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:418:ASN:O	2:D:420:PRO:HD3	2.19	0.43
2:D:287:LYS:HD3	2:D:293:ILE:HD11	1.99	0.43
3:E:703:DG:H21	3:E:705:DT:H73	1.83	0.43
4:F:815:DG:H2''	4:F:816:DG:C8	2.53	0.43
3:T:718:DA:H2''	3:T:719:DG:O5'	2.18	0.43
1:C:503:LEU:HD12	1:C:533:LEU:HD13	2.01	0.43
1:A:350:LYS:NZ	1:A:351:THR:O	2.48	0.43
1:C:397:THR:HG21	1:C:424:LYS:HA	2.01	0.43
2:B:80:LEU:O	2:B:84:THR:HG23	2.19	0.43
2:B:28:GLU:HG2	2:B:32:LYS:HE2	2.01	0.42
1:C:114:ALA:HB1	1:C:160:PHE:CE1	2.54	0.42
2:B:91:GLN:HG2	2:B:92:LEU:HG	2.00	0.42
2:B:246:LEU:HD11	2:B:264:LEU:HD21	2.01	0.42
1:C:343:GLN:HG3	1:C:349:LEU:HD11	2.02	0.42
2:D:79:GLU:HG3	2:D:83:ARG:HE	1.84	0.42
4:P:817:MRG:H2'	4:P:818:DC:C6	2.55	0.42
1:C:111:VAL:HG23	1:C:114:ALA:HB2	2.01	0.42
1:C:406:TRP:CD1	1:C:407:GLN:HG2	2.54	0.42
3:E:707:DG:H2'	3:E:708:DG:H8	1.84	0.42
1:C:247:PRO:O	1:C:307:ARG:NH2	2.52	0.42
1:A:492:GLU:HG2	1:A:530:LYS:HB2	2.01	0.42
4:F:821:DC:H2'	4:F:822:DDG:H8	2.01	0.42
3:E:718:DA:H2''	3:E:719:DG:C8	2.55	0.42
1:A:276:VAL:HG12	1:A:276:VAL:O	2.20	0.41
3:E:706:DC:H2'	3:E:707:DG:H8	1.85	0.41
1:A:427:TYR:O	1:A:509:GLN:NE2	2.50	0.41
3:E:707:DG:H2'	3:E:708:DG:C8	2.55	0.41
4:F:821:DC:H2'	4:F:822:DDG:C8	2.51	0.41
2:D:17:ASP:O	2:D:83:ARG:HD3	2.20	0.41
2:D:115:TYR:HB3	2:D:149:LEU:HB2	2.02	0.41
1:A:199:ARG:HH12	1:A:223:LYS:HB3	1.86	0.41
1:A:494:ASN:HB3	2:B:289:LEU:HD12	2.02	0.41
1:C:408:ALA:O	2:D:393:ILE:HG13	2.20	0.41
1:A:121:ASP:O	1:A:125:ARG:HG3	2.21	0.41
1:A:207:GLN:O	1:A:211:ARG:HG3	2.21	0.41
1:A:279:LEU:HD23	1:A:299:ALA:HB1	2.02	0.41
2:B:21:VAL:HB	2:B:59:PRO:HD3	2.03	0.41
2:D:13:LYS:CE	2:D:16:MET:HE1	2.51	0.40
2:D:125:ARG:NE	2:D:147:ASN:HA	2.37	0.40
3:T:711:DC:H2'	3:T:712:DC:C6	2.56	0.40
1:C:60:VAL:HG11	1:C:132:ILE:HD13	2.04	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:445:ALA:HB3	1:C:552:VAL:O	2.22	0.40
2:D:154:LYS:HG3	2:D:184:MET:SD	2.62	0.40
2:B:92:LEU:HB2	2:B:158:ALA:HB1	2.03	0.40
1:C:287:LYS:H	1:C:287:LYS:HD3	1.86	0.40
2:D:85:GLN:HA	2:D:88:TRP:NE1	2.36	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:356:ARG:NH2	2:B:305:GLU:OE1[2_658]	1.83	0.37
2:D:356:ARG:NH2	2:B:305:GLU:CD[2_658]	1.96	0.24

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	554/556 (100%)	534 (96%)	20 (4%)	0	100	100
1	C	553/556 (100%)	537 (97%)	16 (3%)	0	100	100
2	B	408/428 (95%)	393 (96%)	15 (4%)	0	100	100
2	D	407/428 (95%)	389 (96%)	18 (4%)	0	100	100
All	All	1922/1968 (98%)	1853 (96%)	69 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	497/497 (100%)	494 (99%)	3 (1%)	86	95
1	C	495/497 (100%)	494 (100%)	1 (0%)	93	98
2	B	372/390 (95%)	370 (100%)	2 (0%)	88	96
2	D	372/390 (95%)	370 (100%)	2 (0%)	88	96
All	All	1736/1774 (98%)	1728 (100%)	8 (0%)	88	96

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	287	LYS
2	D	422	LEU
2	D	424	LYS
1	A	186	ASP
1	A	248	GLU
1	A	547	GLN
2	B	422	LEU
2	B	425	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	545	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	DDG	F	822	3,4	17,23,24	1.18	2 (11%)	15,33,36	3.02	5 (33%)
4	DDG	P	822	3,4	17,23,24	1.17	2 (11%)	15,33,36	3.00	5 (33%)
4	MRG	F	817	3,4	18,24,29	1.13	2 (11%)	19,35,42	2.65	5 (26%)
4	MRG	P	817	3,4	18,24,29	1.21	2 (11%)	19,35,42	2.63	4 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DDG	F	822	3,4	-	0/3/18/19	0/3/3/3
4	DDG	P	822	3,4	-	0/3/18/19	0/3/3/3
4	MRG	F	817	3,4	-	0/3/21/27	0/3/3/3
4	MRG	P	817	3,4	-	0/3/21/27	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	P	817	MRG	C6-N1	3.86	1.39	1.33
4	F	822	DDG	C6-N1	3.74	1.39	1.33
4	F	817	MRG	C6-N1	3.72	1.39	1.33
4	P	822	DDG	C6-N1	3.66	1.39	1.33
4	P	817	MRG	C8-N7	-2.15	1.30	1.34
4	P	822	DDG	C8-N7	-2.12	1.30	1.34
4	F	817	MRG	C8-N7	-2.11	1.30	1.34
4	F	822	DDG	C8-N7	-2.09	1.31	1.34

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	822	DDG	C5-C6-N1	-8.71	111.52	123.43
4	P	822	DDG	C5-C6-N1	-8.69	111.54	123.43
4	F	817	MRG	C5-C6-N1	-8.67	111.57	123.43
4	P	817	MRG	C5-C6-N1	-8.59	111.68	123.43
4	F	822	DDG	C2-N1-C6	5.80	125.14	115.93
4	P	822	DDG	C2-N1-C6	5.79	125.13	115.93
4	F	817	MRG	C2-N1-C6	5.77	125.10	115.93

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	P	817	MRG	C2-N1-C6	5.65	124.91	115.93
4	P	817	MRG	C2-N3-C4	-3.10	111.81	115.36
4	F	822	DDG	C2-N3-C4	-3.03	111.89	115.36
4	P	822	DDG	C2-N3-C4	-3.03	111.89	115.36
4	F	817	MRG	C2-N3-C4	-2.97	111.97	115.36
4	F	817	MRG	N3-C2-N1	-2.49	123.90	127.22
4	P	822	DDG	N3-C2-N1	-2.47	123.93	127.22
4	F	822	DDG	N3-C2-N1	-2.44	123.96	127.22
4	P	817	MRG	N3-C2-N1	-2.42	123.99	127.22
4	F	817	MRG	C4-C5-C6	-2.07	118.82	120.80
4	P	822	DDG	C4-C5-C6	-2.04	118.85	120.80
4	F	822	DDG	C4-C5-C6	-2.03	118.86	120.80

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	822	DDG	2	0
4	P	822	DDG	3	0
4	F	817	MRG	1	0
4	P	817	MRG	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	1I1	A	601	5	21,24,24	1.69	5 (23%)	20,34,34	1.76	3 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	1I1	A	601	5	-	8/14/17/17	0/2/2/2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	601	1I1	P19-N18	3.97	1.71	1.63
6	A	601	1I1	P19-O20	3.33	1.51	1.46
6	A	601	1I1	C02-N01	3.16	1.45	1.34
6	A	601	1I1	O23-C17	-2.31	1.18	1.23
6	A	601	1I1	P19-O21	-2.04	1.51	1.56

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	601	1I1	N05-C04-N03	-4.43	121.75	128.68
6	A	601	1I1	C14-C17-N18	4.31	124.04	113.67
6	A	601	1I1	C06-C07-N08	-2.33	106.97	109.40

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
6	A	601	1I1	C17-C14-C15-O16
6	A	601	1I1	N13-C14-C15-O16
6	A	601	1I1	N13-C14-C17-N18
6	A	601	1I1	C15-C14-N13-C12
6	A	601	1I1	C17-C14-N13-C12
6	A	601	1I1	O23-C17-N18-P19
6	A	601	1I1	N10-C11-C12-N13
6	A	601	1I1	C11-C12-N13-C14

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	601	1I1	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	556/556 (100%)	0.43	49 (8%) 10 3	55, 138, 208, 257	0
1	C	555/556 (99%)	0.52	57 (10%) 6 2	57, 141, 221, 252	0
2	B	412/428 (96%)	0.30	17 (4%) 37 14	64, 124, 174, 192	0
2	D	411/428 (96%)	0.10	6 (1%) 73 46	56, 113, 163, 190	0
3	E	23/27 (85%)	-0.20	1 (4%) 35 13	152, 167, 215, 246	0
3	T	24/27 (88%)	0.40	3 (12%) 3 1	128, 167, 245, 275	0
4	F	18/21 (85%)	-0.62	0 100 100	123, 164, 208, 211	0
4	P	18/21 (85%)	-0.26	0 100 100	106, 153, 218, 226	0
All	All	2017/2064 (97%)	0.34	133 (6%) 18 5	55, 129, 205, 275	0

All (133) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	26	LEU	8.4
1	C	69	THR	7.7
1	A	142	ILE	7.0
2	D	214	LEU	6.5
1	A	138	GLU	6.3
3	T	702	DT	6.0
1	C	73	LYS	5.9
1	A	133	PRO	5.9
1	A	74	LEU	5.9
1	C	67	ASP	5.9
2	B	4	PRO	5.8
1	A	139	THR	5.7
1	C	41	MET	5.7
1	C	132	ILE	5.6
1	A	30	LYS	5.2
1	A	61	PHE	5.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	295	LEU	5.2
1	C	135	ILE	5.1
2	B	209	LEU	5.1
1	C	133	PRO	5.1
1	A	136	ASN	5.1
1	A	134	SER	5.0
1	C	146	TYR	5.0
1	C	138	GLU	4.9
1	C	140	PRO	4.8
1	C	128	THR	4.8
1	C	71	TRP	4.8
1	C	286	THR	4.7
1	A	135	ILE	4.7
1	A	132	ILE	4.6
1	A	60	VAL	4.4
3	E	703	DG	4.1
1	C	193	LEU	4.1
1	A	26	LEU	4.1
1	C	68	SER	4.0
2	B	174	GLN	4.0
1	C	247	PRO	4.0
1	C	544	GLY	3.8
1	C	229	TRP	3.8
1	C	134	SER	3.8
1	C	72	ARG	3.8
1	C	136	ASN	3.7
2	B	168	LEU	3.7
3	T	703	DG	3.7
1	A	73	LYS	3.6
1	C	60	VAL	3.5
2	B	180	ILE	3.5
1	C	62	ALA	3.5
1	C	70	LYS	3.5
1	A	124	PHE	3.5
1	A	140	PRO	3.4
1	A	247	PRO	3.4
2	B	232	TYR	3.4
1	A	24	TRP	3.3
1	A	63	ILE	3.3
1	C	137	ASN	3.3
1	A	137	ASN	3.3
1	A	32	LYS	3.3

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	33	ALA	3.2
1	A	252	TRP	3.2
2	B	215	THR	3.2
1	C	64	LYS	3.2
1	A	27	THR	3.2
1	A	145	GLN	3.1
1	A	205	LEU	3.1
1	A	22	LYS	3.1
1	C	63	ILE	3.1
1	C	194	GLU	3.0
1	C	74	LEU	3.0
1	C	27	THR	3.0
1	C	252	TRP	2.9
1	C	251	SER	2.9
1	A	25	PRO	2.9
1	C	186	ASP	2.8
1	A	49	LYS	2.8
1	C	246	LEU	2.8
1	A	260	LEU	2.8
1	C	294	PRO	2.8
1	A	144	TYR	2.8
1	A	294	PRO	2.8
2	D	4	PRO	2.8
1	C	144	TYR	2.7
1	A	62	ALA	2.7
1	C	28	GLU	2.7
2	D	295	LEU	2.6
1	C	52	PRO	2.6
1	C	30	LYS	2.6
1	C	142	ILE	2.6
1	C	61	PHE	2.6
1	C	287	LYS	2.6
1	C	49	LYS	2.6
2	B	178	ILE	2.6
1	A	246	LEU	2.5
1	C	214	LEU	2.5
1	A	141	GLY	2.5
1	C	282	LEU	2.5
1	A	34	LEU	2.5
2	B	213	GLY	2.5
1	C	141	GLY	2.5
1	A	293	ILE	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	214	LEU	2.4
2	B	87	PHE	2.4
1	C	139	THR	2.4
1	C	124	PHE	2.3
2	B	211	ARG	2.3
1	C	23	GLN	2.3
1	C	131	THR	2.3
1	A	54	ASN	2.3
2	D	230	MET	2.3
1	C	130	PHE	2.3
1	A	58	THR	2.3
1	A	109	LEU	2.2
2	D	213	GLY	2.2
1	C	38	CYS	2.2
1	C	288	ALA	2.2
2	B	95	PRO	2.2
1	C	46	LYS	2.2
1	C	254	VAL	2.2
1	A	292	VAL	2.2
1	A	28	GLU	2.2
1	A	106	VAL	2.1
2	B	88	TRP	2.1
1	A	130	PHE	2.1
3	T	704	DG	2.1
2	B	202	ILE	2.1
1	A	19	PRO	2.1
2	B	137	ASN	2.1
1	A	52	PRO	2.1
2	B	188	TYR	2.1
1	A	46	LYS	2.0
2	D	303	LEU	2.0
1	C	550	LYS	2.0
1	A	91	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	DDG	F	822	21/22	0.82	0.18	138,158,180,193	0
4	MRG	P	817	22/27	0.83	0.17	161,175,180,187	0
4	MRG	F	817	22/27	0.84	0.12	165,187,193,200	0
4	DDG	P	822	21/22	0.86	0.25	138,158,179,187	0

### 6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	1I1	A	601	23/23	0.80	0.15	160,173,192,209	0
5	MG	A	600	1/1	0.83	0.16	143,143,143,143	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.