

Full wwPDB X-ray Structure Validation Report (i)

Dec 2, 2021 - 03:12 pm GMT

PDB ID	:	70TN
Title	:	HIV-1 REVERSE TRANSCRIPTASE COMPLEX WITH DNA AND IN-
		HIBITOR RMC-247
Authors	:	Martinez, S.E.; Singh, A.K.; Gu, W.; Das, K.
Deposited on	:	2021-06-10
Resolution	:	3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4 (270009), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	1026 (3.48-3.32)
Clashscore	141614	1055 (3.48-3.32)
Ramachandran outliers	138981	1038 (3.48-3.32)
Sidechain outliers	138945	1038 (3.48-3.32)
RSRZ outliers	127900	2173 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain							
_		~~~	5%							
	А	556	85%	15%						
			7%							
1	С	556	88%	12%						
			5%							
2	В	428	86%	10% •						
			2%							
2	D	428	86%	10% •						
			4%							
3	E	27	67% 19%	15%						



Mol	Chain	Length	Quality of chain								
3	Т	27	63%	26%	11%						
4	F	21	76%		19% 5%						
4	Р	21	62%	33%	5%						



$70\mathrm{TN}$

2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 17643 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	555	Total	С	Ν	Ο	S	0	0	0
		000	4509	2919	750	832	8			
1	Δ	556	Total	С	Ν	0	O S O O	0	0	0
	A	000	4521	2927	752	833	9	0	0	

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual Comment		Reference
С	-1	MET	-	initiating methionine	UNP P03366
С	0	VAL	-	expression tag	UNP P03366
С	258	CYS	GLN	GLN conflict	
С	280	SER	CYS	conflict	UNP P03366
С	498	ASN	ASP	conflict	UNP P03366
А	-1	MET	-	initiating methionine	UNP P03366
А	0	VAL	-	expression tag	UNP P03366
А	258	CYS	GLN	conflict	UNP P03366
A	280	SER	CYS	conflict	UNP P03366
А	498	ASN	ASP	conflict	UNP P03366

• Molecule 2 is a protein called Reverse transcriptase/ribonuclease H.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Л	411	Total	С	Ν	Ο	S	0	0	0
	411	3398	2213	563	616	6	0	0	0	
0	D	419	Total	С	Ν	0	S	0	0	0
	2 D	412	3391	2206	560	619	6		0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	280	SER	CYS	conflict	UNP P03366
В	280	SER	CYS	conflict	UNP P03366



• Molecule 3 is a DNA chain called DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*CP*CP*CP*GP*AP*AP*CP*AP*GP*GP*AP*CP*TP*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	2 E 92	93	Total	С	Ν	0	Р	0	0	0
D E	23	477	223	95	136	23	0	0	U	
2	т	24	24 Total C N	0	Р	0	0	0		
5	1 24	24	494	233	97	141	23	0	0	0

• Molecule 4 is a DNA chain called DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP* TP*CP*GP*GP*(MRG)P*CP*GP*CP*CP*(DDG))-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	F 20	Total	С	Ν	0	Р	0	0	0	
4 Г	20	403	192	72	120	19	0			
4	D	20	Total	С	Ν	0	Р	0	0	0
4 1	20	403	192	72	120	19	0			

• Molecule 5 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	С	1	Total Mn 1 1	0	0
5	А	1	Total Mn 1 1	0	0

• Molecule 6 is (S)-2-((2-(6-amino-9H-purin-9-yl)ethyl)amino)-3-phosphonopropanoic acid (three-letter code: 1IH) (formula: $C_{10}H_{15}N_6O_5P$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf			
6	C	1	Total	С	Ν	0	Р	0	0	
0	6 C	L	22	10	6	5	1	0		
6	Δ	1	Total	С	Ν	Ο	Р	0	0	
0	A	L	22	10	6	5	1	0	0	

• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	D	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Reverse transcriptase/ribonuclease H



Chain D: 86% 10%

• Molecule 2: Reverse transcriptase/ribonuclease H

Chain B:	5%			86%		10% ·	1
PRO ILE SER 15 E6	L12 D17 V21	L34 C38 P59	K66 K73 L74 V75	R83 T84 085 194 K101 K101	L120 F124 R125 T131 T131 Y146 V147 V148	L149 P150 1180 1180 1180 1192 L1193	Q197 H198 L209
T215 T216 P217 ASP LYS LYS HIS	GLN LYS GLU PRO PRO	PHE LEU TRP MET G231 Y232 ●	V254 K263 W266	1270 K275 L283 L283	A 286 A 288 K 323 K 333 A 333 A 333 A 336 A 337 A 3377 A 3377 A 3377 A 3377 A 3377 A 3377 A 3377 A 3377 A 33777 A 337777 A 337777777777	E344 P345 7346 7354 1369 1375 1382	E399 W402

4410 P420 P421 L422 K424 K424 U426 W426 Y427

• Molecule 3: DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*CP*CP*GP*AP*AP*CP*A P*GP*GP*GP*AP*CP*TP*G)-3')

4%			
Chain E:	67%	19%	15%



• Molecule 3: DNA (5'-D(P*GP*GP*TP*CP*GP*GP*CP*GP*CP*CP*CP*CP*GP*AP*AP*CP*A P*GP*GP*GP*AP*CP*TP*G)-3')

Chain T:	63%	26%	11%
DA 1702 C706 C711 C712 C713 C713 C713 C713 C713 C723 DT DG			

• Molecule 4: DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP*TP*CP*GP*GP*(MRG) P*CP*GP*CP*(DDG))-3')

Chain F:	76%	19%	5%



• Molecule 4: DNA (5'-D(*CP*AP*GP*TP*CP*CP*CP*TP*GP*TP*TP*CP*GP*GP*(MRG) P*CP*GP*CP*(DDG))-3')



Chain P: 62% 33% 5%





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	89.82Å 132.35Å 138.62Å	Depositor
a, b, c, α , β , γ	90.00° 98.45° 90.00°	Depositor
Bosolution (Å)	95.23 - 3.40	Depositor
Resolution (A)	95.23 - 3.40	EDS
% Data completeness	99.7 (95.23-3.40)	Depositor
(in resolution range)	99.8 (95.23-3.40)	EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.47 (at 3.41 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
P. P.	0.214 , 0.254	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.213 , 0.250	DCC
R_{free} test set	1272 reflections (2.88%)	wwPDB-VP
Wilson B-factor $(Å^2)$	110.5	Xtriage
Anisotropy	0.184	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS
L-test for $twinning^2$	$ < L > = 0.44, < L^2 > = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	17643	wwPDB-VP
Average B, all atoms $(Å^2)$	133.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.29% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: DDG, MRG, 1IH, MN $\,$

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bo	Bond angles		
MIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5		
1	А	0.24	0/4639	0.44	0/6303		
1	С	0.23	0/4627	0.44	0/6289		
2	В	0.23	0/3488	0.46	2/4740~(0.0%)		
2	D	0.23	0/3496	0.45	0/4749		
3	Е	0.63	0/536	0.82	0/826		
3	Т	0.66	0/555	0.85	0/856		
4	F	0.61	0/400	0.84	2/612~(0.3%)		
4	Р	0.80	1/400~(0.2%)	0.99	1/612~(0.2%)		
All	All	0.31	1/18141 (0.0%)	0.51	5/24987~(0.0%)		

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Р	807	DC	C4'-O4'	8.11	1.53	1.45

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	F	820	DC	O4'-C4'-C3'	-6.30	101.98	104.50
4	Р	807	DC	C1'-O4'-C4'	-6.10	104.00	110.10
2	В	425	LEU	CA-CB-CG	5.56	128.08	115.30
4	F	806	DT	P-O3'-C3'	5.55	126.36	119.70
2	В	425	LEU	CB-CG-CD2	-5.41	101.81	111.00

There are no chirality outliers.

There are no planarity outliers.



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4521	0	4587	50	0
1	С	4509	0	4567	43	0
2	В	3391	0	3413	28	0
2	D	3398	0	3424	24	0
3	Е	477	0	256	3	0
3	Т	494	0	269	6	0
4	F	403	0	224	1	0
4	Р	403	0	224	5	0
5	А	1	0	0	0	0
5	С	1	0	0	0	0
6	А	22	0	0	2	0
6	С	22	0	0	0	0
7	D	1	0	0	0	0
All	All	17643	0	16964	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
2:B:263:LYS:HE3	2:B:425:LEU:HB2	1.67	0.77
1:A:50:ILE:HG12	1:A:143:ARG:HB2	1.71	0.71
1:C:111:VAL:HG22	1:C:185:ASP:HB2	1.75	0.69
1:C:84:THR:HG21	1:C:153:TRP:HE1	1.61	0.66
1:C:131:THR:HG22	1:C:143:ARG:HG2	1.78	0.63
1:C:308:GLU:HA	1:C:311:LYS:HE2	1.82	0.62
1:A:199:ARG:HG2	1:A:202:ILE:HD12	1.81	0.61
1:C:442:VAL:HG12	1:C:457:TYR:HB3	1.82	0.61
3:T:706:DC:H42	4:P:822:DDG:H1	1.49	0.61
2:D:125:ARG:HE	2:D:147:ASN:HA	1.66	0.60
1:C:21:VAL:HG11	1:C:79:GLU:HG3	1.84	0.60
1:C:288:ALA:HB3	1:C:291:GLU:HB2	1.83	0.60
1:A:42:GLU:OE2	1:A:49:LYS:NZ	2.34	0.60
1:C:84:THR:HG22	1:C:124:PHE:HZ	1.66	0.59



	lo uo pugo	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:21:VAL:HG23	1:C:59:PRO:HD3	1.83	0.59
1:C:16:MET:HB3	1:C:83:ARG:HD3	1.84	0.59
1:A:261:VAL:HG13	1:A:276:VAL:HG11	1.84	0.58
1:A:46:LYS:HD3	1:A:116:PHE:HB3	1.85	0.58
1:A:172:LYS:HE3	1:A:180:ILE:HB	1.86	0.58
1:A:288:ALA:HB3	1:A:291:GLU:HB2	1.86	0.58
2:D:358:ARG:HG3	2:D:366:LYS:HD3	1.85	0.58
1:A:320:ASP:O	1:A:343:GLN:NE2	2.33	0.58
1:C:261:VAL:HG13	1:C:276:VAL:HG11	1.84	0.58
1:C:56:TYR:O	1:C:143:ARG:NH2	2.38	0.57
2:D:199:ARG:HA	2:D:202:ILE:HD12	1.86	0.57
2:B:101:LYS:HD3	2:B:382:ILE:HG23	1.87	0.55
1:A:125:ARG:HE	1:A:147:ASN:HA	1.71	0.55
2:D:358:ARG:NH2	2:D:405:TYR:O	2.40	0.54
2:B:120:LEU:HD23	2:B:125:ARG:HG2	1.89	0.54
1:A:178:ILE:HG13	1:A:191:SER:HB3	1.90	0.53
2:D:193:LEU:HB3	2:D:197:GLN:HG3	1.89	0.53
1:A:218:ASP:HA	1:A:221:HIS:HB2	1.89	0.53
2:B:266:TRP:HE3	2:B:425:LEU:HD21	1.74	0.52
2:B:323:LYS:NZ	2:B:344:GLU:OE2	2.36	0.52
2:D:265:ASN:O	2:D:268:SER:OG	2.27	0.52
1:A:333:GLY:H	1:A:336:GLN:HB2	1.75	0.52
2:D:365:VAL:HG11	2:D:401:TRP:HB2	1.92	0.52
2:B:254:VAL:HG13	2:B:283:LEU:HD22	1.91	0.52
1:C:181:TYR:HB2	1:C:188:TYR:HB3	1.93	0.51
1:A:115:TYR:HD2	1:A:151:GLN:HG2	1.76	0.51
3:T:724:DT:H3	4:P:804:DA:H61	1.57	0.51
1:A:494:ASN:HB3	2:B:289:LEU:HD12	1.92	0.50
1:C:490:GLY:O	1:C:528:LYS:NZ	2.31	0.50
1:A:206:ARG:NH2	1:A:216:THR:O	2.43	0.50
2:D:21:VAL:HB	2:D:59:PRO:HD3	1.93	0.49
2:B:421:PRO:HB2	2:B:423:VAL:HG22	1.93	0.49
1:A:308:GLU:HA	1:A:311:LYS:HE2	1.94	0.49
1:C:19:PRO:HG3	1:C:80:LEU:HB2	1.94	0.49
1:A:469:LEU:HD12	1:A:477:THR:HG22	1.95	0.49
2:B:17:ASP:O	2:B:83:ARG:HD3	2.12	0.49
1:C:21:VAL:CG2	1:C:59:PRO:HD3	2.42	0.49
1:A:229:TRP:HB3	1:A:234:LEU:HD13	1.95	0.48
3:E:711:DC:H2'	3:E:712:DC:C6	2.48	0.48
4:F:821:DC:H2'	4:F:822:DDG:H8	1.95	0.48
1:A:111:VAL:HB	1:A:185:ASP:HB2	1.93	0.48



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:343:GLN:HG3	1:C:349:LEU:HD11	1.96	0.48	
2:D:73:LYS:NZ	2:D:146:TYR:OH	2.44	0.48	
2:B:266:TRP:CZ2	2:B:423:VAL:HG12	2.50	0.47	
2:B:266:TRP:CE3	2:B:425:LEU:HD21	2.50	0.47	
1:C:255:ASN:HB2	1:C:289:LEU:HD23	1.96	0.47	
2:B:193:LEU:HB3	2:B:197:GLN:HG3	1.96	0.47	
1:C:107:THR:OG1	1:C:198:HIS:NE2	2.38	0.47	
1:A:131:THR:HB	1:A:143:ARG:HG2	1.96	0.47	
3:T:711:DC:H2'	3:T:712:DC:C6	2.50	0.47	
1:C:255:ASN:HB2	1:C:289:LEU:CD2	2.45	0.47	
1:C:494:ASN:HB3	2:D:289:LEU:HD12	1.97	0.47	
1:A:114:ALA:HB1	1:A:160:PHE:CZ	2.50	0.47	
1:A:96:HIS:NE2	1:A:269:GLN:OE1	2.38	0.46	
2:D:266:TRP:HB3	2:D:425:LEU:HD13	1.96	0.46	
1:A:317:VAL:HG11	1:A:347:LYS:HB3	1.97	0.46	
2:B:332:GLN:HB2	2:B:336:GLN:HB2	1.97	0.46	
2:B:399:GLU:HA	2:B:402:TRP:HD1	1.80	0.46	
1:A:199:ARG:HA	1:A:202:ILE:HD12	1.98	0.46	
2:D:287:LYS:HD3	2:D:293:ILE:HD11	1.98	0.46	
1:C:58:THR:HG21	1:C:77:PHE:CE1	2.51	0.46	
1:C:172:LYS:HE2	1:C:180:ILE:HB	1.97	0.46	
1:A:130:PHE:CZ	1:A:144:TYR:HB2	2.50	0.46	
1:C:331:LYS:HB3	1:C:421:PRO:HG2	1.97	0.46	
1:C:405:TYR:CE2	1:C:407:GLN:HB2	2.51	0.45	
1:A:364:ASP:OD1	1:A:512:LYS:NZ	2.49	0.45	
4:P:805:DG:H2"	4:P:806:DT:O5'	2.17	0.45	
2:B:12:LEU:HD23	2:B:84:THR:HG22	1.98	0.45	
2:B:275:LYS:HA	2:B:275:LYS:HD3	1.75	0.45	
1:A:203:GLU:O	1:A:207:GLN:HG2	2.16	0.45	
6:A:601:1IH:O18	6:A:601:1IH:N13	2.49	0.45	
2:B:21:VAL:HB	2:B:59:PRO:HD3	1.99	0.45	
1:C:498:ASN:ND2	1:C:545:ASN:HD21	2.15	0.44	
1:C:74:LEU:HD13	3:E:705:DT:C5	2.52	0.44	
1:C:495:ILE:HB	1:C:533:LEU:HD23	2.00	0.44	
2:D:354:TYR:HE2	2:D:375:ILE:HG13	1.83	0.44	
1:A:24:TRP:HD1	1:A:59:PRO:HB3	1.82	0.44	
1:A:49:LYS:HE3	1:A:144:TYR:CE1	2.52	0.44	
1:A:342:TYR:HB3	1:A:348:ASN:HA	2.00	0.44	
2:B:354:TYR:HE2	2:B:375:ILE:HG13	1.82	0.44	
1:C:289:LEU:HD23	1:C:289:LEU:O	2.18	0.44	
1:A:503:LEU:HD22	1:A:535:TRP:HB2	1.99	0.44	



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:C:38:CYS:O	1:C:47:ILE:HD11	2.17	0.44	
2:B:125:ARG:NH1	2:B:147:ASN:O	2.51	0.44	
1:C:24:TRP:HD1	1:C:59:PRO:HB3	1.83	0.43	
4:P:804:DA:H2"	4:P:805:DG:O5'	2.17	0.43	
1:C:362:THR:HG21	1:C:367:GLN:HE21	1.82	0.43	
1:C:503:LEU:HD22	1:C:535:TRP:HB2	2.00	0.43	
2:D:38:CYS:SG	2:D:132:ILE:HD11	2.59	0.43	
1:A:441:TYR:OH	2:B:287:LYS:O	2.24	0.43	
4:P:818:DC:H2'	4:P:819:DG:C8	2.54	0.43	
2:B:423:VAL:HB	2:B:426:TRP:HE1	1.83	0.43	
2:D:199:ARG:NE	2:D:233:GLU:OE2	2.52	0.43	
2:D:317:VAL:HG12	2:D:347:LYS:HB3	2.01	0.43	
1:C:206:ARG:NH2	1:C:216:THR:O	2.51	0.42	
2:D:12:LEU:HD23	2:D:84:THR:HG22	2.01	0.42	
1:C:80:LEU:O	1:C:84:THR:HG23	2.18	0.42	
1:A:448:ARG:NH2	3:T:723:DC:H1'	2.34	0.42	
2:B:420:PRO:HA	2:B:421:PRO:HD3	1.87	0.42	
3:E:713:DC:H2'	3:E:714:DG:C8	2.55	0.42	
1:A:66:LYS:HD3	1:A:67:ASP:N	2.34	0.42	
1:C:543:GLY:H	2:D:283:LEU:HB3	1.85	0.42	
1:A:114:ALA:N	6:A:601:1IH:O21	2.51	0.42	
1:A:254:VAL:HG23	1:A:291:GLU:O	2.20	0.42	
1:A:111:VAL:HG11	1:A:214:LEU:HD22	2.02	0.42	
1:C:443:ASP:OD1	1:C:444:GLY:N	2.53	0.42	
1:C:276:VAL:O	1:C:276:VAL:HG12	2.20	0.42	
1:A:434:ILE:HG12	1:A:530:LYS:HB3	2.02	0.42	
3:T:713:DC:H2'	3:T:714:DG:C8	2.55	0.41	
2:B:270:ILE:HG12	2:B:346:PHE:HB3	2.02	0.41	
1:A:34:LEU:HD23	1:A:34:LEU:HA	1.94	0.41	
1:A:50:ILE:HG12	1:A:143:ARG:CB	2.43	0.41	
1:A:325:LEU:HB3	1:A:387:PRO:HB3	2.03	0.41	
1:A:497:THR:O	1:A:535:TRP:HA	2.21	0.41	
2:D:99:GLY:HA2	2:D:102:LYS:HD2	2.02	0.41	
1:A:110:ASP:HB3	1:A:220:LYS:HB3	2.01	0.41	
1:A:402:TRP:O	2:B:331:LYS:NZ	2.33	0.41	
1:C:317:VAL:HG11	1:C:347:LYS:HB3	2.02	0.41	
2:D:78:ARG:HD3	2:D:411:ILE:HG22	2.02	0.41	
1:A:97:PRO:HA	1:A:100:LEU:HG	2.03	0.41	
1:A:448:ARG:NH2	3:T:724:DT:O4'	2.54	0.41	
2:B:191:SER:OG	2:B:198:HIS:ND1	2.44	0.41	
2:B:424:LYS:HE2	2:B:424:LYS:HB3	1.95	0.41	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:57:ASN:OD1	1:C:131:THR:HG23	2.21	0.41
1:C:445:ALA:HB3	1:C:552:VAL:O	2.21	0.41
2:D:293:ILE:HD13	2:D:293:ILE:HA	1.92	0.41
1:A:490:GLY:O	1:A:528:LYS:NZ	2.39	0.41
2:B:289:LEU:HD23	2:B:289:LEU:HA	1.91	0.41
2:D:10:VAL:HG12	2:D:11:LYS:N	2.35	0.40
1:A:524:GLN:O	1:A:528:LYS:HG2	2.21	0.40
1:C:435:VAL:HA	2:D:290:THR:HG21	2.04	0.40
2:D:110:ASP:H	2:D:230:MET:CB	2.35	0.40
1:A:199:ARG:NH1	1:A:223:LYS:HB3	2.37	0.40
1:A:252:TRP:NE1	1:A:295:LEU:HD11	2.36	0.40
2:B:149:LEU:HA	2:B:150:PRO:HD3	1.94	0.40
1:C:282:LEU:HB3	1:C:293:ILE:HD13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	554/556~(100%)	532~(96%)	22~(4%)	0	100	100
1	С	553/556~(100%)	538~(97%)	15 (3%)	0	100	100
2	В	408/428~(95%)	391~(96%)	16 (4%)	1 (0%)	47	78
2	D	407/428~(95%)	387~(95%)	20~(5%)	0	100	100
All	All	1922/1968~(98%)	1848 (96%)	73 (4%)	1 (0%)	51	82

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	В	423	VAL



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percent	iles
1	А	497/497~(100%)	495 (100%)	2 (0%)	91 9	5
1	С	495/497~(100%)	494 (100%)	1 (0%)	93 9	8
2	В	372/390~(95%)	370 (100%)	2 (0%)	88 9	4
2	D	372/390~(95%)	371 (100%)	1 (0%)	92 9	7
All	All	1736/1774 (98%)	1730 (100%)	6 (0%)	92 9	7

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	С	123	ASP
2	D	422	LEU
1	А	123	ASP
1	А	405	TYR
2	В	410	TRP
2	В	422	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such side chains are listed below:

Mol	Chain	Res	Type
1	С	474	ASN
1	С	545	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

There are no bond length outliers.



There are no bond angle outliers. There are no chirality outliers. There are no torsion outliers. There are no ring outliers. No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q<0.9
1	А	556/556~(100%)	0.12	27 (4%) 29 29	56, 143, 212, 242	0
1	С	555/556~(99%)	0.34	37 (6%) 17 19	52, 134, 213, 246	0
2	В	412/428~(96%)	0.45	23 (5%) 24 25	60, 122, 174, 200	0
2	D	411/428 (96%)	0.21	9 (2%) 62 60	55, 109, 159, 184	0
3	Ε	23/27~(85%)	-0.22	1 (4%) 35 35	141, 167, 215, 272	0
3	Т	24/27~(88%)	-0.51	0 100 100	136, 167, 245, 258	0
4	F	18/21~(85%)	-0.47	0 100 100	121, 166, 193, 199	0
4	Р	18/21~(85%)	-0.78	0 100 100	116, 157, 201, 202	0
All	All	2017/2064~(97%)	0.24	97 (4%) 30 31	52, 127, 201, 272	0

All (97) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	В	4	PRO	10.8
1	С	133	PRO	7.2
1	С	26	LEU	6.2
1	С	229	TRP	5.8
1	А	132	ILE	5.8
1	С	67	ASP	5.4
1	С	132	ILE	4.6
1	А	142	ILE	4.6
1	С	140	PRO	4.6
1	С	138	GLU	4.5
1	С	274	ILE	4.3
1	А	276	VAL	4.3
1	С	73	LYS	4.2
2	D	214	LEU	4.0
2	В	5	ILE	4.0
1	С	69	THR	4.0



Mol	Chain	Res	Type	RSRZ
2	D	92	LEU	4.0
1	С	63	ILE	3.9
1	С	252	TRP	3.8
1	А	24	TRP	3.7
1	С	146	TYR	3.7
2	В	215	THR	3.7
2	В	180	ILE	3.6
1	С	193	LEU	3.5
1	С	135	ILE	3.4
2	В	232	TYR	3.4
1	А	5	ILE	3.3
2	D	91	GLN	3.2
1	А	146	TYR	3.2
1	C	71	TRP	3.2
1	С	279	LEU	3.1
1	А	137	ASN	3.1
2	В	34	LEU	3.1
2	В	73	LYS	3.1
1	С	109	LEU	3.1
1	С	282	LEU	3.0
1	А	138	GLU	3.0
2	В	188	TYR	3.0
1	А	133	PRO	3.0
2	D	89	GLU	2.8
2	В	66	LYS	2.8
1	А	205	LEU	2.8
2	В	428	GLN	2.8
2	D	124	PHE	2.8
1	С	30	LYS	2.8
2	В	150	PRO	2.8
1	А	188	TYR	2.7
2	В	6	GLU	2.7
1	С	306	ASN	2.7
2	В	124	PHE	2.7
1	А	214	LEU	2.7
1	А	135	ILE	2.7
1	С	136	ASN	2.6
2	В	38	CYS	2.6
1	С	41	MET	2.6
1	С	$12\overline{4}$	PHE	2.6
1	С	62	ALA	2.6
1	С	70	LYS	2.5



Mol	Chain	Res	Type	RSRZ	
1	С	286	THR	2.5	
1	А	34	LEU	2.5	
1	А	60	VAL	2.5	
1	С	246	LEU	2.5	
2	В	146	TYR	2.4	
2	D	274	ILE	2.4	
1	С	283	LEU	2.4	
1	А	246	LEU	2.4	
1	С	74	LEU	2.4	
1	А	295	LEU	2.4	
1	С	25	PRO	2.4	
1	С	148	VAL	2.4	
1	С	61	PHE	2.3	
1	А	73	LYS	2.3	
1	А	293	ILE	2.3	
1	А	-1	MET	2.3	
2	В	209	LEU	2.3	
1	А	279	LEU	2.3	
2	В	85	GLN	2.2	
2	D	12	LEU	2.2	
2	D	87	PHE	2.2	
1	А	187	LEU	2.2	
2	В	95	PRO	2.2	
2	В	279	LEU	2.2	
2	В	369	THR	2.2	
1	С	34	LEU	2.1	
1	С	247	PRO	2.1	
1	А	139	THR	2.1	
2	В	131	THR	2.1	
2	D	85	GLN	2.1	
2	В	94	ILE	2.1	
1	А	124	PHE	2.1	
1	А	181	TYR	2.1	
1	А	140	PRO	2.1	
1	С	142	ILE	2.1	
2	В	75	VAL	2.0	
3	Е	703	DG	2.0	
1	С	332	GLN	2.0	
1	А	10	VAL	2.0	

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	DDG	Р	822	21/22	0.82	0.13	147,166,179,184	0
4	DDG	F	822	21/22	0.83	0.16	128,160,169,176	0
4	MRG	F	817	22/27	0.89	0.18	144,178,205,225	0
4	MRG	Р	817	22/27	0.91	0.17	147,181,197,225	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	1IH	С	601	22/22	0.64	0.22	163,204,228,252	0
5	MN	С	600	1/1	0.73	0.10	239,239,239,239	0
6	1IH	А	601	22/22	0.85	0.10	165,179,212,231	0
5	MN	А	600	1/1	0.98	0.13	198,198,198,198	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers (i)

There are no such residues in this entry.

