



Full wwPDB EM Validation Report ⓘ

Oct 28, 2024 – 02:30 am GMT

PDB ID : 8OZP
EMDB ID : EMD-17317
Title : In situ subtomogram average of Prototype Foamy Virus Env pentamer of trimers
Authors : Calcraft, T.; Nans, A.; Rosenthal, P.B.
Deposited on : 2023-05-09
Resolution : 11.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 11.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	988	
1	B	988	
1	C	988	
1	D	988	
1	E	988	
1	F	988	
1	G	988	
1	H	988	


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	988	6% 94%
1	L	988	37% 59%
2	M	2	50% 100%
2	N	2	50% 100%
2	O	2	100%
2	Y	2	50% 100%
2	Z	2	50% 100%
2	a	2	50% 100%
2	b	2	100%
2	c	2	100%
2	d	2	50% 100%
3	S	3	67% 100%
3	T	3	67% 100%
3	U	3	100% 100%
4	V	6	17% 100%
4	W	6	17% 17% 83%
4	X	6	17% 100%
5	P	4	75% 100%
5	Q	4	25% 50% 75%
5	R	4	75% 100%
6	e	8	25% 50% 75%
6	f	8	50% 100%
6	g	8	38% 100%
7	h	6	67% 100%
7	i	6	17% 83% 83%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	j	6	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into two segments: a red segment on the left and a yellow segment on the right. The red segment is labeled '67%' and the yellow segment is labeled '100%'. The total length of the bar represents the full chain length.</p>

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 22752 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	58	466	309	76	77	4	0	0
1	B	411	3380	2164	561	636	19	0	0
1	D	405	3190	2054	536	586	14	0	0
1	F	11	94	61	18	14	1	0	0
1	H	405	3190	2054	536	586	14	0	0
1	L	405	3190	2054	536	586	14	0	0
1	E	58	466	309	76	77	4	0	0
1	I	58	466	309	76	77	4	0	0
1	C	411	3380	2164	561	636	19	0	0
1	G	405	3328	2133	549	628	18	0	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	M	2	28	16	2	10	0	0
2	a	2	28	16	2	10	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	b	2	28	16	2	10	0	0
2	c	2	28	16	2	10	0	0
2	d	2	28	16	2	10	0	0
2	N	2	28	16	2	10	0	0
2	O	2	28	16	2	10	0	0
2	Y	2	28	16	2	10	0	0
2	Z	2	28	16	2	10	0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	U	3	39	22	2	15	0	0
3	S	3	39	22	2	15	0	0
3	T	3	39	22	2	15	0	0

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	X	6	75	42	3	30	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	V	6	75	42	3	30	0	0
4	W	6	75	42	3	30	0	0

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
5	R	4	50	28	2	20	0	0
5	P	4	50	28	2	20	0	0
5	Q	4	50	28	2	20	0	0

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	e	8	94	52	2	40	0	0
6	f	8	94	52	2	40	0	0
6	g	8	94	52	2	40	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
7	h	6	Total	C	N	O	0	0
			72	40	2	30		
7	i	6	Total	C	N	O	0	0
			72	40	2	30		
7	j	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 8 is CHOLESTEROL (three-letter code: CLR) (formula: $C_{27}H_{46}O$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
8	A	1	Total	C	O	0
			28	27	1	
8	D	1	Total	C	O	0
			28	27	1	
8	L	1	Total	C	O	0
			28	27	1	

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
9	B	1	Total 14	C 8	N 1	O 5	0
9	B	1	Total 14	C 8	N 1	O 5	0
9	B	1	Total 14	C 8	N 1	O 5	0
9	C	1	Total 14	C 8	N 1	O 5	0
9	C	1	Total 14	C 8	N 1	O 5	0
9	C	1	Total 14	C 8	N 1	O 5	0
9	G	1	Total 14	C 8	N 1	O 5	0
9	G	1	Total 14	C 8	N 1	O 5	0
9	G	1	Total 14	C 8	N 1	O 5	0

- Molecule 10 is PHOSPHATIDYLETHANOLAMINE (three-letter code: PTY) (formula: $C_{40}H_{80}NO_8P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
10	D	1	Total	C	N	O	P	0
			50	40	1	8	1	
10	H	1	Total	C	N	O	P	0
			50	40	1	8	1	
10	L	1	Total	C	N	O	P	0
			50	40	1	8	1	



● Molecule 1: Envelope glycoprotein

Chain F: 99%



MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

MAG1
MAG2

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C5	Depositor
Number of subtomograms used	2220	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	107.42	Depositor
Minimum defocus (nm)	2000	Depositor
Maximum defocus (nm)	4500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.194	Depositor
Minimum map value	-0.121	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.029	Depositor
Recommended contour level	0.064	Depositor
Map size (Å)	441.6, 441.6, 441.6	wwPDB
Map dimensions	160, 160, 160	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	2.76, 2.76, 2.76	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, CLR, PTY, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/476	1.02	0/653
1	B	0.72	0/3469	1.11	22/4705 (0.5%)
1	C	0.71	0/3469	1.13	25/4705 (0.5%)
1	D	0.64	0/3260	1.08	17/4441 (0.4%)
1	E	0.68	0/476	1.13	4/653 (0.6%)
1	F	0.77	0/97	1.19	1/130 (0.8%)
1	G	0.72	0/3416	1.16	32/4634 (0.7%)
1	H	0.64	0/3260	1.08	16/4441 (0.4%)
1	I	0.70	0/476	1.09	2/653 (0.3%)
1	L	0.64	0/3260	1.10	18/4441 (0.4%)
All	All	0.68	0/21659	1.11	137/29456 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	10
1	C	0	11
1	D	0	11
1	E	0	1
1	G	0	9
1	H	0	10
1	I	0	1
1	L	0	5
All	All	0	58

There are no bond length outliers.

All (137) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	745	TYR	CB-CG-CD1	-12.05	113.77	121.00
1	B	513	TYR	CB-CG-CD2	-9.86	115.08	121.00
1	C	373	ARG	NE-CZ-NH1	9.71	125.16	120.30
1	G	395	TYR	CB-CG-CD2	-9.70	115.18	121.00
1	G	223	TYR	CB-CG-CD2	-9.51	115.30	121.00
1	D	707	TYR	CB-CG-CD2	-9.40	115.36	121.00
1	D	896	ARG	NE-CZ-NH1	9.37	124.98	120.30
1	C	137	TYR	CB-CG-CD1	-9.06	115.56	121.00
1	G	339	PHE	CB-CG-CD2	-8.87	114.59	120.80
1	I	92	ARG	NE-CZ-NH2	8.83	124.72	120.30
1	C	513	TYR	CB-CG-CD1	-8.82	115.71	121.00
1	G	373	ARG	NE-CZ-NH1	8.82	124.71	120.30
1	G	210	PHE	CB-CG-CD2	-8.71	114.70	120.80
1	C	226	ARG	NE-CZ-NH2	-8.63	115.98	120.30
1	D	765	ARG	NE-CZ-NH1	8.62	124.61	120.30
1	H	707	TYR	CB-CG-CD2	-8.51	115.89	121.00
1	E	92	ARG	NE-CZ-NH2	8.35	124.47	120.30
1	L	896	ARG	NE-CZ-NH1	8.18	124.39	120.30
1	C	226	ARG	NE-CZ-NH1	8.14	124.37	120.30
1	D	811	TYR	CB-CG-CD1	-8.10	116.14	121.00
1	G	226	ARG	NE-CZ-NH1	8.08	124.34	120.30
1	L	717	TYR	CB-CG-CD2	-7.97	116.22	121.00
1	C	477	TYR	CB-CG-CD1	-7.90	116.26	121.00
1	G	439	ARG	NE-CZ-NH1	7.88	124.24	120.30
1	H	948	PHE	CB-CG-CD2	-7.80	115.34	120.80
1	L	865	ARG	NE-CZ-NH1	7.78	124.19	120.30
1	B	540	ARG	NE-CZ-NH1	7.76	124.18	120.30
1	D	765	ARG	NE-CZ-NH2	-7.71	116.44	120.30
1	G	459	TYR	CB-CG-CD2	-7.62	116.43	121.00
1	L	613	ARG	NE-CZ-NH1	7.57	124.08	120.30
1	H	585	TYR	CB-CG-CD1	-7.52	116.49	121.00
1	H	613	ARG	NE-CZ-NH1	7.42	124.01	120.30
1	G	493	ARG	NE-CZ-NH1	7.39	124.00	120.30
1	C	540	ARG	NE-CZ-NH1	7.35	123.98	120.30
1	H	865	ARG	NE-CZ-NH1	7.33	123.96	120.30
1	C	269	ARG	NE-CZ-NH1	7.32	123.96	120.30
1	B	137	TYR	CB-CG-CD1	-7.31	116.61	121.00
1	B	373	ARG	NE-CZ-NH1	7.28	123.94	120.30
1	L	581	ARG	NE-CZ-NH1	7.28	123.94	120.30
1	B	226	ARG	CD-NE-CZ	7.27	133.78	123.60
1	H	768	TYR	CB-CG-CD2	-7.23	116.66	121.00
1	H	684	ARG	NE-CZ-NH1	7.20	123.90	120.30
1	B	474	TYR	CB-CG-CD2	-7.19	116.68	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	520	PHE	CB-CG-CD2	-7.18	115.77	120.80
1	G	460	TYR	CB-CG-CD2	-7.17	116.70	121.00
1	G	540	ARG	NE-CZ-NH1	7.16	123.88	120.30
1	D	613	ARG	NE-CZ-NH1	7.15	123.87	120.30
1	B	528	TYR	CB-CG-CD2	-7.13	116.72	121.00
1	C	493	ARG	NE-CZ-NH1	7.03	123.81	120.30
1	L	707	TYR	CB-CG-CD1	-7.01	116.79	121.00
1	G	226	ARG	CD-NE-CZ	6.99	133.38	123.60
1	H	659	TYR	CB-CG-CD1	-6.91	116.86	121.00
1	H	896	ARG	NE-CZ-NH1	6.90	123.75	120.30
1	G	318	CYS	CA-CB-SG	6.86	126.35	114.00
1	B	433	TYR	CB-CG-CD2	-6.80	116.92	121.00
1	D	707	TYR	CB-CG-CD1	-6.75	116.95	121.00
1	H	765	ARG	NE-CZ-NH1	6.59	123.59	120.30
1	G	163	ARG	NE-CZ-NH1	6.48	123.54	120.30
1	D	768	TYR	CB-CG-CD2	-6.45	117.13	121.00
1	G	218	ARG	NE-CZ-NH1	6.45	123.52	120.30
1	B	339	PHE	CB-CG-CD2	-6.41	116.31	120.80
1	L	684	ARG	NE-CZ-NH1	6.41	123.50	120.30
1	E	73	PHE	CB-CG-CD2	-6.40	116.32	120.80
1	L	768	TYR	CB-CG-CD2	-6.39	117.17	121.00
1	L	681	ARG	NE-CZ-NH1	6.36	123.48	120.30
1	H	845	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	F	129	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	D	689	TYR	CB-CG-CD1	-6.30	117.22	121.00
1	D	858	ARG	NE-CZ-NH1	6.27	123.43	120.30
1	D	896	ARG	NE-CZ-NH2	-6.25	117.17	120.30
1	L	654	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	B	283	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	G	308	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	G	327	TYR	CB-CG-CD2	-6.14	117.31	121.00
1	G	456	ARG	NE-CZ-NH2	6.10	123.35	120.30
1	D	654	ARG	NE-CZ-NH1	6.09	123.35	120.30
1	G	503	TYR	CB-CG-CD1	-6.09	117.35	121.00
1	D	684	ARG	NE-CZ-NH1	6.05	123.33	120.30
1	L	765	ARG	NE-CZ-NH1	6.04	123.32	120.30
1	H	581	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	B	240	TYR	CB-CG-CD2	-5.99	117.40	121.00
1	G	513	TYR	CB-CG-CD1	-5.97	117.42	121.00
1	C	559	ARG	NE-CZ-NH1	5.95	123.28	120.30
1	C	339	PHE	CB-CG-CD2	-5.93	116.65	120.80
1	C	436	ARG	NE-CZ-NH1	5.87	123.23	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	133	PRO	CA-N-CD	-5.78	103.41	111.50
1	C	229	TYR	CB-CG-CD1	-5.77	117.54	121.00
1	C	323	TYR	CB-CG-CD2	-5.76	117.55	121.00
1	I	113	ARG	NE-CZ-NH1	5.75	123.17	120.30
1	B	226	ARG	NE-CZ-NH1	5.71	123.15	120.30
1	H	852	ARG	NE-CZ-NH1	5.65	123.13	120.30
1	L	858	ARG	NE-CZ-NH1	5.63	123.12	120.30
1	B	493	ARG	NE-CZ-NH1	5.59	123.10	120.30
1	H	858	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	G	395	TYR	CB-CG-CD1	5.57	124.34	121.00
1	B	163	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	G	235	CYS	CA-CB-SG	-5.52	104.07	114.00
1	G	474	TYR	CB-CG-CD2	-5.51	117.69	121.00
1	E	86	CYS	CA-CB-SG	-5.49	104.12	114.00
1	D	681	ARG	NE-CZ-NH1	5.44	123.02	120.30
1	C	163	ARG	NE-CZ-NH1	5.44	123.02	120.30
1	G	297	ARG	NE-CZ-NH1	5.44	123.02	120.30
1	C	218	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	B	218	ARG	NE-CZ-NH1	5.43	123.01	120.30
1	B	151	TYR	CB-CG-CD2	-5.40	117.76	121.00
1	D	688	TYR	CB-CG-CD1	-5.40	117.76	121.00
1	L	659	TYR	CB-CG-CD2	-5.39	117.76	121.00
1	C	397	PHE	CB-CG-CD2	-5.38	117.04	120.80
1	L	852	ARG	NE-CZ-NH2	5.36	122.98	120.30
1	C	406	PHE	CB-CG-CD2	-5.33	117.07	120.80
1	C	297	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	C	456	ARG	NE-CZ-NH2	5.30	122.95	120.30
1	D	865	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	L	903	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	G	357	ARG	NE-CZ-NH1	5.25	122.93	120.30
1	H	903	ARG	NE-CZ-NH1	5.25	122.93	120.30
1	B	503	TYR	CB-CG-CD1	-5.25	117.85	121.00
1	C	500	TYR	CB-CG-CD1	-5.24	117.85	121.00
1	H	825	TYR	CB-CG-CD2	-5.24	117.86	121.00
1	G	269	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	G	436	ARG	NE-CZ-NH1	5.23	122.92	120.30
1	C	223	TYR	CB-CG-CD2	-5.21	117.88	121.00
1	B	308	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	B	357	ARG	NE-CZ-NH1	5.17	122.88	120.30
1	C	293	TYR	CB-CG-CD2	-5.16	117.90	121.00
1	G	529	THR	CA-CB-CG2	5.16	119.63	112.40
1	G	497	TYR	CB-CG-CD2	-5.16	117.91	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	276	TYR	CB-CG-CD1	-5.12	117.93	121.00
1	C	460	TYR	CB-CG-CD2	-5.11	117.94	121.00
1	G	339	PHE	CB-CG-CD1	5.10	124.37	120.80
1	B	297	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	D	903	ARG	NE-CZ-NH1	5.09	122.84	120.30
1	C	210	PHE	CB-CG-CD2	-5.04	117.27	120.80
1	B	338	ARG	NE-CZ-NH1	5.02	122.81	120.30
1	L	948	PHE	CB-CG-CD2	-5.02	117.29	120.80
1	E	67	ARG	NE-CZ-NH1	5.01	122.81	120.30
1	L	757	TYR	CB-CG-CD1	-5.01	118.00	121.00

There are no chirality outliers.

All (58) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	137	TYR	Sidechain
1	B	225	HIS	Sidechain
1	B	283	ARG	Sidechain
1	B	293	TYR	Sidechain
1	B	338	ARG	Sidechain
1	B	395	TYR	Sidechain
1	B	433	TYR	Sidechain
1	B	456	ARG	Sidechain
1	B	470	TYR	Sidechain
1	B	513	TYR	Sidechain
1	C	137	TYR	Sidechain
1	C	223	TYR	Sidechain
1	C	225	HIS	Sidechain
1	C	229	TYR	Sidechain
1	C	283	ARG	Sidechain
1	C	293	TYR	Sidechain
1	C	302	TYR	Sidechain
1	C	373	ARG	Sidechain
1	C	395	TYR	Sidechain
1	C	460	TYR	Sidechain
1	C	474	TYR	Sidechain
1	D	610	TYR	Sidechain
1	D	659	TYR	Sidechain
1	D	688	TYR	Sidechain
1	D	689	TYR	Sidechain
1	D	707	TYR	Sidechain
1	D	745	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	D	757	TYR	Sidechain
1	D	765	ARG	Sidechain
1	D	845	ARG	Sidechain
1	D	858	ARG	Sidechain
1	D	865	ARG	Sidechain
1	E	113	ARG	Sidechain
1	G	137	TYR	Sidechain
1	G	150	TYR	Sidechain
1	G	223	TYR	Sidechain
1	G	225	HIS	Sidechain
1	G	302	TYR	Sidechain
1	G	327	TYR	Sidechain
1	G	395	TYR	Sidechain
1	G	439	ARG	Sidechain
1	G	460	TYR	Sidechain
1	H	585	TYR	Sidechain
1	H	653	ARG	Sidechain
1	H	659	TYR	Sidechain
1	H	681	ARG	Sidechain
1	H	688	TYR	Sidechain
1	H	689	TYR	Sidechain
1	H	707	TYR	Sidechain
1	H	738	HIS	Sidechain
1	H	757	TYR	Sidechain
1	H	825	TYR	Sidechain
1	I	113	ARG	Sidechain
1	L	659	TYR	Sidechain
1	L	689	TYR	Sidechain
1	L	707	TYR	Sidechain
1	L	745	TYR	Sidechain
1	L	757	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	466	0	488	1	0
1	B	3380	0	3293	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3380	0	3293	9	0
1	D	3190	0	3242	9	0
1	E	466	0	488	0	0
1	F	94	0	97	1	0
1	G	3328	0	3241	9	0
1	H	3190	0	3242	9	0
1	I	466	0	488	0	0
1	L	3190	0	3242	7	0
2	M	28	0	25	0	0
2	N	28	0	25	0	0
2	O	28	0	25	0	0
2	Y	28	0	25	0	0
2	Z	28	0	25	0	0
2	a	28	0	25	0	0
2	b	28	0	25	0	0
2	c	28	0	25	0	0
2	d	28	0	25	0	0
3	S	39	0	34	0	0
3	T	39	0	34	0	0
3	U	39	0	34	0	0
4	V	75	0	64	0	0
4	W	75	0	64	0	0
4	X	75	0	64	0	0
5	P	50	0	43	0	0
5	Q	50	0	43	0	0
5	R	50	0	43	0	0
6	e	94	0	79	0	0
6	f	94	0	79	0	0
6	g	94	0	79	0	0
7	h	72	0	61	0	0
7	i	72	0	61	0	0
7	j	72	0	61	0	0
8	A	28	0	46	1	0
8	D	28	0	46	3	0
8	L	28	0	46	0	0
9	B	42	0	39	0	0
9	C	42	0	39	0	0
9	G	42	0	39	0	0
10	D	50	0	79	0	0
10	H	50	0	79	0	0
10	L	50	0	79	0	0
All	All	22752	0	22674	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:326:TRP:CG	1:B:343:LYS:HE3	2.31	0.65
1:G:326:TRP:CG	1:G:343:LYS:HE3	2.33	0.65
8:D:1100:CLR:H192	1:L:960:PRO:HB3	1.79	0.64
1:C:277:ILE:HG21	1:C:298:LEU:HD12	1.87	0.55
1:D:865:ARG:HE	1:D:890:ILE:HD11	1.75	0.52
1:G:277:ILE:HG21	1:G:298:LEU:HD12	1.92	0.52
1:B:277:ILE:HD11	1:B:302:TYR:HB2	1.93	0.50
1:D:700:THR:HG23	1:C:193:THR:HG23	1.93	0.50
1:L:792:TRP:CG	1:L:880:LYS:HE2	2.47	0.50
1:D:792:TRP:CG	1:D:880:LYS:HE2	2.47	0.49
1:H:700:THR:HG23	1:G:193:THR:HG23	1.95	0.49
8:D:1100:CLR:H192	1:L:960:PRO:CB	2.42	0.47
1:H:807:LYS:HE3	1:H:807:LYS:HA	1.95	0.47
1:C:398:SER:HB3	1:C:486:CYS:SG	2.55	0.47
1:G:549:LYS:HE3	1:G:549:LYS:HA	1.96	0.47
1:L:760:LEU:HD22	1:L:774:VAL:HG22	1.97	0.47
8:D:1100:CLR:H212	8:D:1100:CLR:H121	1.97	0.46
1:B:503:TYR:CE2	1:B:507:LYS:HE2	2.50	0.46
1:F:137:TYR:CE1	1:G:133:PRO:HD3	2.52	0.45
1:H:623:THR:HG21	1:H:659:TYR:CD1	2.52	0.44
1:D:707:TYR:CE2	1:C:212:ILE:HD12	2.53	0.44
1:H:681:ARG:HA	1:H:681:ARG:NE	2.33	0.44
1:L:609:ILE:N	1:L:609:ILE:HD12	2.33	0.44
1:B:325:LYS:HA	1:B:325:LYS:HE3	2.00	0.43
1:D:609:ILE:HD12	1:D:609:ILE:N	2.33	0.43
1:H:700:THR:HG21	1:G:197:ASN:OD1	2.18	0.43
1:C:326:TRP:CG	1:C:343:LYS:HE3	2.54	0.43
1:H:585:TYR:CE1	1:G:210:PHE:CE2	3.07	0.43
1:H:681:ARG:HA	1:H:681:ARG:CZ	2.49	0.43
1:D:700:THR:HG21	1:C:197:ASN:OD1	2.18	0.43
1:G:503:TYR:CE2	1:G:507:LYS:HE2	2.54	0.43
1:B:249:GLU:H	1:B:249:GLU:CD	2.22	0.42
1:C:156:GLU:CD	1:C:156:GLU:H	2.22	0.42
1:G:326:TRP:CB	1:G:343:LYS:HE3	2.48	0.42
1:D:807:LYS:HE3	1:D:807:LYS:HA	2.02	0.42
1:B:438:TRP:CE2	1:B:472:PHE:HB3	2.55	0.42
1:A:85:SER:HA	8:A:1100:CLR:C2	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:757:TYR:CD1	1:L:779:PRO:HD3	2.55	0.42
1:D:792:TRP:CB	1:D:880:LYS:HE2	2.50	0.41
1:D:689:TYR:CE2	1:D:705:GLY:HA3	2.56	0.41
1:L:923:LYS:HE3	1:L:927:PRO:HA	2.03	0.41
1:H:911:THR:HB	1:H:912:PRO:HD3	2.02	0.41
1:C:277:ILE:CG2	1:C:298:LEU:HD12	2.49	0.41
1:C:269:ARG:HA	1:C:273:TRP:CZ3	2.56	0.41
1:B:244:LYS:HE3	1:B:244:LYS:HB3	1.95	0.41
1:H:770:ILE:N	1:H:770:ILE:HD12	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	56/988 (6%)	54 (96%)	2 (4%)	0	100	100
1	B	405/988 (41%)	382 (94%)	22 (5%)	1 (0%)	44	78
1	C	405/988 (41%)	379 (94%)	24 (6%)	2 (0%)	25	64
1	D	403/988 (41%)	387 (96%)	15 (4%)	1 (0%)	44	78
1	E	56/988 (6%)	54 (96%)	2 (4%)	0	100	100
1	F	9/988 (1%)	9 (100%)	0	0	100	100
1	G	399/988 (40%)	374 (94%)	23 (6%)	2 (0%)	25	64
1	H	403/988 (41%)	387 (96%)	15 (4%)	1 (0%)	44	78
1	I	56/988 (6%)	53 (95%)	3 (5%)	0	100	100
1	L	403/988 (41%)	386 (96%)	16 (4%)	1 (0%)	44	78
All	All	2595/9880 (26%)	2465 (95%)	122 (5%)	8 (0%)	38	73

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	470	TYR
1	G	470	TYR
1	B	470	TYR
1	L	767	ASP
1	H	767	ASP
1	C	247	PRO
1	D	767	ASP
1	G	247	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	54/899 (6%)	52 (96%)	2 (4%)	29	49
1	B	382/899 (42%)	366 (96%)	16 (4%)	25	46
1	C	382/899 (42%)	365 (96%)	17 (4%)	23	45
1	D	356/899 (40%)	345 (97%)	11 (3%)	35	54
1	E	54/899 (6%)	54 (100%)	0	100	100
1	F	11/899 (1%)	11 (100%)	0	100	100
1	G	376/899 (42%)	360 (96%)	16 (4%)	25	46
1	H	356/899 (40%)	347 (98%)	9 (2%)	42	61
1	I	54/899 (6%)	53 (98%)	1 (2%)	52	69
1	L	356/899 (40%)	344 (97%)	12 (3%)	32	51
All	All	2381/8990 (26%)	2297 (96%)	84 (4%)	33	51

All (84) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	CYS
1	A	67	ARG
1	B	151	TYR
1	B	156	GLU
1	B	176	GLU
1	B	200	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	222	GLN
1	B	226	ARG
1	B	235	CYS
1	B	242	GLU
1	B	249	GLU
1	B	290	LYS
1	B	318	CYS
1	B	325	LYS
1	B	366	GLN
1	B	405	ASN
1	B	450	ARG
1	B	455	LYS
1	D	652	GLU
1	D	667	GLN
1	D	703	GLU
1	D	754	GLU
1	D	778	GLN
1	D	794	GLU
1	D	798	GLU
1	D	807	LYS
1	D	916	GLN
1	D	923	LYS
1	D	924	ASP
1	H	609	ILE
1	H	652	GLU
1	H	667	GLN
1	H	703	GLU
1	H	754	GLU
1	H	807	LYS
1	H	880	LYS
1	H	892	GLU
1	H	916	GLN
1	L	579	LYS
1	L	652	GLU
1	L	654	ARG
1	L	667	GLN
1	L	670	GLN
1	L	681	ARG
1	L	802	GLN
1	L	821	GLN
1	L	863	GLN
1	L	885	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	916	GLN
1	L	923	LYS
1	I	100	GLN
1	C	151	TYR
1	C	161	LYS
1	C	172	MET
1	C	200	MET
1	C	221	GLU
1	C	222	GLN
1	C	231	GLU
1	C	249	GLU
1	C	269	ARG
1	C	290	LYS
1	C	346	ASN
1	C	366	GLN
1	C	443	GLU
1	C	450	ARG
1	C	486	CYS
1	C	490	GLN
1	C	511	LYS
1	G	151	TYR
1	G	162	GLU
1	G	172	MET
1	G	211	GLU
1	G	221	GLU
1	G	222	GLN
1	G	226	ARG
1	G	249	GLU
1	G	325	LYS
1	G	405	ASN
1	G	439	ARG
1	G	443	GLU
1	G	445	GLU
1	G	448	LYS
1	G	479	LYS
1	G	511	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	225	HIS
1	D	934	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	L	670	GLN
1	C	489	GLN
1	G	495	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

99 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	M	1	2,1	14,14,15	1.21	1 (7%)	17,19,21	1.27	2 (11%)
2	NAG	M	2	2	14,14,15	1.36	2 (14%)	17,19,21	0.77	0
2	NAG	N	1	2,1	14,14,15	1.24	2 (14%)	17,19,21	0.85	0
2	NAG	N	2	2	14,14,15	1.21	1 (7%)	17,19,21	0.72	0
2	NAG	O	1	2,1	14,14,15	1.08	0	17,19,21	1.26	2 (11%)
2	NAG	O	2	2	14,14,15	1.09	1 (7%)	17,19,21	0.87	0
5	NAG	P	1	5,1	14,14,15	1.11	1 (7%)	17,19,21	1.16	1 (5%)
5	NAG	P	2	5	14,14,15	1.40	4 (28%)	17,19,21	1.01	2 (11%)
5	BMA	P	3	5	11,11,12	1.10	1 (9%)	15,15,17	1.10	1 (6%)
5	MAN	P	4	5	11,11,12	1.33	2 (18%)	15,15,17	1.03	1 (6%)
5	NAG	Q	1	5,1	14,14,15	1.01	0	17,19,21	0.71	0
5	NAG	Q	2	5	14,14,15	1.17	1 (7%)	17,19,21	1.10	2 (11%)
5	BMA	Q	3	5	11,11,12	1.16	1 (9%)	15,15,17	0.98	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MAN	Q	4	5	11,11,12	1.37	2 (18%)	15,15,17	1.15	2 (13%)
5	NAG	R	1	5,1	14,14,15	1.14	2 (14%)	17,19,21	0.90	0
5	NAG	R	2	5	14,14,15	1.55	4 (28%)	17,19,21	0.85	1 (5%)
5	BMA	R	3	5	11,11,12	1.19	1 (9%)	15,15,17	1.11	0
5	MAN	R	4	5	11,11,12	1.28	2 (18%)	15,15,17	0.87	1 (6%)
3	NAG	S	1	3,1	14,14,15	1.20	1 (7%)	17,19,21	1.50	2 (11%)
3	NAG	S	2	3	14,14,15	1.19	1 (7%)	17,19,21	0.70	0
3	BMA	S	3	3	11,11,12	1.15	2 (18%)	15,15,17	1.05	1 (6%)
3	NAG	T	1	3,1	14,14,15	1.09	0	17,19,21	1.47	3 (17%)
3	NAG	T	2	3	14,14,15	1.29	2 (14%)	17,19,21	0.91	0
3	BMA	T	3	3	11,11,12	1.32	2 (18%)	15,15,17	0.87	0
3	NAG	U	1	3,1	14,14,15	1.28	3 (21%)	17,19,21	0.93	1 (5%)
3	NAG	U	2	3	14,14,15	1.17	2 (14%)	17,19,21	1.13	2 (11%)
3	BMA	U	3	3	11,11,12	1.36	2 (18%)	15,15,17	0.78	0
4	NAG	V	1	4,1	14,14,15	1.25	4 (28%)	17,19,21	0.86	0
4	NAG	V	2	4	14,14,15	0.99	1 (7%)	17,19,21	1.00	1 (5%)
4	BMA	V	3	4	11,11,12	1.20	1 (9%)	15,15,17	0.79	0
4	MAN	V	4	4	11,11,12	1.51	3 (27%)	15,15,17	1.42	2 (13%)
4	NAG	V	5	4	14,14,15	0.87	0	17,19,21	1.26	2 (11%)
4	MAN	V	6	4	11,11,12	1.47	2 (18%)	15,15,17	1.23	1 (6%)
4	NAG	W	1	4,1	14,14,15	1.04	0	17,19,21	1.11	0
4	NAG	W	2	4	14,14,15	1.09	1 (7%)	17,19,21	1.02	1 (5%)
4	BMA	W	3	4	11,11,12	1.10	1 (9%)	15,15,17	0.91	0
4	MAN	W	4	4	11,11,12	1.47	3 (27%)	15,15,17	1.23	2 (13%)
4	NAG	W	5	4	14,14,15	0.84	1 (7%)	17,19,21	1.21	2 (11%)
4	MAN	W	6	4	11,11,12	1.40	2 (18%)	15,15,17	0.90	1 (6%)
4	NAG	X	1	4,1	14,14,15	1.29	3 (21%)	17,19,21	1.00	1 (5%)
4	NAG	X	2	4	14,14,15	1.06	1 (7%)	17,19,21	1.16	2 (11%)
4	BMA	X	3	4	11,11,12	1.17	1 (9%)	15,15,17	1.04	1 (6%)
4	MAN	X	4	4	11,11,12	1.59	3 (27%)	15,15,17	1.31	2 (13%)
4	NAG	X	5	4	14,14,15	0.86	1 (7%)	17,19,21	1.18	2 (11%)
4	MAN	X	6	4	11,11,12	1.40	2 (18%)	15,15,17	1.05	1 (6%)
2	NAG	Y	1	2,1	14,14,15	1.06	2 (14%)	17,19,21	0.78	1 (5%)
2	NAG	Y	2	2	14,14,15	1.19	2 (14%)	17,19,21	1.18	1 (5%)
2	NAG	Z	1	2,1	14,14,15	1.15	2 (14%)	17,19,21	0.93	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	Z	2	2	14,14,15	1.22	2 (14%)	17,19,21	0.88	0
2	NAG	a	1	2,1	14,14,15	1.43	3 (21%)	17,19,21	0.73	0
2	NAG	a	2	2	14,14,15	1.05	1 (7%)	17,19,21	0.97	2 (11%)
2	NAG	b	1	2,1	14,14,15	0.99	1 (7%)	17,19,21	1.98	6 (35%)
2	NAG	b	2	2	14,14,15	1.30	3 (21%)	17,19,21	1.64	3 (17%)
2	NAG	c	1	2,1	14,14,15	1.26	2 (14%)	17,19,21	1.27	3 (17%)
2	NAG	c	2	2	14,14,15	1.27	1 (7%)	17,19,21	1.21	1 (5%)
2	NAG	d	1	2,1	14,14,15	1.00	1 (7%)	17,19,21	1.76	5 (29%)
2	NAG	d	2	2	14,14,15	1.20	1 (7%)	17,19,21	1.38	2 (11%)
6	NAG	e	1	6,1	14,14,15	1.25	2 (14%)	17,19,21	1.41	2 (11%)
6	NAG	e	2	6	14,14,15	1.01	0	17,19,21	0.79	0
6	BMA	e	3	6	11,11,12	1.09	0	15,15,17	0.91	0
6	MAN	e	4	6	11,11,12	1.30	1 (9%)	15,15,17	0.88	0
6	MAN	e	5	6	11,11,12	1.18	2 (18%)	15,15,17	1.72	5 (33%)
6	MAN	e	6	6	11,11,12	1.18	2 (18%)	15,15,17	1.20	1 (6%)
6	MAN	e	7	6	11,11,12	1.34	2 (18%)	15,15,17	0.71	0
6	MAN	e	8	6	11,11,12	1.29	1 (9%)	15,15,17	0.75	0
6	NAG	f	1	6,1	14,14,15	1.27	2 (14%)	17,19,21	1.16	2 (11%)
6	NAG	f	2	6	14,14,15	1.09	1 (7%)	17,19,21	0.89	1 (5%)
6	BMA	f	3	6	11,11,12	1.20	1 (9%)	15,15,17	0.66	0
6	MAN	f	4	6	11,11,12	1.18	1 (9%)	15,15,17	0.99	1 (6%)
6	MAN	f	5	6	11,11,12	1.25	2 (18%)	15,15,17	1.33	2 (13%)
6	MAN	f	6	6	11,11,12	1.32	2 (18%)	15,15,17	0.94	1 (6%)
6	MAN	f	7	6	11,11,12	1.28	1 (9%)	15,15,17	0.81	0
6	MAN	f	8	6	11,11,12	1.21	1 (9%)	15,15,17	0.84	1 (6%)
6	NAG	g	1	6,1	14,14,15	1.11	1 (7%)	17,19,21	1.21	2 (11%)
6	NAG	g	2	6	14,14,15	1.26	3 (21%)	17,19,21	0.83	0
6	BMA	g	3	6	11,11,12	1.12	1 (9%)	15,15,17	1.00	1 (6%)
6	MAN	g	4	6	11,11,12	1.27	1 (9%)	15,15,17	0.93	1 (6%)
6	MAN	g	5	6	11,11,12	1.18	2 (18%)	15,15,17	1.38	4 (26%)
6	MAN	g	6	6	11,11,12	1.19	1 (9%)	15,15,17	0.91	1 (6%)
6	MAN	g	7	6	11,11,12	1.28	2 (18%)	15,15,17	0.88	1 (6%)
6	MAN	g	8	6	11,11,12	1.15	1 (9%)	15,15,17	0.81	1 (6%)
7	NAG	h	1	7,1	14,14,15	0.99	0	17,19,21	1.30	2 (11%)
7	NAG	h	2	7	14,14,15	0.97	1 (7%)	17,19,21	1.02	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	BMA	h	3	7	11,11,12	1.24	3 (27%)	15,15,17	1.08	1 (6%)
7	MAN	h	4	7	11,11,12	1.23	1 (9%)	15,15,17	0.85	1 (6%)
7	MAN	h	5	7	11,11,12	1.37	2 (18%)	15,15,17	1.16	1 (6%)
7	MAN	h	6	7	11,11,12	1.33	2 (18%)	15,15,17	0.81	1 (6%)
7	NAG	i	1	7,1	14,14,15	1.03	0	17,19,21	0.82	0
7	NAG	i	2	7	14,14,15	1.24	2 (14%)	17,19,21	0.84	1 (5%)
7	BMA	i	3	7	11,11,12	1.42	2 (18%)	15,15,17	1.21	1 (6%)
7	MAN	i	4	7	11,11,12	1.30	3 (27%)	15,15,17	1.17	1 (6%)
7	MAN	i	5	7	11,11,12	1.40	2 (18%)	15,15,17	1.25	2 (13%)
7	MAN	i	6	7	11,11,12	1.36	2 (18%)	15,15,17	0.51	0
7	NAG	j	1	7,1	14,14,15	1.06	1 (7%)	17,19,21	1.14	2 (11%)
7	NAG	j	2	7	14,14,15	1.27	2 (14%)	17,19,21	0.92	0
7	BMA	j	3	7	11,11,12	1.37	2 (18%)	15,15,17	1.54	2 (13%)
7	MAN	j	4	7	11,11,12	1.20	2 (18%)	15,15,17	1.27	1 (6%)
7	MAN	j	5	7	11,11,12	1.39	2 (18%)	15,15,17	1.29	1 (6%)
7	MAN	j	6	7	11,11,12	1.33	2 (18%)	15,15,17	1.05	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	M	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	M	2	2	-	0/6/23/26	0/1/1/1
2	NAG	N	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	N	2	2	-	0/6/23/26	0/1/1/1
2	NAG	O	1	2,1	-	1/6/23/26	0/1/1/1
2	NAG	O	2	2	-	0/6/23/26	0/1/1/1
5	NAG	P	1	5,1	-	4/6/23/26	0/1/1/1
5	NAG	P	2	5	-	2/6/23/26	0/1/1/1
5	BMA	P	3	5	-	2/2/19/22	0/1/1/1
5	MAN	P	4	5	-	1/2/19/22	0/1/1/1
5	NAG	Q	1	5,1	-	2/6/23/26	0/1/1/1
5	NAG	Q	2	5	-	2/6/23/26	0/1/1/1
5	BMA	Q	3	5	-	1/2/19/22	0/1/1/1
5	MAN	Q	4	5	-	0/2/19/22	0/1/1/1
5	NAG	R	1	5,1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	R	2	5	-	2/6/23/26	0/1/1/1
5	BMA	R	3	5	-	2/2/19/22	0/1/1/1
5	MAN	R	4	5	-	0/2/19/22	0/1/1/1
3	NAG	S	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	S	2	3	-	0/6/23/26	0/1/1/1
3	BMA	S	3	3	-	0/2/19/22	0/1/1/1
3	NAG	T	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	T	2	3	-	0/6/23/26	0/1/1/1
3	BMA	T	3	3	-	0/2/19/22	0/1/1/1
3	NAG	U	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	U	2	3	-	0/6/23/26	0/1/1/1
3	BMA	U	3	3	-	0/2/19/22	0/1/1/1
4	NAG	V	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	V	2	4	-	0/6/23/26	0/1/1/1
4	BMA	V	3	4	-	0/2/19/22	0/1/1/1
4	MAN	V	4	4	-	1/2/19/22	0/1/1/1
4	NAG	V	5	4	-	1/6/23/26	0/1/1/1
4	MAN	V	6	4	-	1/2/19/22	0/1/1/1
4	NAG	W	1	4,1	-	1/6/23/26	0/1/1/1
4	NAG	W	2	4	-	0/6/23/26	0/1/1/1
4	BMA	W	3	4	-	0/2/19/22	0/1/1/1
4	MAN	W	4	4	-	1/2/19/22	0/1/1/1
4	NAG	W	5	4	-	2/6/23/26	0/1/1/1
4	MAN	W	6	4	-	1/2/19/22	0/1/1/1
4	NAG	X	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	X	2	4	-	0/6/23/26	0/1/1/1
4	BMA	X	3	4	-	0/2/19/22	0/1/1/1
4	MAN	X	4	4	-	1/2/19/22	0/1/1/1
4	NAG	X	5	4	-	2/6/23/26	0/1/1/1
4	MAN	X	6	4	-	0/2/19/22	0/1/1/1
2	NAG	Y	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	Y	2	2	-	1/6/23/26	0/1/1/1
2	NAG	Z	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	Z	2	2	-	2/6/23/26	0/1/1/1
2	NAG	a	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	a	2	2	-	1/6/23/26	0/1/1/1
2	NAG	b	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	b	2	2	-	3/6/23/26	0/1/1/1
2	NAG	c	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	c	2	2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	d	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	d	2	2	-	3/6/23/26	0/1/1/1
6	NAG	e	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	e	2	6	-	2/6/23/26	0/1/1/1
6	BMA	e	3	6	-	0/2/19/22	0/1/1/1
6	MAN	e	4	6	-	0/2/19/22	0/1/1/1
6	MAN	e	5	6	-	0/2/19/22	0/1/1/1
6	MAN	e	6	6	-	0/2/19/22	0/1/1/1
6	MAN	e	7	6	-	0/2/19/22	0/1/1/1
6	MAN	e	8	6	-	0/2/19/22	0/1/1/1
6	NAG	f	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	f	2	6	-	0/6/23/26	0/1/1/1
6	BMA	f	3	6	-	0/2/19/22	0/1/1/1
6	MAN	f	4	6	-	0/2/19/22	0/1/1/1
6	MAN	f	5	6	-	1/2/19/22	0/1/1/1
6	MAN	f	6	6	-	2/2/19/22	0/1/1/1
6	MAN	f	7	6	-	0/2/19/22	0/1/1/1
6	MAN	f	8	6	-	1/2/19/22	0/1/1/1
6	NAG	g	1	6,1	-	1/6/23/26	0/1/1/1
6	NAG	g	2	6	-	0/6/23/26	0/1/1/1
6	BMA	g	3	6	-	0/2/19/22	0/1/1/1
6	MAN	g	4	6	-	0/2/19/22	0/1/1/1
6	MAN	g	5	6	-	0/2/19/22	0/1/1/1
6	MAN	g	6	6	-	0/2/19/22	0/1/1/1
6	MAN	g	7	6	-	0/2/19/22	0/1/1/1
6	MAN	g	8	6	-	1/2/19/22	0/1/1/1
7	NAG	h	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	h	2	7	-	0/6/23/26	0/1/1/1
7	BMA	h	3	7	-	0/2/19/22	0/1/1/1
7	MAN	h	4	7	-	1/2/19/22	0/1/1/1
7	MAN	h	5	7	-	0/2/19/22	0/1/1/1
7	MAN	h	6	7	-	0/2/19/22	0/1/1/1
7	NAG	i	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	i	2	7	-	0/6/23/26	0/1/1/1
7	BMA	i	3	7	-	0/2/19/22	0/1/1/1
7	MAN	i	4	7	-	1/2/19/22	0/1/1/1
7	MAN	i	5	7	-	0/2/19/22	0/1/1/1
7	MAN	i	6	7	-	1/2/19/22	0/1/1/1
7	NAG	j	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	j	2	7	-	0/6/23/26	0/1/1/1
7	BMA	j	3	7	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	j	4	7	-	1/2/19/22	0/1/1/1
7	MAN	j	5	7	-	0/2/19/22	0/1/1/1
7	MAN	j	6	7	-	0/2/19/22	0/1/1/1

All (158) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	j	5	MAN	O5-C5	3.17	1.49	1.43
4	V	6	MAN	O5-C5	3.17	1.49	1.43
7	i	5	MAN	O5-C5	3.15	1.49	1.43
7	h	5	MAN	O5-C5	3.14	1.49	1.43
4	X	4	MAN	O5-C1	3.11	1.48	1.43
2	c	2	NAG	O5-C5	3.02	1.49	1.43
7	j	2	NAG	O4-C4	3.01	1.50	1.43
4	X	6	MAN	O5-C5	3.01	1.49	1.43
2	M	2	NAG	O5-C5	2.95	1.49	1.43
6	f	7	MAN	O5-C5	2.93	1.49	1.43
6	e	5	MAN	O5-C5	2.93	1.49	1.43
7	i	6	MAN	O5-C5	2.92	1.49	1.43
7	h	6	MAN	O5-C5	2.91	1.49	1.43
2	b	2	NAG	O5-C5	2.89	1.49	1.43
4	W	6	MAN	O5-C5	2.88	1.49	1.43
4	W	4	MAN	O5-C1	2.86	1.48	1.43
4	V	6	MAN	O5-C1	2.82	1.48	1.43
6	e	8	MAN	O5-C5	2.79	1.49	1.43
7	j	6	MAN	O5-C5	2.77	1.49	1.43
2	N	2	NAG	O5-C5	2.75	1.49	1.43
6	g	7	MAN	O5-C5	2.74	1.49	1.43
7	i	2	NAG	O4-C4	2.73	1.49	1.43
6	f	5	MAN	O5-C5	2.73	1.49	1.43
6	e	7	MAN	O5-C5	2.72	1.49	1.43
5	P	4	MAN	O5-C5	2.72	1.49	1.43
6	f	8	MAN	O5-C5	2.71	1.48	1.43
6	g	5	MAN	O5-C5	2.69	1.48	1.43
5	R	2	NAG	O5-C1	2.69	1.48	1.43
6	g	8	MAN	O5-C5	2.68	1.48	1.43
6	f	6	MAN	O5-C5	2.68	1.48	1.43
7	i	2	NAG	O5-C5	2.67	1.48	1.43
4	V	4	MAN	O5-C1	2.66	1.48	1.43
2	M	1	NAG	O5-C5	2.65	1.48	1.43
2	a	1	NAG	O4-C4	2.64	1.49	1.43
4	V	4	MAN	O5-C5	2.64	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	X	4	MAN	O5-C5	2.62	1.48	1.43
6	e	4	MAN	O5-C5	2.61	1.48	1.43
3	S	2	NAG	O5-C5	2.61	1.48	1.43
2	d	2	NAG	O5-C5	2.60	1.48	1.43
5	R	3	BMA	O5-C5	2.59	1.48	1.43
5	R	2	NAG	O4-C4	2.58	1.49	1.43
7	j	3	BMA	O5-C5	2.58	1.48	1.43
5	Q	4	MAN	O5-C1	2.57	1.47	1.43
5	R	2	NAG	O5-C5	2.57	1.48	1.43
3	U	3	BMA	O5-C1	2.56	1.47	1.43
3	T	3	BMA	O5-C5	2.56	1.48	1.43
4	W	4	MAN	O5-C5	2.55	1.48	1.43
5	R	4	MAN	O5-C5	2.55	1.48	1.43
6	e	6	MAN	O5-C5	2.54	1.48	1.43
6	e	1	NAG	O5-C5	2.54	1.48	1.43
3	U	2	NAG	O5-C5	2.53	1.48	1.43
4	V	3	BMA	O5-C5	2.52	1.48	1.43
7	i	3	BMA	O5-C5	2.52	1.48	1.43
4	W	6	MAN	O5-C1	2.52	1.47	1.43
5	P	2	NAG	O4-C4	2.51	1.48	1.43
3	S	3	BMA	O5-C5	2.50	1.48	1.43
3	T	2	NAG	O5-C5	2.50	1.48	1.43
2	N	1	NAG	O5-C5	2.49	1.48	1.43
4	X	4	MAN	O2-C2	2.49	1.48	1.43
3	T	2	NAG	O4-C4	2.49	1.48	1.43
2	a	1	NAG	O5-C5	2.47	1.48	1.43
6	g	4	MAN	O5-C5	2.46	1.48	1.43
2	c	1	NAG	O4-C4	2.46	1.48	1.43
7	j	4	MAN	O5-C5	2.45	1.48	1.43
2	M	2	NAG	O5-C1	2.45	1.47	1.43
4	W	3	BMA	O5-C5	2.44	1.48	1.43
7	j	2	NAG	O5-C5	2.44	1.48	1.43
3	U	3	BMA	O5-C5	2.43	1.48	1.43
5	P	3	BMA	O5-C5	2.41	1.48	1.43
6	g	6	MAN	O5-C5	2.41	1.48	1.43
5	Q	2	NAG	O5-C1	2.40	1.47	1.43
5	P	4	MAN	O5-C1	2.40	1.47	1.43
4	X	1	NAG	O5-C5	2.40	1.48	1.43
7	h	4	MAN	O5-C5	2.39	1.48	1.43
7	i	4	MAN	O3-C3	2.39	1.48	1.43
6	f	6	MAN	O5-C1	2.38	1.47	1.43
2	N	1	NAG	O4-C4	2.38	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Z	2	NAG	O5-C5	2.38	1.48	1.43
6	f	1	NAG	O5-C5	2.37	1.48	1.43
2	O	2	NAG	O5-C5	2.37	1.48	1.43
6	e	7	MAN	O5-C1	2.37	1.47	1.43
4	W	4	MAN	O2-C2	2.37	1.48	1.43
4	V	4	MAN	O2-C2	2.37	1.48	1.43
4	X	2	NAG	O5-C5	2.36	1.48	1.43
7	i	5	MAN	O5-C1	2.35	1.47	1.43
5	Q	4	MAN	O5-C5	2.35	1.48	1.43
5	P	2	NAG	O5-C5	2.35	1.48	1.43
5	P	2	NAG	C1-C2	2.34	1.55	1.52
6	f	4	MAN	O5-C5	2.34	1.48	1.43
4	X	3	BMA	O5-C5	2.33	1.48	1.43
5	R	4	MAN	O5-C1	2.32	1.47	1.43
2	Y	2	NAG	O5-C5	2.32	1.48	1.43
4	X	6	MAN	O5-C1	2.31	1.47	1.43
2	b	1	NAG	O4-C4	2.31	1.48	1.43
6	f	3	BMA	O5-C5	2.29	1.48	1.43
6	g	1	NAG	O5-C5	2.29	1.48	1.43
2	d	1	NAG	O4-C4	2.29	1.48	1.43
2	Y	1	NAG	O4-C4	2.28	1.48	1.43
6	g	2	NAG	O5-C5	2.28	1.48	1.43
6	g	2	NAG	O5-C1	2.28	1.47	1.43
7	j	6	MAN	O5-C1	2.28	1.47	1.43
2	Z	2	NAG	O5-C1	2.27	1.47	1.43
4	V	1	NAG	O5-C1	2.27	1.47	1.43
3	T	3	BMA	O5-C1	2.27	1.47	1.43
5	R	2	NAG	C1-C2	2.27	1.55	1.52
3	U	1	NAG	O4-C4	2.26	1.48	1.43
7	i	6	MAN	O5-C1	2.25	1.47	1.43
7	i	4	MAN	O5-C5	2.25	1.48	1.43
4	W	2	NAG	O5-C5	2.24	1.48	1.43
5	R	1	NAG	O4-C4	2.23	1.48	1.43
5	P	1	NAG	O4-C4	2.22	1.48	1.43
7	h	2	NAG	O5-C5	2.22	1.47	1.43
5	Q	3	BMA	O5-C5	2.20	1.47	1.43
2	b	2	NAG	O5-C1	2.19	1.47	1.43
4	V	1	NAG	C1-C2	2.19	1.55	1.52
4	X	5	NAG	O5-C5	2.18	1.47	1.43
6	f	2	NAG	O5-C5	2.18	1.47	1.43
7	j	5	MAN	O5-C1	2.18	1.47	1.43
3	U	1	NAG	O5-C5	2.18	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	V	1	NAG	O5-C5	2.18	1.47	1.43
4	X	1	NAG	C1-C2	2.17	1.55	1.52
4	W	5	NAG	O5-C5	2.16	1.47	1.43
7	i	3	BMA	O3-C3	2.16	1.48	1.43
5	P	2	NAG	O5-C1	2.15	1.47	1.43
7	h	3	BMA	O5-C5	2.15	1.47	1.43
6	g	3	BMA	O5-C5	2.12	1.47	1.43
2	a	1	NAG	C1-C2	2.12	1.55	1.52
3	S	3	BMA	O5-C1	2.10	1.47	1.43
7	h	3	BMA	O5-C1	2.10	1.47	1.43
2	Y	1	NAG	O5-C5	2.09	1.47	1.43
7	i	4	MAN	O5-C1	2.09	1.47	1.43
2	a	2	NAG	O5-C5	2.09	1.47	1.43
4	V	1	NAG	O4-C4	2.08	1.47	1.43
7	h	3	BMA	O3-C3	2.08	1.47	1.43
3	S	1	NAG	C1-C2	2.08	1.55	1.52
7	h	5	MAN	O5-C1	2.07	1.47	1.43
6	g	7	MAN	O5-C1	2.07	1.47	1.43
6	e	1	NAG	C1-C2	2.06	1.55	1.52
6	g	5	MAN	O5-C1	2.06	1.47	1.43
6	e	6	MAN	O5-C1	2.06	1.47	1.43
7	j	4	MAN	O5-C1	2.05	1.47	1.43
5	R	1	NAG	O5-C5	2.05	1.47	1.43
6	e	5	MAN	O5-C1	2.05	1.47	1.43
6	f	5	MAN	O2-C2	2.05	1.47	1.43
3	U	2	NAG	O4-C4	2.04	1.47	1.43
2	c	1	NAG	O5-C5	2.04	1.47	1.43
2	b	2	NAG	C1-C2	2.04	1.55	1.52
3	U	1	NAG	C1-C2	2.03	1.55	1.52
2	Z	1	NAG	O5-C5	2.03	1.47	1.43
2	Z	1	NAG	C1-C2	2.03	1.55	1.52
4	X	1	NAG	O5-C1	2.03	1.47	1.43
2	Y	2	NAG	O5-C1	2.02	1.46	1.43
6	g	2	NAG	C1-C2	2.02	1.55	1.52
7	h	6	MAN	O5-C1	2.01	1.46	1.43
6	f	1	NAG	C1-C2	2.01	1.55	1.52
7	j	3	BMA	O3-C3	2.01	1.47	1.43
7	j	1	NAG	O5-C5	2.00	1.47	1.43
4	V	2	NAG	O5-C5	2.00	1.47	1.43

All (117) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	T	1	NAG	C2-N2-C7	4.65	129.53	122.90
3	S	1	NAG	C2-N2-C7	4.57	129.41	122.90
7	j	3	BMA	C1-O5-C5	4.52	118.32	112.19
7	j	4	MAN	C1-O5-C5	4.42	118.18	112.19
2	d	1	NAG	O5-C5-C6	-4.22	100.58	107.20
6	e	6	MAN	C1-O5-C5	4.17	117.84	112.19
2	b	2	NAG	C2-N2-C7	4.13	128.78	122.90
2	b	1	NAG	O5-C5-C6	-3.94	101.02	107.20
4	V	6	MAN	C1-O5-C5	3.78	117.32	112.19
7	i	4	MAN	C1-O5-C5	3.78	117.31	112.19
2	Y	2	NAG	C1-O5-C5	3.70	117.20	112.19
2	d	1	NAG	C1-O5-C5	3.61	117.08	112.19
2	b	1	NAG	C4-C3-C2	-3.56	105.81	111.02
6	e	1	NAG	C1-O5-C5	3.53	116.97	112.19
2	b	1	NAG	C3-C4-C5	-3.45	104.09	110.24
4	V	4	MAN	O2-C2-C1	3.38	116.08	109.15
6	f	5	MAN	C1-O5-C5	3.38	116.77	112.19
7	h	1	NAG	C2-N2-C7	3.36	127.69	122.90
2	d	2	NAG	C2-N2-C7	3.33	127.64	122.90
4	X	3	BMA	C1-O5-C5	3.27	116.62	112.19
4	V	5	NAG	O4-C4-C3	-3.26	102.81	110.35
2	b	1	NAG	C1-O5-C5	3.25	116.60	112.19
4	X	6	MAN	C1-O5-C5	3.22	116.56	112.19
2	c	2	NAG	C2-N2-C7	-3.22	118.32	122.90
4	W	4	MAN	C1-O5-C5	3.21	116.54	112.19
6	e	1	NAG	C4-C3-C2	-3.18	106.36	111.02
6	g	6	MAN	C1-O5-C5	3.16	116.47	112.19
6	e	5	MAN	O4-C4-C3	-3.14	103.09	110.35
6	f	1	NAG	C1-O5-C5	3.12	116.42	112.19
4	X	4	MAN	C1-O5-C5	3.10	116.40	112.19
4	W	5	NAG	O4-C4-C3	-3.10	103.19	110.35
5	Q	2	NAG	C1-O5-C5	3.09	116.38	112.19
2	O	1	NAG	O4-C4-C3	-3.08	103.22	110.35
6	g	1	NAG	C4-C3-C2	-3.06	106.53	111.02
2	b	2	NAG	C1-C2-N2	3.05	115.70	110.49
3	U	2	NAG	C2-N2-C7	-3.04	118.57	122.90
5	P	4	MAN	C1-O5-C5	3.01	116.27	112.19
2	d	2	NAG	C1-C2-N2	2.99	115.59	110.49
3	S	1	NAG	C1-C2-N2	2.97	115.56	110.49
4	X	5	NAG	O4-C4-C3	-2.93	103.58	110.35
4	V	2	NAG	O4-C4-C3	-2.91	103.62	110.35
7	i	3	BMA	C1-O5-C5	2.90	116.11	112.19
6	f	6	MAN	C1-O5-C5	2.88	116.09	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	h	5	MAN	C1-C2-C3	2.86	113.18	109.67
2	c	1	NAG	C1-O5-C5	2.85	116.06	112.19
6	e	5	MAN	C1-O5-C5	2.83	116.03	112.19
7	i	5	MAN	C1-O5-C5	2.82	116.01	112.19
7	j	6	MAN	C1-O5-C5	2.82	116.01	112.19
7	j	1	NAG	C1-O5-C5	2.80	115.99	112.19
4	W	6	MAN	C1-O5-C5	2.76	115.93	112.19
6	e	5	MAN	C1-C2-C3	2.75	113.04	109.67
6	g	5	MAN	C1-O5-C5	2.71	115.87	112.19
5	Q	3	BMA	C1-O5-C5	2.66	115.79	112.19
4	X	1	NAG	C1-O5-C5	2.64	115.77	112.19
6	e	5	MAN	O2-C2-C1	-2.64	103.76	109.15
7	h	4	MAN	C1-O5-C5	2.63	115.75	112.19
5	Q	4	MAN	C1-C2-C3	2.63	112.90	109.67
4	V	4	MAN	C1-O5-C5	2.61	115.73	112.19
2	c	1	NAG	C3-C4-C5	-2.61	105.59	110.24
2	M	1	NAG	C1-O5-C5	2.60	115.72	112.19
5	Q	4	MAN	C1-O5-C5	2.57	115.67	112.19
4	W	2	NAG	O4-C4-C3	-2.56	104.44	110.35
6	g	1	NAG	C1-O5-C5	2.56	115.65	112.19
7	j	5	MAN	C1-O5-C5	2.55	115.64	112.19
2	M	1	NAG	C4-C3-C2	-2.53	107.30	111.02
2	d	1	NAG	C6-C5-C4	2.53	118.92	113.00
7	h	1	NAG	C1-O5-C5	2.52	115.61	112.19
7	h	3	BMA	C1-O5-C5	2.52	115.61	112.19
2	b	1	NAG	C6-C5-C4	2.52	118.90	113.00
2	O	1	NAG	C3-C4-C5	2.51	114.72	110.24
6	g	5	MAN	O4-C4-C3	-2.51	104.55	110.35
2	c	1	NAG	C4-C3-C2	-2.50	107.36	111.02
2	b	2	NAG	C1-O5-C5	2.49	115.57	112.19
4	V	5	NAG	C3-C4-C5	2.48	114.66	110.24
7	h	2	NAG	C2-N2-C7	-2.47	119.39	122.90
4	X	2	NAG	O4-C4-C3	-2.46	104.67	110.35
5	R	4	MAN	C1-O5-C5	2.43	115.49	112.19
5	P	2	NAG	C1-O5-C5	2.43	115.48	112.19
2	a	2	NAG	O5-C1-C2	-2.42	107.46	111.29
2	d	1	NAG	C3-C4-C5	-2.42	105.92	110.24
5	P	1	NAG	C6-C5-C4	2.42	118.67	113.00
7	i	5	MAN	C1-C2-C3	2.42	112.64	109.67
7	j	3	BMA	O3-C3-C2	2.41	114.62	109.99
6	f	1	NAG	C2-N2-C7	2.40	126.33	122.90
4	X	4	MAN	O2-C2-C1	2.38	114.02	109.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	f	5	MAN	O4-C4-C3	-2.35	104.91	110.35
7	h	6	MAN	C1-O5-C5	2.35	115.38	112.19
5	P	3	BMA	C1-O5-C5	2.35	115.38	112.19
6	g	7	MAN	C1-O5-C5	2.33	115.35	112.19
6	g	5	MAN	O2-C2-C1	-2.33	104.39	109.15
4	W	4	MAN	O2-C2-C1	2.31	113.87	109.15
2	Y	1	NAG	C2-N2-C7	-2.30	119.63	122.90
3	U	1	NAG	C2-N2-C7	2.27	126.14	122.90
2	Z	1	NAG	C4-C3-C2	2.26	114.33	111.02
3	T	1	NAG	C1-C2-N2	2.23	114.30	110.49
4	X	2	NAG	C2-N2-C7	-2.20	119.76	122.90
3	U	2	NAG	O4-C4-C3	-2.20	105.27	110.35
3	S	3	BMA	C1-O5-C5	2.19	115.16	112.19
2	a	2	NAG	C1-O5-C5	2.18	115.14	112.19
7	i	2	NAG	C2-N2-C7	-2.16	119.83	122.90
3	T	1	NAG	C1-O5-C5	2.15	115.10	112.19
7	j	1	NAG	O4-C4-C3	-2.15	105.38	110.35
2	b	1	NAG	O4-C4-C5	2.14	114.60	109.30
2	d	1	NAG	C4-C3-C2	-2.13	107.89	111.02
6	f	4	MAN	C1-O5-C5	2.13	115.08	112.19
6	e	5	MAN	C2-C3-C4	2.13	114.58	110.89
6	f	8	MAN	C1-O5-C5	2.13	115.07	112.19
4	W	5	NAG	C3-C4-C5	2.10	113.99	110.24
6	g	8	MAN	C1-O5-C5	2.09	115.02	112.19
4	X	5	NAG	C3-C4-C5	2.08	113.96	110.24
5	P	2	NAG	C3-C4-C5	-2.08	106.53	110.24
5	R	2	NAG	O5-C5-C6	2.07	110.45	107.20
6	g	5	MAN	C1-C2-C3	2.07	112.20	109.67
6	f	2	NAG	C1-O5-C5	2.06	114.98	112.19
5	Q	2	NAG	O5-C5-C4	-2.05	105.85	110.83
6	g	4	MAN	O3-C3-C2	-2.04	106.09	109.99
6	g	3	BMA	O3-C3-C4	-2.01	105.71	110.35

There are no chirality outliers.

All (68) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	b	2	NAG	C1-C2-N2-C7
2	d	2	NAG	C1-C2-N2-C7
3	S	1	NAG	C3-C2-N2-C7
3	T	1	NAG	C3-C2-N2-C7
2	Z	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	R	2	NAG	O5-C5-C6-O6
2	c	1	NAG	O5-C5-C6-O6
2	d	2	NAG	C4-C5-C6-O6
2	c	1	NAG	C4-C5-C6-O6
2	Z	2	NAG	O5-C5-C6-O6
5	Q	2	NAG	O5-C5-C6-O6
2	d	2	NAG	O5-C5-C6-O6
2	b	1	NAG	O5-C5-C6-O6
5	R	3	BMA	O5-C5-C6-O6
5	P	3	BMA	O5-C5-C6-O6
4	W	5	NAG	O5-C5-C6-O6
6	f	6	MAN	O5-C5-C6-O6
5	P	1	NAG	C4-C5-C6-O6
5	R	2	NAG	C4-C5-C6-O6
2	d	1	NAG	O5-C5-C6-O6
5	P	2	NAG	O5-C5-C6-O6
4	X	5	NAG	O5-C5-C6-O6
5	Q	2	NAG	C4-C5-C6-O6
5	R	1	NAG	C8-C7-N2-C2
2	a	2	NAG	O5-C5-C6-O6
4	X	4	MAN	O5-C5-C6-O6
2	Y	2	NAG	O5-C5-C6-O6
4	W	4	MAN	O5-C5-C6-O6
4	V	4	MAN	O5-C5-C6-O6
7	h	4	MAN	O5-C5-C6-O6
2	b	2	NAG	C4-C5-C6-O6
5	P	3	BMA	C4-C5-C6-O6
7	i	4	MAN	O5-C5-C6-O6
7	j	4	MAN	O5-C5-C6-O6
5	R	3	BMA	C4-C5-C6-O6
5	Q	1	NAG	C4-C5-C6-O6
2	N	1	NAG	C1-C2-N2-C7
2	b	1	NAG	C4-C5-C6-O6
4	V	5	NAG	O5-C5-C6-O6
4	V	6	MAN	O5-C5-C6-O6
5	Q	3	BMA	O5-C5-C6-O6
4	W	6	MAN	O5-C5-C6-O6
6	f	8	MAN	O5-C5-C6-O6
5	P	1	NAG	C8-C7-N2-C2
2	b	2	NAG	O5-C5-C6-O6
5	P	4	MAN	O5-C5-C6-O6
6	g	1	NAG	O5-C5-C6-O6

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	i	6	MAN	C4-C5-C6-O6
4	W	5	NAG	C4-C5-C6-O6
5	P	1	NAG	O5-C5-C6-O6
4	W	1	NAG	C4-C5-C6-O6
6	e	2	NAG	C4-C5-C6-O6
5	R	1	NAG	O7-C7-N2-C2
2	M	1	NAG	C3-C2-N2-C7
5	P	1	NAG	O7-C7-N2-C2
6	f	6	MAN	C4-C5-C6-O6
5	Q	1	NAG	O5-C5-C6-O6
6	g	8	MAN	O5-C5-C6-O6
2	d	1	NAG	C4-C5-C6-O6
4	V	1	NAG	C4-C5-C6-O6
2	c	2	NAG	C4-C5-C6-O6
6	f	5	MAN	O5-C5-C6-O6
6	e	2	NAG	O5-C5-C6-O6
4	X	5	NAG	C4-C5-C6-O6
2	N	1	NAG	C3-C2-N2-C7
2	O	1	NAG	C3-C2-N2-C7
3	S	1	NAG	C1-C2-N2-C7
5	P	2	NAG	C4-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
































































5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	CLR	A	1100	-	31,31,31	0.93	0	48,48,48	1.04	5 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	PTY	L	1101	-	49,49,49	0.79	0	52,54,54	0.62	0
9	NAG	B	1001	1	14,14,15	1.41	3 (21%)	17,19,21	1.04	1 (5%)
8	CLR	L	1100	-	31,31,31	1.00	2 (6%)	48,48,48	0.96	4 (8%)
10	PTY	D	1101	-	49,49,49	0.74	0	52,54,54	0.50	0
9	NAG	C	1003	1	14,14,15	1.14	2 (14%)	17,19,21	0.86	0
9	NAG	B	1003	1	14,14,15	1.21	2 (14%)	17,19,21	1.14	1 (5%)
9	NAG	B	1002	1	14,14,15	1.22	2 (14%)	17,19,21	0.71	0
9	NAG	C	1001	1	14,14,15	1.27	2 (14%)	17,19,21	0.83	0
9	NAG	C	1002	1	14,14,15	1.16	2 (14%)	17,19,21	0.96	1 (5%)
9	NAG	G	1003	1	14,14,15	1.06	1 (7%)	17,19,21	0.99	1 (5%)
8	CLR	D	1100	-	31,31,31	1.04	1 (3%)	48,48,48	0.95	3 (6%)
9	NAG	G	1001	1	14,14,15	1.48	3 (21%)	17,19,21	0.97	1 (5%)
10	PTY	H	1101	-	49,49,49	0.67	0	52,54,54	0.45	0
9	NAG	G	1002	1	14,14,15	1.20	2 (14%)	17,19,21	0.84	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	CLR	A	1100	-	-	2/10/68/68	0/4/4/4
10	PTY	L	1101	-	-	8/53/53/53	-
9	NAG	B	1001	1	-	1/6/23/26	0/1/1/1
8	CLR	L	1100	-	-	1/10/68/68	0/4/4/4
10	PTY	D	1101	-	-	13/53/53/53	-
9	NAG	C	1003	1	-	1/6/23/26	0/1/1/1
9	NAG	B	1003	1	-	1/6/23/26	0/1/1/1
9	NAG	B	1002	1	-	0/6/23/26	0/1/1/1
9	NAG	C	1001	1	-	1/6/23/26	0/1/1/1
9	NAG	C	1002	1	-	1/6/23/26	0/1/1/1
9	NAG	G	1003	1	-	2/6/23/26	0/1/1/1
8	CLR	D	1100	-	-	0/10/68/68	0/4/4/4
9	NAG	G	1001	1	-	1/6/23/26	0/1/1/1
10	PTY	H	1101	-	-	7/53/53/53	-
9	NAG	G	1002	1	-	0/6/23/26	0/1/1/1

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	B	1001	NAG	O5-C5	2.80	1.49	1.43
9	G	1001	NAG	O5-C5	2.71	1.48	1.43
9	G	1001	NAG	C1-C2	2.66	1.56	1.52
9	B	1001	NAG	O5-C1	2.63	1.47	1.43
8	D	1100	CLR	C11-C9	2.63	1.58	1.53
9	C	1001	NAG	C1-C2	2.59	1.56	1.52
9	B	1003	NAG	O5-C5	2.55	1.48	1.43
9	G	1002	NAG	O5-C5	2.48	1.48	1.43
9	B	1001	NAG	C1-C2	2.45	1.56	1.52
9	G	1001	NAG	O5-C1	2.40	1.47	1.43
9	C	1003	NAG	O5-C5	2.39	1.48	1.43
9	C	1002	NAG	O5-C5	2.36	1.48	1.43
9	C	1003	NAG	C1-C2	2.36	1.55	1.52
9	C	1001	NAG	O5-C5	2.34	1.48	1.43
9	B	1002	NAG	C1-C2	2.26	1.55	1.52
8	L	1100	CLR	C18-C13	2.25	1.58	1.54
9	B	1002	NAG	O5-C5	2.20	1.47	1.43
9	G	1003	NAG	O5-C5	2.18	1.47	1.43
8	L	1100	CLR	C11-C9	2.18	1.57	1.53
9	B	1003	NAG	C1-C2	2.13	1.55	1.52
9	G	1002	NAG	C1-C2	2.08	1.55	1.52
9	C	1002	NAG	C1-C2	2.04	1.55	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	B	1001	NAG	C1-O5-C5	3.33	116.70	112.19
9	B	1003	NAG	C1-C2-N2	3.01	115.64	110.49
9	G	1001	NAG	C1-O5-C5	2.83	116.03	112.19
9	G	1003	NAG	C1-C2-N2	2.75	115.18	110.49
8	A	1100	CLR	C1-C2-C3	2.65	113.87	110.47
8	A	1100	CLR	C19-C10-C1	2.50	113.38	109.43
8	A	1100	CLR	C15-C14-C13	2.43	106.77	103.84
8	A	1100	CLR	C7-C8-C9	2.38	112.60	109.71
8	L	1100	CLR	C21-C20-C22	2.22	113.84	110.36
8	D	1100	CLR	C19-C10-C9	-2.19	109.06	111.68
8	L	1100	CLR	C11-C9-C8	2.15	114.85	111.75
8	D	1100	CLR	C11-C9-C8	2.14	114.84	111.75
8	D	1100	CLR	C15-C14-C13	2.11	106.39	103.84
8	L	1100	CLR	C9-C10-C5	-2.11	106.34	109.65
9	C	1002	NAG	O5-C1-C2	-2.07	108.03	111.29
8	L	1100	CLR	C1-C10-C5	2.01	112.43	108.75
8	A	1100	CLR	C1-C10-C5	-2.00	105.09	108.75

There are no chirality outliers.

All (39) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
10	D	1101	PTY	C2-C3-O11-P1
10	D	1101	PTY	C6-C5-O14-P1
10	H	1101	PTY	C6-C5-O14-P1
10	L	1101	PTY	N1-C2-C3-O11
10	L	1101	PTY	C6-C5-O14-P1
9	B	1003	NAG	C1-C2-N2-C7
9	C	1003	NAG	C1-C2-N2-C7
10	D	1101	PTY	C11-C12-C13-C14
10	D	1101	PTY	C11-C8-O7-C6
9	B	1001	NAG	O5-C5-C6-O6
9	G	1001	NAG	O5-C5-C6-O6
10	H	1101	PTY	C40-C41-C42-C43
9	C	1001	NAG	O5-C5-C6-O6
10	L	1101	PTY	C34-C35-C36-C37
8	L	1100	CLR	C20-C22-C23-C24
9	C	1002	NAG	C1-C2-N2-C7
10	H	1101	PTY	C16-C17-C18-C19
10	L	1101	PTY	C31-C32-C33-C34
10	H	1101	PTY	O14-C5-C6-C1
10	D	1101	PTY	O30-C30-O4-C1
10	D	1101	PTY	C30-C31-C32-C33
10	H	1101	PTY	O14-C5-C6-O7
9	G	1003	NAG	C1-C2-N2-C7
10	D	1101	PTY	C3-O11-P1-O12
10	D	1101	PTY	C3-O11-P1-O13
8	A	1100	CLR	C17-C20-C22-C23
10	L	1101	PTY	C35-C36-C37-C38
10	D	1101	PTY	O4-C1-C6-O7
10	L	1101	PTY	O4-C1-C6-O7
10	D	1101	PTY	C3-O11-P1-O14
8	A	1100	CLR	C21-C20-C22-C23
10	H	1101	PTY	C23-C24-C25-C26
10	D	1101	PTY	C35-C36-C37-C38
10	D	1101	PTY	C41-C42-C43-C44
10	L	1101	PTY	C41-C42-C43-C44
9	G	1003	NAG	C3-C2-N2-C7
10	H	1101	PTY	C36-C37-C38-C39
10	L	1101	PTY	C2-C3-O11-P1
10	D	1101	PTY	O4-C30-C31-C32



There are no ring outliers.


2 monomers are involved in 4 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1100	CLR	1	0
8	D	1100	CLR	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.























5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-17317. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 80




Y Index: 80




Z Index: 80


6.2.2 Raw map



X Index: 80



Y Index: 80




Z Index: 80


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 74




Y Index: 78




Z Index: 66


6.3.2 Raw map



X Index: 72



Y Index: 80




Z Index: 91


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.064. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_17317_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3695 nm³; this corresponds to an approximate mass of 3337 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.084 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.084 Å⁻¹

8.2 Resolution estimates

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	11.90	-	-
Author-provided FSC curve	11.78	20.24	13.53
Unmasked-calculated*	14.25	21.01	15.36


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 14.25 differs from the reported value 11.9 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-17317 and PDB model 8OZP. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlays

9.1.1 Map-model overlay [i](#)




9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.064 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.064).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.064) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8260	 0.1150
A	 0.7270	 0.1210
B	 0.8600	 0.1000
C	 0.8680	 0.1160
D	 0.8400	 0.1270
E	 0.7800	 0.1330
F	 0.6590	 0.1300
G	 0.8530	 0.1030
H	 0.8470	 0.1210
I	 0.7320	 0.1070
L	 0.8660	 0.1250
M	 0.2140	 0.0540
N	 0.4290	 0.0990
O	 0.7860	 0.1960
P	 0.2600	 0.2070
Q	 0.4200	 0.2220
R	 0.2400	 0.1400
S	 0.2050	 0.1320
T	 0.1790	 0.1570
U	 0.1030	 0.0430
V	 0.6670	 0.0710
W	 0.6530	 0.1100
X	 0.6270	 0.0640
Y	 0.3570	 0.1410
Z	 0.3570	 0.2380
a	 0.2500	 0.2150
b	 0.7140	 0.1340
c	 0.7500	 0.0890
d	 0.6430	 0.0720
e	 0.5750	 0.0600
f	 0.5110	 0.0270
g	 0.6700	 0.0920
h	 0.3890	 0.1060
i	 0.2220	 0.1020
j	 0.3330	 0.1170

