



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 4, 2022 – 06:55 pm BST

PDB ID : 7P17
Title : F(M197)H mutant structure of Photosynthetic Reaction Center From Rhodobacter Sphaeroides strain RV by fixed-target serial synchrotron crystallography (room temperature, 12keV)
Authors : Gabdulkhakov, A.G.; Selikhanov, G.K.; Guenther, S.; Meents, A.; Fufina, T.Y.; Vasilieva, L.G.
Deposited on : 2021-07-01
Resolution : 2.22 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.29
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.22 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5912 (2.24-2.20)
Clashscore	141614	6646 (2.24-2.20)
Ramachandran outliers	138981	6543 (2.24-2.20)
Sidechain outliers	138945	6544 (2.24-2.20)
RSRZ outliers	127900	5797 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	H	242	 4% 85% 14%
2	L	281	 5% 93% 7%
3	M	303	 3% 87% 11% ..

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 7589 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein H chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	H	242	1866	1194	319	343	10	0	3	0

- Molecule 2 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	281	2444	1656	389	391	8	0	23	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	178	THR	SER	engineered mutation	UNP P0C0Y8


- Molecule 3 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	M	301	2447	1631	402	403	11	0	6	0

There are 2 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
M	8	THR	SER	engineered mutation	UNP P0C0Y9
M	197	HIS	PHE	engineered mutation	UNP P0C0Y9

- Molecule 4 is PENTADECANE (three-letter code: MYS) (formula: C₁₅H₃₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	H	1	Total C 15 15	0	0
4	H	1	Total C 15 15	0	0
4	L	1	Total C 15 15	0	0
4	L	1	Total C 15 15	0	0

- Molecule 5 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula: $C_{14}H_{31}NO$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	H	1	Total	C	N	O	0	0
			16	14	1	1		
5	M	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 6 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C₂₁H₄₀O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	L	1	Total	C	O	0	0
			25	21	4		

- Molecule 7 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C₅₅H₇₄MgN₄O₆) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Mg	N			O
7	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 8 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: $C_{55}H_{76}N_4O_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	L	1	Total	C	N	O	0	0
			65	55	4	6		
8	L	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 9 is (2R)-2-hydroxy-3-(phosphonoxy)propyl (9E)-octadec-9-enoate (three-letter code: NKP) (formula: C₂₁H₄₁O₇P).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	M	1	Total	C	O	P	0	0
			29	21	7	1		
9	M	1	Total	C	O	P	0	0
			29	21	7	1		

- Molecule 10 is UBIQUINONE-10 (three-letter code: U10) (formula: C₅₉H₉₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
10	M	1	63	59	4	0	0

- Molecule 11 is SPEROIDENONE (three-letter code: SPN) (formula: $C_{41}H_{70}O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
11	M	1	43	41	2	0	0

- Molecule 12 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	M	1	Total Fe 1 1	0	0

- Molecule 13 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	M	1	Total C O 4 2 2	0	0


- Molecule 14 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	H	55	Total O 55 55	0	0
14	L	47	Total O 47 47	0	0
14	M	50	Total O 50 50	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Reaction center protein H chain



- Molecule 2: Reaction center protein L chain



- Molecule 3: Reaction center protein M chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	102.50Å 102.50Å 237.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.05 – 2.22 47.05 – 2.22	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.05-2.22) 99.8 (47.05-2.22)	Depositor EDS
R_{merge}	0.34	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.25 (at 2.22Å)	Xtrriage
Refinement program	REFMAC 5.8.0258, PHENIX 1.19.2_4158	Depositor
R, R_{free}	0.177 , 0.215 0.181 , 0.221	Depositor DCC
R_{free} test set	3164 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	40.5	Xtrriage
Anisotropy	0.085	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7589	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OLC, NKP, FE, BCL, SPN, U10, EDO, LDA, MYS, BPH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	H	0.38	0/1915	0.61	0/2605
2	L	0.38	0/2547	0.52	0/3491
3	M	0.39	0/2539	0.55	0/3466
All	All	0.39	0/7001	0.56	0/9562

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	H	1866	0	1868	21	0
2	L	2444	0	2375	13	0
3	M	2447	0	2359	24	0
4	H	30	0	64	3	0
4	L	30	0	64	0	0
5	H	16	0	31	1	0
5	M	16	0	31	0	0
6	L	25	0	40	2	0
7	L	132	0	148	5	0
7	M	132	0	148	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	L	130	0	152	4	0
9	M	58	0	78	0	0
10	M	63	0	90	3	0
11	M	43	0	70	4	0
12	M	1	0	0	0	0
13	M	4	0	6	2	0
14	H	55	0	0	1	0
14	L	47	0	0	1	0
14	M	50	0	0	0	0
All	All	7589	0	7524	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:118:ARG:HH11	1:H:118:ARG:HB2	1.50	0.76
1:H:148:PRO:HA	1:H:151:LEU:HD12	1.73	0.71
3:M:108:PRO:HG2	3:M:111:GLU:HB2	1.77	0.66
1:H:247:LYS:NZ	14:H:501:HOH:O	2.22	0.66
2:L:177:ILE:HG12	7:L:504:BCL:HMB3	1.80	0.62
1:H:168:TRP:HB2	1:H:178:PHE:HB2	1.83	0.58
2:L:219:LEU:HD11	3:M:133:THR:HG22	1.86	0.58
1:H:122:GLU:HB2	1:H:227:LEU:HD21	1.87	0.55
8:L:506:BPH:H6C2	7:M:406:BCL:H203	1.86	0.55
3:M:67:PHE:CE1	11:M:404:SPN:H61	2.42	0.55
1:H:197:LYS:HZ1	3:M:2:GLU:N	2.06	0.54
2:L:60:ASN:HD22	2:L:61:PRO:HD2	1.74	0.53
1:H:10:PHE:HE2	1:H:15:LEU:HB2	1.73	0.52
2:L:58:THR:HG21	2:L:63:LEU:HB2	1.90	0.52
3:M:21:THR:HB	13:M:409:EDO:H22	1.91	0.52
2:L:173:HIS:CE1	2:L:177:ILE:HD11	2.47	0.50
3:M:94:LEU:HD11	3:M:114[A]:LEU:HB3	1.93	0.50
2:L:61:PRO:HA	2:L:64:ILE:HD12	1.93	0.50
1:H:29:TYR:O	1:H:33:THR:HG23	2.12	0.49
5:H:402:LDA:HM21	4:H:403:MYS:H61	1.93	0.49
1:H:89:ARG:HG2	1:H:91:ALA:O	2.14	0.48
3:M:175:VAL:HB	11:M:404:SPN:HM62	1.95	0.48
3:M:21:THR:N	13:M:409:EDO:O1	2.46	0.48
1:H:140:PHE:HA	3:M:13:ARG:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:52:ASN:ND2	4:H:403:MYS:H21	2.29	0.47
10:M:402:U10:H301	10:M:402:U10:H321	1.45	0.47
1:H:171:ILE:HB	1:H:172:PRO:HD3	1.97	0.46
8:L:506:BPH:HBC3	8:L:506:BPH:HHD	1.97	0.46
3:M:229:PHE:HB2	3:M:244:ALA:HB2	1.97	0.46
6:L:501:OLC:H3A	14:L:609:HOH:O	2.15	0.46
2:L:193:LEU:HD21	2:L:212:GLU:HB3	1.98	0.45
1:H:133:PRO:HB2	1:H:135:LYS:HE2	1.99	0.45
3:M:101:TYR:O	3:M:104:SER:HB3	2.16	0.45
1:H:112:ALA:HA	1:H:235:GLY:O	2.16	0.45
1:H:87:LEU:HD23	1:H:100:PRO:HA	1.97	0.45
2:L:275[B]:ILE:HG21	3:M:81:ASN:HD21	1.82	0.45
7:L:504:BCL:HMB1	7:L:504:BCL:HBB3	1.99	0.45
7:M:406:BCL:HMB1	7:M:406:BCL:HBB3	1.99	0.45
1:H:147:ASN:OD1	1:H:149:ILE:HG13	2.18	0.44
3:M:157:TRP:CE2	11:M:404:SPN:HM73	2.53	0.44
8:L:506:BPH:HHC	7:M:406:BCL:H2	2.00	0.44
2:L:277[B]:GLY:O	3:M:87:ARG:NH2	2.51	0.44
1:H:42:LEU:HB3	2:L:1:ALA:HB1	1.99	0.44
1:H:181:VAL:HG21	1:H:191:LEU:HD12	2.00	0.44
11:M:404:SPN:H101	7:M:405:BCL:H13	2.00	0.44
3:M:73:TRP:HB2	3:M:114[A]:LEU:HD23	2.01	0.43
7:M:406:BCL:H143	7:M:406:BCL:H161	1.82	0.43
7:L:504:BCL:CGA	7:L:505:BCL:HBC1	2.48	0.43
1:H:152:PRO:HB2	1:H:160:ILE:HD13	1.99	0.43
8:L:506:BPH:H5C2	3:M:63:GLY:HA3	2.01	0.42
3:M:28:ASN:HB2	3:M:51:TYR:CE2	2.55	0.42
2:L:201:GLU:HG3	3:M:144:LYS:NZ	2.35	0.41
3:M:151[B]:LEU:HD23	3:M:151[B]:LEU:HA	1.94	0.41
1:H:15:LEU:HG	4:H:401:MYS:H152	2.03	0.41
2:L:229:ILE:HD13	6:L:501:OLC:H3	2.03	0.41
7:L:505:BCL:HMB1	7:L:505:BCL:HBB2	2.03	0.41
3:M:196:LEU:HD23	3:M:196:LEU:HA	1.89	0.41
7:L:504:BCL:H203	10:M:402:U10:H252	2.03	0.41
3:M:34:PRO:O	3:M:47:LEU:HB2	2.21	0.41
10:M:402:U10:H522	10:M:402:U10:H501	1.82	0.41
7:M:405:BCL:HMB1	7:M:405:BCL:HBB3	2.02	0.40
1:H:148:PRO:O	1:H:151:LEU:HB2	2.20	0.40
3:M:164:ARG:HB3	3:M:165:PRO:HD3	2.04	0.40
2:L:85:LEU:HD23	2:L:85:LEU:HA	1.87	0.40
3:M:64:LEU:HD23	3:M:64:LEU:HA	1.92	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:109:LEU:HD13	3:M:114[B]:LEU:HD21	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	243/242 (100%)	241 (99%)	2 (1%)	0	100	100
2	L	301/281 (107%)	294 (98%)	7 (2%)	0	100	100
3	M	305/303 (101%)	295 (97%)	9 (3%)	1 (0%)	41	45
All	All	849/826 (103%)	830 (98%)	18 (2%)	1 (0%)	51	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	M	195	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	H	199/197 (101%)	194 (98%)	5 (2%)	47	58
2	L	239/220 (109%)	231 (97%)	8 (3%)	38	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	M	241/237 (102%)	233 (97%)	8 (3%)	38	47
All	All	679/654 (104%)	658 (97%)	21 (3%)	46	50

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	10	PHE
1	H	92	VAL
1	H	184	LYS
1	H	201	ASN
1	H	231	ASP
2	L	216	PHE
2	L	247	CYS
2	L	265[A]	TRP
2	L	265[B]	TRP
2	L	269[A]	LEU
2	L	269[B]	LEU
2	L	272[A]	TRP
2	L	272[B]	TRP
3	M	47	LEU
3	M	52[A]	LEU
3	M	52[B]	LEU
3	M	62	SER
3	M	86	LEU
3	M	104	SER
3	M	216	PHE
3	M	300	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	52	ASN
1	H	199	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 1 is monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	BPH	L	506	-	51,70,70	1.08	4 (7%)	52,101,101	1.23	5 (9%)
4	MYS	H	401	-	14,14,14	0.28	0	13,13,13	0.57	0
8	BPH	L	507	-	51,70,70	0.94	2 (3%)	52,101,101	1.09	4 (7%)
11	SPN	M	404	-	40,42,42	0.55	0	50,52,52	1.52	11 (22%)
4	MYS	L	503	-	14,14,14	0.34	0	13,13,13	0.47	0
7	BCL	M	405	-	58,74,74	1.30	5 (8%)	69,115,115	1.54	12 (17%)
4	MYS	L	502	-	14,14,14	0.26	0	13,13,13	0.58	0
9	NKP	M	401	-	28,28,28	0.35	0	31,32,32	0.57	0
10	U10	M	402	-	63,63,63	2.63	16 (25%)	76,79,79	1.95	22 (28%)
13	EDO	M	409	-	3,3,3	0.43	0	2,2,2	0.45	0
7	BCL	M	406	-	58,74,74	1.32	3 (5%)	69,115,115	1.51	12 (17%)
5	LDA	H	402	-	12,15,15	2.07	1 (8%)	14,17,17	0.60	0
6	OLC	L	501	-	24,24,24	0.99	1 (4%)	25,25,25	0.80	2 (8%)
9	NKP	M	403	-	28,28,28	0.54	0	31,32,32	0.47	0
5	LDA	M	408	-	12,15,15	2.02	1 (8%)	14,17,17	0.47	0
7	BCL	L	505	-	58,74,74	1.26	5 (8%)	69,115,115	1.31	9 (13%)
4	MYS	H	403	-	14,14,14	0.28	0	13,13,13	0.58	0
7	BCL	L	504	-	58,74,74	1.42	4 (6%)	69,115,115	1.48	15 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BPH	L	506	-	-	7/37/105/105	0/5/6/6
4	MYS	H	401	-	-	5/12/12/12	-
8	BPH	L	507	-	-	4/37/105/105	0/5/6/6
11	SPN	M	404	-	-	16/50/51/51	-
4	MYS	L	503	-	-	3/12/12/12	-
7	BCL	M	405	-	-	2/37/137/137	-
4	MYS	L	502	-	-	4/12/12/12	-
9	NKP	M	401	-	-	3/28/28/28	-
10	U10	M	402	-	-	23/63/87/87	0/1/1/1
13	EDO	M	409	-	-	0/1/1/1	-
7	BCL	M	406	-	-	2/37/137/137	-
5	LDA	H	402	-	-	6/13/13/13	-
6	OLC	L	501	-	-	7/24/24/24	-
9	NKP	M	403	-	-	10/28/28/28	-
5	LDA	M	408	-	-	5/13/13/13	-
7	BCL	L	505	-	-	1/37/137/137	-
4	MYS	H	403	-	-	5/12/12/12	-
7	BCL	L	504	-	-	3/37/137/137	-

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	H	402	LDA	O1-N1	-7.12	1.25	1.42
5	M	408	LDA	O1-N1	-6.85	1.26	1.42
10	M	402	U10	C43-C44	6.21	1.47	1.33
10	M	402	U10	C33-C34	6.14	1.47	1.33
10	M	402	U10	C48-C49	6.09	1.47	1.33
10	M	402	U10	C38-C39	5.94	1.47	1.33
10	M	402	U10	C8-C9	5.93	1.47	1.33
10	M	402	U10	C18-C19	5.70	1.46	1.33
10	M	402	U10	C13-C14	5.67	1.46	1.33
10	M	402	U10	C53-C54	5.60	1.48	1.32
10	M	402	U10	C28-C29	5.57	1.46	1.33
7	L	504	BCL	C1B-NB	5.45	1.40	1.35
10	M	402	U10	C23-C24	5.39	1.45	1.33
7	M	406	BCL	MG-NA	5.31	2.18	2.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	L	504	BCL	MG-NA	5.19	2.18	2.06
10	M	402	U10	O4-C4	-4.99	1.24	1.36
7	M	406	BCL	C1B-NB	4.96	1.39	1.35
7	M	405	BCL	C1B-NB	4.95	1.39	1.35
7	L	505	BCL	C1B-NB	4.92	1.39	1.35
10	M	402	U10	O3-C3	-4.92	1.24	1.36
7	L	505	BCL	MG-NA	4.82	2.17	2.06
7	M	405	BCL	MG-NA	4.65	2.17	2.06
7	L	504	BCL	MG-NC	4.32	2.16	2.06
6	L	501	OLC	O20-C1	4.15	1.45	1.33
8	L	506	BPH	CBD-CGD	-3.83	1.47	1.52
8	L	507	BPH	CBD-CGD	-3.31	1.48	1.52
7	M	405	BCL	MG-NC	3.30	2.14	2.06
7	M	406	BCL	MG-NC	3.29	2.14	2.06
10	M	402	U10	C4-C5	-3.25	1.39	1.48
8	L	506	BPH	O1A-CGA	-2.93	1.13	1.22
7	L	505	BCL	C4B-NB	2.93	1.37	1.35
10	M	402	U10	C6-C1	2.89	1.40	1.35
10	M	402	U10	C3-C2	-2.78	1.40	1.48
7	L	505	BCL	MG-NC	2.58	2.12	2.06
7	M	405	BCL	C4B-NB	2.47	1.37	1.35
8	L	506	BPH	CHA-CBD	2.38	1.55	1.52
7	L	504	BCL	C4B-NB	2.26	1.37	1.35
8	L	506	BPH	OBD-CAD	2.23	1.25	1.22
7	L	505	BCL	OBD-CAD	2.19	1.25	1.22
8	L	507	BPH	CHA-CBD	2.13	1.54	1.52
10	M	402	U10	C6-C5	-2.11	1.40	1.46
7	M	405	BCL	O1A-CGA	-2.04	1.16	1.22

All (92) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	M	405	BCL	CMB-C2B-C1B	-4.54	121.48	128.46
7	M	406	BCL	C4A-NA-C1A	4.24	108.61	106.71
7	M	406	BCL	CAD-C3D-C4D	-4.22	106.12	108.47
10	M	402	U10	C27-C28-C29	-4.22	117.51	127.66
10	M	402	U10	C12-C13-C14	-3.98	118.07	127.66
11	M	404	SPN	CM5-C13-C14	3.97	121.96	115.27
10	M	402	U10	C25-C24-C26	3.96	121.94	115.27
10	M	402	U10	C47-C48-C49	-3.92	118.22	127.66
10	M	402	U10	C30-C29-C31	3.89	121.81	115.27
10	M	402	U10	C32-C33-C34	-3.88	118.32	127.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	L	504	BCL	CMB-C2B-C1B	-3.83	122.57	128.46
10	M	402	U10	C17-C18-C19	-3.82	118.45	127.66
10	M	402	U10	C22-C23-C24	-3.76	118.61	127.66
7	M	405	BCL	C16-C15-C13	3.75	128.04	115.92
7	L	505	BCL	CMB-C2B-C1B	-3.73	122.73	128.46
7	M	406	BCL	OBD-CAD-CBD	-3.72	120.58	125.89
7	L	504	BCL	CAD-C3D-C4D	-3.50	106.52	108.47
10	M	402	U10	C40-C39-C41	3.49	121.14	115.27
7	M	405	BCL	OBD-CAD-CBD	-3.42	121.01	125.89
7	L	505	BCL	OBD-CAD-CBD	-3.42	121.01	125.89
10	M	402	U10	C50-C49-C51	3.40	120.99	115.27
11	M	404	SPN	CM6-C18-C17	3.38	120.97	115.27
7	M	406	BCL	CMB-C2B-C1B	-3.34	123.33	128.46
7	M	405	BCL	CMB-C2B-C3B	3.32	130.90	124.68
10	M	402	U10	C15-C14-C16	3.31	120.84	115.27
7	M	406	BCL	CHA-C1A-NA	-3.30	118.84	126.40
7	L	505	BCL	CHA-C1A-NA	-3.30	118.84	126.40
8	L	506	BPH	OBD-CAD-CBD	-3.26	121.04	125.82
7	L	504	BCL	OBD-CAD-CBD	-3.24	121.27	125.89
7	M	405	BCL	C6-C7-C8	3.18	126.19	115.92
7	M	405	BCL	CAD-C3D-C4D	-3.17	106.70	108.47
10	M	402	U10	C45-C44-C46	3.13	120.54	115.27
7	M	406	BCL	CMD-C2D-C3D	3.11	130.50	124.68
11	M	404	SPN	CM3-C5-C6	2.99	120.31	115.27
10	M	402	U10	C37-C38-C39	-2.98	120.50	127.66
7	M	406	BCL	C2A-C1A-CHA	2.97	129.06	123.86
10	M	402	U10	C26-C27-C28	-2.95	102.18	111.88
7	M	405	BCL	CHA-C1A-NA	-2.95	119.65	126.40
7	L	504	BCL	C2A-C1A-CHA	2.87	128.88	123.86
11	M	404	SPN	CM4-C9-C10	2.84	120.05	115.27
7	L	505	BCL	CAD-C3D-C4D	-2.82	106.90	108.47
7	L	504	BCL	CMB-C2B-C3B	2.82	129.95	124.68
7	L	504	BCL	CHA-C1A-NA	-2.82	119.95	126.40
8	L	507	BPH	OBD-CAD-CBD	-2.81	121.69	125.82
7	L	505	BCL	CMB-C2B-C3B	2.81	129.94	124.68
8	L	506	BPH	CAC-C3C-C2C	-2.80	107.27	114.26
10	M	402	U10	C42-C43-C44	-2.77	120.99	127.66
6	L	501	OLC	O20-C1-O19	-2.74	116.67	123.59
7	L	505	BCL	C2A-C1A-CHA	2.72	128.61	123.86
8	L	507	BPH	CMB-C2B-C3B	2.69	129.72	124.68
7	L	504	BCL	C16-C15-C13	-2.67	107.30	115.92
8	L	506	BPH	CAC-C3C-C4C	2.66	119.67	113.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	M	405	BCL	C2A-C1A-CHA	2.66	128.50	123.86
7	M	406	BCL	CMB-C2B-C3B	2.61	129.57	124.68
8	L	506	BPH	C11-C10-C8	2.60	124.34	115.92
10	M	402	U10	C35-C34-C36	2.56	119.58	115.27
7	L	504	BCL	CMD-C2D-C3D	2.56	129.47	124.68
7	L	505	BCL	C4B-C3B-CAB	-2.56	122.19	127.13
10	M	402	U10	C20-C19-C21	2.51	119.50	115.27
7	L	504	BCL	C17-C16-C15	-2.49	101.82	113.24
7	M	406	BCL	C4B-C3B-CAB	-2.47	122.35	127.13
7	M	405	BCL	OBB-CAB-CBB	-2.42	114.72	120.17
7	M	406	BCL	O2D-CGD-CBD	2.37	115.48	111.27
7	M	405	BCL	CMD-C2D-C3D	2.37	129.11	124.68
7	M	406	BCL	OBD-CAD-C3D	2.36	131.90	127.98
10	M	402	U10	C50-C49-C48	-2.35	117.64	123.68
8	L	507	BPH	O2D-CGD-CBD	2.35	113.98	111.00
11	M	404	SPN	C20-C19-C18	-2.35	122.01	127.66
11	M	404	SPN	CM8-C26-C27	2.35	119.22	115.27
10	M	402	U10	C22-C21-C19	-2.31	105.38	112.98
7	L	504	BCL	C4A-NA-C1A	2.28	107.73	106.71
11	M	404	SPN	C10-C11-C12	-2.28	104.38	111.88
8	L	506	BPH	CMB-C2B-C3B	2.28	128.94	124.68
7	L	505	BCL	C1-C2-C3	-2.27	122.11	126.04
7	L	504	BCL	C11-C10-C8	-2.26	108.62	115.92
7	L	505	BCL	CMD-C2D-C3D	2.25	128.89	124.68
11	M	404	SPN	C24-C23-C22	-2.24	107.99	115.76
7	L	504	BCL	OBB-CAB-CBB	-2.23	115.15	120.17
11	M	404	SPN	CMB-C30-CM9	2.20	119.45	114.60
7	M	405	BCL	C1-O2A-CGA	2.19	122.20	116.44
7	L	504	BCL	O2A-C1-C2	-2.19	102.88	108.64
7	M	405	BCL	C4A-NA-C1A	2.18	107.69	106.71
10	M	402	U10	C10-C9-C11	2.17	118.92	115.27
6	L	501	OLC	O20-C1-C2	2.17	118.72	111.91
11	M	404	SPN	C7-C8-C9	-2.12	122.56	127.66
10	M	402	U10	C40-C39-C38	-2.10	118.30	123.68
7	M	406	BCL	C17-C16-C15	2.06	122.70	113.24
10	M	402	U10	C56-C54-C55	2.05	119.14	114.60
8	L	507	BPH	CMA-C3A-C4A	-2.03	109.93	114.38
11	M	404	SPN	C28-C29-C30	-2.02	120.84	127.75
7	L	504	BCL	O2D-CGD-O1D	-2.02	119.89	123.84
7	L	504	BCL	C16-C17-C18	-2.02	106.48	115.98

There are no chirality outliers.

All (106) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	H	402	LDA	C2-C1-N1-O1
5	M	408	LDA	C2-C1-N1-CM2
6	L	501	OLC	O20-C21-C22-O23
10	M	402	U10	C22-C23-C24-C25
10	M	402	U10	C22-C23-C24-C26
10	M	402	U10	C27-C28-C29-C30
10	M	402	U10	C27-C28-C29-C31
10	M	402	U10	C38-C39-C41-C42
10	M	402	U10	C40-C39-C41-C42
10	M	402	U10	C52-C53-C54-C55
11	M	404	SPN	CM3-C5-C6-C7
10	M	402	U10	C52-C53-C54-C56
9	M	403	NKP	OAE-CAK-OAJ-CAI
9	M	403	NKP	CAL-CAK-OAJ-CAI
10	M	402	U10	C30-C29-C31-C32
10	M	402	U10	C45-C44-C46-C47
10	M	402	U10	C50-C49-C51-C52
11	M	404	SPN	C11-C10-C9-CM4
11	M	404	SPN	C16-C17-C18-CM6
10	M	402	U10	C28-C29-C31-C32
10	M	402	U10	C43-C44-C46-C47
10	M	402	U10	C48-C49-C51-C52
11	M	404	SPN	C4-C5-C6-C7
11	M	404	SPN	C11-C10-C9-C8
11	M	404	SPN	C16-C17-C18-C19
10	M	402	U10	C29-C31-C32-C33
11	M	404	SPN	C26-C27-C28-C29
8	L	506	BPH	C11-C12-C13-C14
9	M	403	NKP	CAT-CAU-CAV-CAW
7	M	406	BCL	C16-C17-C18-C20
6	L	501	OLC	O20-C21-C22-C24
4	H	401	MYS	C3-C4-C5-C6
9	M	403	NKP	CAN-CAO-CAP-CAQ
4	H	403	MYS	C6-C7-C8-C9
8	L	507	BPH	C2-C3-C5-C6
5	H	402	LDA	C1-C2-C3-C4
8	L	507	BPH	C4-C3-C5-C6
8	L	506	BPH	C11-C12-C13-C15
7	M	406	BCL	C16-C17-C18-C19
4	H	403	MYS	C2-C3-C4-C5
9	M	401	NKP	CAT-CAU-CAV-CAW
9	M	403	NKP	CAP-CAQ-CAR-CAS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	L	502	MYS	C11-C12-C13-C14
4	H	401	MYS	C4-C5-C6-C7
4	H	401	MYS	C9-C10-C11-C12
10	M	402	U10	C14-C16-C17-C18
10	M	402	U10	C24-C26-C27-C28
6	L	501	OLC	C6-C7-C8-C9
9	M	403	NKP	CAY-CAZ-CBA-CBB
5	H	402	LDA	C9-C10-C11-C12
9	M	403	NKP	CAW-CAX-CAY-CAZ
4	L	503	MYS	C5-C6-C7-C8
4	H	401	MYS	C11-C10-C9-C8
7	L	504	BCL	C12-C13-C15-C16
7	L	504	BCL	C14-C13-C15-C16
5	M	408	LDA	C1-C2-C3-C4
4	H	403	MYS	C9-C10-C11-C12
5	H	402	LDA	C3-C4-C5-C6
7	L	505	BCL	CAD-CBD-CGD-O2D
5	H	402	LDA	C2-C1-N1-CM1
5	M	408	LDA	C2-C1-N1-CM1
5	M	408	LDA	C9-C10-C11-C12
11	M	404	SPN	O1-C1-C2-O2
5	H	402	LDA	C7-C8-C9-C10
7	M	405	BCL	C11-C10-C8-C7
11	M	404	SPN	C21-C22-C23-C24
4	H	403	MYS	C1-C2-C3-C4
11	M	404	SPN	CM1-C1-O1-CMA
4	H	403	MYS	C7-C8-C9-C10
9	M	401	NKP	CAS-CAT-CAU-CAV
9	M	403	NKP	CAQ-CAR-CAS-CAT
9	M	403	NKP	CAG-CAH-CAI-OAJ
9	M	403	NKP	CAR-CAS-CAT-CAU
4	L	503	MYS	C11-C10-C9-C8
10	M	402	U10	C39-C41-C42-C43
11	M	404	SPN	C9-C10-C11-C12
11	M	404	SPN	CM1-C1-C2-C3
4	L	502	MYS	C3-C4-C5-C6
10	M	402	U10	C3-C4-O4-C4M
10	M	402	U10	C5-C4-O4-C4M
8	L	506	BPH	C2-C1-O2A-CGA
5	M	408	LDA	C4-C5-C6-C7
10	M	402	U10	C25-C24-C26-C27
11	M	404	SPN	C14-C15-C16-C17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	M	405	BCL	C11-C10-C8-C9
8	L	506	BPH	C6-C7-C8-C9
11	M	404	SPN	CM7-C22-C23-C24
7	L	504	BCL	CAD-CBD-CGD-O2D
8	L	506	BPH	CAD-CBD-CGD-O2D
8	L	507	BPH	CAD-CBD-CGD-O2D
6	L	501	OLC	C7-C8-C9-C10
6	L	501	OLC	C3-C4-C5-C6
8	L	506	BPH	O2A-C1-C2-C3
8	L	507	BPH	O2A-C1-C2-C3
10	M	402	U10	C23-C24-C26-C27
11	M	404	SPN	C2-C1-O1-CMA
8	L	506	BPH	C6-C7-C8-C10
4	L	502	MYS	C7-C8-C9-C10
4	L	503	MYS	C11-C12-C13-C14
9	M	401	NKP	CAQ-CAR-CAS-CAT
4	H	401	MYS	C10-C11-C12-C13
6	L	501	OLC	C9-C10-C11-C12
4	L	502	MYS	C12-C13-C14-C15
11	M	404	SPN	CM1-C1-C2-O2
6	L	501	OLC	O20-C1-C2-C3
10	M	402	U10	C42-C43-C44-C45


There are no ring outliers.



12 monomers are involved in 25 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	L	506	BPH	4	0
4	H	401	MYS	1	0
11	M	404	SPN	4	0
7	M	405	BCL	2	0
10	M	402	U10	3	0
13	M	409	EDO	2	0
7	M	406	BCL	4	0
5	H	402	LDA	1	0
6	L	501	OLC	2	0
7	L	505	BCL	2	0
4	H	403	MYS	2	0
7	L	504	BCL	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	H	242/242 (100%)	-0.15	10 (4%) 37 35	32, 45, 70, 129	0
2	L	281/281 (100%)	-0.21	14 (4%) 28 27	27, 42, 68, 106	0
3	M	301/303 (99%)	-0.29	8 (2%) 54 52	27, 42, 71, 108	0
All	All	824/826 (99%)	-0.22	32 (3%) 39 37	27, 43, 71, 129	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	277[A]	GLY	7.8
1	H	9	ASN	7.1
3	M	301	HIS	6.4
2	L	51[A]	TRP	5.9
1	H	10	PHE	5.7
1	H	250	SER	5.1
1	H	246	PRO	4.7
2	L	281[A]	GLY	4.4
2	L	266[A]	TRP	4.3
2	L	59	TRP	4.2
1	H	249	LYS	3.5
1	H	79	GLU	3.2
3	M	302	GLY	3.2
2	L	267[A]	VAL	3.2
2	L	265[A]	TRP	3.1
3	M	3	TYR	3.1
2	L	269[A]	LEU	3.0
1	H	52	ASN	2.9
2	L	274[A]	ASN	2.8
3	M	72	ILE	2.7
2	L	271[A]	TRP	2.7
2	L	63	LEU	2.6
2	L	272[A]	TRP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	M	105	PHE	2.6
3	M	68	PHE	2.6
1	H	51	ALA	2.5
2	L	276[A]	PRO	2.4
2	L	280[A]	ASN	2.4
3	M	300	ASN	2.2
3	M	109	LEU	2.1
1	H	201	ASN	2.1
1	H	245	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	LDA	M	408	16/16	0.63	0.28	45,65,83,98	0
4	MYS	L	503	15/15	0.70	0.23	52,63,71,74	0
11	SPN	M	404	43/43	0.70	0.34	39,68,90,97	0
4	MYS	H	401	15/15	0.73	0.19	58,66,81,82	0
4	MYS	H	403	15/15	0.79	0.15	57,68,87,94	0
9	NKP	M	403	29/29	0.84	0.21	49,69,81,83	0
4	MYS	L	502	15/15	0.85	0.23	58,64,74,75	0
10	U10	M	402	63/63	0.86	0.21	27,57,85,88	0
5	LDA	H	402	16/16	0.86	0.16	44,61,73,74	0
9	NKP	M	401	29/29	0.88	0.19	41,68,94,97	0
6	OLC	L	501	25/25	0.88	0.18	38,55,82,88	0
8	BPH	L	506	65/65	0.93	0.14	28,40,102,115	0
7	BCL	L	504	66/66	0.94	0.12	28,39,46,70	0
7	BCL	M	405	66/66	0.95	0.14	28,40,95,102	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
13	EDO	M	409	4/4	0.95	0.19	54,58,64,67	0
7	BCL	M	406	66/66	0.96	0.12	23,37,64,84	0
8	BPH	L	507	65/65	0.97	0.15	25,34,48,53	0
7	BCL	L	505	66/66	0.97	0.13	28,36,60,68	0
12	FE	M	407	1/1	0.99	0.11	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around NKP M 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U10 M 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NKP M 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC L 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH L 506:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around BCL L 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around BCL M 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BPH L 507:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.