

wwPDB EM Validation Summary Report (i)

Aug 30, 2023 – 05:11 am BST

PDB ID	:	8P60
EMDB ID	:	EMD-17457
Title	:	Spraguea lophii ribosome dimer
Authors	:	Gil Diez, P.; McLaren, M.; Isupov, M.N.; Daum, B.; Conners, R.; Williams,
		B.
Deposited on	:	2023-05-24
Resolution	:	14.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1. dev 50
MolProbity	:	FAILED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 14.30 Å.

There are no overall percentile quality scores available for this entry.

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.



2 Entry composition (i)

There are 76 unique types of molecules in this entry. The entry contains 343629 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		1	AltConf	Trace			
1	L50	2499	Total 53655	C 23950	N 9876	O 17330	Р 2499	0	0
1	K50	2499	Total 53655	C 23950	N 9876	0 17330	Р 2499	0	0

• Molecule 1 is a RNA chain called RNA 28S.

• Molecule 2 is a RNA chain called RNA 5S.

Mol	Chain	Residues		A	AltConf	Trace			
2	L70	119	Total 2542	C 1136	N 459	0 828	Р 119	0	0
2	K70	119	Total 2542	C 1136	N 459	O 828	Р 119	0	0

• Molecule 3 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues		Ate	AltConf	Trace			
3	LAO	245	Total	С	Ν	Ο	S	0	0
J LAU	240	1889	1189	361	334	5	0	0	
2	KAO	245	Total	С	Ν	0	S	0	0
)	IXAU	240	1889	1189	361	334	5		U

• Molecule 4 is a protein called Ribosomal protein L18e/L15P.

Mol	Chain	Residues		At	oms	AltConf	Trace		
4	τΛΛ	147	Total	С	Ν	Ο	\mathbf{S}	0	0
4 LAA	141	1167	738	229	194	6	0	0	
4	ΚΛΛ	1.47	Total	С	Ν	Ο	\mathbf{S}	0	0
4	INAA	141	1167	738	229	194	6	0	0

• Molecule 5 is a protein called 60S ribosomal protein L3.



Mol	Chain	Residues	Atoms					AltConf	Trace
5	LB0	383	Total 3039	C 1926	N 559	0 543	S 11	0	0
5	KB0	383	Total 3039	C 1926	N 559	0 543	S 11	0	0

• Molecule 6 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues		At	AltConf	Trace			
6	I CO	397	Total	С	Ν	Ο	\mathbf{S}	0	0
	521	2604	1629	478	485	12	0	0	
6	KCO	207	Total	С	Ν	Ο	\mathbf{S}	0	0
0	KC0	521	2604	1629	478	485	12	0	0

• Molecule 7 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	LCC	99	Total 781	C 504	N 126	0 148	${ m S} { m 3}$	0	0
7	KCC	99	Total 781	C 504	N 126	0 148	${ m S} { m 3}$	0	0

• Molecule 8 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	LD0	281	Total	C	N 410	0	S 11	0	0
			2298	1431	410	420	11		
8	KDO	281	Total	С	Ν	Ο	\mathbf{S}	0	0
0	IXD0	201	2298	1451	410	426	11	0	U

• Molecule 9 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues		At	oms	AltConf	Trace		
0	ממד	100	Total	С	Ν	0	S	0	0
	109	895	575	163	154	3	0	0	
0	KDD	100	Total	С	Ν	0	S	0	0
9	KDD	109	895	575	163	154	3	0	0

• Molecule 10 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues		At	oms	AltConf	Trace		
10	LE0	165	Total 1371	C 879	N 227	0 262	${ m S} { m 3}$	0	0



Continued from previous page...

Mol	Chain	Residues		At	oms	AltConf	Trace		
10	KE0	165	Total 1371	C 879	N 227	O 262	${ m S} { m 3}$	0	0

• Molecule 11 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues		At	oms		AltConf	Trace	
11	IFF	135	Total	С	Ν	0	S	0	0
11		155	1090	697	205	182	6	0	0
11	KEE	135	Total	С	Ν	0	S	0	0
	NEE	155	1090	697	205	182	6	0	0

• Molecule 12 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues		At	oms		AltConf	Trace	
19	I FO	221	Total	С	Ν	0	\mathbf{S}	0	0
12		231	1933	1234	342	350	7	0	0
10	KE0	021	Total	С	Ν	0	\mathbf{S}	0	0
12	Kr0	231	1933	1234	342	350	7	0	0

• Molecule 13 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues		At	oms		AltConf	Trace	
13	LFF	111	Total	С	Ν	0	S	0	0
10	171, 1 ,	111	893	567	159	162	5	0	0
12	KEE	111	Total	С	Ν	Ο	S	0	0
10			893	567	159	162	5	0	

• Molecule 14 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues		At	oms		AltConf	Trace	
14	ICO	100	Total	С	Ν	0	\mathbf{S}	0	0
14	LGU	199	1590	1015	275	290	10	0	0
14	KCO	100	Total	С	Ν	0	S	0	0
14	IXG0	199	1590	1015	275	290	10	U	U

• Molecule 15 is a protein called Ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	ICC	104	Total	С	Ν	0	S	0	0
1.0	LGG	104	819	504	169	139	$\overline{7}$	0	0
15	KCC	104	Total	С	Ν	0	S	0	0
10	NGG	104	819	504	169	139	$\overline{7}$	U	



• Molecule 16 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues		At	oms		AltConf	Trace	
16	LH0	183	Total 1477	C 951	N 252	O 266	S 8	0	0
16	KH0	183	Total 1477	C 951	N 252	0 266	S 8	0	0

• Molecule 17 is a protein called Ribosomal L29 protein.

Mol	Chain	Residues		At	oms		AltConf	Trace	
17	LHH	119	Total 992	C 626	N 188	0 175	${ m S} { m 3}$	0	0
17	KHH	119	Total 992	C 626	N 188	O 175	${ m S} { m 3}$	0	0

• Molecule 18 is a protein called S60 ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	LIO	217	Total 1750	C 1096	N 333	O 308	S 13	0	0
18	KI0	217	Total 1750	C 1096	N 333	O 308	S 13	0	0

• Molecule 19 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues		At	oms		AltConf	Trace	
10	TTT	07	Total	С	Ν	0	S	0	0
19		91	784	496	146	136	6	0	0
10	КП	07	Total	С	Ν	0	S	0	0
19	IX11	91	784	496	146	136	6	0	0

• Molecule 20 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues		At	oms		AltConf	Trace	
20	L IO	167	Total	С	Ν	Ο	\mathbf{S}	0	0
20	П20	107	1332	847	242	236	7	0	0
20	K 10	167	Total	С	Ν	0	\mathbf{S}	0	0
20	K 30	107	1332	847	242	236	7	0	0

• Molecule 21 is a protein called 60S ribosomal protein L37.



Mol	Chain	Residues		\mathbf{A}	toms		AltConf	Trace	
21	тт	80	Total	С	Ν	0	\mathbf{S}	0	0
21	- ЦЭЭ	89	701	427	146	118	10	0	0
21	K I I	80	Total	С	Ν	0	S	0	0
	1733	09	701	427	146	118	10		

• Molecule 22 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues		A	toms		AltConf	Trace	
22	TTO	164	Total	С	Ν	Ο	\mathbf{S}	0	0
	LLU	104	1353	857	252	232	12	0	0
	KI O	164	Total	С	Ν	Ο	\mathbf{S}	0	0
	KL0	104	1353	857	252	232	12	0	0

• Molecule 23 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues		Ato	\mathbf{ms}		AltConf	Trace	
23	LLL	51	Total 427	С 272	N 87	O 65	${ m S} { m 3}$	0	0
23	KLL	51	Total 427	С 272	N 87	O 65	${ m S} { m 3}$	0	0

• Molecule 24 is a protein called Transposase.

Mol	Chain	Residues		At	oms		AltConf	Trace	
24	LMO	115	Total	С	Ν	Ο	S	0	0
27	LINIO	110	927	588	151	183	5	0	0
24	KM0	115	Total	С	Ν	Ο	\mathbf{S}	0	0
24	IXINIU	115	927	588	151	183	5	0	0

• Molecule 25 is a protein called Ubiquitin.

Mol	Chain	Residues		Ato	ms		AltConf	Trace	
25	тмм	59	Total	С	Ν	Ο	\mathbf{S}	0	0
2.0		52	427	264	89	70	4	0	0
25	KMM	52	Total	С	Ν	Ο	S	0	0
2.0	IXIVIIVI	52	427	264	89	70	4	0	0

• Molecule 26 is a protein called Ribosomal protein L15.

Mol	Chain	Residues		At	oms			AltConf	Trace
26	LN0	203	Total 1688	$\begin{array}{c} \mathrm{C} \\ 1055 \end{array}$	N 346	O 276	S 11	0	0



Continued from previous page...

Mol	Chain	Residues		At	oms			AltConf	Trace
26	KN0	203	Total 1688	C 1055	N 346	0 276	S 11	0	0

• Molecule 27 is a protein called Ribosomal protein L13A.

Mol	Chain	Residues		At	oms		AltConf	Trace	
27	LOO	108	Total	С	Ν	0	\mathbf{S}	0	Ο
21	LOO	150	1598	1018	286	280	14	0	0
97	KOO	108	Total	С	Ν	0	S	0	0
	IXO0	190	1598	1018	286	280	14	0	0

• Molecule 28 is a protein called 60S ribosomal protein L44.

Mol	Chain	Residues		At	oms		AltConf	Trace	
20	IOO	100	Total	С	Ν	0	S	0	0
20	LOO	100	801	504	163	130	4	0	0
<u> </u>	KOO	100	Total	С	Ν	0	S	0	0
20	NUU	100	801	504	163	130	4		

• Molecule 29 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues		At	oms		AltConf	Trace	
20	I DO	154	Total	С	Ν	0	S	0	0
29		104	1238	794	225	213	6	0	0
20	KD0	154	Total	С	Ν	0	S	0	0
29	IVLO	104	1238	794	225	213	6		U

• Molecule 30 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues		\mathbf{A}^{\dagger}	toms		AltConf	Trace	
30	LPP	87	Total 684	C 427	N 131	0 116	S 10	0	0
30	KPP	87	Total 684	C 427	N 131	0 116	S 10	0	0

• Molecule 31 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues		At	oms		AltConf	Trace	
21	I OO	189	Total	С	Ν	0	S	0	0
51	гąо	162	1491	950	270	266	5	0	0
21	KOO	189	Total	С	Ν	0	S	0	0
51	ngo	162	1491	950	270	266	5	0	0



• Molecule 32 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues		At	oms		AltConf	Trace	
20	I BO	164	Total	С	Ν	0	S	0	0
32	LIW	104	1336	832	261	236	7	0	0
20	KBU	164	Total	С	Ν	0	S	0	0
52	1110	104	1336	832	261	236	7		

• Molecule 33 is a protein called 60S ribosomal protein L20.

Mol	Chain	Residues		At	oms		AltConf	Trace	
33	LSO	170	Total	С	Ν	0	S	0	0
- 55	LOU	170	1400	898	241	256	5	0	0
22	KSO	170	Total	С	Ν	0	\mathbf{S}	0	0
00	1720	170	1400	898	241	256	5		

• Molecule 34 is a protein called 60s ribosomal protein L21.

Mol	Chain	Residues		At	oms		AltConf	Trace	
34	LT0	156	Total 1270	C 808	N 233	O 224	${S \atop 5}$	0	0
34	KT0	156	Total 1270	C 808	N 233	0 224	${f S}{5}$	0	0

• Molecule 35 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues		At	oms		AltConf	Trace	
35	I IIO	100	Total	С	Ν	Ο	S	0	0
- 55	LUU	100	810	526	135	147	2	0	0
25	KIIO	100	Total	С	Ν	0	S	0	0
- 55	KUU	100	810	526	135	147	2	0	0

• Molecule 36 is a protein called Ribosomal protein L23.

Mol	Chain	Residues		At	oms		AltConf	Trace	
36	IVO	1.4.1	Total	С	Ν	Ο	\mathbf{S}	0	0
50		141	1057	663	200	189	5	0	0
36	KVO	1.41	Total	С	Ν	Ο	\mathbf{S}	0	0
- 50	17.0	141	1057	663	200	189	5		

• Molecule 37 is a protein called Ribosomal protein L24E.



Mol	Chain	Residues		At	oms		AltConf	Trace	
37	LWO	102	Total	С	Ν	0	S	0	0
- 57	LWU	102	832	539	143	147	3	0	0
37	KWO	102	Total	С	Ν	0	S	0	0
- 57	IXWU	102	832	539	143	147	3	0	0

• Molecule 38 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues		At	oms		AltConf	Trace	
20	I VO	119	Total	С	Ν	0	S	0	0
00	LAU	112	874	562	156	155	1	0	0
20	KX0	119	Total	С	Ν	0	S	0	0
00	INAU	112	874	562	156	155	1		

• Molecule 39 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues		At	oms	AltConf	Trace		
39	LY0	131	Total 1048	C 658	N 197	0 186	${f S}7$	0	0
39	KY0	131	Total 1048	C 658	N 197	0 186	${f S}7$	0	0

• Molecule 40 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues		At	oms		AltConf	Trace	
40	LZ0	118	Total 963	C 618	N 172	O 169	${S \atop 4}$	0	0
40	KZ0	118	Total 963	C 618	N 172	0 169	S 4	0	0

• Molecule 41 is a protein called DNL-type domain-containing protein.

Mol	Chain	Residues		\mathbf{A}	toms	AltConf	Trace		
41	MD1	151	Total	С	Ν	0	S	0	0
41	MD1	101	1229	776	201	241	11	0	0
41	МЪэ	151	Total	С	Ν	0	\mathbf{S}	0	0
41	WID2	101	1229	776	201	241	11	0	0

• Molecule 42 is a RNA chain called RNA 16S.

Mol	Chain	Residues		A	AltConf	Trace			
42	S60	1354	Total 29181	C 13024	N 5463	O 9340	Р 1354	0	0



Continued from previous page...

Mol	Chain	Residues		A	toms			AltConf	Trace
42	R60	1354	Total 29181	C 13024	N 5463	O 9340	Р 1354	0	0

• Molecule 43 is a protein called 40S ribosomal protein S0.

Mol	Chain	Residues		At	oms		AltConf	Trace	
43	SA0	220	Total 1725	C 1091	N 292	0 328	S 14	0	0
43	RA0	220	Total 1725	C 1091	N 292	O 328	S 14	0	0

• Molecule 44 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues		At	oms		AltConf	Trace	
4.4	SAA	101	Total	С	Ν	0	S	0	0
44	SAA	101	827	513	163	145	6	0	0
4.4	DAA	101	Total	С	Ν	0	S	0	0
44	INAA	101	827	513	163	145	6		

• Molecule 45 is a protein called 40S ribosomal protein S1.

Mol	Chain	Residues		At		AltConf	Trace		
45	SB0	204	Total 1609	C 1018	N 286	0 298	S 7	0	0
45	RB0	204	Total 1609	C 1018	N 286	O 298	S 7	0	0

• Molecule 46 is a protein called 40S ribosomal protein S27.

Mol	Chain	Residues		At	oms		AltConf	Trace	
46	SBB	81	Total 627	C 394	N 108	0 116	S 9	0	0
46	RBB	81	Total 627	C 394	N 108	0 116	S 9	0	0

• Molecule 47 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues		At	oms		AltConf	Trace	
47	SC0	226	Total 1727	C 1099	N 300	0 321	${ m S} 7$	0	0
47	RC0	226	Total 1727	C 1099	N 300	0 321	S 7	0	0



• Molecule 48 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues		Ato	\mathbf{ms}		AltConf	Trace	
19	SCC	62	Total	С	Ν	0	S	0	0
40	500	02	476	295	86	91	4	0	0
19	PCC	62	Total	С	Ν	Ο	S	0	0
40	100	02	476	295	86	91	4		U

• Molecule 49 is a protein called 40S ribosomal protein S3.

Mol	Chain	Residues		At		AltConf	Trace		
49	SD0	216	Total 1700	C 1085	N 300	O 307	S 8	0	0
49	RD0	216	Total 1700	C 1085	N 300	O 307	S 8	0	0

• Molecule 50 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues		At	oms		AltConf	Trace	
50	SDD	65	Total 550	C 345	N 102	O 96	${f S}{7}$	0	0
50	RDD	65	Total 550	C 345	N 102	O 96	${f S} 7$	0	0

• Molecule 51 is a protein called 40S ribosomal protein S4.

Mol	Chain	Residues		Ate	oms		AltConf	Trace	
51	SE0	260	Total 2044	C 1297	N 361	O 379	${ m S} 7$	0	0
51	RE0	260	Total 2044	C 1297	N 361	O 379	${f S}{7}$	0	0

• Molecule 52 is a protein called 40S ribosomal protein S30.

Mol	Chain	Residues		Aton	ns		AltConf	Trace
52	SEE	56	Total	С	Ν	0	0	0
02	JEE		447	284	89	74	0	0
52	DFF	56	Total	С	Ν	0	0	0
02		50	447	284	89	74		0

• Molecule 53 is a protein called 40S ribosomal protein S5.



Mol	Chain	Residues		At	oms		AltConf	Trace	
53	SEO	102	Total	С	Ν	0	S	0	0
00	510	192	1509	953	275	275	6	0	0
53	BEU	102	Total	С	Ν	0	S	0	0
00	101 0	192	1509	953	275	275	6	0	0

• Molecule 54 is a protein called Ubiquitin/40s ribosomal protein S27a fusion.

Mol	Chain	Residues		Ato	\mathbf{ms}		AltConf	Trace	
54	SFF	58	Total	С	Ν	Ο	S	0	0
04		90	422	261	77	79	5	0	0
54	DEE	59	Total	С	Ν	Ο	S	0	0
04	IUL L	90	417	259	74	79	5	0	0

• Molecule 55 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	SG0	229	Total 1836	C 1179	N 325	0 328	${S \atop 4}$	0	0
55	RG0	229	Total 1836	C 1179	N 325	0 328	$\frac{S}{4}$	0	0

• Molecule 56 is a protein called Guanine nucleotide binding protein beta subunit.

Mol	Chain	Residues		At	oms		AltConf	Trace	
56	SCC	310	Total	С	Ν	0	\mathbf{S}	0	0
50	566	519	2478	1558	411	494	15	0	0
56	PCC	210	Total	С	Ν	0	\mathbf{S}	0	0
- 50	ngg	519	2478	1558	411	494	15	0	0

• Molecule 57 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues		At	oms		AltConf	Trace	
57	SHO	163	Total	С	Ν	0	S	0	0
07	5110	105	1335	855	219	255	6	0	0
57	рно	162	Total	С	Ν	0	S	0	0
57	10110	105	1335	855	219	255	6	0	0

• Molecule 58 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues		At	oms	AltConf	Trace		
58	SI0	167	Total 1347	C 834	N 266	O 240	${f S}{7}$	0	0



Continued from previous page...

Mol	Chain	Residues		At	oms	AltConf	Trace		
58	RI0	167	Total 1347	C 834	N 266	0 240	${ m S} 7$	0	0

• Molecule 59 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues		Atoms					Trace
59	SJO	168	Total	С	Ν	0	S	0	0
00	200	100	1379	880	252	243	4	Ŭ	Ŭ
50	B IO	168	Total	С	Ν	Ο	\mathbf{S}	0	0
- 59	1000	100	1379	880	252	243	4	0	0

• Molecule 60 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues		At	oms		AltConf	Trace	
60	SKO	<u> </u>	Total	С	Ν	Ο	S	0	0
00	SKU	88	737	472	127	135	3	0	0
60	DKO	<u> </u>	Total	С	Ν	0	S	0	0
00	INKU	00	737	472	127	135	3	U	

• Molecule 61 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues		At	oms		AltConf	Trace	
61	SLO	150	Total	С	Ν	0	S	0	0
01	5L0	100	1229	790	217	216	6	0	0
61	DIO	150	Total	С	Ν	Ο	S	0	0
01	ILU	150	1229	790	217	216	6	0	0

• Molecule 62 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues		Atoms					Trace
62	SM0	113	Total 876	C 553	N 156	0 162	${f S}{5}$	0	0
62	RM0	113	Total 876	C 553	N 156	0 162	$\frac{S}{5}$	0	0

• Molecule 63 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	SNO	149	Total	С	Ν	0	S	0	0
05	DINU	142	1130	728	196	202	4	0	0
62	DN0	149	Total	С	Ν	0	S	0	0
00	IUNU	142	1130	728	196	202	4	0	



• Molecule 64 is a protein called 40S ribosomal protein S14.

Mol	Chain	Residues		At	oms		AltConf	Trace	
64	SOO	120	Total	С	Ν	0	S	0	0
04	500	129	983	606	191	183	3	0	0
64	BOU	120	Total	С	Ν	0	S	0	0
04	100	129	983	606	191	183	3	0	0

• Molecule 65 is a protein called 40S ribosomal protein S16.

Mol	Chain	Residues		At	oms		AltConf	Trace	
65	SOO	149	Total	С	Ν	0	S	0	0
05	560	142	1143	726	204	207	6	0	0
65	ROO	149	Total	С	Ν	0	\mathbf{S}	0	0
0.0	1020	142	1143	726	204	207	6		

• Molecule 66 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SR0	119	Total 974	C 613	N 172	O 186	S 3	0	0
66	RR0	119	Total 974	C 613	N 172	0 186	${ m S} { m 3}$	0	0

• Molecule 67 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues		At	oms	AltConf	Trace		
67	550	1.4.4	Total	С	Ν	0	S	0	0
07 550	144	1150	720	220	207	3	0		
67	DSO	144	Total	С	Ν	0	S	0	0
07	r.50	.50 144	1150	720	220	207	3	0	

• Molecule 68 is a protein called 40S Ribosomal protein S19.

Mol	Chain	Residues		At	oms	AltConf	Trace		
68	STO	149	Total	С	Ν	0	S	0	0
00	510	142	1161	741	208	211	1	0	0
68	BT0	149	Total	С	Ν	0	\mathbf{S}	0	0
08	1110	142	1161	741	208	211	1	0	0

• Molecule 69 is a protein called 40S ribosomal protein S20.



Mol	Chain	Residues	Atoms					AltConf	Trace
60	SUO	100	Total	С	Ν	0	\mathbf{S}	0	0
09 500	100	809	515	144	143	7	0		
60	BIIO	100	Total	С	Ν	0	S	0	0
09	100	100	809	515	144	143	7	0	0

• Molecule 70 is a protein called Ribosomal protein S21E.

Mol	Chain	Residues		Ate	oms	AltConf	Trace		
70	SVO	65	Total	С	Ν	0	S	0	0
10	500	05	521	319	96	101	5	0	0
70	DV0	65	Total	С	Ν	0	S	0	0
10	ΠV U	05	521	319	96	101	5	0	0

• Molecule 71 is a protein called 40S ribosomal protein S15A.

Mol	Chain	Residues		At	oms	AltConf	Trace		
71	SW0	128	Total 1022	C 639	N 195	O 180	S 8	0	0
71	RW0	128	Total 1022	C 639	N 195	0 180	S 8	0	0

• Molecule 72 is a protein called Ribosomal protein S12/S23.

Mol	Chain	Residues		At	oms	AltConf	Trace		
79	SVO	140	Total	С	Ν	0	S	0	0
12 5A0	140	1098	692	216	186	4	0	0	
79	DV0	140	Total	С	Ν	0	S	0	0
12	11/10	140	1098	692	216	186	4		

• Molecule 73 is a protein called 40s ribosomal protein s24.

Mol	Chain	Residues		At	oms	AltConf	Trace		
73	SVO	136	Total	С	Ν	0	S	0	0
13 510	150	1118	693	215	204	6	0	0	
72	DV0	126	Total	С	Ν	0	S	0	0
10	1110	130	1118	693	215	204	6	0	0

• Molecule 74 is a protein called 40S ribosomal protein S25.

Mol	Chain	Residues		At	AltConf	Trace			
74	SZ0	76	Total 633	C 403	N 116	0 113	S 1	0	0



Continued from previous page...

Mol	Chain	Residues		At	AltConf	Trace			
74	RZ0	76	Total 633	C 403	N 116	0 113	S 1	0	0

• Molecule 75 is a protein called Ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	SP0	117	Total 950	C 598	N 172	0 173	${f S}{7}$	0	0
75	RP0	117	Total 950	$\begin{array}{c} \mathrm{C} \\ 598 \end{array}$	N 172	0 173	${ m S} 7$	0	0

• Molecule 76 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
76	LGG	1	Total Zn 1 1	0
76	LJJ	1	Total Zn 1 1	0
76	LMM	1	Total Zn 1 1	0
76	LOO	1	Total Zn 1 1	0
76	LPP	1	Total Zn 1 1	0
76	SAA	1	Total Zn 1 1	0
76	SBB	1	Total Zn 1 1	0
76	SDD	1	Total Zn 1 1	0
76	SFF	1	Total Zn 1 1	0
76	KGG	1	Total Zn 1 1	0
76	KJJ	1	Total Zn 1 1	0
76	KMM	1	Total Zn 1 1	0
76	KOO	1	Total Zn 1 1	0
76	KPP	1	Total Zn 1 1	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
76	RAA	1	Total Zn 1 1	0
76	RBB	1	Total Zn 1 1	0
76	RDD	1	Total Zn 1 1	0
76	RFF	1	Total Zn 1 1	0

MolProbity failed to run properly - this section is therefore empty.



3 Experimental information (i)

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of subtomograms used	1344	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	120, 120	Depositor
Minimum defocus (nm)	2500	Depositor
Maximum defocus (nm)	6000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k), GATAN K3	Depositor
	BIOQUANTUM $(6k \ge 4k)$	
Maximum map value	1.850	Depositor
Minimum map value	-1.211	Depositor
Average map value	0.007	Depositor
Map value standard deviation	0.118	Depositor
Recommended contour level	0.58	Depositor
Map size (Å)	772.8, 772.8, 772.8	wwPDB
Map dimensions	168, 168, 168	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	4.6, 4.6, 4.6	Depositor



4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

Of 18 ligands modelled in this entry, 18 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.



There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

4.7 Other polymers (i)

There are no such residues in this entry.

4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



$\mathbf{5}$ Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-17457. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

Orthogonal projections (i) 5.1

5.1.1**Primary** map



Х





5.1.2Raw map



The images above show the map projected in three orthogonal directions.



5.2 Central slices (i)

5.2.1 Primary map



X Index: 84



Y Index: 84



Z Index: 84





X Index: 84

Y Index: 84



The images above show central slices of the map in three orthogonal directions.



5.3 Largest variance slices (i)

5.3.1 Primary map



X Index: 114



Y Index: 76



Z Index: 83

5.3.2 Raw map



X Index: 55

Y Index: 92



The images above show the largest variance slices of the map in three orthogonal directions.



5.4 Orthogonal standard-deviation projections (False-color) (i)

5.4.1 Primary map



5.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



5.5 Orthogonal surface views (i)

5.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.58. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

5.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

5.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



6 Map analysis (i)

This section contains the results of statistical analysis of the map.

6.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



6.2 Volume estimate (i)



The volume at the recommended contour level is 5294 $\rm nm^3;$ this corresponds to an approximate mass of 4782 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



6.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.070 ${\rm \AA^{-1}}$



7 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

7.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.070 ${\rm \AA^{-1}}$



7.2 Resolution estimates (i)

$\mathbf{Bosolution} \text{ ostimato } (\mathbf{\hat{\lambda}})$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	14.30	-	-
Author-provided FSC curve	14.31	19.92	15.31
Unmasked-calculated*	20.33	33.90	20.62

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 20.33 differs from the reported value 14.3 by more than 10 %



8 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-17457 and PDB model 8P60. Per-residue inclusion information can be found in section ?? on page ??.

8.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.58 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



8.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

8.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.58).



8.4 Atom inclusion (i)



At the recommended contour level, 54% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

8.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.58) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	$\mathbf{Q} extsf{-score}$
All	0.6260	0.0540
K50	0.8580	0.0630
K70	0.7670	0.0610
KA0	0.5520	0.0200
KAA	0.6240	0.0140
KB0	0.5200	0.0110
KC0	0.4360	0.0230
KCC	0.2870	0.0540
KD0	0.3260	0.0420
KDD	0.4740	0.0260
KE0	0.1230	0.0420
KEE	0.4530	0.0270
KF0	0.3250	0.0420
KFF	0.2800	0.0500
KG0	0.2560	0.0580
KGG	0.5730	-0.0070
KH0	0.3900	0.0390
KHH	0.2960	0.0600
KI0	0.5110	-0.0030
KII	0.4200	0.0400
KJ0	0.3960	0.0380
KJJ	0.6830	-0.0100
KL0	0.4180	0.0410
KLL	0.6380	0.0030
KM0	0.0800	0.0500
KMM	0.6050	0.0210
KN0	0.9390	-0.0100
KO0	0.4170	0.0420
KOO	0.8010	0.0230
KP0	0.4330	0.0310
KPP	0.6120	0.0370
KQ0	0.3460	0.0270
KR0	0.4390	0.0290
KS0	0.2010	0.0370
KT0	0.3500	0.0200



Continued from previous page...

Chain	Atom inclusion	Q-score
KU0	0.2750	0.0620
KV0	0.6120	0.0110
KW0	0.4180	0.0120
KX0	0.4740	0.0360
KY0	0.3800	0.0290
KZ0	0.2300	0.0570
L50	0.9000	0.0850
L70	0.8660	0.0940
LA0	0.5590	0.0370
LAA	0.6880	0.0230
LB0	0.4720	0.0150
LC0	0.5420	0.0370
LCC	0.2740	0.0730
LD0	0.4090	0.0460
LDD	0.5280	0.0200
LE0	0.1580	0.0650
LEE	0.5620	0.0310
LF0	0.3910	0.0650
LFF	0.3930	0.0430
LG0	0.2280	0.0480
LGG	0.5520	-0.0050
LH0	0.3950	0.0480
LHH	0.3930	0.0350
LIO	0.4970	0.0350
LII	0.4230	0.0440
LJO	0.3090	0.0450
LJJ	0.7950	0.0110
LLO	0.5090	0.0270
LLL	0.7060	-0.0100
LM0	0.0820	0.0860
LMM	0.4270	0.0060
LN0	0.9350	-0.0060
LOO	0.4440	0.0560
LOO	0.5440	0.0230
LP0	0.5800	0.0310
LPP	0.4830	0.0260
LQ0	0.4650	0.0530
LR0	0.4090	0.0300
LS0	0.3030	0.0660
LT0	0.4470	0.0340
LU0	0.2700	0.0550
LVO	0.4030	0.0280



Chain

Q-score

LWU)	0.2350	0.0290
LX0		0.4970	0.0050
LY0		0.3750	0.0250
LZ0		0.2290	0.0520
MD1		0.3180	0.0670
MD2	2	0.2550	0.0530
R60		0.8020	0.0570
RA0		0.1510	0.0330
RAA	<u>د</u>	0.5920	0.0270
RB0		0.3410	0.0420
RBB	3	0.3870	0.0380
RC0		0.3840	0.0320
RCC		0.4480	0.0420
RD0		0.2490	0.0300
RDE)	0.5530	0.0150
RE0		0.4410	0.0280
REE		0.3780	0.0110
RF0		0.5270	0.0390
RFF		0.0000	0.0240
RG0		0.1790	0.0430
RGG		0.2130	0.0330
RH0		0.1090	0.0540
RIO		0.3660	0.0280
RJ0		0.5560	0.0190
RK0		0.1440	0.0310
RL0		0.3810	0.0260
RMC)	0.1100	0.0270
RN0		0.4650	0.0160
RO0		0.5900	0.0200
RP0		0.1940	0.0270
RQ0		0.4880	0.0270
RR0		0.3250	0.0450
RS0		0.2330	0.0480
RT0		0.3610	0.0260
RU0		0.2610	0.0370
RV0		0.2720	0.0440
RWC)	0.5430	-0.0050
RX0		0.1600	-0.0150
RY0		0.3650	0.0420
RZ0		0.2810	0.0740
S60		0.8830	0.0860
L SAO		0.1240	0.0520

Continued from previous page...

Atom inclusion



Chain	Atom inclusion	Q-score
SAA	0.5660	0.0280
SB0	0.3380	0.0610
SBB	0.2980	0.0560
SC0	0.3530	0.0580
SCC	0.3280	0.0550
SD0	0.1760	0.0560
SDD	0.4240	0.0470
SE0	0.3410	0.0350
SEE	0.2550	0.0470
SF0	0.4790	0.0480
SFF	0.0260	0.0360
SG0	0.2580	0.0480
SGG	0.2120	0.0490
SH0	0.0650	0.0690
SI0	0.4710	0.0310
SJ0	0.3660	0.0420
SK0	0.1040	0.0580
SL0	0.3580	0.0360
SM0	0.0600	0.0490
SN0	0.4900	0.0320
SO0	0.5760	0.0340
SP0	0.3560	0.0630
SQ0	0.4150	0.0420
SR0	0.2010	0.0360
SS0	0.4100	0.0640
ST0	0.3710	0.0440
SU0	0.2500	0.0420
SV0	0.2680	0.0660
SW0	0.4280	0.0370
SX0	0.2780	0.0240
SY0	0.2830	0.0750
SZ0	0.2860	0.0740

Continued from previous page...

