



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2018 – 07:30 pm GMT

PDB ID : 1P8Z  
Title : Complex Between Rabbit Muscle alpha-Actin: Human Gelsolin Residues Val26-Glu156  
Authors : Irobi, E.; Burtnick, L.D.; Robinson, R.C.  
Deposited on : 2003-05-08  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtrriage (Phenix) : 1.13  
EDS : trunk30967  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Refmac : 5.8.0158  
CCP4 : 7.0 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30967


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	111664	2767 (2.60-2.60)
Clashscore	122126	3110 (2.60-2.60)
Ramachandran outliers	120053	3062 (2.60-2.60)
Sidechain outliers	120020	3062 (2.60-2.60)
RSRZ outliers	108989	2706 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	136	
2	A	377	

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4029 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gelsolin precursor, plasma.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	G	131	1045	676	175	193	1	0	0	0

- Molecule 2 is a protein called Actin, alpha skeletal muscle.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	354	2765	1754	461	532	18	0	0	0

- Molecule 3 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	1	Total	Cd	0	0
			1	1		
3	A	2	Total	Cd	0	0
			2	2		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	1	Total	Ca	0	0
			1	1		


- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: C<sub>10</sub>H<sub>16</sub>N<sub>5</sub>O<sub>13</sub>P<sub>3</sub>).




### 3 Residue-property plots i

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Gelsolin precursor, plasma



- Molecule 2: Actin, alpha skeletal muscle



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 1 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	114.22Å 114.22Å 93.77Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.60 19.86 – 2.60	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.60) 97.3 (19.86-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	7.49 (at 2.59Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.208 , 0.263 0.209 , 0.207	Depositor DCC
$R_{free}$ test set	1080 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.0	Xtrriage
Anisotropy	0.276	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.49 , 80.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.038 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	4029	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.40% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ATP, CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	G	0.59	0/1073	0.77	0/1453
2	A	0.63	0/2824	0.80	1/3830 (0.0%)
All	All	0.62	0/3897	0.79	1/5283 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	322	PRO	CA-N-CD	-12.23	94.38	111.50

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1045	0	1009	39	0
2	A	2765	0	2735	102	0
3	A	2	0	0	0	0
3	G	1	0	0	0	0
4	G	1	0	0	0	0
5	A	31	0	12	0	0
6	A	136	0	0	1	0
6	G	48	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4029	0	3756	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:28:GLU:HG3	2:A:354:GLN:HE22	1.21	1.04
1:G:27:VAL:HG12	1:G:29:HIS:H	1.28	0.98
2:A:257:CYS:HB3	2:A:258:PRO:HD3	1.52	0.91
2:A:178:LEU:HD21	2:A:180:LEU:HB3	1.54	0.90
2:A:178:LEU:CD2	2:A:180:LEU:HB3	2.06	0.85
1:G:78:ASN:HD22	1:G:78:ASN:H	1.26	0.82
1:G:78:ASN:HD22	1:G:78:ASN:N	1.73	0.82
2:A:250:ILE:HG23	2:A:253:GLU:HG2	1.64	0.78
2:A:272:ALA:HB1	2:A:276:GLU:HG2	1.69	0.74
1:G:28:GLU:HG3	2:A:354:GLN:NE2	2.02	0.74
2:A:272:ALA:HB1	2:A:276:GLU:CG	2.20	0.72
1:G:115:ARG:HG3	1:G:115:ARG:O	1.88	0.71
2:A:28:ARG:HG2	2:A:28:ARG:HH11	1.54	0.71
1:G:76:LEU:O	1:G:78:ASN:ND2	2.25	0.70
2:A:54:VAL:O	2:A:57:GLU:HG2	1.91	0.69
2:A:57:GLU:H	2:A:57:GLU:CD	1.96	0.69
1:G:153:VAL:HG23	1:G:156:GLU:HB2	1.75	0.69
2:A:204:ALA:O	2:A:207:GLU:HG3	1.92	0.68
2:A:104:LEU:HD12	2:A:347:ALA:HB2	1.75	0.68
2:A:178:LEU:HD23	2:A:180:LEU:H	1.59	0.67
2:A:200:PHE:HA	2:A:205:GLU:OE1	1.95	0.67
2:A:289:ILE:O	2:A:293:LEU:HD22	1.96	0.66
2:A:91:TYR:O	2:A:95:ARG:HD3	1.96	0.66
2:A:327:ILE:N	2:A:327:ILE:HD12	2.10	0.66
1:G:150:LYS:NZ	2:A:28:ARG:NH2	2.44	0.65
1:G:150:LYS:CE	2:A:28:ARG:HH22	2.09	0.65
1:G:78:ASN:ND2	1:G:78:ASN:H	1.94	0.64
2:A:335:ARG:HA	2:A:338:SER:OG	1.99	0.62
1:G:28:GLU:H	2:A:354:GLN:HE22	1.44	0.62
1:G:78:ASN:N	1:G:78:ASN:ND2	2.46	0.62
1:G:28:GLU:H	2:A:354:GLN:NE2	1.97	0.62
1:G:72:LYS:HG2	1:G:133:TYR:CE1	2.35	0.62
2:A:330:ILE:HD12	2:A:330:ILE:N	2.14	0.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:352:PHE:HE2	2:A:356:TRP:CH2	2.19	0.61
1:G:27:VAL:HA	2:A:354:GLN:NE2	2.16	0.60
2:A:250:ILE:HG22	2:A:254:ARG:HG3	1.84	0.59
2:A:76:ILE:HD13	2:A:82:MET:HG2	1.84	0.59
2:A:185:LEU:HD23	2:A:306:TYR:OH	2.02	0.59
2:A:189:LEU:O	2:A:193:LEU:HB2	2.03	0.59
2:A:314:GLN:O	2:A:318:THR:HG23	2.03	0.59
2:A:234:SER:HB2	2:A:237:GLU:OE2	2.04	0.58
1:G:139:LYS:HD2	1:G:140:TYR:O	2.04	0.56
2:A:244:ASP:OD1	2:A:246:GLN:HG3	2.05	0.56
1:G:153:VAL:HG23	1:G:156:GLU:CB	2.36	0.56
2:A:194:THR:O	2:A:197:GLY:N	2.39	0.56
2:A:275:HIS:CD2	2:A:316:GLU:HG3	2.41	0.56
2:A:226:GLU:OE1	2:A:226:GLU:HA	2.05	0.55
2:A:97:ALA:HB3	2:A:100:GLU:OE2	2.06	0.55
1:G:152:VAL:HG23	2:A:26:ALA:HB3	1.89	0.55
1:G:131:LEU:HD23	1:G:138:LEU:HD13	1.89	0.54
2:A:303:THR:O	2:A:303:THR:HG22	2.07	0.54
2:A:211:ASP:OD2	2:A:215:LYS:NZ	2.40	0.54
1:G:27:VAL:HG12	1:G:29:HIS:N	2.10	0.54
2:A:187:ASP:OD1	2:A:206:ARG:CZ	2.56	0.53
2:A:286:ASP:OD2	2:A:288:ASP:HB2	2.08	0.53
1:G:147:SER:OG	1:G:149:PHE:HB2	2.08	0.53
2:A:269:MET:C	2:A:271:SER:H	2.12	0.53
2:A:226:GLU:HB3	2:A:255:PHE:CZ	2.44	0.52
2:A:314:GLN:O	2:A:318:THR:CG2	2.58	0.52
2:A:221:LEU:O	2:A:315:LYS:HE3	2.10	0.52
2:A:170:ALA:O	2:A:172:PRO:HD3	2.10	0.52
1:G:76:LEU:O	1:G:78:ASN:N	2.43	0.52
2:A:238:LYS:HG3	2:A:254:ARG:CZ	2.40	0.52
1:G:150:LYS:HE2	2:A:24:ASP:OD1	2.09	0.52
2:A:190:MET:O	2:A:194:THR:HG23	2.10	0.51
2:A:198:TYR:CZ	2:A:248:ILE:HB	2.46	0.51
2:A:294:TYR:CD2	2:A:325:MET:HG2	2.45	0.51
1:G:150:LYS:HZ1	2:A:28:ARG:NH2	2.07	0.51
2:A:194:THR:HA	2:A:198:TYR:O	2.10	0.51
2:A:259:GLU:OE2	2:A:312:ARG:NH1	2.44	0.50
2:A:327:ILE:N	2:A:327:ILE:CD1	2.75	0.50
2:A:57:GLU:N	2:A:57:GLU:OE1	2.26	0.50
2:A:196:ARG:HG2	2:A:196:ARG:O	2.13	0.49
2:A:28:ARG:NH1	2:A:28:ARG:HG2	2.25	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:303:THR:O	2:A:303:THR:CG2	2.61	0.49
1:G:70:ILE:HD12	1:G:70:ILE:N	2.28	0.48
2:A:12:ASN:HB3	2:A:71:ILE:HD11	1.93	0.48
2:A:147:ARG:HD3	2:A:296:ASN:OD1	2.14	0.48
1:G:45:ARG:NH2	1:G:47:GLU:OE1	2.39	0.48
2:A:259:GLU:OE2	2:A:263:GLN:NE2	2.31	0.48
2:A:273:GLY:O	2:A:276:GLU:HB3	2.13	0.48
1:G:150:LYS:CE	2:A:28:ARG:NH2	2.76	0.48
2:A:12:ASN:ND2	2:A:82:MET:HE2	2.29	0.47
2:A:31:PHE:CE2	2:A:93:GLU:HG3	2.48	0.47
2:A:8:LEU:HD11	2:A:96:VAL:HG21	1.95	0.47
2:A:178:LEU:HD23	2:A:180:LEU:HB3	1.95	0.47
2:A:354:GLN:HG2	2:A:354:GLN:H	1.38	0.47
2:A:287:ILE:HA	2:A:290:ARG:HG3	1.98	0.46
1:G:44:TRP:CB	1:G:51:LEU:HD22	2.45	0.46
2:A:242:LEU:HG	2:A:243:PRO:HD2	1.96	0.46
2:A:107:GLU:OE2	2:A:116:ARG:NH1	2.49	0.45
2:A:12:ASN:ND2	2:A:82:MET:CE	2.79	0.45
2:A:347:ALA:HA	2:A:352:PHE:CD2	2.50	0.45
1:G:145:VAL:HG22	1:G:146:ALA:N	2.31	0.45
2:A:300:SER:HA	2:A:335:ARG:HB2	1.99	0.45
2:A:236:LEU:O	2:A:254:ARG:NH1	2.40	0.45
1:G:152:VAL:CG2	2:A:26:ALA:HB3	2.47	0.44
1:G:107:GLN:NE2	2:A:351:THR:OG1	2.45	0.44
2:A:156:GLY:O	2:A:181:ALA:HB1	2.17	0.44
1:G:78:ASN:CG	1:G:80:ASN:HB2	2.38	0.44
2:A:257:CYS:CB	2:A:258:PRO:HD3	2.34	0.44
1:G:65:GLY:O	1:G:93:CYS:HA	2.17	0.44
2:A:180:LEU:HD13	2:A:267:ILE:CD1	2.48	0.43
2:A:28:ARG:CG	2:A:28:ARG:NH1	2.81	0.43
1:G:150:LYS:NZ	2:A:28:ARG:HH21	2.16	0.43
2:A:178:LEU:HD23	2:A:180:LEU:N	2.28	0.43
2:A:180:LEU:HD13	2:A:267:ILE:HD11	1.99	0.43
2:A:122:ILE:O	2:A:126:THR:HG23	2.18	0.43
2:A:37:ARG:HA	2:A:38:PRO:HD3	1.81	0.43
2:A:51:ASP:N	6:A:1029:HOH:O	2.52	0.43
1:G:150:LYS:NZ	2:A:28:ARG:HH22	2.13	0.43
2:A:187:ASP:OD1	2:A:206:ARG:NH2	2.53	0.42
2:A:248:ILE:HD11	2:A:250:ILE:HD11	2.01	0.42
1:G:27:VAL:HG13	2:A:354:GLN:CD	2.39	0.42
1:G:45:ARG:HD2	1:G:66:ASP:OD1	2.20	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:269:MET:C	2:A:271:SER:N	2.72	0.42
1:G:149:PHE:HA	1:G:149:PHE:HD2	1.75	0.42
2:A:312:ARG:HH21	2:A:316:GLU:CD	2.23	0.42
2:A:194:THR:OG1	2:A:195:GLU:N	2.53	0.42
2:A:33:SER:O	2:A:70:PRO:HD2	2.20	0.41
2:A:244:ASP:OD1	2:A:246:GLN:CG	2.68	0.41
2:A:334:GLU:O	2:A:336:LYS:N	2.54	0.41
2:A:248:ILE:HG13	2:A:250:ILE:HD12	2.02	0.41
2:A:210:ARG:O	2:A:214:GLU:HG3	2.21	0.40
2:A:213:LYS:O	2:A:217:CYS:HB2	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	129/136 (95%)	121 (94%)	6 (5%)	2 (2%)	11	21
2	A	350/377 (93%)	328 (94%)	19 (5%)	3 (1%)	19	38
All	All	479/513 (93%)	449 (94%)	25 (5%)	5 (1%)	17	35

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	77	ARG
2	A	198	TYR
1	G	78	ASN
2	A	179	ASP
2	A	335	ARG

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	109/114 (96%)	99 (91%)	10 (9%)	10	19
2	A	300/320 (94%)	277 (92%)	23 (8%)	14	27
All	All	409/434 (94%)	376 (92%)	33 (8%)	13	25

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	41	LEU
1	G	56	THR
1	G	76	LEU
1	G	77	ARG
1	G	78	ASN
1	G	115	ARG
1	G	138	LEU
1	G	139	LYS
1	G	149	PHE
1	G	156	GLU
2	A	39	ARG
2	A	57	GLU
2	A	83	GLU
2	A	126	THR
2	A	159	VAL
2	A	180	LEU
2	A	207	GLU
2	A	216	LEU
2	A	236	LEU
2	A	239	SER
2	A	248	ILE
2	A	249	THR
2	A	265	SER
2	A	293	LEU
2	A	299	MET
2	A	312	ARG
2	A	315	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	A	316	GLU
2	A	318	THR
2	A	322	PRO
2	A	323	SER
2	A	334	GLU
2	A	354	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	29	HIS
1	G	78	ASN
1	G	80	ASN
1	G	91	ASN
1	G	113	ASN
1	G	118	GLN
2	A	12	ASN
2	A	59	GLN
2	A	87	HIS
2	A	225	ASN
2	A	246	GLN
2	A	280	ASN
2	A	297	ASN
2	A	354	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	ATP	A	380	3	27,33,33	1.79	9 (33%)	27,52,52	3.03	9 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ATP	A	380	3	-	0/18/38/38	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	380	ATP	O5'-C5'	-3.09	1.32	1.44
5	A	380	ATP	PB-O2B	-2.79	1.41	1.55
5	A	380	ATP	PG-O3G	-2.56	1.44	1.54
5	A	380	ATP	PB-O1B	-2.38	1.42	1.50
5	A	380	ATP	C8-N7	-2.34	1.30	1.34
5	A	380	ATP	PA-O2A	-2.15	1.44	1.55
5	A	380	ATP	PA-O5'	-2.09	1.50	1.59
5	A	380	ATP	O4'-C1'	2.14	1.44	1.41
5	A	380	ATP	C4-N3	4.42	1.41	1.35

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	380	ATP	O5'-PA-O1A	-5.85	86.21	109.07
5	A	380	ATP	C1'-N9-C4	-3.21	121.09	126.64
5	A	380	ATP	N3-C2-N1	-3.16	126.16	128.86
5	A	380	ATP	C5'-C4'-C3'	-2.84	104.58	115.29
5	A	380	ATP	C4'-O4'-C1'	-2.10	107.64	109.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	380	ATP	C4-C5-N7	2.48	111.80	109.41
5	A	380	ATP	O4'-C4'-C3'	3.70	112.47	105.15
5	A	380	ATP	PA-O5'-C5'	5.43	153.50	121.68
5	A	380	ATP	O5'-C5'-C4'	10.59	145.83	109.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	G	131/136 (96%)	0.48	15 (11%) <b>5</b> <b>3</b>	15, 36, 73, 84	0
2	A	354/377 (93%)	0.11	20 (5%) <b>24</b> <b>18</b>	11, 33, 64, 81	0
All	All	485/513 (94%)	0.21	35 (7%) <b>15</b> <b>11</b>	11, 34, 66, 84	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	324	THR	6.3
1	G	78	ASN	5.0
1	G	26	VAL	4.8
2	A	323	SER	4.5
1	G	79	GLY	3.9
2	A	194	THR	3.7
2	A	202	THR	3.7
1	G	135	LYS	3.4
2	A	322	PRO	3.3
1	G	75	GLN	3.2
2	A	201	VAL	3.1
1	G	136	SER	3.0
1	G	153	VAL	3.0
1	G	57	ASN	2.9
2	A	204	ALA	2.8
2	A	100	GLU	2.8
2	A	269	MET	2.7
2	A	203	THR	2.7
1	G	76	LEU	2.6
1	G	80	ASN	2.5
2	A	193	LEU	2.5
2	A	244	ASP	2.5
1	G	155	ASN	2.4
2	A	245	GLY	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	27	VAL	2.4
2	A	200	PHE	2.3
1	G	137	GLY	2.2
2	A	197	GLY	2.2
1	G	156	GLU	2.2
2	A	51	ASP	2.2
2	A	39	ARG	2.1
1	G	30	PRO	2.0
2	A	198	TYR	2.0
2	A	287	ILE	2.0
2	A	325	MET	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	ATP	A	380	31/31	0.95	0.16	22,31,35,37	0
3	CD	A	1004	1/1	0.97	0.04	61,61,61,61	0
4	CA	G	1003	1/1	0.98	0.07	42,42,42,42	0
3	CD	A	1001	1/1	0.99	0.08	36,36,36,36	0
3	CD	G	1002	1/1	1.00	0.06	26,26,26,26	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.