



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 6, 2022 – 04:36 pm BST

PDB ID : 7P9X
Title : Structure of cyclohex-1-ene-1-carboxyl-CoA dehydrogenase complexed with cyclohex-1-ene-1-carboxyl-CoA
Authors : Ermler, U.; Weidenweber, S.; Boll, M.
Deposited on : 2021-07-28
Resolution : 1.65 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.29
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1827 (1.66-1.66)
Clashscore	141614	1931 (1.66-1.66)
Ramachandran outliers	138981	1891 (1.66-1.66)
Sidechain outliers	138945	1891 (1.66-1.66)
RSRZ outliers	127900	1791 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	412	 88% 8% 3% 3% 5%
1	B	412	 87% 8% 3% 3% 5%
1	C	412	 87% 8% 3% 3% 5%
1	D	412	 67% 8% 15% 3% 3%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	D	503	-	-	-	X

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 13151 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Short-chain acyl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	378	2899	1819	503	556	21	0	6	0
1	B	378	2889	1814	501	552	22	0	5	0
1	C	378	2904	1826	502	554	22	0	7	0
1	D	377	2892	1814	506	551	21	0	6	0

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	381	LYS	-	expression tag	UNP Q39QF5
A	382	GLY	-	expression tag	UNP Q39QF5
A	383	GLU	-	expression tag	UNP Q39QF5
A	384	LEU	-	expression tag	UNP Q39QF5
A	385	ASN	-	expression tag	UNP Q39QF5
A	386	SER	-	expression tag	UNP Q39QF5
A	387	LYS	-	expression tag	UNP Q39QF5
A	388	LEU	-	expression tag	UNP Q39QF5
A	389	GLU	-	expression tag	UNP Q39QF5
A	390	GLY	-	expression tag	UNP Q39QF5
A	391	LYS	-	expression tag	UNP Q39QF5
A	392	PRO	-	expression tag	UNP Q39QF5
A	393	ILE	-	expression tag	UNP Q39QF5
A	394	PRO	-	expression tag	UNP Q39QF5
A	395	ASN	-	expression tag	UNP Q39QF5
A	396	PRO	-	expression tag	UNP Q39QF5
A	397	LEU	-	expression tag	UNP Q39QF5
A	398	LEU	-	expression tag	UNP Q39QF5
A	399	GLY	-	expression tag	UNP Q39QF5
A	400	LEU	-	expression tag	UNP Q39QF5
A	401	ASP	-	expression tag	UNP Q39QF5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	402	SER	-	expression tag	UNP Q39QF5
A	403	THR	-	expression tag	UNP Q39QF5
A	404	ARG	-	expression tag	UNP Q39QF5
A	405	THR	-	expression tag	UNP Q39QF5
A	406	GLY	-	expression tag	UNP Q39QF5
A	407	HIS	-	expression tag	UNP Q39QF5
A	408	HIS	-	expression tag	UNP Q39QF5
A	409	HIS	-	expression tag	UNP Q39QF5
A	410	HIS	-	expression tag	UNP Q39QF5
A	411	HIS	-	expression tag	UNP Q39QF5
A	412	HIS	-	expression tag	UNP Q39QF5
B	381	LYS	-	expression tag	UNP Q39QF5
B	382	GLY	-	expression tag	UNP Q39QF5
B	383	GLU	-	expression tag	UNP Q39QF5
B	384	LEU	-	expression tag	UNP Q39QF5
B	385	ASN	-	expression tag	UNP Q39QF5
B	386	SER	-	expression tag	UNP Q39QF5
B	387	LYS	-	expression tag	UNP Q39QF5
B	388	LEU	-	expression tag	UNP Q39QF5
B	389	GLU	-	expression tag	UNP Q39QF5
B	390	GLY	-	expression tag	UNP Q39QF5
B	391	LYS	-	expression tag	UNP Q39QF5
B	392	PRO	-	expression tag	UNP Q39QF5
B	393	ILE	-	expression tag	UNP Q39QF5
B	394	PRO	-	expression tag	UNP Q39QF5
B	395	ASN	-	expression tag	UNP Q39QF5
B	396	PRO	-	expression tag	UNP Q39QF5
B	397	LEU	-	expression tag	UNP Q39QF5
B	398	LEU	-	expression tag	UNP Q39QF5
B	399	GLY	-	expression tag	UNP Q39QF5
B	400	LEU	-	expression tag	UNP Q39QF5
B	401	ASP	-	expression tag	UNP Q39QF5
B	402	SER	-	expression tag	UNP Q39QF5
B	403	THR	-	expression tag	UNP Q39QF5
B	404	ARG	-	expression tag	UNP Q39QF5
B	405	THR	-	expression tag	UNP Q39QF5
B	406	GLY	-	expression tag	UNP Q39QF5
B	407	HIS	-	expression tag	UNP Q39QF5
B	408	HIS	-	expression tag	UNP Q39QF5
B	409	HIS	-	expression tag	UNP Q39QF5
B	410	HIS	-	expression tag	UNP Q39QF5
B	411	HIS	-	expression tag	UNP Q39QF5

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	412	HIS	-	expression tag	UNP Q39QF5
C	381	LYS	-	expression tag	UNP Q39QF5
C	382	GLY	-	expression tag	UNP Q39QF5
C	383	GLU	-	expression tag	UNP Q39QF5
C	384	LEU	-	expression tag	UNP Q39QF5
C	385	ASN	-	expression tag	UNP Q39QF5
C	386	SER	-	expression tag	UNP Q39QF5
C	387	LYS	-	expression tag	UNP Q39QF5
C	388	LEU	-	expression tag	UNP Q39QF5
C	389	GLU	-	expression tag	UNP Q39QF5
C	390	GLY	-	expression tag	UNP Q39QF5
C	391	LYS	-	expression tag	UNP Q39QF5
C	392	PRO	-	expression tag	UNP Q39QF5
C	393	ILE	-	expression tag	UNP Q39QF5
C	394	PRO	-	expression tag	UNP Q39QF5
C	395	ASN	-	expression tag	UNP Q39QF5
C	396	PRO	-	expression tag	UNP Q39QF5
C	397	LEU	-	expression tag	UNP Q39QF5
C	398	LEU	-	expression tag	UNP Q39QF5
C	399	GLY	-	expression tag	UNP Q39QF5
C	400	LEU	-	expression tag	UNP Q39QF5
C	401	ASP	-	expression tag	UNP Q39QF5
C	402	SER	-	expression tag	UNP Q39QF5
C	403	THR	-	expression tag	UNP Q39QF5
C	404	ARG	-	expression tag	UNP Q39QF5
C	405	THR	-	expression tag	UNP Q39QF5
C	406	GLY	-	expression tag	UNP Q39QF5
C	407	HIS	-	expression tag	UNP Q39QF5
C	408	HIS	-	expression tag	UNP Q39QF5
C	409	HIS	-	expression tag	UNP Q39QF5
C	410	HIS	-	expression tag	UNP Q39QF5
C	411	HIS	-	expression tag	UNP Q39QF5
C	412	HIS	-	expression tag	UNP Q39QF5
D	381	LYS	-	expression tag	UNP Q39QF5
D	382	GLY	-	expression tag	UNP Q39QF5
D	383	GLU	-	expression tag	UNP Q39QF5
D	384	LEU	-	expression tag	UNP Q39QF5
D	385	ASN	-	expression tag	UNP Q39QF5
D	386	SER	-	expression tag	UNP Q39QF5
D	387	LYS	-	expression tag	UNP Q39QF5
D	388	LEU	-	expression tag	UNP Q39QF5
D	389	GLU	-	expression tag	UNP Q39QF5

Continued on next page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	53	27	9	15	2	0	0
2	B	1	53	27	9	15	2	0	0
2	C	1	53	27	9	15	2	0	0
2	D	1	53	27	9	15	2	0	0

- Molecule 3 is 1-monoenoyl-CoA (three-letter code: 4KW) (formula: $C_{28}H_{44}N_7O_{17}P_3S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
3	A	1	56	28	7	17	3	1	0	0
3	B	1	56	28	7	17	3	1	0	0
3	C	1	56	28	7	17	3	1	0	0
3	D	1	56	28	7	17	3	1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	307	Total O 307 307	0	0
5	B	328	Total O 329 329	0	1
5	C	336	Total O 336 336	0	0
5	D	117	Total O 117 117	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	172.91Å 333.85Å 76.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.25 – 1.65 47.19 – 1.65	Depositor EDS
% Data completeness (in resolution range)	93.0 (48.25-1.65) 93.0 (47.19-1.65)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.81 (at 1.65Å)	Xtrriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.222 , 0.236 0.232 , 0.245	Depositor DCC
R_{free} test set	12200 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	20.8	Xtrriage
Anisotropy	0.039	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13151	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 62.54 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.1094e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, FAD, 4KW

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/2937	0.59	0/3967
1	B	0.48	0/2927	0.58	0/3953
1	C	0.49	0/2942	0.59	0/3973
1	D	0.53	0/2929	0.72	4/3954 (0.1%)
All	All	0.49	0/11735	0.62	4/15847 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	2

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	D	6	GLU	CB-CA-C	9.06	128.53	110.40
1	D	196	ARG	CB-CA-C	-5.94	98.53	110.40
1	D	236	GLN	CB-CA-C	5.62	121.64	110.40
1	D	274	ILE	CB-CA-C	5.42	122.45	111.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	196	ARG	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2899	0	2947	8	0
1	B	2889	0	2943	12	0
1	C	2904	0	2964	11	0
1	D	2892	0	2946	88	0
2	A	53	0	27	1	0
2	B	53	0	27	3	0
2	C	53	0	27	2	0
2	D	53	0	27	0	0
3	A	56	0	0	0	0
3	B	56	0	0	0	0
3	C	56	0	0	0	0
3	D	56	0	0	0	0
4	A	6	0	8	0	0
4	B	12	0	16	0	0
4	C	12	0	16	0	0
4	D	12	0	16	1	0
5	A	307	0	0	1	0
5	B	329	0	0	1	0
5	C	336	0	0	1	0
5	D	117	0	0	12	0
All	All	13151	0	11964	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:269:GLN:HB2	1:D:274:ILE:CD1	1.93	0.99
1:D:269:GLN:HB2	1:D:274:ILE:HD12	1.49	0.92
1:D:4:LEU:HD21	1:D:9:LYS:CD	2.03	0.89
1:B:208:ASN:HB2	5:B:605[B]:HOH:O	1.75	0.86
1:D:29:GLU:HG3	5:D:619:HOH:O	1.77	0.83
1:D:338:LEU:HD22	1:D:347[B]:ASN:HD21	1.44	0.82
1:D:136:MET:HG2	5:D:609:HOH:O	1.82	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:70:LEU:HD23	1:D:299:ARG:CZ	2.13	0.78
1:D:272:LYS:HD2	1:D:276:HIS:CD2	2.19	0.76
1:C:6:GLU:OE1	1:C:9:LYS:NZ	2.14	0.76
1:D:4:LEU:HD21	1:D:9:LYS:HD2	1.67	0.75
1:D:338:LEU:CD2	1:D:347[B]:ASN:HD21	1.99	0.75
1:D:122:LEU:HD13	5:D:601:HOH:O	1.87	0.75
1:D:272:LYS:HD2	1:D:276:HIS:HD2	1.54	0.73
1:D:269:GLN:HB2	1:D:274:ILE:HD11	1.70	0.73
1:D:4:LEU:HD11	1:D:9:LYS:N	2.04	0.72
1:D:138:THR:HG22	1:D:151:GLY:HA3	1.71	0.72
1:A:63:MET:HG2	5:A:765:HOH:O	1.90	0.71
1:D:4:LEU:CD2	1:D:9:LYS:HE2	2.22	0.70
1:D:4:LEU:HD11	1:D:9:LYS:HB2	1.74	0.70
1:D:343:TYR:CB	5:D:616:HOH:O	2.42	0.68
1:D:107:ARG:HD3	1:D:108:TYR:CE2	2.29	0.68
1:D:31:ASP:HB2	1:D:351[B]:ARG:CZ	2.25	0.67
1:D:4:LEU:CD2	1:D:9:LYS:CE	2.72	0.67
1:D:70:LEU:HD23	1:D:299:ARG:NH2	2.10	0.67
1:D:31:ASP:HB2	1:D:351[B]:ARG:NE	2.09	0.67
1:D:4:LEU:HD21	1:D:9:LYS:CE	2.25	0.66
1:B:208:ASN:HD22	2:B:501:FAD:HM72	1.61	0.65
1:D:4:LEU:HD21	1:D:9:LYS:HB2	1.80	0.64
1:D:343:TYR:HB3	5:D:616:HOH:O	1.96	0.62
1:D:180:ILE:HD11	5:D:609:HOH:O	2.01	0.61
1:D:70:LEU:CD2	1:D:299:ARG:CZ	2.79	0.60
1:D:4:LEU:HD11	1:D:9:LYS:CA	2.32	0.58
1:D:371:MET:O	1:D:375:ARG:HG2	2.03	0.58
1:D:274:ILE:HG13	1:D:277:LEU:HD12	1.86	0.57
1:D:70:LEU:CD2	1:D:299:ARG:NH1	2.68	0.57
1:D:3:HIS:CD2	1:D:3:HIS:N	2.72	0.57
1:D:276:HIS:CE1	1:D:277:LEU:CD2	2.87	0.57
1:D:107:ARG:NH2	1:D:221:GLU:HG3	2.19	0.56
1:D:66:LEU:HG	1:D:70:LEU:HD11	1.87	0.56
1:D:343:TYR:HB2	5:D:616:HOH:O	2.06	0.55
1:D:286:ASP:HB3	5:D:665:HOH:O	2.06	0.55
1:D:4:LEU:HD21	1:D:9:LYS:CG	2.36	0.55
1:D:347[B]:ASN:ND2	1:D:349:VAL:HG22	2.22	0.54
1:C:358:LEU:HD21	2:C:501:FAD:HM73	1.88	0.54
1:D:4:LEU:HD11	1:D:9:LYS:CB	2.38	0.54
1:D:138:THR:HG21	1:D:153:LYS:HE2	1.88	0.54
1:D:36:PHE:HD2	1:D:38:GLU:CD	2.12	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:30:LEU:HD12	1:D:35:LEU:HD12	1.88	0.53
1:A:293:ALA:HB1	1:B:293:ALA:HB1	1.90	0.53
1:D:6:GLU:OE1	1:D:9:LYS:HD2	2.10	0.52
1:D:24:ALA:HB2	1:D:78:VAL:CG1	2.40	0.52
1:D:274:ILE:HG13	1:D:277:LEU:CD1	2.40	0.52
1:D:276:HIS:CE1	1:D:277:LEU:HG	2.45	0.52
1:D:276:HIS:CE1	1:D:277:LEU:HD21	2.45	0.51
1:D:276:HIS:ND1	1:D:277:LEU:HG	2.25	0.51
1:A:358:LEU:HD21	2:A:501:FAD:HM73	1.92	0.51
1:C:126:GLU:HG2	1:C:153:LYS:HD3	1.93	0.51
1:D:293:ALA:HB2	5:D:610:HOH:O	2.09	0.51
1:D:338:LEU:CD2	1:D:347[B]:ASN:ND2	2.72	0.51
1:D:24:ALA:HB2	1:D:78:VAL:HG11	1.92	0.51
1:D:39:TYR:OH	1:D:43:LEU:HD22	2.11	0.50
1:D:351[B]:ARG:CZ	5:D:640:HOH:O	2.59	0.49
1:C:185:VAL:HG22	1:C:218:VAL:HG11	1.95	0.49
1:D:36:PHE:HD2	1:D:38:GLU:CG	2.25	0.49
1:D:126:GLU:HG2	1:D:153:LYS:HD3	1.93	0.49
1:D:4:LEU:HD21	1:D:9:LYS:HE2	1.90	0.49
1:B:126:GLU:HG2	1:B:153:LYS:HD3	1.95	0.49
1:D:4:LEU:HD21	1:D:9:LYS:CB	2.43	0.49
1:D:36:PHE:HD2	1:D:38:GLU:HG2	1.77	0.48
1:D:66:LEU:O	1:D:70:LEU:HD12	2.13	0.48
1:B:358:LEU:HD21	2:B:501:FAD:HM73	1.95	0.48
1:A:126:GLU:HG2	1:A:153:LYS:HD3	1.94	0.47
1:D:342:GLY:HA2	1:D:347[B]:ASN:ND2	2.29	0.47
1:D:107:ARG:CD	1:D:108:TYR:CE2	2.98	0.47
1:D:36:PHE:CD2	1:D:38:GLU:CD	2.88	0.47
1:A:123:ALA:HB1	1:A:153:LYS:HG3	1.97	0.46
1:D:269:GLN:CB	1:D:274:ILE:HD12	2.35	0.46
1:C:143:GLN:HG2	5:C:724:HOH:O	2.16	0.45
1:A:123:ALA:HA	1:A:156:ILE:HD12	1.99	0.45
1:D:123:ALA:HB1	1:D:153:LYS:HG3	1.98	0.45
1:D:123:ALA:HA	1:D:156:ILE:HD12	1.98	0.45
1:D:185:VAL:HG22	1:D:218:VAL:HG11	1.99	0.45
1:C:164:VAL:HG13	1:C:184:VAL:HG13	1.99	0.44
1:D:15:VAL:HG21	1:D:71:ILE:HG12	1.98	0.44
1:D:269:GLN:CB	1:D:274:ILE:CD1	2.82	0.44
1:D:164:VAL:HG13	1:D:184:VAL:HG13	2.00	0.44
1:D:52:PRO:HG2	1:D:68:LEU:HD13	2.00	0.44
1:D:300:LYS:O	1:D:303:GLU:HG2	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:123:ALA:HA	1:C:156:ILE:HD12	2.00	0.43
1:B:15:VAL:HG21	1:B:71:ILE:HG12	2.00	0.43
1:C:15:VAL:HG21	1:C:71:ILE:HG12	2.00	0.43
1:D:12:LEU:O	1:D:16:ARG:HG3	2.19	0.43
1:A:264:THR:HA	1:A:274:ILE:HG13	2.01	0.43
1:B:52:PRO:HG2	1:B:68:LEU:HD13	2.01	0.42
1:C:264:THR:HA	1:C:274:ILE:HG13	2.01	0.42
1:D:257:LEU:CD2	4:D:504:GOL:H11	2.49	0.42
1:D:3:HIS:HB2	1:D:4:LEU:H	1.43	0.42
1:D:4:LEU:CD2	1:D:9:LYS:HD2	2.41	0.42
1:D:39:TYR:CZ	1:D:43:LEU:HD22	2.53	0.42
1:D:22:GLU:HG3	1:D:39:TYR:OH	2.20	0.42
1:B:123:ALA:HA	1:B:156:ILE:HD12	2.01	0.42
1:C:123:ALA:HB1	1:C:153:LYS:HG3	2.02	0.42
1:B:123:ALA:HB1	1:B:153:LYS:HG3	2.02	0.42
1:D:22:GLU:CG	1:D:39:TYR:OH	2.67	0.42
1:A:15:VAL:HG21	1:A:71:ILE:HG12	2.02	0.42
1:D:372:VAL:HG21	5:D:622:HOH:O	2.20	0.42
1:D:272:LYS:HB2	1:D:276:HIS:CD2	2.55	0.42
1:D:17:ASP:OD1	1:D:21:ARG:HD2	2.20	0.41
1:D:297:LEU:HD21	1:D:318:MET:HE2	2.02	0.41
1:D:264:THR:HA	1:D:274:ILE:HG22	2.02	0.41
1:D:29:GLU:HG3	1:D:29:GLU:H	1.71	0.41
1:B:130:GLY:HA3	2:B:501:FAD:O2P	2.21	0.40
1:B:264:THR:HA	1:B:274:ILE:HG13	2.03	0.40
1:C:130:GLY:HA3	2:C:501:FAD:O2P	2.21	0.40
1:D:244:PHE:CE2	5:D:602:HOH:O	2.74	0.40
1:D:338:LEU:HD23	1:D:347[B]:ASN:ND2	2.36	0.40
1:B:164:VAL:HG13	1:B:184:VAL:HG13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	382/412 (93%)	377 (99%)	5 (1%)	0	100	100
1	B	381/412 (92%)	376 (99%)	5 (1%)	0	100	100
1	C	383/412 (93%)	378 (99%)	5 (1%)	0	100	100
1	D	379/412 (92%)	374 (99%)	5 (1%)	0	100	100
All	All	1525/1648 (92%)	1505 (99%)	20 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/328 (93%)	301 (99%)	3 (1%)	76	62
1	B	303/328 (92%)	301 (99%)	2 (1%)	84	73
1	C	305/328 (93%)	300 (98%)	5 (2%)	62	41
1	D	303/328 (92%)	292 (96%)	11 (4%)	35	11
All	All	1215/1312 (93%)	1194 (98%)	21 (2%)	62	39

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	7	GLU
1	A	362	TYR
1	B	4	LEU
1	B	362	TYR
1	C	4[A]	LEU
1	C	4[B]	LEU
1	C	28[A]	LEU
1	C	28[B]	LEU
1	C	362	TYR
1	D	3	HIS
1	D	7	GLU
1	D	29	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	35	LEU
1	D	236	GLN
1	D	274	ILE
1	D	276	HIS
1	D	303	GLU
1	D	311	LYS
1	D	322	MET
1	D	362	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	367	GLN
1	B	152	GLN
1	C	367	GLN
1	D	3	HIS
1	D	276	HIS
1	D	367	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	4KW	A	502	-	51,59,59	1.72	10 (19%)	61,87,87	1.92	17 (27%)
3	4KW	D	502	-	51,59,59	1.69	10 (19%)	61,87,87	1.96	17 (27%)
2	FAD	A	501	-	53,58,58	2.28	9 (16%)	68,89,89	2.17	22 (32%)
3	4KW	B	502	-	51,59,59	1.68	10 (19%)	61,87,87	1.95	14 (22%)
4	GOL	D	504	-	5,5,5	0.27	0	5,5,5	0.39	0
2	FAD	C	501	-	53,58,58	2.33	10 (18%)	68,89,89	2.06	22 (32%)
3	4KW	C	502	-	51,59,59	1.70	10 (19%)	61,87,87	1.99	17 (27%)
4	GOL	B	503	-	5,5,5	0.20	0	5,5,5	0.36	0
4	GOL	B	504	-	5,5,5	0.13	0	5,5,5	0.28	0
4	GOL	A	503	-	5,5,5	0.09	0	5,5,5	0.78	0
2	FAD	B	501	-	53,58,58	2.32	10 (18%)	68,89,89	2.11	22 (32%)
4	GOL	C	503	-	5,5,5	0.17	0	5,5,5	0.22	0
4	GOL	C	504	-	5,5,5	0.12	0	5,5,5	0.20	0
4	GOL	D	503	-	5,5,5	0.21	0	5,5,5	0.57	0
2	FAD	D	501	-	53,58,58	2.38	12 (22%)	68,89,89	2.09	22 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	4KW	A	502	-	-	5/48/79/79	0/4/4/4
3	4KW	D	502	-	-	6/48/79/79	0/4/4/4
2	FAD	A	501	-	-	6/30/50/50	0/6/6/6
3	4KW	B	502	-	-	5/48/79/79	0/4/4/4
4	GOL	D	504	-	-	0/4/4/4	-
2	FAD	C	501	-	-	6/30/50/50	0/6/6/6
3	4KW	C	502	-	-	4/48/79/79	0/4/4/4
4	GOL	B	503	-	-	0/4/4/4	-
4	GOL	B	504	-	-	2/4/4/4	-
4	GOL	A	503	-	-	3/4/4/4	-
2	FAD	B	501	-	-	6/30/50/50	0/6/6/6
4	GOL	C	503	-	-	0/4/4/4	-
4	GOL	C	504	-	-	1/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	D	503	-	-	2/4/4/4	-
2	FAD	D	501	-	-	6/30/50/50	0/6/6/6

All (81) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	FAD	C4X-N5	10.07	1.50	1.30
2	B	501	FAD	C4X-N5	9.67	1.49	1.30
2	C	501	FAD	C4X-N5	9.66	1.49	1.30
2	A	501	FAD	C4X-N5	9.50	1.49	1.30
2	D	501	FAD	C2'-C3'	-8.91	1.36	1.53
2	C	501	FAD	C2'-C3'	-8.73	1.37	1.53
2	A	501	FAD	C2'-C3'	-8.64	1.37	1.53
2	B	501	FAD	C2'-C3'	-8.45	1.37	1.53
3	B	502	4KW	O17-C22	5.12	1.34	1.22
3	C	502	4KW	O3-C7	5.05	1.51	1.42
3	A	502	4KW	O17-C22	5.00	1.33	1.22
3	B	502	4KW	O3-C7	4.90	1.51	1.42
3	A	502	4KW	C22-S1	4.86	1.90	1.77
3	D	502	4KW	O17-C22	4.71	1.33	1.22
3	D	502	4KW	O3-C7	4.63	1.50	1.42
3	C	502	4KW	O17-C22	4.62	1.33	1.22
2	B	501	FAD	O2'-C2'	-4.56	1.33	1.43
2	C	501	FAD	O2'-C2'	-4.52	1.33	1.43
2	A	501	FAD	O2'-C2'	-4.42	1.34	1.43
3	D	502	4KW	C22-S1	4.42	1.89	1.77
3	A	502	4KW	O3-C7	4.41	1.50	1.42
2	D	501	FAD	O2'-C2'	-4.40	1.34	1.43
3	B	502	4KW	C22-S1	4.22	1.88	1.77
3	C	502	4KW	C22-S1	4.21	1.88	1.77
2	C	501	FAD	C5X-N5	4.16	1.47	1.39
2	B	501	FAD	C5X-N5	4.16	1.47	1.39
2	A	501	FAD	C5X-N5	4.03	1.47	1.39
2	D	501	FAD	O3'-C3'	-3.82	1.34	1.43
2	A	501	FAD	O3'-C3'	-3.75	1.34	1.43
2	B	501	FAD	O3'-C3'	-3.69	1.34	1.43
2	C	501	FAD	O3'-C3'	-3.63	1.34	1.43
3	D	502	4KW	C6-N2	3.47	1.41	1.33
2	D	501	FAD	C10-N1	3.40	1.40	1.33
3	A	502	4KW	C6-N2	3.31	1.40	1.33
3	B	502	4KW	C1-N1	3.14	1.40	1.33
2	C	501	FAD	C10-N1	3.12	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	502	4KW	C6-N2	3.09	1.40	1.33
3	C	502	4KW	C17-N7	3.06	1.45	1.34
3	C	502	4KW	C1-N1	2.98	1.40	1.33
2	A	501	FAD	C10-N1	2.97	1.39	1.33
2	B	501	FAD	C10-N1	2.95	1.39	1.33
3	D	502	4KW	C1-N1	2.89	1.40	1.33
3	A	502	4KW	C1-N1	2.88	1.39	1.33
2	D	501	FAD	C5X-N5	2.87	1.45	1.39
3	B	502	4KW	C6-N2	2.83	1.39	1.33
3	D	502	4KW	C17-N7	2.71	1.43	1.34
3	A	502	4KW	C2-N1	2.71	1.52	1.46
2	B	501	FAD	C5A-C4A	2.70	1.48	1.40
2	A	501	FAD	C10-N10	2.70	1.43	1.37
2	D	501	FAD	C5A-C4A	2.66	1.48	1.40
3	D	502	4KW	C2-N1	2.62	1.52	1.46
3	B	502	4KW	C17-N7	2.58	1.43	1.34
2	C	501	FAD	C5A-C4A	2.55	1.47	1.40
2	D	501	FAD	C10-N10	2.47	1.42	1.37
3	C	502	4KW	O1-C1	2.45	1.28	1.23
2	A	501	FAD	C5A-C4A	2.38	1.47	1.40
2	B	501	FAD	C10-N10	2.38	1.42	1.37
2	C	501	FAD	C10-N10	2.35	1.42	1.37
2	B	501	FAD	C2A-N3A	2.34	1.35	1.32
3	A	502	4KW	C17-N7	2.34	1.42	1.34
3	C	502	4KW	C22-C27	-2.30	1.40	1.46
3	D	502	4KW	C22-C27	-2.29	1.40	1.46
3	A	502	4KW	C22-C27	-2.27	1.40	1.46
3	A	502	4KW	C10-C8	2.27	1.58	1.53
2	B	501	FAD	C9-C9A	2.25	1.43	1.39
3	B	502	4KW	O1-C1	2.23	1.27	1.23
2	D	501	FAD	C2A-N3A	2.23	1.35	1.32
3	D	502	4KW	O1-C1	2.20	1.27	1.23
3	A	502	4KW	C20-C21	-2.18	1.48	1.52
2	A	501	FAD	C9-C9A	2.16	1.43	1.39
3	B	502	4KW	C10-C8	2.16	1.58	1.53
2	D	501	FAD	C9-C9A	2.13	1.43	1.39
3	B	502	4KW	C22-C27	-2.12	1.41	1.46
2	C	501	FAD	C9-C9A	2.11	1.43	1.39
3	B	502	4KW	C2-N1	2.11	1.51	1.46
3	C	502	4KW	C2-N1	2.10	1.51	1.46
3	C	502	4KW	C5-N2	2.08	1.50	1.46
2	C	501	FAD	C2A-N3A	2.07	1.35	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	FAD	C7M-C7	2.07	1.55	1.51
2	D	501	FAD	C9-C8	2.04	1.42	1.39
3	D	502	4KW	C10-C8	2.03	1.58	1.53

All (153) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FAD	C9A-C5X-N5	-8.35	113.35	122.43
2	B	501	FAD	C9A-C5X-N5	-7.69	114.08	122.43
2	C	501	FAD	C9A-C5X-N5	-7.48	114.30	122.43
2	D	501	FAD	C9A-C5X-N5	-6.91	114.92	122.43
3	D	502	4KW	C3-S1-C22	6.78	108.31	99.80
3	C	502	4KW	C3-S1-C22	6.71	108.23	99.80
3	B	502	4KW	C3-S1-C22	6.64	108.14	99.80
3	A	502	4KW	C3-S1-C22	6.19	107.58	99.80
3	A	502	4KW	O17-C22-S1	-5.65	106.43	122.29
3	C	502	4KW	O17-C22-S1	-5.56	106.67	122.29
3	D	502	4KW	O17-C22-S1	-5.51	106.82	122.29
3	B	502	4KW	O17-C22-S1	-5.49	106.88	122.29
2	D	501	FAD	C10-C4X-N5	-4.79	114.69	124.86
2	A	501	FAD	C10-C4X-N5	-4.64	115.02	124.86
2	C	501	FAD	O3'-C3'-C2'	4.53	119.75	108.81
2	C	501	FAD	C10-C4X-N5	-4.50	115.30	124.86
2	B	501	FAD	C10-C4X-N5	-4.48	115.36	124.86
2	A	501	FAD	O3'-C3'-C2'	4.33	119.28	108.81
2	D	501	FAD	O3'-C3'-C2'	4.31	119.23	108.81
2	B	501	FAD	C6-C5X-N5	-4.28	111.04	118.51
2	D	501	FAD	O2'-C2'-C3'	4.25	119.43	109.10
3	C	502	4KW	N6-C18-N5	-4.20	122.12	128.68
2	B	501	FAD	N3A-C2A-N1A	-4.18	122.15	128.68
2	B	501	FAD	O3'-C3'-C2'	4.16	118.85	108.81
2	C	501	FAD	O2'-C2'-C3'	4.13	119.15	109.10
3	B	502	4KW	N6-C18-N5	-4.08	122.30	128.68
2	A	501	FAD	O2'-C2'-C3'	4.06	118.98	109.10
2	A	501	FAD	N3A-C2A-N1A	-3.97	122.47	128.68
2	C	501	FAD	C6-C5X-N5	-3.96	111.60	118.51
2	B	501	FAD	O2'-C2'-C3'	3.92	118.63	109.10
2	A	501	FAD	C6-C5X-N5	-3.88	111.74	118.51
2	D	501	FAD	N3A-C2A-N1A	-3.87	122.62	128.68
3	D	502	4KW	N6-C18-N5	-3.85	122.66	128.68
2	A	501	FAD	C9A-N10-C10	-3.75	114.93	120.77
2	C	501	FAD	N3A-C2A-N1A	-3.73	122.85	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	4KW	C3-C2-N1	-3.71	104.61	112.42
3	A	502	4KW	C3-C2-N1	-3.61	104.83	112.42
3	A	502	4KW	N6-C18-N5	-3.50	123.21	128.68
2	B	501	FAD	C4X-C10-N1	-3.46	116.69	124.73
2	D	501	FAD	C9A-N10-C10	-3.42	115.44	120.77
3	D	502	4KW	C3-C2-N1	-3.41	105.25	112.42
2	A	501	FAD	C4'-C3'-C2'	3.41	120.46	113.36
3	B	502	4KW	C3-C2-N1	-3.41	105.26	112.42
3	B	502	4KW	O2-C6-N2	3.41	130.31	122.99
2	B	501	FAD	C9A-N10-C10	-3.40	115.47	120.77
2	D	501	FAD	C4X-C10-N1	-3.38	116.89	124.73
2	D	501	FAD	C4'-C3'-C2'	3.35	120.34	113.36
3	C	502	4KW	C9-C8-C11	3.34	113.69	108.23
2	A	501	FAD	C4X-C10-N1	-3.31	117.04	124.73
2	D	501	FAD	C8M-C8-C9	-3.29	113.40	119.49
2	C	501	FAD	C9A-N10-C10	-3.28	115.66	120.77
2	C	501	FAD	C4'-C3'-C2'	3.28	120.18	113.36
2	B	501	FAD	C4'-C3'-C2'	3.25	120.13	113.36
3	A	502	4KW	O2-C6-C7	-3.25	111.16	121.06
3	B	502	4KW	O2-C6-C7	-3.21	111.26	121.06
3	C	502	4KW	C24-C23-C25	3.21	119.08	112.24
2	B	501	FAD	O3'-C3'-C4'	3.19	116.51	108.81
3	A	502	4KW	O2-C6-N2	3.19	129.84	122.99
3	D	502	4KW	C9-C8-C11	3.19	113.43	108.23
3	D	502	4KW	O2-C6-C7	-3.18	111.36	121.06
2	B	501	FAD	C8M-C8-C9	-3.15	113.66	119.49
3	D	502	4KW	C24-C23-C25	3.14	118.92	112.24
2	D	501	FAD	O3'-C3'-C4'	3.13	116.37	108.81
2	C	501	FAD	C4X-C10-N1	-3.12	117.48	124.73
3	B	502	4KW	C24-C23-C25	3.11	118.88	112.24
3	D	502	4KW	O2-C6-N2	3.09	129.64	122.99
3	A	502	4KW	C24-C23-C25	3.06	118.77	112.24
2	C	501	FAD	O3'-C3'-C4'	3.05	116.17	108.81
3	C	502	4KW	O2-C6-C7	-3.03	111.82	121.06
3	B	502	4KW	C19-C16-N4	-3.03	106.24	109.40
3	C	502	4KW	O4-C11-C8	-3.02	105.69	110.55
2	A	501	FAD	O3'-C3'-C4'	3.01	116.08	108.81
3	B	502	4KW	C10-C8-C11	3.00	113.13	108.23
3	D	502	4KW	C10-C8-C11	2.97	113.08	108.23
3	D	502	4KW	C19-C16-N4	-2.97	106.30	109.40
3	C	502	4KW	O2-C6-N2	2.93	129.29	122.99
2	A	501	FAD	C1'-C2'-C3'	2.90	117.89	109.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	FAD	C8M-C8-C9	-2.90	114.13	119.49
3	A	502	4KW	O4-C11-C8	-2.87	105.94	110.55
3	A	502	4KW	C9-C8-C11	2.86	112.90	108.23
3	A	502	4KW	C19-C16-N4	-2.84	106.44	109.40
2	D	501	FAD	P-O3P-PA	-2.81	123.19	132.83
2	D	501	FAD	C1'-C2'-C3'	2.79	117.57	109.79
2	B	501	FAD	C2A-N1A-C6A	2.78	123.51	118.75
2	B	501	FAD	C1'-C2'-C3'	2.77	117.54	109.79
3	B	502	4KW	O4-C11-C8	-2.77	106.09	110.55
2	C	501	FAD	C8M-C8-C9	-2.76	114.38	119.49
2	C	501	FAD	C1'-C2'-C3'	2.75	117.47	109.79
3	C	502	4KW	C19-C16-N4	-2.67	106.61	109.40
3	C	502	4KW	C23-C25-C27	-2.66	115.94	123.27
2	D	501	FAD	O4-C4-C4X	-2.61	119.68	126.60
2	D	501	FAD	C6-C5X-N5	-2.57	114.03	118.51
3	D	502	4KW	O4-C11-C8	-2.55	106.44	110.55
2	B	501	FAD	C10-N1-C2	2.55	122.00	116.90
3	B	502	4KW	C26-C24-C23	-2.55	100.37	112.92
3	A	502	4KW	C26-C28-C27	2.53	117.21	112.15
3	C	502	4KW	C26-C24-C23	-2.52	100.49	112.92
3	A	502	4KW	C10-C8-C11	2.51	112.32	108.23
2	C	501	FAD	C6-C5X-C9A	-2.50	115.40	118.94
3	B	502	4KW	C2-N1-C1	-2.48	118.23	122.84
3	A	502	4KW	C2-N1-C1	-2.47	118.26	122.84
3	C	502	4KW	C10-C8-C11	2.46	112.24	108.23
2	A	501	FAD	C2A-N1A-C6A	2.45	122.95	118.75
2	C	501	FAD	O2A-PA-O1A	2.43	124.28	112.24
2	D	501	FAD	C9-C9A-N10	-2.41	118.58	121.84
2	A	501	FAD	C4X-C10-N10	2.41	120.00	116.48
2	B	501	FAD	C6-C5X-C9A	-2.41	115.53	118.94
3	C	502	4KW	C2-N1-C1	-2.39	118.39	122.84
2	A	501	FAD	C10-N1-C2	2.38	121.65	116.90
2	B	501	FAD	C8M-C8-C7	2.37	125.60	120.74
3	D	502	4KW	C23-C25-C27	-2.37	116.73	123.27
3	D	502	4KW	C26-C24-C23	-2.35	101.36	112.92
3	B	502	4KW	C23-C25-C27	-2.34	116.83	123.27
2	B	501	FAD	O4-C4-C4X	-2.33	120.42	126.60
3	A	502	4KW	C26-C24-C23	-2.32	101.46	112.92
3	A	502	4KW	C23-C25-C27	-2.32	116.86	123.27
2	B	501	FAD	P-O3P-PA	-2.32	124.87	132.83
3	D	502	4KW	C26-C28-C27	2.32	116.79	112.15
3	C	502	4KW	C9-C8-C7	2.30	112.81	108.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501	FAD	C10-N1-C2	2.30	121.50	116.90
2	C	501	FAD	C10-N1-C2	2.30	121.50	116.90
2	A	501	FAD	C6-C5X-C9A	-2.28	115.71	118.94
2	D	501	FAD	C2A-N1A-C6A	2.28	122.65	118.75
2	A	501	FAD	O4-C4-C4X	-2.27	120.57	126.60
2	C	501	FAD	P-O3P-PA	-2.27	125.05	132.83
3	D	502	4KW	O5-P1-O4	2.26	118.22	107.75
2	C	501	FAD	C2A-N1A-C6A	2.25	122.60	118.75
2	C	501	FAD	O4-C4-C4X	-2.24	120.67	126.60
2	A	501	FAD	P-O3P-PA	-2.23	125.16	132.83
2	C	501	FAD	C4X-C10-N10	2.22	119.73	116.48
2	A	501	FAD	C9-C9A-N10	-2.22	118.83	121.84
3	A	502	4KW	O10-P2-O9	2.21	117.69	109.07
2	D	501	FAD	C4-N3-C2	-2.19	121.60	125.64
2	D	501	FAD	C4X-C10-N10	2.18	119.66	116.48
2	C	501	FAD	C8M-C8-C7	2.17	125.19	120.74
2	B	501	FAD	N6A-C6A-N1A	2.17	123.08	118.57
3	C	502	4KW	C26-C28-C27	2.15	116.45	112.15
2	B	501	FAD	C4X-C10-N10	2.14	119.60	116.48
3	D	502	4KW	C2-N1-C1	-2.14	118.87	122.84
2	B	501	FAD	C4-N3-C2	-2.12	121.72	125.64
2	B	501	FAD	C4X-C4-N3	2.12	118.57	113.19
2	D	501	FAD	N6A-C6A-N1A	2.10	122.94	118.57
3	C	502	4KW	C4-C5-N2	-2.09	107.68	111.90
2	C	501	FAD	N6A-C6A-N1A	2.07	122.88	118.57
2	D	501	FAD	C4X-C4-N3	2.06	118.42	113.19
2	C	501	FAD	C9-C9A-N10	-2.05	119.06	121.84
2	A	501	FAD	N6A-C6A-N1A	2.05	122.82	118.57
3	B	502	4KW	C9-C8-C11	2.04	111.56	108.23
2	A	501	FAD	C5X-N5-C4X	2.04	121.46	118.07
2	A	501	FAD	O2A-PA-O1A	2.04	122.31	112.24
3	D	502	4KW	O17-C22-C27	2.02	126.40	122.44
3	A	502	4KW	O5-P1-O4	2.01	117.07	107.75
2	D	501	FAD	C8M-C8-C7	2.01	124.85	120.74

There are no chirality outliers.

All (52) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	FAD	C2'-C1'-N10-C10
2	A	501	FAD	N10-C1'-C2'-C3'
2	A	501	FAD	C1'-C2'-C3'-C4'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	501	FAD	O2'-C2'-C3'-C4'
2	A	501	FAD	O3'-C3'-C4'-C5'
2	B	501	FAD	C2'-C1'-N10-C10
2	B	501	FAD	N10-C1'-C2'-C3'
2	B	501	FAD	C1'-C2'-C3'-C4'
2	B	501	FAD	O2'-C2'-C3'-C4'
2	B	501	FAD	O3'-C3'-C4'-C5'
2	C	501	FAD	C2'-C1'-N10-C10
2	C	501	FAD	N10-C1'-C2'-C3'
2	C	501	FAD	C1'-C2'-C3'-C4'
2	C	501	FAD	O2'-C2'-C3'-C4'
2	C	501	FAD	O3'-C3'-C4'-C5'
2	D	501	FAD	C2'-C1'-N10-C10
2	D	501	FAD	N10-C1'-C2'-C3'
2	D	501	FAD	C1'-C2'-C3'-C4'
2	D	501	FAD	O2'-C2'-C3'-C4'
2	D	501	FAD	O3'-C3'-C4'-C5'
3	A	502	4KW	C1-C4-C5-N2
3	A	502	4KW	O17-C22-C27-C28
3	B	502	4KW	C1-C4-C5-N2
3	B	502	4KW	O17-C22-C27-C28
3	C	502	4KW	C1-C4-C5-N2
3	C	502	4KW	O17-C22-C27-C28
3	D	502	4KW	C1-C4-C5-N2
3	D	502	4KW	O17-C22-C27-C28
4	A	503	GOL	O1-C1-C2-C3
4	B	504	GOL	O1-C1-C2-O2
4	B	504	GOL	O1-C1-C2-C3
4	D	503	GOL	O1-C1-C2-C3
2	A	501	FAD	O3'-C3'-C4'-O4'
2	B	501	FAD	O3'-C3'-C4'-O4'
2	C	501	FAD	O3'-C3'-C4'-O4'
2	D	501	FAD	O3'-C3'-C4'-O4'
4	A	503	GOL	O1-C1-C2-O2
4	D	503	GOL	O1-C1-C2-O2
3	C	502	4KW	O17-C22-C27-C25
3	D	502	4KW	O17-C22-C27-C25
3	D	502	4KW	N2-C6-C7-O3
4	A	503	GOL	O2-C2-C3-O3
4	C	504	GOL	O1-C1-C2-C3
3	A	502	4KW	O17-C22-C27-C25
3	B	502	4KW	O17-C22-C27-C25

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	A	502	4KW	P1-O7-P2-O8
3	C	502	4KW	P1-O7-P2-O8
3	D	502	4KW	O2-C6-C7-O3
3	A	502	4KW	N2-C6-C7-O3
3	B	502	4KW	N2-C6-C7-O3
3	B	502	4KW	P1-O7-P2-O8
3	D	502	4KW	P1-O7-P2-O8



There are no ring outliers.



4 monomers are involved in 7 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	FAD	1	0
4	D	504	GOL	1	0
2	C	501	FAD	2	0
2	B	501	FAD	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	378/412 (91%)	0.18	5 (1%) 77 80	12, 23, 43, 70	0
1	B	378/412 (91%)	0.21	13 (3%) 45 45	12, 21, 39, 65	0
1	C	378/412 (91%)	0.26	11 (2%) 51 52	12, 22, 41, 65	0
1	D	377/412 (91%)	3.61	275 (72%) 0 0	22, 39, 63, 105	0
All	All	1511/1648 (91%)	1.06	304 (20%) 1 1	12, 25, 53, 105	0

All (304) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	238	LEU	16.4
1	D	11	THR	14.7
1	D	10	LEU	13.3
1	D	15	VAL	13.0
1	D	12	LEU	11.2
1	D	18	VAL	10.1
1	D	183	PHE	9.7
1	D	378	LEU	9.4
1	D	231	PHE	9.3
1	D	71	ILE	8.4
1	D	372	VAL	8.4
1	D	67	THR	8.4
1	D	85	LEU	8.4
1	D	273	PRO	8.4
1	D	308	GLY	8.3
1	D	68	LEU	8.3
1	D	141	VAL	8.3
1	D	176	GLY	8.3
1	D	65	VAL	8.2
1	D	135	ALA	8.1
1	D	310	LYS	7.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	7	GLU	7.9
1	D	379	PHE	7.7
1	D	123	ALA	7.7
1	D	14	MET	7.5
1	D	365	THR	7.4
1	D	240	THR	7.3
1	D	23	ILE	7.3
1	D	223	ILE	7.3
1	D	361	ILE	7.3
1	D	179	GLY	7.2
1	D	268	VAL	7.2
1	D	5	THR	7.1
1	D	212	PHE	7.0
1	D	35	LEU	6.9
1	D	55	PRO	6.8
1	D	234	LEU	6.7
1	D	170	TYR	6.6
1	D	39	TYR	6.5
1	D	284	VAL	6.5
1	D	185	VAL	6.5
1	D	271	GLY	6.5
1	D	112	PHE	6.4
1	D	97	ILE	6.4
1	D	75	LEU	6.4
1	D	297	LEU	6.3
1	D	174	GLU	6.3
1	B	3	HIS	6.3
1	D	100	GLY	6.3
1	D	280	VAL	6.3
1	D	371	MET	6.2
1	D	245	CYS	6.2
1	D	317	SER	6.2
1	D	193	VAL	6.1
1	D	190	PRO	6.1
1	D	78	VAL	6.0
1	D	226	ALA	6.0
1	D	380	PRO	6.0
1	D	169	ALA	6.0
1	D	272	LYS	6.0
1	D	167	VAL	5.9
1	D	302	ALA	5.9
1	D	168	TYR	5.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	173	PRO	5.8
1	D	181	SER	5.8
1	D	45	ALA	5.8
1	D	247	ALA	5.8
1	D	86	LEU	5.7
1	D	8	GLN	5.7
1	D	312	ALA	5.7
1	D	313	VAL	5.6
1	D	133	LEU	5.6
1	D	110	ARG	5.5
1	D	262	ARG	5.5
1	D	305	LEU	5.5
1	A	3	HIS	5.4
1	D	283	MET	5.4
1	D	276	HIS	5.4
1	D	50	LEU	5.4
1	D	17	ASP	5.3
1	D	113	ALA	5.3
1	D	59	GLY	5.3
1	D	287	MET	5.3
1	D	376	ALA	5.3
1	D	165	ILE	5.3
1	D	270	PHE	5.3
1	D	53	LEU	5.3
1	D	249	ALA	5.1
1	D	4	LEU	5.1
1	D	314	LEU	5.1
1	D	259	ILE	5.0
1	D	93	MET	5.0
1	D	38	GLU	5.0
1	D	291	VAL	5.0
1	D	237	THR	4.9
1	C	10	LEU	4.9
1	D	184	VAL	4.9
1	C	3	HIS	4.9
1	D	47	LEU	4.8
1	D	191	GLY	4.8
1	D	219	PRO	4.8
1	D	87	ILE	4.8
1	D	96	ILE	4.8
1	D	72	LEU	4.7
1	D	335	VAL	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	122	LEU	4.7
1	D	294	SER	4.6
1	D	301	ALA	4.6
1	D	279	PRO	4.6
1	D	299	ARG	4.6
1	D	180	ILE	4.5
1	D	63[A]	MET	4.5
1	D	146	LYS	4.5
1	D	127	PRO	4.5
1	D	108	TYR	4.4
1	D	327	ALA	4.4
1	D	211	LEU	4.4
1	D	3	HIS	4.3
1	D	152	GLN	4.3
1	D	375	ARG	4.3
1	D	351[A]	ARG	4.3
1	D	54	LEU	4.3
1	D	95	PRO	4.3
1	D	148	VAL	4.3
1	D	298	THR	4.2
1	D	188	GLY	4.2
1	D	323	ALA	4.1
1	D	151	GLY	4.1
1	D	256	ALA	4.1
1	D	233	ASN	4.1
1	D	101	SER	4.1
1	D	362	TYR	4.0
1	D	81	SER	4.0
1	D	296	LEU	4.0
1	D	171	THR	4.0
1	D	48	GLY	3.9
1	D	274	ILE	3.9
1	C	6	GLU	3.9
1	D	235	MET	3.9
1	D	44	PHE	3.9
1	D	241	ASN	3.9
1	D	147	TYR	3.8
1	D	194	TYR	3.8
1	D	111	ARG	3.8
1	D	315	TYR	3.8
1	D	224	ILE	3.7
1	D	104	LEU	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	266	ASP	3.7
1	D	203	MET	3.7
1	D	128	ALA	3.7
1	D	150	ASN	3.7
1	D	215	ASN	3.7
1	D	155	PHE	3.6
1	D	197[A]	ASN	3.6
1	D	244	PHE	3.6
1	D	107	ARG	3.6
1	D	164	VAL	3.6
1	D	57	ALA	3.6
1	D	58	TYR	3.6
1	D	288	ALA	3.5
1	D	61	THR	3.5
1	D	347[A]	ASN	3.5
1	D	225	GLY	3.5
1	D	19	ALA	3.5
1	C	174	GLU	3.4
1	B	5	THR	3.4
1	D	116	SER	3.4
1	D	281	GLN	3.4
1	D	319	ALA	3.4
1	D	121	ALA	3.4
1	D	192	LEU	3.4
1	D	156	ILE	3.4
1	A	6	GLU	3.4
1	D	277	LEU	3.3
1	D	144	GLY	3.3
1	D	138	THR	3.3
1	D	69	ALA	3.3
1	D	290	ALA	3.3
1	D	368	ILE	3.3
1	D	166	VAL	3.2
1	C	7	GLU	3.2
1	D	80	ALA	3.2
1	D	232	ALA	3.2
1	D	258	ASP	3.2
1	A	10	LEU	3.2
1	D	98	HIS	3.2
1	A	4	LEU	3.1
1	D	252	ILE	3.1
1	D	132	ASP	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	27	ALA	3.1
1	D	118	LEU	3.1
1	D	117	THR	3.0
1	D	143	GLN	3.0
1	D	330	VAL	3.0
1	D	239	SER	3.0
1	D	94	LEU	3.0
1	D	218	VAL	3.0
1	D	261	VAL	3.0
1	D	306	ASP	3.0
1	B	208	ASN	2.9
1	D	76	GLY	2.9
1	D	130	GLY	2.9
1	D	103	GLU	2.9
1	D	213	PHE	2.9
1	D	206	SER	2.9
1	D	348	GLY	2.9
1	D	161	VAL	2.9
1	D	88	ALA	2.9
1	D	196	ARG	2.9
1	B	4	LEU	2.9
1	D	29	GLU	2.9
1	D	84	LEU	2.8
1	D	109	LEU	2.8
1	D	341	SER	2.8
1	A	7	GLU	2.8
1	D	177	SER	2.8
1	D	6	GLU	2.8
1	D	227	GLU	2.8
1	D	285	ALA	2.8
1	D	187	LYS	2.8
1	D	172	ASP	2.8
1	D	316	GLY	2.8
1	D	139	ARG	2.8
1	D	282	PHE	2.8
1	D	25	PRO	2.8
1	D	349	VAL	2.7
1	B	310	LYS	2.7
1	D	37	PRO	2.7
1	D	102	PRO	2.7
1	D	74	GLU	2.7
1	D	255	GLY	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	28	LEU	2.7
1	D	329[A]	ARG	2.7
1	D	275	ALA	2.7
1	D	207	ILE	2.7
1	D	209	SER	2.7
1	D	267	ARG	2.6
1	D	369	THR	2.6
1	B	57	ALA	2.6
1	B	9	LYS	2.6
1	D	264	THR	2.6
1	D	309	ASP	2.6
1	D	149	ILE	2.6
1	D	115	GLU	2.5
1	D	13	ASP	2.5
1	C	310	LYS	2.5
1	D	36	PHE	2.5
1	D	246	ALA	2.5
1	D	70	LEU	2.5
1	D	134	LEU	2.5
1	D	214	GLU	2.5
1	D	42	ASP	2.5
1	D	364	GLY	2.5
1	D	358	LEU	2.5
1	C	327	ALA	2.5
1	D	145	ASP	2.5
1	D	136	MET	2.4
1	D	125	THR	2.4
1	D	363	THR	2.4
1	B	291	VAL	2.4
1	D	43	LEU	2.4
1	D	131	SER	2.4
1	D	377	LEU	2.4
1	D	321	THR	2.4
1	D	56	ALA	2.4
1	D	30	LEU	2.4
1	D	126	GLU	2.4
1	D	328	MET	2.4
1	D	60	GLY	2.4
1	B	12	LEU	2.3
1	D	198	GLU	2.3
1	D	338	LEU	2.3
1	B	327	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	162	ALA	2.3
1	D	359	THR	2.3
1	D	230	GLY	2.3
1	B	6	GLU	2.2
1	D	265	GLN	2.2
1	C	284	VAL	2.2
1	C	335	VAL	2.2
1	D	66	LEU	2.2
1	B	7	GLU	2.2
1	D	137	LYS	2.2
1	D	82	THR	2.2
1	D	332	THR	2.2
1	C	358	LEU	2.2
1	D	253	ALA	2.2
1	D	292	GLU	2.2
1	D	189	THR	2.2
1	D	320	LYS	2.2
1	D	373	THR	2.2
1	D	40	ALA	2.2
1	D	83	ALA	2.2
1	D	356	ALA	2.2
1	D	51	ASN	2.1
1	D	182	ALA	2.1
1	D	334	ALA	2.1
1	D	343	TYR	2.1
1	D	367	GLN	2.1
1	D	163	ASP	2.1
1	B	323	ALA	2.1
1	C	331	THR	2.0
1	D	278	ALA	2.0
1	D	344	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	4KW	D	502	56/56	0.49	0.34	39,55,86,86	0
4	GOL	D	504	6/6	0.72	0.21	45,47,50,51	0
4	GOL	D	503	6/6	0.76	0.42	78,83,83,85	6
2	FAD	D	501	53/53	0.76	0.23	31,35,39,41	0
4	GOL	C	504	6/6	0.80	0.21	40,44,46,48	0
4	GOL	B	504	6/6	0.87	0.11	31,38,41,42	0
3	4KW	C	502	56/56	0.88	0.14	18,31,55,58	0
3	4KW	A	502	56/56	0.88	0.13	19,28,56,58	0
3	4KW	B	502	56/56	0.88	0.14	20,28,60,61	0
4	GOL	A	503	6/6	0.92	0.18	21,28,29,30	0
4	GOL	C	503	6/6	0.95	0.11	20,22,24,25	0
2	FAD	B	501	53/53	0.96	0.08	17,20,23,24	0
2	FAD	C	501	53/53	0.96	0.08	14,18,20,23	0
4	GOL	B	503	6/6	0.96	0.14	22,22,23,25	0
2	FAD	A	501	53/53	0.96	0.09	15,20,23,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











Electron density around GOL C 504:



$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around 4KW C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 4KW A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 4KW B 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GOL A 503:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around FAD B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GOL B 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.