

Full wwPDB X-ray Structure Validation Report (i)

Jun 17, 2024 - 09:19 pm BST

PDB ID	:	8P90
Title	:	TARGET COMPLEX 2
Authors	:	Garau, G.
Deposited on	:	2023-06-05
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length		Quality of chain	
1	А	393	32%	35%	17% • 16%
1	В	393	6%	39%	5% • 15%



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 5919 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called N-acyl-phosphatidylethanolamine-hydrolyzing phospholipase D.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	А	332	Total 2741	C 1775	N 466	0 486	S 14	0	2	0
1	В	334	Total 2760	C 1785	N 467	0 494	S 14	0	3	0

• Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	2	Total Zn 2 2	0	0
2	В	2	Total Zn 2 2	0	0

• Molecule 3 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: C₄₁H₈₂NO₈P) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	Λ	1	Total	С	Ν	Ο	Р	0	0
0	A	L	44	34	1	8	1	0	0
2	р	1	Total	С	Ν	Ο	Р	0	0
0	D	L	44	34	1	8	1	0	0

• Molecule 4 is (3ALPHA,5BETA,12ALPHA)-3,12-DIHYDROXYCHOLAN-24-OIC ACID (three-letter code: DXC) (formula: $C_{24}H_{40}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total C O	0	0
		1	28 24 4		0
4	Δ	1	Total C O	0	0
1	11	1	28 24 4	0	0
1	Δ	1	Total C O	0	0
T	11	1	28 24 4	0	0
4	Δ	1	Total C O	0	0
4	Π	T	28 24 4	0	0
4	Δ	1	Total C O	0	0
T	11	1	28 24 4	0	0
1	В	1	Total C O	0	0
4	D	T	28 24 4	0	0
4	В	1	Total C O	0	0
4	D	1	28 24 4	0	0
4	В	1	Total C O	0	0
4	D	1	28 24 4	0	0
4	В	1	Total C O	0	0
±	D	L	28 24 4	0	



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	В	1	Total 28	C 24	0 4	0	0

• Molecule 5 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: C₈H₁₀NO₆P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
5	А	1	Total 16	C 8	N 1	O 6	Р 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	13	Total O 13 13	0	0
6	В	17	Total O 17 17	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.







1365 F291 1213 1365 1294 1216 1375 1294 1216 1375 1294 1216 1375 1294 1216 1375 1296 1216 1387 1396 1216 1387 1396 1216 1389 1303 1216 1389 1304 1226 1389 1304 1226 1389 1304 1226 1389 1304 1236 1380 1304 1236 1381 1304 1236 1381 1304 1236 1381 1304 1236 1381 1304 1236 1391 1314 1236 1314 1334 1236 1315 1334 1243 1326 1334 1246 1333 1339 1266 1342 1348 1266 1343 1348 1266 1344 1349 1266 1345 1346 1266 1346 1349 1266 1346 1346 1266 1346 1346



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants	94.66Å 94.66Å 441.85Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
Bosolution(A)	46.28 - 2.80	Depositor
Resolution (A)	46.28 - 2.80	EDS
% Data completeness	99.5 (46.28-2.80)	Depositor
(in resolution range)	99.5 (46.28-2.80)	EDS
R_{merge}	0.36	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.04 (at 2.81 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
P. P.	0.271 , 0.295	Depositor
n, n_{free}	0.267 , 0.294	DCC
R_{free} test set	1506 reflections (5.01%)	wwPDB-VP
Wilson B-factor $(Å^2)$	100.0	Xtriage
Anisotropy	0.209	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , 105.7	EDS
L-test for twinning ²	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5919	wwPDB-VP
Average B, all atoms $(Å^2)$	117.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.75% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 3PE, ZN, PLP, DXC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond lengths		Bond angles	
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.58	0/2842	0.67	0/3869
1	В	0.50	0/2861	0.74	0/3896
All	All	0.54	0/5703	0.71	0/7765

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2741	0	2641	176	0
1	В	2760	0	2645	147	0
2	А	2	0	0	0	0
2	В	2	0	0	0	0
3	А	44	0	62	5	0
3	В	44	0	62	3	0
4	А	140	0	195	14	0
4	В	140	0	195	9	0
5	А	16	0	7	2	0
6	А	13	0	0	1	0
6	В	17	0	0	2	0
All	All	5919	0	5807	329	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All (329) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom_2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:130:LEU:O	1:B:134:THR:HB	1.56	1.06	
1:A:121:ARG:HD3	1:A:141:GLU:HA	1.39	1.04	
1:A:92:SER:HA	1:A:353:HIS:HA	1.44	0.99	
1:B:313:PRO:HD2	1:B:317:MET:HG3	1.46	0.97	
1:A:59:LYS:HG3	1:A:293:GLU:HB3	1.49	0.94	
1:A:203:PHE:HB2	1:A:207:LEU:HD12	1.53	0.91	
4:A:405:DXC:H211	4:B:602:DXC:H81	1.56	0.88	
1:A:65:PHE:HD2	1:A:68:PRO:HD2	1.39	0.86	
1:A:62:ASP:HB3	1:A:232:TRP:HE1	1.39	0.84	
1:B:127:VAL:HG21	1:B:340:MET:HE1	1.59	0.81	
1:B:193:TYR:CZ	1:B:197:ILE:HD11	2.17	0.79	
1:A:121:ARG:HH21	1:A:143:ILE:HD11	1.47	0.79	
1:B:120:VAL:HG23	1:B:122:GLU:H	1.48	0.78	
1:A:314:ARG:HG3	1:A:318:LYS:HE2	1.66	0.78	
1:B:90:HIS:O	1:B:90:HIS:ND1	2.17	0.77	
1:B:167:ARG:H	1:B:167:ARG:HD2	1.49	0.77	
1:B:251:SER:HB3	1:B:268:GLY:HA2	1.68	0.76	
1:A:261:ASP:HA	1:A:264:LYS:HE2	1.68	0.75	
1:A:258:THR:HG21	4:A:406:DXC:H51	1.67	0.75	
1:B:185:HIS:CD2	1:B:187:HIS:ND1	2.55	0.74	
1:A:83:TRP:CD1	1:A:88:LYS:HB2	2.23	0.73	
1:B:230:LEU:HD22	1:B:234:GLU:HG2	1.71	0.72	
1:A:125:LEU:HD11	1:A:137:VAL:HG12	1.71	0.72	
1:B:264:LYS:NZ	6:B:701:HOH:O	2.21	0.72	
1:B:214:GLY:N	1:B:229:GLU:OE2	2.21	0.71	
1:A:62:ASP:HB3	1:A:232:TRP:NE1	2.06	0.70	
1:A:353:HIS:HD2	1:A:355:LEU:H	1.40	0.70	
1:A:353:HIS:CD2	1:A:355:LEU:H	2.09	0.69	
1:B:130:LEU:HA	1:B:169:PRO:HG2	1.72	0.69	
1:B:152:SER:OG	1:B:163:LYS:HE2	1.94	0.68	
1:B:72[A]:TRP:HE3	1:B:73:LYS:HE2	1.59	0.68	
1:B:291:PHE:CD2	1:B:330:ILE:HD11	2.28	0.67	
4:A:405:DXC:H211	4:B:602:DXC:H151	1.77	0.67	
1:A:75:PRO:HB2	1:A:252:GLN:HE22	1.60	0.66	
1:A:187:HIS:CG	3:A:403:3PE:H12	2.31	0.66	
1:A:83:TRP:CE3	1:A:83:TRP:O	2.49	0.65	
1:A:273:LEU:HD12	1:A:278:ARG:HG2	1.79	0.65	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:159:TYR:HA	1:B:193:TYR:CE2	2.31	0.65	
1:A:172:ILE:O	1:A:175:LEU:HB2	1.97	0.65	
1:A:258:THR:HA	3:A:403:3PE:H282	1.79	0.65	
1:A:71:THR:HG22	1:A:73:LYS:HG2	1.78	0.65	
1:A:185:HIS:CE1	1:A:284:ASP:HB2	2.32	0.64	
4:A:406:DXC:C23	4:A:406:DXC:H161	2.27	0.64	
1:A:65:PHE:H	1:A:70:PRO:HD3	1.63	0.64	
1:B:314:ARG:NH1	1:B:326:GLU:OE2	2.30	0.64	
1:A:120:VAL:HG11	1:A:126:ARG:HB2	1.79	0.64	
1:B:238:VAL:HG13	1:B:239:PRO:HD2	1.79	0.63	
1:A:167[B]:ARG:NH1	1:B:173:SER:OG	2.30	0.63	
1:A:126:ARG:HB3	1:A:138:GLU:HG3	1.80	0.63	
1:B:65:PHE:H	1:B:70:PRO:HD3	1.64	0.63	
1:B:305:ALA:HB1	1:B:342:ILE:HD13	1.81	0.63	
1:A:90:HIS:CD2	1:A:93:VAL:H	2.18	0.62	
1:A:127:VAL:HG11	1:A:303:LEU:HD23	1.81	0.61	
1:B:258:THR:HB	4:B:602:DXC:H1	1.81	0.61	
1:A:105:PRO:HG2	1:A:379:LYS:HD3	1.82	0.61	
1:A:241:HIS:HA	1:A:243:LYS:HE2	1.83	0.61	
1:B:365:LEU:HD11	1:B:375:PHE:HB3	1.80	0.61	
1:A:173:SER:HB3	1:B:167:ARG:HH22	1.65	0.61	
1:B:330:ILE:O	1:B:334:VAL:HG12	2.01	0.61	
1:A:82:ARG:HD2	4:A:408:DXC:H3	1.84	0.60	
1:A:323:ASP:H	1:A:326:GLU:HB2	1.65	0.60	
1:A:272:VAL:HG13	1:A:279:PHE:HB3	1.84	0.60	
1:A:64:ARG:HG2	1:A:69:TRP:CZ3	2.37	0.60	
1:A:387:ASN:O	1:A:388:ASN:HB2	2.01	0.60	
1:A:308:ILE:O	1:A:357:PRO:HB3	2.02	0.60	
1:A:232:TRP:CE3	1:A:250:PRO:HA	2.36	0.59	
1:A:251:SER:HB2	1:A:268:GLY:HA2	1.84	0.59	
1:B:324:PRO:HG2	1:B:360:LYS:HB2	1.85	0.59	
1:A:296:LYS:HZ2	1:A:296:LYS:HA	1.67	0.59	
1:A:96:SER:HB2	1:A:99:GLU:HB2	1.85	0.58	
1:B:313:PRO:O	1:B:316:PHE:N	2.36	0.58	
1:A:355:LEU:O	1:A:358:PRO:HD2	2.03	0.58	
1:A:74:ASN:C	1:A:76:SER:H	2.07	0.58	
1:A:230:LEU:HD23	1:A:234:GLU:HB3	1.86	0.58	
1:B:59:LYS:O	1:B:59:LYS:HG3	2.03	0.57	
1:B:280:PHE:CE1	1:B:294:ILE:HG21	2.38	0.57	
1:B:308:ILE:HG12	1:B:341:ALA:HB1	1.84	0.57	
1:B:312:GLU:HB3	1:B:313:PRO:HD3	1.85	0.57	



		Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:64:ARG:HA	1:A:70:PRO:CD	2.34	0.57	
1:B:256:LYS:HG2	3:B:605:3PE:H221	1.86	0.57	
1:A:110:TYR:HE2	1:A:118:ALA:H	1.52	0.57	
1:B:83:TRP:HA	1:B:88:LYS:HZ3	1.68	0.57	
1:A:159:TYR:HA	1:B:193:TYR:HE2	1.67	0.57	
1:B:213:LEU:HD23	1:B:229:GLU:HG2	1.87	0.57	
1:A:121:ARG:NH2	1:A:143:ILE:HD11	2.18	0.57	
1:B:75:PRO:O	1:B:319:TYR:HD2	1.87	0.57	
1:B:147:ASP:OD2	1:B:190:HIS:HB3	2.04	0.57	
1:A:58:LYS:HG3	1:A:59:LYS:HD3	1.87	0.56	
1:A:74:ASN:O	1:A:76:SER:N	2.39	0.56	
1:B:83:TRP:HE1	1:B:349:LEU:HA	1.70	0.56	
1:A:115:PRO:O	1:A:116:GLU:C	2.43	0.56	
1:B:191:LEU:O	1:B:257:ARG:NH2	2.39	0.56	
1:B:123:ALA:HA	1:B:276:TRP:CD1	2.41	0.56	
1:A:232:TRP:O	1:A:233:TRP:HB2	2.06	0.55	
1:A:353:HIS:CD2	1:A:355:LEU:HB2	2.42	0.55	
1:A:127:VAL:HG12	1:A:137:VAL:HG13	1.87	0.55	
1:A:244:VAL:HG12	1:A:275:PRO:HD2	1.88	0.55	
1:B:312:GLU:HG2	1:B:351:ASN:HB2	1.87	0.55	
1:A:74:ASN:C	1:A:76:SER:N	2.60	0.55	
1:A:65:PHE:N	1:A:70:PRO:HD3	2.20	0.55	
1:B:213:LEU:HA	1:B:229:GLU:HG2	1.89	0.55	
1:A:62:ASP:OD1	1:A:63:GLY:C	2.46	0.54	
1:B:322:VAL:HB	1:B:326:GLU:HB2	1.90	0.54	
1:A:139:MET:HG2	1:A:144:PHE:HE1	1.73	0.54	
1:B:249:THR:HB	1:B:294:ILE:HG12	1.89	0.53	
1:B:82:ARG:HG3	4:B:608:DXC:H1	1.90	0.53	
1:A:114:ASN:O	1:A:117:GLU:HG3	2.07	0.53	
1:B:235:GLU:HB3	1:B:247:VAL:HG22	1.91	0.53	
1:A:133:ALA:HB1	1:A:281:PHE:HZ	1.73	0.53	
1:A:139:MET:O	1:A:140:ASP:C	2.47	0.53	
1:A:371:ASN:OD1	1:A:372:ALA:N	2.41	0.53	
1:B:130:LEU:O	1:B:134:THR:CB	2.44	0.53	
1:B:192:ASP:HB3	1:B:195:SER:HB2	1.90	0.53	
1:B:291:PHE:CD2	1:B:330:ILE:CD1	2.91	0.53	
1:A:110:TYR:C	1:A:112:ILE:H	2.13	0.53	
1:A:142:LEU:HD21	1:A:241:HIS:HB2	1.91	0.53	
1:A:290:ALA:O	1:A:291:PHE:C	2.47	0.52	
1:A:185:HIS:CD2	1:A:187:HIS:ND1	2.77	0.52	
1:B:97:LYS:HA	1:B:100:LEU:HD13	1.92	0.52	



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:205:ASN:OD1	1:B:225:GLU:HB2	2.09	0.52
1:B:343:HIS:O	1:B:344:TRP:CD1	2.63	0.52
1:B:85:ILE:O	1:B:86:MET:C	2.48	0.52
1:A:65:PHE:CD2	1:A:68:PRO:HD2	2.31	0.52
1:B:84:LEU:HD21	4:B:608:DXC:H52	1.91	0.51
1:A:289:PRO:O	1:A:290:ALA:C	2.47	0.51
1:A:338:LYS:HA	1:A:374:ASP:O	2.11	0.51
1:A:256:LYS:HD3	3:A:403:3PE:H242	1.93	0.51
1:B:338:LYS:HZ2	1:B:373:GLU:C	2.13	0.51
1:A:215:LEU:O	1:A:216:LEU:C	2.48	0.51
1:A:326:GLU:O	1:A:330:ILE:HG12	2.10	0.51
1:B:232:TRP:CZ3	1:B:250:PRO:HA	2.45	0.51
1:A:74:ASN:ND2	1:A:75:PRO:HD3	2.26	0.51
1:A:116:GLU:O	1:A:117:GLU:C	2.49	0.51
1:B:142:LEU:CD1	1:B:244:VAL:HG11	2.41	0.51
1:B:227:VAL:O	1:B:228:ILE:HD12	2.11	0.51
1:B:255:CYS:SG	1:B:265:VAL:HG23	2.51	0.50
1:B:91:SER:HB2	1:B:351:ASN:O	2.10	0.50
1:B:305:ALA:HB1	1:B:342:ILE:HG21	1.93	0.50
1:B:92:SER:HB3	1:B:354:TYR:H	1.75	0.50
5:A:409:PLP:H5A1	1:B:151:SER:HA	1.92	0.50
1:B:65:PHE:O	1:B:66:VAL:C	2.49	0.50
1:B:134:THR:HG23	1:B:148:PRO:HA	1.94	0.50
1:B:228:ILE:HG21	1:B:236:ASN:HD22	1.77	0.50
1:A:218:TRP:NE1	4:A:404:DXC:H3	2.27	0.50
1:A:287:TYR:HE2	1:A:329:ARG:HB2	1.75	0.50
1:B:142:LEU:HD11	1:B:244:VAL:HG11	1.94	0.50
1:A:102:LYS:N	1:A:102:LYS:HD2	2.26	0.50
1:A:71:THR:HG21	1:A:252:GLN:HG3	1.93	0.50
1:B:65:PHE:N	1:B:70:PRO:HD3	2.27	0.50
1:B:92:SER:HB3	1:B:354:TYR:N	2.27	0.50
1:A:314:ARG:HE	1:A:318:LYS:NZ	2.10	0.50
1:B:120:VAL:HG11	1:B:138:GLU:C	2.32	0.50
1:A:365:LEU:HD11	1:A:375:PHE:HB3	1.93	0.49
1:B:134:THR:HA	1:B:146:THR:O	2.12	0.49
4:A:406:DXC:H182	4:B:607:DXC:H222	1.93	0.49
1:A:82:ARG:HB2	4:A:408:DXC:H51	1.94	0.49
1:A:143:ILE:H	1:A:179:ASP:CG	2.16	0.49
1:B:187:HIS:CG	3:B:605:3PE:H12	2.48	0.49
4:A:406:DXC:H71	4:B:607:DXC:C23	2.43	0.49
1:B:193:TYR:CE2	1:B:197:ILE:HD11	2.47	0.49



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:125:LEU:CD2	1:B:139:MET:HB3	2.42	0.48	
1:B:307:PRO:HA	1:B:342:ILE:O	2.12	0.48	
1:A:65:PHE:O	1:A:66:VAL:C	2.50	0.48	
1:A:118:ALA:O	1:A:120:VAL:N	2.46	0.48	
1:A:340:MET:O	1:A:341:ALA:HB3	2.14	0.48	
1:A:142:LEU:HD21	1:A:241:HIS:CB	2.43	0.48	
1:A:124:GLY:HA3	1:A:387:ASN:HA	1.95	0.48	
1:A:384:ARG:HG2	1:A:386:LEU:HD11	1.94	0.48	
1:B:233:TRP:N	1:B:248:PHE:O	2.46	0.48	
1:A:290:ALA:O	1:A:293:GLU:N	2.47	0.48	
1:A:65:PHE:CG	1:A:66:VAL:N	2.82	0.48	
1:B:272:VAL:HG22	1:B:279:PHE:HB3	1.95	0.48	
1:A:64:ARG:HA	1:A:70:PRO:HD2	1.96	0.48	
1:A:137:VAL:HB	1:A:144:PHE:CZ	2.49	0.48	
1:B:341:ALA:CB	1:B:377:VAL:HG12	2.43	0.48	
1:B:185:HIS:CE1	1:B:284:ASP:HB2	2.49	0.47	
1:B:65:PHE:CD2	1:B:66:VAL:HG22	2.49	0.47	
1:A:59:LYS:HE3	1:A:293:GLU:HA	1.96	0.47	
6:A:507:HOH:O	1:B:172:ILE:HG12	2.14	0.47	
1:B:85:ILE:HB	1:B:89:ASP:HB3	1.96	0.47	
1:A:296:LYS:HA	1:A:296:LYS:NZ	2.30	0.47	
1:A:140:ASP:O	1:A:141:GLU:HB2	2.14	0.47	
1:A:146:THR:O	1:A:147:ASP:C	2.53	0.47	
4:A:405:DXC:C21	4:B:602:DXC:H151	2.44	0.47	
1:B:84:LEU:O	1:B:88:LYS:HD2	2.15	0.47	
1:B:96:SER:HB3	1:B:98:GLU:HG2	1.96	0.47	
1:A:289:PRO:O	1:A:291:PHE:N	2.47	0.47	
1:A:241:HIS:CD2	1:A:241:HIS:H	2.33	0.47	
1:B:63:GLY:O	1:B:70:PRO:HD2	2.14	0.47	
1:A:185:HIS:CD2	1:A:187:HIS:CG	3.02	0.47	
1:A:185:HIS:HD2	1:A:187:HIS:CG	2.33	0.47	
1:A:371:ASN:ND2	1:A:373:GLU:HG3	2.29	0.47	
1:B:116[B]:GLU:OE1	1:B:117:GLU:N	2.44	0.47	
1:A:81:LEU:HD11	4:A:408:DXC:H62	1.97	0.46	
4:A:408:DXC:H243	4:A:408:DXC:H221	1.71	0.46	
1:B:327:ALA:O	1:B:330:ILE:HB	2.15	0.46	
1:B:200:ASN:O	1:B:203:PHE:O	2.34	0.46	
1:A:91:SER:O	1:A:93:VAL:HG23	2.15	0.46	
1:A:311:TYR:HE2	1:A:357:PRO:HG3	1.80	0.46	
1:B:151:SER:OG	1:B:192:ASP:OD2	2.21	0.46	
1:A:64:ARG:HA	1:A:70:PRO:HD3	1.97	0.46	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:88:LYS:O	1:A:88:LYS:HG2	2.16	0.46	
1:A:100:LEU:HD12	1:A:166:ARG:NE	2.31	0.46	
1:A:119:GLY:HA2	1:A:121:ARG:CZ	2.46	0.46	
1:B:185:HIS:CD2	1:B:253:HIS:CD2	3.04	0.46	
1:B:83:TRP:CZ2	1:B:162:PRO:HB3	2.50	0.45	
1:A:314:ARG:HD2	1:A:314:ARG:HA	1.51	0.45	
1:A:326:GLU:HA	1:A:329:ARG:HG3	1.98	0.45	
1:B:280:PHE:O	1:B:304:ALA:HA	2.16	0.45	
1:B:281:PHE:HD1	1:B:305:ALA:HB3	1.81	0.45	
1:A:289:PRO:O	1:A:292:GLU:HG2	2.17	0.45	
1:B:175:LEU:HB2	1:B:176:PRO:HD2	1.98	0.45	
1:A:157:SER:OG	1:A:158:GLN:N	2.50	0.45	
1:A:217:ASP:O	1:A:218:TRP:C	2.54	0.45	
1:B:99:GLU:HG3	1:B:100:LEU:N	2.32	0.45	
1:B:299:GLY:HA2	1:B:300:PRO:C	2.37	0.45	
1:A:67:ASN:HB2	1:A:68:PRO:HD3	1.99	0.45	
1:B:62:ASP:OD1	1:B:62:ASP:N	2.49	0.44	
1:B:65:PHE:CG	1:B:66:VAL:N	2.85	0.44	
1:B:185:HIS:HD2	1:B:187:HIS:ND1	2.02	0.44	
1:B:318:LYS:NZ	6:B:706:HOH:O	2.50	0.44	
1:A:62:ASP:HA	1:A:63:GLY:HA3	1.79	0.44	
1:A:258:THR:OG1	1:A:259:LEU:N	2.50	0.44	
1:B:207:LEU:HD12	1:B:207:LEU:HA	1.63	0.44	
1:A:233:TRP:CE3	1:A:233:TRP:HA	2.53	0.44	
1:A:247:VAL:HG11	1:A:298:PHE:CZ	2.53	0.44	
1:A:329:ARG:HE	1:A:329:ARG:HB3	1.53	0.44	
1:B:84:LEU:O	1:B:86:MET:N	2.50	0.44	
1:B:256:LYS:HE3	1:B:258:THR:O	2.18	0.44	
1:B:313:PRO:HB2	1:B:316:PHE:HB3	2.00	0.44	
1:A:107:LEU:HD12	1:A:382:GLU:HB2	1.99	0.44	
1:B:217:ASP:O	1:B:221:LYS:HG2	2.18	0.44	
1:B:185:HIS:CE1	1:B:190:HIS:CD2	3.06	0.44	
1:B:308:ILE:HD12	1:B:357:PRO:CB	2.47	0.44	
5:A:409:PLP:H5A2	5:A:409:PLP:H4A	1.71	0.44	
1:B:208:ARG:NH2	1:B:228:ILE:HD11	2.33	0.44	
1:A:324:PRO:HG2	1:A:360:LYS:HB3	2.00	0.44	
1:A:122:GLU:HG3	1:A:385:TYR:OH	2.18	0.44	
1:B:97:LYS:O	1:B:100:LEU:N	2.50	0.44	
1:B:142:LEU:HD23	1:B:142:LEU:HA	1.76	0.44	
1:B:229:GLU:O	1:B:230:LEU:HD23	2.18	0.44	
1:A:172:ILE:HA	1:A:175:LEU:HD12	1.99	0.43	



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:253:HIS:CE1	1:A:284:ASP:HB3	2.53	0.43
1:A:318:LYS:HA	1:A:318:LYS:HD3	1.83	0.43
1:B:291:PHE:CE2	1:B:330:ILE:HD11	2.52	0.43
1:B:185:HIS:CD2	1:B:253:HIS:HD2	2.36	0.43
1:A:111:PHE:CD2	1:A:176:PRO:HD3	2.54	0.43
1:A:345:GLY:O	1:A:380:HIS:HE1	2.00	0.43
3:A:403:3PE:H3A2	4:B:601:DXC:H21	2.00	0.43
1:A:231:ASP:H	1:A:234:GLU:CD	2.22	0.43
1:B:215:LEU:HD12	1:B:215:LEU:HA	1.84	0.43
1:A:112:ILE:O	1:A:115:PRO:HD3	2.19	0.43
1:A:193:TYR:CE2	1:B:159:TYR:HA	2.54	0.43
1:A:323:ASP:O	1:A:324:PRO:C	2.56	0.43
1:A:324:PRO:O	1:A:327:ALA:HB3	2.19	0.43
1:B:285:THR:HG21	1:B:291:PHE:CZ	2.54	0.43
1:B:287:TYR:HB2	1:B:326:GLU:OE1	2.18	0.43
1:A:192:ASP:O	1:A:196:VAL:HG23	2.19	0.43
1:A:100:LEU:O	1:A:104:LEU:N	2.52	0.42
1:A:199:LEU:HD13	1:A:199:LEU:HA	1.82	0.42
1:B:177:PRO:HA	1:B:203:PHE:HE2	1.82	0.42
1:A:231:ASP:O	1:A:232:TRP:C	2.57	0.42
1:A:241:HIS:CD2	1:A:241:HIS:N	2.87	0.42
1:A:313:PRO:O	1:A:317:MET:HG2	2.19	0.42
1:B:75:PRO:HD2	1:B:252:GLN:NE2	2.34	0.42
1:B:127:VAL:HG21	1:B:340:MET:CE	2.39	0.42
1:A:81:LEU:HD13	1:A:82:ARG:H	1.84	0.42
4:A:404:DXC:H181	4:A:407:DXC:C23	2.49	0.42
1:A:187:HIS:ND1	3:A:403:3PE:H12	2.34	0.42
1:A:191:LEU:HD23	1:A:257:ARG:HD2	1.99	0.42
1:A:299:GLY:HA2	1:A:300:PRO:C	2.39	0.42
1:A:288:CYS:O	1:A:289:PRO:C	2.58	0.42
1:A:317:MET:O	1:A:318:LYS:C	2.57	0.42
1:B:71:THR:HG21	1:B:252:GLN:HG2	2.01	0.42
1:A:110:TYR:OH	1:A:118:ALA:HA	2.19	0.42
1:A:343:HIS:O	1:A:344:TRP:CD1	2.72	0.42
1:B:127:VAL:HG11	1:B:303:LEU:HD11	2.02	0.42
1:B:316:PHE:CD1	1:B:316:PHE:C	2.93	0.42
1:B:232:TRP:CE3	1:B:250:PRO:HA	2.55	0.42
1:B:92:SER:HB3	1:B:353:HIS:HA	2.01	0.42
1:B:367:ARG:HE	1:B:367:ARG:HB3	1.49	0.42
1:A:110:TYR:CE2	1:A:117:GLU:HB2	2.55	0.42
1:A:155:SER:CB	1:A:161:GLY:HA3	2.50	0.42



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:131:GLY:O	1:B:132:HIS:C	2.58	0.42	
1:A:253:HIS:HB2	1:A:284:ASP:O	2.20	0.41	
1:B:340:MET:HE3	1:B:340:MET:HB3	1.74	0.41	
1:A:287:TYR:CE2	1:A:329:ARG:HB2	2.54	0.41	
4:A:408:DXC:H201	4:A:408:DXC:H142	1.84	0.41	
1:A:171:THR:HG23	1:A:174:GLU:CD	2.41	0.41	
1:A:259:LEU:O	1:A:260:MET:HB2	2.21	0.41	
1:A:311:TYR:CE2	1:A:357:PRO:HG3	2.55	0.41	
1:B:140:ASP:OD1	1:B:140:ASP:N	2.53	0.41	
1:B:65:PHE:HB2	1:B:70:PRO:HG3	2.02	0.41	
1:B:162:PRO:HG3	3:B:605:3PE:H331	2.02	0.41	
1:A:207:LEU:O	1:A:226:ASN:HB3	2.21	0.41	
1:A:252:GLN:HB3	1:A:286:GLY:H	1.86	0.41	
1:B:66:VAL:HG23	1:B:67:ASN:H	1.86	0.41	
1:B:357:PRO:HB2	1:B:358:PRO:HD3	2.01	0.41	
1:B:387:ASN:OD1	1:B:388:ASN:N	2.54	0.41	
1:A:353:HIS:HD2	1:A:355:LEU:N	2.14	0.41	
1:B:234:GLU:O	1:B:247:VAL:HA	2.20	0.41	
1:A:200:ASN:O	1:A:201:GLU:C	2.58	0.41	
1:A:273:LEU:HA	1:A:278:ARG:HG2	2.01	0.41	
1:B:147:ASP:OD2	1:B:190:HIS:ND1	2.53	0.41	
1:A:104:LEU:HD22	1:A:104:LEU:HA	1.78	0.41	
1:A:196:VAL:O	1:A:197:ILE:C	2.59	0.41	
1:A:200:ASN:ND2	1:A:224:CYS:HA	2.36	0.41	
1:B:84:LEU:O	1:B:85:ILE:C	2.59	0.41	
1:B:295:GLY:HA3	1:B:334:VAL:HA	2.03	0.41	
1:B:330:ILE:HG23	1:B:330:ILE:HD12	1.60	0.41	
1:A:317:MET:HA	1:A:320:GLN:OE1	2.21	0.41	
1:B:117:GLU:O	1:B:126:ARG:NH2	2.54	0.40	
1:B:137:VAL:HB	1:B:144:PHE:CE1	2.56	0.40	
1:A:96:SER:HB3	1:A:98:GLU:OE2	2.21	0.40	
1:B:272:VAL:CG2	1:B:279:PHE:HB3	2.51	0.40	
1:A:69:TRP:CD2	1:A:266:LEU:HD13	2.56	0.40	
1:A:116:GLU:HG2	1:A:117:GLU:H	1.86	0.40	
1:A:179:ASP:OD1	1:A:179:ASP:N	2.54	0.40	
1:B:84:LEU:C	1:B:86:MET:N	2.72	0.40	
1:A:88:LYS:C	1:A:88:LYS:HD3	2.40	0.40	
1:A:139:MET:HE2	1:A:139:MET:HB2	1.98	0.40	
1:A:198:ALA:O	1:A:199:LEU:C	2.60	0.40	
1:A:330:ILE:O	1:A:331:HIS:C	2.59	0.40	
1:B:157:SER:OG	1:B:158:GLN:N	2.55	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:303:LEU:HD23	1:B:303:LEU:HA	1.83	0.40
1:A:103:GLU:O	1:A:105:PRO:HD3	2.21	0.40
1:A:110:TYR:CG	1:A:111:PHE:N	2.90	0.40
1:A:216:LEU:O	1:A:217:ASP:C	2.59	0.40
1:B:308:ILE:O	1:B:357:PRO:HB3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	332/393~(84%)	237 (71%)	70 (21%)	25~(8%)	1	2
1	В	335/393~(85%)	315~(94%)	12 (4%)	8 (2%)	6	20
All	All	667/786~(85%)	552 (83%)	82 (12%)	33~(5%)	2	7

All (33) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	78	PRO
1	А	85	ILE
1	А	89	ASP
1	А	116	GLU
1	А	117	GLU
1	А	122	GLU
1	А	290	ALA
1	В	66	VAL
1	А	66	VAL
1	А	119	GLY
1	В	60	GLY
1	В	86	MET
1	А	67	ASN



Mol	Chain	Res	Type
1	А	79	ASN
1	А	87	GLU
1	А	118	ALA
1	А	239	PRO
1	В	58	LYS
1	В	344	TRP
1	А	140	ASP
1	А	289	PRO
1	В	67	ASN
1	А	203	PHE
1	А	291	PHE
1	А	343	HIS
1	А	97	LYS
1	А	102	LYS
1	А	177	PRO
1	A	197	ILE
1	А	216	LEU
1	В	132	HIS
1	А	94	PRO
1	В	85	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	297/352~(84%)	212 (71%)	85 (29%)	0 1
1	В	299/352~(85%)	269~(90%)	30 (10%)	7 22
All	All	596/704~(85%)	481 (81%)	115 (19%)	1 4

All (115) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	58	LYS
1	А	61	LYS
1	А	64	ARG



Mol	Chain	Res	Type
1	А	67	ASN
1	А	74	ASN
1	А	78	PRO
1	А	79	ASN
1	А	80	VAL
1	А	81	LEU
1	А	82	ARG
1	А	84	LEU
1	А	85	ILE
1	А	87	GLU
1	А	88	LYS
1	А	89	ASP
1	А	91	SER
1	А	92	SER
1	Α	97	LYS
1	А	98	GLU
1	А	100	LEU
1	А	102	LYS
1	А	104	LEU
1	А	108	LYS
1	А	112	ILE
1	А	113	THR
1	А	114	ASN
1	А	121	ARG
1	А	122	GLU
1	А	126	ARG
1	А	132	HIS
1	А	135	VAL
1	А	137	VAL
1	А	138	GLU
1	A	139	MET
1	A	146	THR
1	А	149	ILE
1	A	155	SER
1	А	163	LYS
1	A	167[A]	ARG
1	А	167[B]	ARG
1	А	170	CYS
1	A	171	THR
1	А	172	ILE
1	A	179	ASP
1	А	199	LEU



Mol	Chain	Res	Type
1	А	200	ASN
1	А	206	GLU
1	А	207	LEU
1	А	208	ARG
1	А	215	LEU
1	А	217	ASP
1	А	218	TRP
1	А	232	TRP
1	А	241	HIS
1	А	242	ASP
1	А	243	LYS
1	А	245	THR
1	А	249	THR
1	А	257	ARG
1	А	265	VAL
1	А	272	VAL
1	А	273	LEU
1	А	276	TRP
1	А	277	ASN
1	А	278	ARG
1	А	288	CYS
1	А	292	GLU
1	А	296	LYS
1	А	298	PHE
1	А	306	ILE
1	А	314	ARG
1	А	320	GLN
1	А	323	ASP
1	А	329	ARG
1	А	332	THR
1	А	333	ASP
1	А	337	LYS
1	А	338	LYS
1	А	342	ILE
1	А	343	HIS
1	A	344	TRP
1	A	352	GLU
1	A	374	ASP
1	A	375	PHE
1	А	383	SER
1	В	57	SER
1	В	62	ASP



Mol	Chain	Res	Type
1	В	66	VAL
1	В	67	ASN
1	В	71	THR
1	В	74	ASN
1	В	79	ASN
1	В	87	GLU
1	В	92	SER
1	В	96	SER
1	В	99	GLU
1	В	113	THR
1	В	121	ARG
1	В	136	MET
1	В	140	ASP
1	В	155	SER
1	В	157	SER
1	В	167	ARG
1	В	199	LEU
1	В	232	TRP
1	В	241	HIS
1	В	242	ASP
1	В	276	TRP
1	В	297	ARG
1	В	303	LEU
1	В	316	PHE
1	В	329	ARG
1	В	343	HIS
1	В	355	LEU
1	В	375	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	220	GLN
1	А	241	HIS
1	А	252	GLN
1	А	353	HIS
1	В	114	ASN
1	В	236	ASN
1	В	252	GLN
1	В	277	ASN
1	В	380	HIS



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 17 ligands modelled in this entry, 4 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Bos	Link	Bo	ond leng	$_{\rm ths}$	В	ond ang	gles
WIOI	Type	Ullalli	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	DXC	В	602	-	31,31,31	0.68	0	49,49,49	1.52	9 (18%)
4	DXC	В	606	-	31,31,31	0.57	0	49,49,49	0.99	1 (2%)
3	3PE	В	605	2	43,43,50	0.52	0	46,48,55	0.71	2 (4%)
4	DXC	В	607	-	31,31,31	0.71	0	49,49,49	1.29	6 (12%)
4	DXC	А	407	-	31,31,31	0.61	0	49,49,49	1.27	4 (8%)
4	DXC	А	408	-	31,31,31	0.61	0	49,49,49	1.55	8 (16%)
4	DXC	В	601	-	31,31,31	0.63	1 (3%)	49,49,49	1.69	11 (22%)
4	DXC	В	608	-	31,31,31	0.67	0	49,49,49	1.15	4 (8%)
4	DXC	А	405	-	31,31,31	0.71	1 (3%)	49,49,49	1.63	10 (20%)
4	DXC	А	404	-	31,31,31	0.63	1 (3%)	49,49,49	0.87	2 (4%)
5	PLP	А	409	-	16,16,16	2.88	5 (31%)	20,23,23	3.07	7 (35%)
4	DXC	А	406	-	31,31,31	0.66	0	49,49,49	1.39	5 (10%)
3	3PE	А	403	2	43,43,50	0.58	0	46,48,55	0.73	2 (4%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DXC	В	602	-	-	2/9/71/71	0/4/4/4
4	DXC	В	606	-	-	7/9/71/71	0/4/4/4
3	3PE	В	605	2	-	22/47/47/54	-
4	DXC	В	607	-	-	2/9/71/71	0/4/4/4
4	DXC	А	407	-	-	0/9/71/71	0/4/4/4
4	DXC	А	408	-	-	4/9/71/71	0/4/4/4
4	DXC	В	601	-	-	0/9/71/71	0/4/4/4
4	DXC	В	608	-	-	2/9/71/71	0/4/4/4
4	DXC	А	405	-	-	3/9/71/71	0/4/4/4
4	DXC	А	404	-	-	3/9/71/71	0/4/4/4
5	PLP	А	409	-	-	0/8/8/8	0/1/1/1
4	DXC	А	406	-	-	7/9/71/71	0/4/4/4
3	3PE	А	403	2	-	18/47/47/54	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
5	А	409	PLP	C3-C2	-8.83	1.32	1.40
5	А	409	PLP	C4-C4A	5.73	1.59	1.46
5	А	409	PLP	C2-N1	2.41	1.38	1.33
4	А	405	DXC	C22-C23	2.12	1.55	1.50
5	А	409	PLP	O4A-C4A	2.08	1.28	1.21
4	В	601	DXC	C22-C23	2.07	1.55	1.50
5	А	409	PLP	C4-C5	2.04	1.44	1.42
4	А	404	DXC	C22-C23	2.02	1.55	1.50

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
5	А	409	PLP	C3-C4-C5	6.96	123.60	118.26
5	А	409	PLP	C4-C3-C2	-6.36	116.25	120.19
5	А	409	PLP	O4A-C4A-C4	-5.44	113.06	124.91
5	А	409	PLP	C3-C4-C4A	5.39	127.53	119.90
4	А	406	DXC	C5-C4-C10	-4.54	104.21	111.35
4	В	602	DXC	C12-C11-C9	-4.32	109.94	114.71
4	А	405	DXC	O1-C13-C12	-4.20	103.92	111.03



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
4	А	405	DXC	C20-C12-C13	4.14	113.28	109.07
4	В	601	DXC	C5-C6-C1	4.13	115.76	110.47
4	А	408	DXC	C4-C10-C9	4.11	116.73	112.42
5	А	409	PLP	C2A-C2-C3	-4.10	115.82	120.89
4	В	601	DXC	C3-C2-C1	4.00	118.63	112.76
4	А	405	DXC	C17-C12-C13	-3.94	114.07	117.67
4	А	408	DXC	C14-C13-C12	-3.83	107.31	111.24
4	А	407	DXC	O1-C13-C12	-3.55	105.03	111.03
4	В	602	DXC	C15-C11-C12	3.30	106.79	103.55
4	В	601	DXC	C2-C3-C4	3.25	116.11	112.66
4	А	406	DXC	C11-C9-C10	-3.23	104.76	109.09
4	А	408	DXC	C16-C17-C12	-3.22	100.39	103.55
4	В	608	DXC	O1-C13-C12	-3.16	105.68	111.03
4	В	602	DXC	C8-C9-C10	3.11	114.35	110.49
4	В	601	DXC	O1-C13-C12	-3.00	105.95	111.03
4	А	407	DXC	C5-C6-C1	2.98	114.30	110.47
4	А	408	DXC	C10-C14-C13	-2.94	110.42	114.30
4	В	608	DXC	C4-C10-C9	2.89	115.46	112.42
4	В	601	DXC	C2-C1-C6	2.86	113.96	110.55
4	А	404	DXC	O1-C13-C14	2.80	114.83	109.12
4	В	601	DXC	C20-C12-C17	-2.79	106.84	111.21
4	В	602	DXC	C11-C9-C10	-2.69	105.48	109.09
4	В	607	DXC	C18-C4-C5	-2.67	103.95	108.26
4	В	601	DXC	C10-C14-C13	-2.62	110.85	114.30
4	А	405	DXC	C2-C1-C6	2.58	113.63	110.55
4	В	607	DXC	O1-C13-C12	-2.56	106.71	111.03
4	А	405	DXC	O1-C13-C14	2.53	114.28	109.12
4	В	601	DXC	C5-C4-C10	2.53	115.33	111.35
4	А	407	DXC	C4-C10-C9	-2.49	109.81	112.42
4	А	405	DXC	C22-C21-C19	2.45	118.98	114.52
4	В	601	DXC	C5-C4-C3	-2.41	104.20	107.77
4	A	406	DXC	O1-C13-C12	-2.41	106.96	111.03
5	А	409	PLP	C3-C2-N1	2.38	123.84	120.77
4	А	405	DXC	C3-C2-C1	2.37	116.23	112.76
4	В	607	DXC	C2-C1-C6	2.34	113.35	110.55
4	В	602	DXC	C14-C13-C12	2.32	113.63	111.24
4	В	602	DXC	O1-C13-C12	-2.32	107.10	111.03
3	А	403	3PE	C2-O21-C21	2.32	123.49	117.79
4	В	602	DXC	C12-C17-C19	2.31	122.25	119.50
4	В	608	DXC	C12-C11-C9	-2.30	112.17	114.71
3	В	605	3PE	O12-P-O14	2.29	123.59	112.24
4	В	607	DXC	C21-C19-C17	-2.28	105.56	110.28



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	406	DXC	C16-C15-C11	-2.28	100.62	105.13
4	А	405	DXC	C20-C12-C11	-2.27	107.66	111.21
4	А	405	DXC	C15-C11-C12	-2.20	101.39	103.55
4	В	602	DXC	C3-C2-C1	-2.20	109.53	112.76
4	А	405	DXC	C5-C6-C1	2.20	113.28	110.47
4	А	408	DXC	O3-C23-C22	-2.19	116.05	123.08
5	А	409	PLP	C5-C6-N1	-2.17	120.20	123.82
4	А	408	DXC	C20-C12-C17	-2.16	107.84	111.21
4	А	408	DXC	C2-C1-C6	2.15	113.12	110.55
3	А	403	3PE	O12-P-O14	2.14	122.83	112.24
4	В	607	DXC	C11-C9-C10	-2.14	106.23	109.09
4	В	608	DXC	C18-C4-C5	-2.13	104.84	108.26
4	В	601	DXC	C20-C12-C13	2.10	111.21	109.07
4	А	408	DXC	C20-C12-C13	-2.09	106.94	109.07
4	В	601	DXC	C15-C11-C12	-2.08	101.51	103.55
3	В	605	3PE	O21-C2-C1	2.07	115.91	108.40
4	В	606	DXC	C24-C19-C17	-2.07	109.75	112.92
4	А	404	DXC	C21-C22-C23	2.05	117.95	112.51
4	В	607	DXC	C20-C12-C13	2.03	111.13	109.07
4	A	407	DXC	O1-C13-C14	2.01	113.22	109.12
4	А	406	DXC	C18-C4-C10	2.01	113.95	111.18
4	В	602	DXC	C10-C14-C13	2.00	116.94	114.30

There are no chirality outliers.

All (70) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	403	3PE	C1-O11-P-O12
3	А	403	3PE	C1-O11-P-O14
3	А	403	3PE	C11-O13-P-O12
3	А	403	3PE	O13-C11-C12-N
3	В	605	3PE	C1-O11-P-O12
3	В	605	3PE	C1-O11-P-O14
3	В	605	3PE	C11-O13-P-O12
3	В	605	3PE	C11-O13-P-O14
3	В	605	3PE	O13-C11-C12-N
3	В	605	3PE	C32-C31-O31-C3
4	А	405	DXC	C24-C19-C21-C22
4	В	607	DXC	C24-C19-C21-C22
4	В	608	DXC	C24-C19-C21-C22
3	А	403	3PE	C32-C31-O31-C3
3	А	403	3PE	O32-C31-O31-C3



Mol	Chain	Res	Type	Atoms
3	В	605	3PE	O32-C31-O31-C3
4	А	408	DXC	C24-C19-C21-C22
4	В	608	DXC	C17-C19-C21-C22
4	А	406	DXC	C17-C19-C21-C22
4	А	405	DXC	C17-C19-C21-C22
4	А	406	DXC	C24-C19-C21-C22
4	В	607	DXC	C17-C19-C21-C22
3	А	403	3PE	C1-O11-P-O13
3	А	403	3PE	C11-O13-P-O11
3	В	605	3PE	C1-O11-P-O13
3	В	605	3PE	C11-O13-P-O11
4	А	404	DXC	C24-C19-C21-C22
3	В	605	3PE	C25-C26-C27-C28
3	А	403	3PE	C3A-C3B-C3C-C3D
3	А	403	3PE	C25-C26-C27-C28
3	В	605	3PE	C3A-C3B-C3C-C3D
4	А	406	DXC	C19-C21-C22-C23
4	В	606	DXC	C12-C17-C19-C21
3	В	605	3PE	C26-C27-C28-C29
4	В	606	DXC	C24-C19-C21-C22
3	В	605	3PE	C23-C24-C25-C26
3	В	605	3PE	O11-C1-C2-O21
4	В	606	DXC	C16-C17-C19-C24
4	В	606	DXC	C12-C17-C19-C24
3	А	403	3PE	C2A-C2B-C2C-C2D
4	В	606	DXC	C16-C17-C19-C21
3	В	605	3PE	C2B-C2C-C2D-C2E
3	А	403	3PE	C2B-C2C-C2D-C2E
3	В	605	3PE	C2A-C2B-C2C-C2D
3	В	605	3PE	O11-C1-C2-C3
3	А	403	3PE	C11-O13-P-O14
3	А	403	3PE	O11-C1-C2-C3
3	А	403	3PE	O11-C1-C2-O21
3	A	403	3PE	C21-C22-C23-C24
3	А	403	3PE	C29-C2A-C2B-C2C
4	В	602	DXC	C19-C21-C22-C23
3	В	605	3PE	C21-C22-C23-C24
3	В	605	3PE	$C29-C2A-C2B-C2\overline{C}$
4	A	408	DXC	C21-C22-C23-O4
4	А	406	DXC	C21-C22-C23-O3
4	A	408	DXC	C21-C22-C23-O3
4	А	408	DXC	C19-C21-C22-C23

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	В	605	3PE	C39-C3A-C3B-C3C
4	А	406	DXC	C12-C17-C19-C24
4	В	606	DXC	C21-C22-C23-O3
4	В	606	DXC	C21-C22-C23-O4
4	А	405	DXC	C12-C17-C19-C21
4	А	404	DXC	C21-C22-C23-O3
3	А	403	3PE	C39-C3A-C3B-C3C
4	А	406	DXC	C21-C22-C23-O4
3	В	605	3PE	C32-C33-C34-C35
3	В	605	3PE	C28-C29-C2A-C2B
4	А	404	DXC	C21-C22-C23-O4
4	B	602	DXC	C16-C17-C19-C21
4	А	406	DXC	C16-C17-C19-C21

Continued from previous page...

There are no ring outliers.

12 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	602	DXC	4	0
3	В	605	3PE	3	0
4	В	607	DXC	2	0
4	А	407	DXC	1	0
4	А	408	DXC	5	0
4	В	601	DXC	1	0
4	В	608	DXC	2	0
4	А	405	DXC	3	0
4	А	404	DXC	2	0
5	А	409	PLP	2	0
4	А	406	DXC	4	0
3	А	403	3PE	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple.





equivalents in the CSD to analyse the geometry.





















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	332/393~(84%)	0.94	47 (14%) 2 1	90, 126, 164, 182	0
1	В	334/393~(84%)	0.69	24 (7%) 15 8	78, 102, 158, 198	0
All	All	666/786~(84%)	0.81	71 (10%) 6 3	78, 114, 162, 198	0

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	89	ASP	13.5
1	В	84	LEU	11.9
1	В	86	MET	9.4
1	В	85	ILE	9.1
1	А	89	ASP	9.0
1	А	72	TRP	7.7
1	В	88	LYS	7.1
1	В	83	TRP	7.0
1	А	387	ASN	6.9
1	В	65	PHE	6.4
1	В	81	LEU	5.8
1	А	69	TRP	5.8
1	А	59	LYS	5.0
1	А	88	LYS	5.0
1	В	72[A]	TRP	4.4
1	А	79	ASN	4.3
1	А	230	LEU	4.1
1	В	90	HIS	4.1
1	А	124	GLY	4.0
1	А	64	ARG	3.9
1	A	80	VAL	3.7
1	В	87	GLU	3.5
1	A	120	VAL	3.4
1	A	208	ARG	3.4



Mol	Chain	Res	Type	RSRZ
1	А	227	VAL	3.4
1	А	61	LYS	3.4
1	А	244	VAL	3.3
1	А	63	GLY	3.2
1	А	315[A]	TRP	3.2
1	А	273	LEU	3.2
1	В	80	VAL	3.1
1	А	121	ARG	3.1
1	А	85	ILE	3.1
1	В	161	GLY	3.0
1	А	314	ARG	2.9
1	А	60	GLY	2.9
1	А	62	ASP	2.8
1	A	167[A]	ARG	2.8
1	А	242	ASP	2.7
1	А	179	ASP	2.7
1	В	91	SER	2.6
1	В	56	LYS	2.6
1	В	78	PRO	2.5
1	А	84	LEU	2.5
1	А	340	MET	2.5
1	А	295	GLY	2.5
1	А	57	SER	2.4
1	В	79	ASN	2.4
1	В	69	TRP	2.4
1	А	238	VAL	2.4
1	А	246	PHE	2.4
1	В	301	PHE	2.4
1	А	313	PRO	2.4
1	A	112	ILE	2.4
1	А	319	TYR	2.3
1	A	301	PHE	2.3
1	A	86	MET	2.3
1	В	157	SER	2.3
1	В	388	ASN	2.3
1	В	123	ALA	2.3
1	В	66	VAL	2.3
1	A	334	VAL	2.2
1	А	65	PHE	2.2
1	A	303	LEU	2.2
1	А	83	TRP	2.1
1	А	266	LEU	2.1



Continued from previous page...MolChainResTypeR1A248DHE

IVIOI	Unain	Res	Type	RSRL
1	А	248	PHE	2.1
1	В	93	VAL	2.1
1	А	90	HIS	2.0
1	А	142	LEU	2.0
1	А	66	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	DXC	А	408	28/28	0.78	0.39	124,139,159,163	0
4	DXC	В	608	28/28	0.80	0.35	123,129,142,148	0
5	PLP	А	409	16/16	0.81	0.29	128,128,129,129	0
4	DXC	А	406	28/28	0.85	0.41	104,110,119,122	28
4	DXC	В	601	28/28	0.90	0.32	86,96,102,103	0
4	DXC	В	602	28/28	0.93	0.32	92,95,98,100	28
4	DXC	В	607	28/28	0.93	0.38	100,104,126,135	0
4	DXC	А	405	28/28	0.93	0.25	92,99,113,117	0
3	3PE	А	403	44/51	0.93	0.28	92,106,112,117	0
4	DXC	А	404	28/28	0.94	0.30	95,104,127,130	0
4	DXC	В	606	28/28	0.95	0.24	87,92,112,116	0
3	3PE	В	605	44/51	0.95	0.25	97,105,116,121	0
4	DXC	А	407	28/28	0.96	0.39	93,100,106,111	0
2	ZN	В	604	1/1	0.98	0.21	89,89,89,89	0
2	ZN	A	402	1/1	0.98	0.21	110,110,110,110	0
2	ZN	A	401	1/1	0.99	0.20	97,97,97,97	0
2	ZN	В	603	1/1	0.99	0.23	88,88,88,88	0



The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











































6.5 Other polymers (i)

There are no such residues in this entry.

