



wwPDB EM Validation Summary Report ⓘ

Oct 10, 2022 – 05:37 pm BST

PDB ID : 7PAK
EMDB ID : EMD-13275
Title : 70S ribosome with EF-Tu-tRNA and P-site tRNA in *Mycoplasma pneumoniae* cells
Authors : Xue, L.; Lenz, S.; Rappsilber, J.; Mahamid, J.
Deposited on : 2021-07-30
Resolution : 5.30 Å (reported)
Based on initial models : 7OOD, 4V7C, 4V5L, 7OOC

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	48	98%
2	1	59	100%
3	2	37	8% 100%
4	9	394	77% 99%
5	A	294	14% 81% 18%
6	B	273	11% 78% 21%
7	C	205	16% 98% ..
8	D	219	7% 70% 30%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	E	215	18% 77% 22%
10	F	155	17% 99% ..
11	G	142	16% 98% ..
12	H	132	17% 97% .
13	I	108	14% 94% 6%
14	J	121	12% 94% 6%
15	K	139	12% 96% ..
16	L	124	16% 95% 5%
17	M	61	8% 98% .
18	N	86	14% 97% .
19	O	94	9% 84% 15%
20	P	85	12% 98% .
21	Q	104	8% 62% 38%
22	R	87	21% 97% .
23	S	87	7% 89% 11%
24	T	60	13% 88% 12%
25	a	287	. 99% .
26	b	287	5% 79% 20%
27	c	212	8% 99% .
28	d	180	18% 97% .
29	e	184	15% 96% .
30	f	149	68% 96% ..
31	g	161	27% 73% .. 22%
32	h	137	48% 93% 7%
33	i	146	5% 98% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	j	122	8% 100%
35	k	151	97% ..
36	l	139	6% 96% ..
37	m	124	5% 96% .
38	n	116	9% 95% ..
39	o	119	6% 97% .
40	p	127	90% 10%
41	q	100	10% 99% .
42	r	159	87% 13%
43	s	237	39% 61%
44	t	111	29% 100%
45	u	104	82% 17%
46	v	65	6% 97% .
47	w	111	90% 10%
48	x	97	8% 45% 55%
49	y	57	95% ..
50	z	53	92% 6%
51	3	2907	61% 38% ..
52	4	108	58% 39% .
53	5	1520	60% 38% .
54	6	76	33% 66% 33% .
54	7	76	66% 33% .

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 149141 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	47	380	236	81	61	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	59	477	300	99	77	1	0	0

- Molecule 3 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	37	304	189	65	46	4	0	0

- Molecule 4 is a protein called Elongation factor Tu.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	9	393	3021	1892	533	583	13	0	0

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	A	240	1921	1226	334	352	9	0	0

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	B	215	1698	1073	313	307	5	0	0

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	C	203	Total	C	N	O	S	0	0
			1660	1051	314	290	5		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	D	153	Total	C	N	O	S	0	0
			1173	742	226	202	3		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	E	167	Total	C	N	O	S	0	0
			1362	857	240	263	2		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	F	154	Total	C	N	O	S	0	0
			1246	785	239	216	6		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	G	141	Total	C	N	O	S	0	0
			1110	723	193	192	2		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	H	128	Total	C	N	O	S	0	0
			1028	655	191	181	1		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	I	101	Total	C	N	O	S	0	0
			809	523	142	143	1		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	J	114	Total	C	N	O	S	0	0
			829	514	153	156	6		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	K	136	Total	C	N	O	S	0	0
			1076	680	213	181	2		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	L	118	Total	C	N	O	S	0	0
			951	594	191	166			

- Molecule 17 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	M	60	Total	C	N	O	S	0	0
			474	302	96	72	4		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	N	83	Total	C	N	O	S	0	0
			673	428	125	120			

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	O	80	Total	C	N	O	S	0	0
			646	414	119	111	2		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	P	83	Total	C	N	O	S	0	0
			675	425	135	115			

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Q	65	Total	C	N	O	S	0	0
			535	342	103	86	4		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	R	84	Total	C	N	O	S	0	0
			682	435	127	118	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	S	77	Total	C	N	O	0	0
			629	383	135	111		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	T	53	Total	C	N	O	S	0	0
			471	295	103	72	1		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	a	285	Total	C	N	O	S	0	0
			2225	1385	437	397	6		

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	b	229	Total	C	N	O	S	0	0
			1762	1119	318	318	7		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	c	210	Total	C	N	O	S	0	0
			1644	1047	297	297	3		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	d	175	1388	893	245	246	4	0	0

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	e	176	1396	899	247	250		0	0

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	f	145	1160	746	204	207	3	0	0

- Molecule 31 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	g	126	960	612	167	178	3	0	0

- Molecule 32 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	h	128	959	616	160	177	6	0	0

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	i	144	1164	737	213	209	5	0	0

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	j	122	944	595	178	167	4	0	0

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
35	k	148	1153	731	226	196	0	0

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	l	136	1079	694	196	182	7	0	0

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	m	119	958	609	175	171	3	0	0

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	n	112	889	557	175	155	2	0	0

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	o	115	938	592	180	165	1	0	0

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	p	114	947	603	188	154	2	0	0

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	q	99	811	525	148	134	4	0	0

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	139	Total	C	N	O	S	0	0
			1068	663	207	191	7		

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	92	Total	C	N	O	S	0	0
			720	475	122	122	1		

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	111	Total	C	N	O	S	0	0
			872	550	166	153	3		

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	u	86	Total	C	N	O	S	0	0
			657	409	130	117	1		

- Molecule 46 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	v	63	Total	C	N	O	S	0	0
			513	317	108	87	1		

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
47	w	100	Total	C	N	O	0	0
			818	517	153	148		

- Molecule 48 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	x	44	Total	C	N	O	S	0	0
			344	221	55	64	4		

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	y	56	Total	C	N	O	S	0	0
			452	274	98	75	5		

- Molecule 50 is a protein called 50S ribosomal protein L33 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	z	50	Total	C	N	O	S	0	0
			408	255	81	68	4		

- Molecule 51 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	3	2878	Total	C	N	O	P	0	0
			61664	27558	11236	19995	2875		

- Molecule 52 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	4	105	Total	C	N	O	P	0	0
			2239	1003	409	724	103		

- Molecule 53 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	5	1493	Total	C	N	O	P	0	0
			31943	14279	5792	10382	1490		


- Molecule 54 is a RNA chain called tRNA-Phe.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	6	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		
54	7	76	Total	C	N	O	P	0	0
			1618	723	289	531	75		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L34




- Molecule 2: 50S ribosomal protein L35




- Molecule 3: 50S ribosomal protein L36





- Molecule 4: Elongation factor Tu








• Molecule 5: 30S ribosomal protein S2




• Molecule 6: 30S ribosomal protein S3




• Molecule 7: 30S ribosomal protein S4






• Molecule 8: 30S ribosomal protein S5







• Molecule 9: 30S ribosomal protein S6




• Molecule 10: 30S ribosomal protein S7





• Molecule 11: 30S ribosomal protein S8



• Molecule 12: 30S ribosomal protein S9




• Molecule 13: 30S ribosomal protein S10




• Molecule 14: 30S ribosomal protein S11







- Molecule 15: 30S ribosomal protein S12




- Molecule 16: 30S ribosomal protein S13





- Molecule 17: 30S ribosomal protein S14 type Z




- Molecule 18: 30S ribosomal protein S15




- Molecule 19: 30S ribosomal protein S16




- Molecule 20: 30S ribosomal protein S17




- Molecule 21: 30S ribosomal protein S18




• Molecule 22: 30S ribosomal protein S19




• Molecule 23: 30S ribosomal protein S20




• Molecule 24: 30S ribosomal protein S21



• Molecule 25: 50S ribosomal protein L2




• Molecule 26: 50S ribosomal protein L3




• Molecule 27: 50S ribosomal protein L4







• Molecule 28: 50S ribosomal protein L5




• Molecule 29: 50S ribosomal protein L6





• Molecule 30: 50S ribosomal protein L9




• Molecule 31: 50S ribosomal protein L10




• Molecule 32: 50S ribosomal protein L11




- Molecule 33: 50S ribosomal protein L13




- Molecule 34: 50S ribosomal protein L14




- Molecule 35: 50S ribosomal protein L15



- Molecule 36: 50S ribosomal protein L16




- Molecule 37: 50S ribosomal protein L17





- Molecule 38: 50S ribosomal protein L18








• Molecule 45: 50S ribosomal protein L27





• Molecule 46: 50S ribosomal protein L28




• Molecule 47: 50S ribosomal protein L29




• Molecule 48: 50S ribosomal protein L31




• Molecule 49: 50S ribosomal protein L32



• Molecule 50: 50S ribosomal protein L33 1




U1428	U1431	U1434	U1435	U1440	U1444	U1445	U1449	U1456	U1464	U1465	U1466	U1467	U1472	U1478	U1479	U1480	U1482	U1483	U1486	U1487	U1488	U1497	U1502	G1507	G1508	U1509	U1510	U1513	U1514	U1515	C1523	C1524	U1525	U1526	U1527	G1530	U1533	U1534	U1539	G1540																																																									
A1541	G1542	A1548	U1549	G1550	U1559	U	G	A	C	U	G	C1456	U1581	G1582	A1585	U1586	U1587	A1588	A1589	U1590	C1591	U1592	U1594	A1603	U1612	G1615	U1618	A1619	U1620	U1621	A1634	G1635	G1640	U1641	A1642	A1643	A1644	G1645	A1647	U1648	G1651																																																								
A1652	C1653	G1654	A1656	G1663	A1664	G1665	G1666	G1667	U1673	G1677	U1678	U1679	A1680	G1681	C1682	A1688	U1694	A1695	C1706	U1707	G1708	U1713	U1714	A1716	C1720	A1723	G1729	A1734	A1735	G1736	G1741	G1747	U1748	A1749	A1750	A1751	A1756	C1761	A1762	G1763	U1764																																																								
G1765	A1766	G1767	G1768	A1769	A1770	C1771	G1772	G1775	U1776	A1780	C1781	U1782	G1783	U1784	A1787	A1788	U1790	A1791	A1792	A1793	A1794	C1795	C1796	C1797	A1798	A1799	U1803	G1806	C1807	C1808	A1816	U1820	G1821	A1822	U1823	G1824	U1825	A1826	A1828	G1832	A1836	U1841	G1842	C1845	A1846	G1847																																																			
U1848	G1853	A1854	A1855	U1859	A1865	A1866	G1867	A1868	G1876	C1877	A1878	A1879	A1880	A1884	U1885	U1889	U1890	A1891	A1892	C1893	U1894	C1902	U1906	A1907	G1910	G1913	A1919	A1920	A1926	C1927	A1934	A1935	G1936	G1937	C1941	G1942	A1943	A1944	A1945	U1946	C1948	U1949	U1950	A1951																																																					
U1962	U1963	G1964	G1965	U1967	C1968	U1969	G1970	G1971	A1972	U1973	U1974	G1975	A1976	U1977	U1978	U1979	C1986	A1987	A1988	U1989	U1990	U1991	C1992	A1996	C1997	U1998	U1999	U2000	G2004	A2008	A2022	U2023	C2024	C2025	A2030	C2031	G2032	G2036	A2037	A2038	G2039	A2040	C2041	A1945	G2050	U1947	C1948	U1949	U1950	C2057	G2058																																														
G2059	G2060	A2061	C2062	G2063	G2064	A2065	A2066	A2067	G2068	A2069	C2070	G2076	A2077	U2083	A2084	A2087	U2098	U2099	G2100	C2103	A2104	U2110	U2111	A2112	U2113	C2114	A2115	U2116	G2117	A2118	U2119	A2120	G2121	G2122	A2123	A2124	U2125	A2126	G2127	G2128	G2132	A2133	G2134	C2135	A2136	A2137	U2138	C2139	G2140	A2141	U2142	G2143	C2144																																												
A2145	A2146	G2147	U2148	U2149	C2150	G2151	C2152	U2153	G2154	A2155	G2156	A2157	C2158	U2159	U2160	G2161	U2162	U2163	G2164	A2165	C2168	G2169	A2170	A2171	U2172	G2173	A2174	U2175	G2176	G2177	A2178	U2179	U2180	A2181	C2182	G2183	C2186	C2187	U2188	U2189	G2190	G2191	U2192	U2193	G2194	U2195	G2196	U2197	U2198	C2199	U2200	G2201	U2202	A2206	A2207																																										
G2211	G2217	U2218	U2219	A2220	U2221	C2222	U2226	U2227	A2231	G2232	A2233	C2234	A2235	G2236	U2237	G2246	G2247	U2253	G2254	G2258	G2259	C2272	U2273	A2274	A2275	A2276	C2283	G2284	U2285	A2286	G2287	G2288	C2289	G2290	U2291	A2294	U2295	A2296	C2301	C2302	C2305	A2306	C2411	U2313	U2314	A2415	G2315	G2316	A2317	G2322	U2323	A2324	U2327	C2428	A2328	C2430	U2431	C2432	A2433	G2436	A2438	U2439	C2440	A2441	U2442	A2443	C2448	U2449	G2452	G2453	G2454	A2455	C2456	U2457	A2458	A2461	A2467	G2472	C2473	G2474	C2475	A2477	G2478	U2482	C2483	A2486	U2487	C2488	G2489	U2497	G2498	U2499	U2604	G2605	C2609	A2610	G2611
G2322	U2323	A2324	U2327	A2328	G2329	A2330	U2332	G2333	U2334	A2335	G2341	U2342	A2343	U2344	A2344	G2347	U2348	U2352	A2354	C2355	U2358	A2362	G2369	U2380	G2381	A2382	U2387	G2391	U2392	C2393	A2396	G2397	U2398	A2400	G2405	C2410	C2411	U2414	A2415	G2418	G2422	U2427	A2428	U2429	U2430	A2431	U2432	A2433	G2436	A2438	U2439	C2440	A2441	U2442	A2443	C2448	U2449	G2452	G2453	G2454	A2455	C2456	U2457	A2458	A2461	A2467	G2472	C2473	G2474	C2475	A2477	G2478	U2482	C2483	A2486	U2487	C2488	G2489	U2497	G2498	U2499	U2604	G2605	C2609	A2610	G2611											
C2507	U2508	G2509	C2510	A2511	U2512	G2513	U2519	C2520	A2521	U2522	A2526	U2527	C2528	U2529	A2530	C2531	G2537	A2538	A2550	U2555	C2564	G2565	U2568	U2571	A2572	G2575	A2576	G2577	A2580	C2581	U2582	U2583	C2584	A2585	G2586	U2587	U2588	G2589	U2593	C2598	U2604	G2605	C2609	A2610	G2611																																																				
G2612	U2613	U2621	A2626	C2634	G2635	U2636	A2637	G2638	U2639	A2640	A2641	C2642	U2643	A2644	U2645	G2646	A2647	A2648	G2649	U2655	U2658	A2668	G2669	A2673	C2674	G2675	G2676	C2686	U2690	C2691	U2692	G2696	C2697	U2698	A2707	G2708	C2709	U2716	G2722	U2729	A2730	U2731	A2732	A2813	G2814	G2815																																																			
U2736	G2737	U2740	A2741	U2742	U2743	A2744	G2745	U2746	A2747	A2748	G2752	A2756	A2757	A2758	G2759	C2760	U2764	A2765	G2769	A2772	A2773	A2774	U2778	C2779	U2780	A2786	U2787	U2790	U2791	C2792	U2793	U2799	U2800	U2801	G2803	C2804	A2805	A2806	G2807	A2808	A2809	U2810	G2811	U2812	A2813	G2814	G2815																																																		






A

• Molecule 52: 5S ribosomal RNA



• Molecule 53: 16S ribosomal RNA



4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of subtomograms used	12464	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	3.2	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3750	Depositor
Magnification	81000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.467	Depositor
Minimum map value	-0.851	Depositor
Average map value	0.025	Depositor
Map value standard deviation	0.139	Depositor
Recommended contour level	0.53	Depositor
Map size (Å)	435.328, 435.328, 435.328	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.7005, 1.7005, 1.7005	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.29	0/383	0.55	0/504
2	1	0.24	0/484	0.48	0/637
3	2	0.26	0/306	0.59	0/401
4	9	0.24	0/3071	0.50	1/4147 (0.0%)
5	A	0.25	0/1954	0.49	0/2642
6	B	0.25	0/1721	0.47	0/2323
7	C	0.29	0/1691	0.50	0/2267
8	D	0.27	0/1188	0.52	0/1593
9	E	0.26	0/1384	0.51	0/1867
10	F	0.25	0/1266	0.48	0/1700
11	G	0.25	0/1126	0.51	1/1517 (0.1%)
12	H	0.25	0/1044	0.49	0/1395
13	I	0.24	0/820	0.53	0/1103
14	J	0.30	0/844	0.51	0/1136
15	K	0.28	0/1094	0.55	0/1468
16	L	0.24	0/962	0.45	0/1289
17	M	0.25	0/483	0.49	0/643
18	N	0.25	0/679	0.47	0/907
19	O	0.23	0/659	0.48	0/885
20	P	0.24	0/684	0.47	0/913
21	Q	0.24	0/545	0.52	0/730
22	R	0.24	0/698	0.44	0/936
23	S	0.24	0/631	0.44	0/838
24	T	0.30	0/475	0.50	0/621
25	a	0.24	0/2267	0.48	0/3044
26	b	0.25	0/1795	0.51	0/2412
27	c	0.25	0/1671	0.50	1/2246 (0.0%)
28	d	0.26	0/1409	0.50	0/1894
29	e	0.26	0/1420	0.47	0/1912
30	f	0.25	0/1183	0.51	0/1587
31	g	0.34	0/969	0.56	0/1295
32	h	0.25	0/968	0.49	0/1298
33	i	0.24	0/1186	0.47	0/1592
34	j	0.26	0/953	0.51	0/1275

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	k	0.25	0/1170	0.50	0/1559
36	l	0.26	0/1104	0.50	0/1481
37	m	0.27	0/973	0.54	0/1309
38	n	0.29	0/897	0.55	0/1198
39	o	0.26	0/948	0.48	0/1262
40	p	0.26	0/961	0.47	0/1278
41	q	0.26	0/828	0.57	0/1111
42	r	0.26	0/1077	0.46	0/1441
43	s	0.25	0/732	0.51	0/988
44	t	0.26	0/879	0.53	0/1165
45	u	0.24	0/665	0.47	0/884
46	v	0.23	0/519	0.49	0/695
47	w	0.23	0/826	0.44	0/1104
48	x	0.27	0/353	0.45	0/474
49	y	0.30	0/457	0.54	0/601
50	z	0.26	0/412	0.48	0/547
51	3	0.20	0/69073	0.80	57/107710 (0.1%)
52	4	0.19	0/2505	0.79	0/3902
53	5	0.20	0/35768	0.79	17/55764 (0.0%)
54	6	0.21	0/1808	0.85	3/2817 (0.1%)
54	7	0.20	0/1808	0.85	3/2817 (0.1%)
All	All	0.22	0/161776	0.72	83/241124 (0.0%)

There are no bond length outliers.

The worst 5 of 83 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	5	485	C	N3-C2-O2	-8.78	115.76	121.90
53	5	904	C	C2-N1-C1'	8.69	128.36	118.80
51	3	2158	C	N1-C2-O2	8.62	124.08	118.90
51	3	2504	C	N3-C2-O2	-8.36	116.05	121.90
53	5	485	C	N1-C2-O2	8.32	123.89	118.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	45/48 (94%)	44 (98%)	1 (2%)	0	100	100
2	1	57/59 (97%)	52 (91%)	5 (9%)	0	100	100
3	2	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
4	9	391/394 (99%)	368 (94%)	23 (6%)	0	100	100
5	A	238/294 (81%)	222 (93%)	16 (7%)	0	100	100
6	B	213/273 (78%)	193 (91%)	20 (9%)	0	100	100
7	C	201/205 (98%)	189 (94%)	12 (6%)	0	100	100
8	D	151/219 (69%)	143 (95%)	8 (5%)	0	100	100
9	E	165/215 (77%)	141 (86%)	23 (14%)	1 (1%)	25	65
10	F	152/155 (98%)	135 (89%)	17 (11%)	0	100	100
11	G	139/142 (98%)	125 (90%)	14 (10%)	0	100	100
12	H	126/132 (96%)	115 (91%)	11 (9%)	0	100	100
13	I	99/108 (92%)	91 (92%)	8 (8%)	0	100	100
14	J	112/121 (93%)	106 (95%)	6 (5%)	0	100	100
15	K	134/139 (96%)	123 (92%)	11 (8%)	0	100	100
16	L	116/124 (94%)	103 (89%)	13 (11%)	0	100	100
17	M	58/61 (95%)	54 (93%)	4 (7%)	0	100	100
18	N	81/86 (94%)	79 (98%)	2 (2%)	0	100	100
19	O	78/94 (83%)	74 (95%)	4 (5%)	0	100	100
20	P	81/85 (95%)	76 (94%)	5 (6%)	0	100	100
21	Q	63/104 (61%)	57 (90%)	6 (10%)	0	100	100
22	R	82/87 (94%)	78 (95%)	4 (5%)	0	100	100
23	S	75/87 (86%)	73 (97%)	2 (3%)	0	100	100
24	T	51/60 (85%)	46 (90%)	5 (10%)	0	100	100
25	a	283/287 (99%)	270 (95%)	13 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	b	227/287 (79%)	210 (92%)	17 (8%)	0	100	100
27	c	208/212 (98%)	192 (92%)	16 (8%)	0	100	100
28	d	173/180 (96%)	159 (92%)	14 (8%)	0	100	100
29	e	174/184 (95%)	168 (97%)	6 (3%)	0	100	100
30	f	143/149 (96%)	127 (89%)	16 (11%)	0	100	100
31	g	124/161 (77%)	116 (94%)	7 (6%)	1 (1%)	19	60
32	h	126/137 (92%)	116 (92%)	10 (8%)	0	100	100
33	i	142/146 (97%)	128 (90%)	14 (10%)	0	100	100
34	j	120/122 (98%)	116 (97%)	4 (3%)	0	100	100
35	k	146/151 (97%)	130 (89%)	16 (11%)	0	100	100
36	l	134/139 (96%)	127 (95%)	7 (5%)	0	100	100
37	m	117/124 (94%)	108 (92%)	9 (8%)	0	100	100
38	n	108/116 (93%)	102 (94%)	6 (6%)	0	100	100
39	o	113/119 (95%)	101 (89%)	12 (11%)	0	100	100
40	p	112/127 (88%)	110 (98%)	2 (2%)	0	100	100
41	q	97/100 (97%)	87 (90%)	10 (10%)	0	100	100
42	r	137/159 (86%)	127 (93%)	10 (7%)	0	100	100
43	s	90/237 (38%)	86 (96%)	4 (4%)	0	100	100
44	t	109/111 (98%)	99 (91%)	10 (9%)	0	100	100
45	u	84/104 (81%)	76 (90%)	8 (10%)	0	100	100
46	v	61/65 (94%)	54 (88%)	7 (12%)	0	100	100
47	w	96/111 (86%)	88 (92%)	8 (8%)	0	100	100
48	x	42/97 (43%)	39 (93%)	3 (7%)	0	100	100
49	y	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
50	z	48/53 (91%)	47 (98%)	1 (2%)	0	100	100
All	All	6211/7064 (88%)	5755 (93%)	454 (7%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
31	g	45	PHE
9	E	164	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	40/41 (98%)	40 (100%)	0	100	100
2	1	51/51 (100%)	51 (100%)	0	100	100
3	2	35/35 (100%)	35 (100%)	0	100	100
4	9	324/325 (100%)	324 (100%)	0	100	100
5	A	212/262 (81%)	211 (100%)	1 (0%)	88	93
6	B	180/232 (78%)	179 (99%)	1 (1%)	86	91
7	C	181/183 (99%)	179 (99%)	2 (1%)	73	84
8	D	123/178 (69%)	123 (100%)	0	100	100
9	E	150/196 (76%)	150 (100%)	0	100	100
10	F	131/132 (99%)	130 (99%)	1 (1%)	81	89
11	G	123/124 (99%)	122 (99%)	1 (1%)	81	89
12	H	111/115 (96%)	111 (100%)	0	100	100
13	I	95/99 (96%)	95 (100%)	0	100	100
14	J	91/97 (94%)	91 (100%)	0	100	100
15	K	117/120 (98%)	115 (98%)	2 (2%)	60	78
16	L	100/105 (95%)	100 (100%)	0	100	100
17	M	47/48 (98%)	47 (100%)	0	100	100
18	N	76/78 (97%)	76 (100%)	0	100	100
19	O	69/82 (84%)	68 (99%)	1 (1%)	67	81
20	P	73/75 (97%)	73 (100%)	0	100	100
21	Q	56/94 (60%)	56 (100%)	0	100	100
22	R	74/77 (96%)	74 (100%)	0	100	100
23	S	70/77 (91%)	70 (100%)	0	100	100
24	T	49/56 (88%)	49 (100%)	0	100	100
25	a	241/243 (99%)	241 (100%)	0	100	100
26	b	186/233 (80%)	185 (100%)	1 (0%)	88	93

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
27	c	182/184 (99%)	182 (100%)	0	100	100
28	d	150/154 (97%)	150 (100%)	0	100	100
29	e	153/159 (96%)	153 (100%)	0	100	100
30	f	123/134 (92%)	121 (98%)	2 (2%)	62	79
31	g	101/129 (78%)	93 (92%)	8 (8%)	12	38
32	h	102/110 (93%)	101 (99%)	1 (1%)	76	86
33	i	126/128 (98%)	125 (99%)	1 (1%)	81	89
34	j	103/103 (100%)	103 (100%)	0	100	100
35	k	123/126 (98%)	122 (99%)	1 (1%)	81	89
36	l	113/115 (98%)	111 (98%)	2 (2%)	59	77
37	m	105/109 (96%)	105 (100%)	0	100	100
38	n	96/99 (97%)	94 (98%)	2 (2%)	53	72
39	o	101/105 (96%)	101 (100%)	0	100	100
40	p	100/108 (93%)	100 (100%)	0	100	100
41	q	90/91 (99%)	90 (100%)	0	100	100
42	r	116/132 (88%)	116 (100%)	0	100	100
43	s	82/208 (39%)	82 (100%)	0	100	100
44	t	96/96 (100%)	96 (100%)	0	100	100
45	u	69/85 (81%)	68 (99%)	1 (1%)	67	81
46	v	58/60 (97%)	58 (100%)	0	100	100
47	w	87/98 (89%)	87 (100%)	0	100	100
48	x	41/86 (48%)	41 (100%)	0	100	100
49	y	48/49 (98%)	46 (96%)	2 (4%)	30	54
50	z	47/50 (94%)	46 (98%)	1 (2%)	53	72
All	All	5417/6076 (89%)	5386 (99%)	31 (1%)	86	91

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
31	g	32	MET
45	u	28	ARG
31	g	45	PHE
49	y	47	MET
36	l	134	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 31 such sidechains are listed below:

Mol	Chain	Res	Type
12	H	93	ASN
40	p	8	GLN
21	Q	83	GLN
41	q	79	HIS
35	k	134	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
51	3	2875/2907 (98%)	1066 (37%)	77 (2%)
52	4	103/108 (95%)	41 (39%)	1 (0%)
53	5	1490/1520 (98%)	564 (37%)	35 (2%)
54	6	75/76 (98%)	26 (34%)	0
54	7	75/76 (98%)	26 (34%)	0
All	All	4618/4687 (98%)	1723 (37%)	113 (2%)

5 of 1723 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
51	3	11	U
51	3	12	A
51	3	13	C
51	3	16	A
51	3	26	G

5 of 113 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
51	3	2097	A
53	5	1445	G
51	3	2604	U
53	5	1401	A
53	5	921	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13275. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 104




Y Index: 120




Z Index: 122


6.3.2 Raw map



X Index: 106



Y Index: 125




Z Index: 125

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.53. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_13275_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1661 nm^3 ; this corresponds to an approximate mass of 1501 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.189 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.189 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.30	-	-
Author-provided FSC curve	5.31	7.49	5.59
Unmasked-calculated*	7.08	10.68	7.55

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.08 differs from the reported value 5.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13275 and PDB model 7PAK. Per-residue inclusion information can be found in section 3 on page 13.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.53 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.53).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 89% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary











































The table lists the average atom inclusion at the recommended contour level (0.53) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8179	 0.2750
0	 0.7973	 0.2880
1	 0.7339	 0.2870
2	 0.7162	 0.2640
3	 0.9210	 0.2920
4	 0.9268	 0.2910
5	 0.9244	 0.2830
6	 0.5179	 0.0740
7	 0.8375	 0.2340
9	 0.2149	 0.1850
A	 0.6075	 0.2560
B	 0.6329	 0.2560
C	 0.6173	 0.2390
D	 0.6603	 0.2570
E	 0.5831	 0.2700
F	 0.6083	 0.2550
G	 0.6379	 0.2430
H	 0.6264	 0.2360
I	 0.5987	 0.2410
J	 0.6756	 0.2590
K	 0.6935	 0.2810
L	 0.6394	 0.2540
M	 0.6945	 0.2570
N	 0.6329	 0.2380
O	 0.7011	 0.2820
P	 0.6728	 0.2480
Q	 0.6822	 0.2590
R	 0.6373	 0.2470
S	 0.7098	 0.2520
T	 0.6116	 0.2330
a	 0.7315	 0.2860
b	 0.7045	 0.2670
c	 0.6726	 0.2730
d	 0.6141	 0.2260
e	 0.6068	 0.2740



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.2585	 0.1870
g	 0.4789	 0.2030
h	 0.3887	 0.1950
i	 0.7213	 0.2710
j	 0.6815	 0.2930
k	 0.7264	 0.2840
l	 0.7242	 0.2880
m	 0.7179	 0.2680
n	 0.6644	 0.2550
o	 0.6915	 0.2860
p	 0.7311	 0.2490
q	 0.6834	 0.2860
r	 0.7226	 0.2700
s	 0.6982	 0.2920
t	 0.5656	 0.2680
u	 0.7234	 0.2790
v	 0.7394	 0.2790
w	 0.6916	 0.2640
x	 0.6122	 0.2650
y	 0.7742	 0.2980
z	 0.7607	 0.2920