



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2024 – 09:57 pm BST

PDB ID : 8PAJ
Title : Crystal Structure of a Squalene-Hopene cyclase from Archangium gephyra
Authors : Worthy, H.L.; Isupov, M.N.; Littlechild, J.A.; Mitchell, D.E.
Deposited on : 2023-06-08
Resolution : 1.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.37.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1156 (1.46-1.46)
Clashscore	141614	1202 (1.46-1.46)
Ramachandran outliers	138981	1178 (1.46-1.46)
Sidechain outliers	138945	1178 (1.46-1.46)
RSRZ outliers	127900	1139 (1.46-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	365	
1	B	365	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 12247 atoms, of which 5709 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Squalene-hopene/tetraprenyl-beta-curcumene cyclase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	342	5645	1810	2804	533	488	10	82	31	0
1	B	342	5662	1816	2813	531	492	10	83	32	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	383	ALA	-	expression tag	UNP A0A0G2ZXK3
A	384	SER	-	expression tag	UNP A0A0G2ZXK3
B	383	ALA	-	expression tag	UNP A0A0G2ZXK3
B	384	SER	-	expression tag	UNP A0A0G2ZXK3

- Molecule 2 is IMIDAZOLE (three-letter code: IMD) (formula: C₃H₅N₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	N	0	0
			10	3	5	2		
2	A	1	Total	C	H	N	0	0
			10	3	5	2		
2	B	1	Total	C	H	N	0	0
			10	3	5	2		
2	B	1	Total	C	H	N	0	0
			10	3	5	2		


- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	1	0
			10	2	6	2		
3	A	1	Total	C	H	O	1	0
			10	2	6	2		
3	A	1	Total	C	H	O	1	0
			10	2	6	2		
3	A	1	Total	C	H	O	1	0
			10	2	6	2		
3	B	1	Total	C	H	O	1	0
			10	2	6	2		
3	B	1	Total	C	H	O	1	0
			10	2	6	2		
3	B	1	Total	C	H	O	1	0
			10	2	6	2		

- Molecule 4 is 3[N-MORPHOLINO]PROPANE SULFONIC ACID (three-letter code: MPO)

(formula: C₇H₁₅NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
4	A	1	Total	C	H	N	O	S	1	0
			28	7	15	1	4	1		
4	B	1	Total	C	H	N	O	S	1	0
			28	7	15	1	4	1		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Cl 1 1	0	0
5	B	1	Total Cl 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	380	Total O 380 380	0	0
6	B	392	Total O 392 392	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Squalene-hopene/tetraprenyl-beta-curcumene cyclase



- Molecule 1: Squalene-hopene/tetraprenyl-beta-curcumene cyclase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	92.96Å 84.17Å 87.97Å 90.00° 94.20° 90.00°	Depositor
Resolution (Å)	43.87 – 1.46 43.87 – 1.46	Depositor EDS
% Data completeness (in resolution range)	100.0 (43.87-1.46) 99.9 (43.87-1.46)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 1.46Å)	Xtrriage
Refinement program	REFMAC 5.8.0411	Depositor
R, R_{free}	0.159 , 0.199 0.160 , 0.200	Depositor DCC
R_{free} test set	5947 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	17.1	Xtrriage
Anisotropy	0.504	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 39.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	12247	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MPO, CL, IMD, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/3015	0.84	6/4109 (0.1%)
1	B	0.57	1/3016 (0.0%)	0.82	5/4110 (0.1%)
All	All	0.57	1/6031 (0.0%)	0.83	11/8219 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	279	GLU	CD-OE2	5.20	1.31	1.25

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	85[A]	ARG	NE-CZ-NH2	7.47	124.03	120.30
1	A	85[B]	ARG	NE-CZ-NH2	7.47	124.03	120.30
1	B	85[A]	ARG	NE-CZ-NH2	-6.51	117.04	120.30
1	B	85[B]	ARG	NE-CZ-NH2	-6.51	117.04	120.30
1	B	49	ARG	NE-CZ-NH1	6.06	123.33	120.30
1	B	85[A]	ARG	NE-CZ-NH1	5.44	123.02	120.30
1	B	85[B]	ARG	NE-CZ-NH1	5.44	123.02	120.30
1	A	85[A]	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	A	85[B]	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	A	43[A]	ARG	NE-CZ-NH1	5.05	122.83	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	43[B]	ARG	NE-CZ-NH1	5.05	122.83	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	67	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2841	2804	2816	38	0
1	B	2849	2813	2819	34	0
2	A	10	10	10	0	0
2	B	10	10	10	1	0
3	A	16	24	24	0	0
3	B	12	18	18	0	0
4	A	13	15	15	5	0
4	B	13	15	15	2	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	380	0	0	4	1
6	B	392	0	0	7	0
All	All	6538	5709	5727	72	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:309[B]:LEU:HD11	1:A:370[B]:PHE:CE2	1.24	1.63
1:B:306[B]:ASP:OD2	1:B:310[B]:ARG:CZ	1.77	1.31
1:A:309[B]:LEU:CD1	1:A:370[B]:PHE:CE2	2.12	1.30

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:145[A]:GLU:HG3	6:B:611:HOH:O	1.42	1.17
1:A:36[B]:GLU:OE1	6:A:501:HOH:O	1.65	1.13
1:A:309[B]:LEU:HD11	1:A:370[B]:PHE:CD2	1.86	1.09
1:A:309[B]:LEU:HD11	1:A:370[B]:PHE:CZ	1.90	1.05
1:A:309[B]:LEU:CD1	1:A:370[B]:PHE:CZ	2.38	1.04
1:B:309[B]:LEU:HD11	1:B:370[B]:PHE:CE2	2.01	0.95
1:B:317[B]:GLN:NE2	6:B:504:HOH:O	2.05	0.88
1:B:43[B]:ARG:HG2	1:B:47[B]:LYS:HE3	1.57	0.86
1:B:222[A]:SER:OG	1:B:224[A]:GLU:OE1	1.97	0.82
1:B:306[B]:ASP:OD2	1:B:310[B]:ARG:NH1	2.13	0.81
1:B:309[B]:LEU:HD11	1:B:370[B]:PHE:CD2	2.19	0.77
1:A:309[B]:LEU:HD13	1:A:370[B]:PHE:CZ	2.20	0.75
1:A:310[B]:ARG:HG2	1:A:314[B]:ARG:HH21	1.50	0.74
1:B:309[B]:LEU:CD1	1:B:370[B]:PHE:CE2	2.74	0.70
1:B:128[B]:ARG:NH2	6:B:501:HOH:O	2.21	0.70
1:A:310[B]:ARG:HH11	1:A:314[B]:ARG:NH2	1.89	0.70
1:A:128[B]:ARG:HD2	1:A:193[B]:LEU:HD21	1.73	0.70
1:B:251:ASP:OD2	2:B:402:IMD:H4	1.91	0.70
1:B:309[B]:LEU:HD11	1:B:370[B]:PHE:CZ	2.27	0.69
1:B:306[B]:ASP:OD2	1:B:310[B]:ARG:NE	2.24	0.68
1:B:306[B]:ASP:OD2	1:B:310[B]:ARG:NH2	2.25	0.68
1:B:309[B]:LEU:CD1	1:B:370[B]:PHE:CZ	2.76	0.68
1:A:256[B]:THR:HG22	1:A:295:ASP:OD1	1.94	0.67
1:A:207[B]:ARG:HG3	1:A:208:PRO:HD3	1.78	0.64
1:B:210[B]:LEU:HD21	1:B:249:LEU:HD21	1.82	0.62
1:A:138:GLU:HG3	4:A:405:MPO:H62	1.82	0.60
1:B:298[A]:ARG:NH1	1:B:374:SER:O	2.35	0.59
1:A:138:GLU:CG	4:A:405:MPO:H62	2.33	0.59
1:B:306[A]:ASP:OD1	6:B:503:HOH:O	2.16	0.58
1:A:128[B]:ARG:HD2	1:A:193[B]:LEU:CD2	2.34	0.57
1:A:207[B]:ARG:NH1	1:A:211:GLU:HG3	2.20	0.56
1:A:85[B]:ARG:NH2	6:A:505:HOH:O	2.39	0.55
1:B:289:LEU:HD13	1:B:370[A]:PHE:HE2	1.71	0.55
1:B:289:LEU:HD13	1:B:370[A]:PHE:CE2	2.43	0.54
1:A:310[A]:ARG:NH1	6:A:503:HOH:O	2.27	0.54
1:A:34:VAL:HG21	1:A:309[A]:LEU:HD21	1.89	0.53
1:A:289:LEU:HD13	1:A:370[A]:PHE:HE2	1.71	0.53
1:A:210[B]:LEU:HD23	1:A:249:LEU:HD21	1.91	0.53
1:A:138:GLU:HB2	4:A:405:MPO:H62	1.91	0.53
1:B:256[B]:THR:HG22	1:B:295:ASP:OD1	2.08	0.53
1:A:310[B]:ARG:NH1	1:A:314[B]:ARG:NH2	2.57	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:34:VAL:CG2	1:A:309[A]:LEU:HD21	2.40	0.52
1:B:34:VAL:HG21	1:B:309[A]:LEU:HD21	1.91	0.51
1:A:289:LEU:HD13	1:A:370[A]:PHE:CE2	2.46	0.49
1:A:328[A]:MET:HE1	1:A:351:LEU:HD12	1.97	0.47
1:B:85[B]:ARG:NH1	6:B:509:HOH:O	2.48	0.46
1:B:317[A]:GLN:NE2	6:B:505:HOH:O	2.22	0.46
1:A:210[B]:LEU:CD2	1:A:249:LEU:HD21	2.46	0.46
1:A:310[B]:ARG:HH11	1:A:314[B]:ARG:HH21	1.61	0.46
1:B:198:LEU:HB2	1:B:210[A]:LEU:HD21	1.97	0.46
1:A:30:ARG:HB2	6:A:844:HOH:O	2.15	0.46
1:B:34:VAL:CG2	1:B:309[A]:LEU:HD21	2.46	0.45
1:B:138:GLU:HB2	4:B:404:MPO:H61	1.98	0.44
1:A:120:ALA:HB2	1:A:153:TYR:CG	2.53	0.43
1:A:138:GLU:HB2	4:A:405:MPO:C6	2.47	0.43
1:B:330[A]:MET:HE2	1:B:330[A]:MET:HB2	1.68	0.43
1:A:198:LEU:HB2	1:A:210[A]:LEU:HD21	2.00	0.43
1:B:30[A]:ARG:HG3	1:B:32[A]:SER:H	1.83	0.43
1:B:120:ALA:HB2	1:B:153:TYR:CG	2.55	0.41
1:A:85[B]:ARG:HH21	1:A:85[B]:ARG:HD3	1.73	0.41
1:A:138:GLU:CB	4:A:405:MPO:H62	2.50	0.41
1:B:298[B]:ARG:NE	6:B:503:HOH:O	1.91	0.41
1:A:128[B]:ARG:CD	1:A:193[B]:LEU:HD21	2.45	0.41
1:B:138:GLU:HG3	4:B:404:MPO:H62	2.03	0.41
1:A:328[A]:MET:CE	1:A:351:LEU:HD12	2.51	0.40
1:B:309[B]:LEU:HD11	1:B:370[B]:PHE:CG	2.53	0.40
1:B:32[B]:SER:OG	1:B:36:GLU:OE2	2.38	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:598:HOH:O	6:A:598:HOH:O[2_556]	1.58	0.62

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	369/365 (101%)	365 (99%)	4 (1%)	0	100	100
1	B	369/365 (101%)	363 (98%)	6 (2%)	0	100	100
All	All	738/730 (101%)	728 (99%)	10 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	285/272 (105%)	285 (100%)	0	100	100
1	B	286/272 (105%)	286 (100%)	0	100	100
All	All	571/544 (105%)	571 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	260	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 2 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	A	403	-	3,3,3	0.96	0	2,2,2	0.52	0
3	EDO	B	405	-	3,3,3	0.21	0	2,2,2	0.05	0
4	MPO	B	404	-	13,13,13	0.86	1 (7%)	17,17,17	1.07	1 (5%)
3	EDO	A	402	-	3,3,3	0.16	0	2,2,2	0.21	0
3	EDO	A	406	-	3,3,3	0.10	0	2,2,2	0.37	0
2	IMD	B	401	-	3,5,5	0.50	0	4,5,5	0.77	0
3	EDO	A	407	-	3,3,3	0.26	0	2,2,2	0.27	0
3	EDO	B	406	-	3,3,3	0.24	0	2,2,2	0.16	0
3	EDO	B	403	-	3,3,3	0.22	0	2,2,2	0.22	0
4	MPO	A	405	-	13,13,13	0.60	0	17,17,17	1.37	3 (17%)
2	IMD	B	402	-	3,5,5	0.67	0	4,5,5	0.57	0
2	IMD	A	401	-	3,5,5	0.43	0	4,5,5	0.69	0
2	IMD	A	404	-	3,5,5	0.48	0	4,5,5	0.57	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	403	-	-	1/1/1/1	-
4	MPO	B	404	-	-	2/7/15/15	0/1/1/1
3	EDO	A	402	-	-	1/1/1/1	-
3	EDO	A	406	-	-	1/1/1/1	-
2	IMD	B	401	-	-	-	0/1/1/1
3	EDO	A	407	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	B	406	-	-	1/1/1/1	-
3	EDO	B	403	-	-	1/1/1/1	-
4	MPO	A	405	-	-	4/7/15/15	0/1/1/1
2	IMD	B	402	-	-	-	0/1/1/1
2	IMD	A	404	-	-	-	0/1/1/1
2	IMD	A	401	-	-	-	0/1/1/1
3	EDO	B	405	-	-	1/1/1/1	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	404	MPO	O3-S1	2.90	1.57	1.47

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	404	MPO	O3-S1-C1	-3.75	99.71	105.77
4	A	405	MPO	O3-S1-O2	-2.70	104.69	111.27
4	A	405	MPO	O4-C6-C7	2.15	116.53	111.80
4	A	405	MPO	C3-N1-C4	2.04	116.46	111.23

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	405	MPO	C1-C2-C3-N1
4	B	404	MPO	C1-C2-C3-N1
3	A	406	EDO	O1-C1-C2-O2
3	B	406	EDO	O1-C1-C2-O2
4	A	405	MPO	C2-C1-S1-O2
3	A	403	EDO	O1-C1-C2-O2
3	B	403	EDO	O1-C1-C2-O2
4	B	404	MPO	S1-C1-C2-C3
4	A	405	MPO	C2-C1-S1-O3
4	A	405	MPO	C2-C1-S1-O1
3	A	407	EDO	O1-C1-C2-O2
3	A	402	EDO	O1-C1-C2-O2
3	B	405	EDO	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	404	MPO	2	0
4	A	405	MPO	5	0
2	B	402	IMD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	342/365 (93%)	-0.14	20 (5%) 23 25	14, 19, 39, 76	0
1	B	342/365 (93%)	-0.04	24 (7%) 16 18	14, 20, 37, 76	0
All	All	684/730 (93%)	-0.09	44 (6%) 19 21	14, 19, 38, 76	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	64	VAL	14.3
1	B	63	VAL	12.3
1	A	64	VAL	11.1
1	A	63	VAL	10.3
1	B	66	ASP	7.5
1	B	375	ARG	6.9
1	A	170	PRO	6.9
1	A	65	GLY	6.2
1	A	66	ASP	6.0
1	B	62	PHE	5.9
1	B	65	GLY	5.3
1	A	174	GLY	5.3
1	B	174	GLY	5.3
1	A	62	PHE	5.2
1	A	167	ALA	5.1
1	B	67	ARG	4.7
1	A	175	TRP	4.5
1	A	30	ARG	4.5
1	A	168	GLU	4.4
1	B	168	GLU	4.4
1	B	348	LEU	4.1
1	B	167	ALA	3.9
1	A	67	ARG	3.8
1	A	169	ARG	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	135	GLY	3.2
1	B	175	TRP	3.2
1	A	348	LEU	3.0
1	A	176	ALA	3.0
1	B	61	ARG	3.0
1	B	371	LEU	2.9
1	B	178	TYR	2.8
1	B	169	ARG	2.8
1	B	30[A]	ARG	2.7
1	B	31[A]	GLU	2.6
1	B	135	GLY	2.5
1	B	298[A]	ARG	2.5
1	A	31[A]	GLU	2.3
1	A	178	TYR	2.3
1	B	374	SER	2.3
1	B	176	ALA	2.1
1	A	374	SER	2.0
1	A	61	ARG	2.0
1	B	34	VAL	2.0
1	B	137	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MPO	A	405	13/13	0.70	0.24	30,41,44,49	28
4	MPO	B	404	13/13	0.73	0.20	30,37,41,42	28
3	EDO	A	402	4/4	0.80	0.12	30,46,46,46	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	EDO	B	406	4/4	0.80	0.17	30,43,44,44	1
3	EDO	A	406	4/4	0.81	0.13	30,48,49,51	1
3	EDO	A	403	4/4	0.81	0.14	30,34,36,36	1
3	EDO	A	407	4/4	0.85	0.34	30,50,53,55	1
2	IMD	A	404	5/5	0.86	0.14	29,32,34,35	0
3	EDO	B	405	4/4	0.87	0.31	30,47,50,51	1
2	IMD	A	401	5/5	0.91	0.08	27,28,29,29	0
2	IMD	B	402	5/5	0.91	0.16	30,32,33,33	0
2	IMD	B	401	5/5	0.94	0.07	25,26,28,28	0
3	EDO	B	403	4/4	0.94	0.21	30,38,39,39	1
5	CL	A	408	1/1	0.98	0.09	35,35,35,35	0
5	CL	B	407	1/1	0.99	0.02	27,27,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.