



Full wwPDB EM Validation Report ⓘ

Mar 10, 2022 – 02:04 am GMT

PDB ID : 7PC2
EMDB ID : EMD-13316
Title : HIV-1 Env (BG505 SOSIP.664) in complex with the IgA bNAb 7-269 and the antibody 3BNC117.
Authors : Fernandez, I.; Bontems, F.; Pehau-Arnaudet, G.; Rey, F.
Deposited on : 2021-08-03
Resolution : 2.80 Å(reported)
Based on initial model : 5V8M

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.0.dev97
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	M	240	48% (Poor fit), 51% (0 outliers), 46% (Not modelled)
1	O	240	36% (Poor fit), 52% (0 outliers), 46% (Not modelled)
1	Q	240	41% (Poor fit), 50% (0 outliers), 46% (Not modelled)
2	N	215	37% (Poor fit), 47% (0 outliers), 50% (Not modelled)
2	P	215	33% (Poor fit), 47% (0 outliers), 50% (Not modelled)
2	R	215	40% (Poor fit), 48% (0 outliers), 50% (Not modelled)
3	A	481	65% (Poor fit), 91% (0 outliers), 7% (Not modelled)
3	B	481	62% (Poor fit), 90% (0 outliers), 7% (Not modelled)
3	C	481	62% (Poor fit), 91% (0 outliers), 7% (Not modelled)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	153	53% 82% 16%
4	E	153	56% 80% 5% 16%
4	F	153	56% 80% 5% 16%
5	G	226	31% 52% 46%
5	I	226	35% 52% 46%
5	K	226	32% 52% 46%
6	H	206	20% 46% 52%
6	J	206	37% 47% 52%
6	L	206	30% 47% 52%
7	4	2	50% 100%
7	7	2	100%
7	8	2	50% 100%
7	9	2	100%
7	S	2	50% 50% 50%
7	T	2	50% 100%
7	U	2	50% 100%
7	V	2	50% 100%
7	Z	2	50% 100%
7	d	2	100%
7	g	2	50% 100% 50%
7	h	2	100%
7	i	2	50% 100%
7	j	2	100%
7	k	2	50% 50% 50%
7	p	2	100%




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	v	2	100% 100%
7	w	2	50% 100%
7	x	2	100% 100%
8	W	9	78% 22% 78%
8	s	9	89% 22% 78%
8	y	9	89% 33% 67%
9	X	8	100% 25% 75%
9	l	8	100% 38% 62%
9	z	8	75% 38% 62%
10	0	3	100% 100%
10	2	3	67% 67% 33%
10	3	3	100% 100%
10	Y	3	67% 100%
10	c	3	100% 67% 33%
10	f	3	100% 100%
10	m	3	100% 100%
10	o	3	67% 100%
10	t	3	67% 100%
10	u	3	100% 67% 33%
11	6	11	82% 18% 82%
11	a	11	82% 18% 82%
11	r	11	64% 18% 82%
12	b	7	71% 43% 57%
13	1	5	100% 60% 40%
13	e	5	40% 60% 40%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
13	n	5	 <p>100% 60% 40%</p>
14	5	8	 <p>62% 12% 88%</p>
14	q	8	 <p>62% 25% 75%</p>

2 Entry composition [i](#)

There are 15 unique types of molecules in this entry. The entry contains 27063 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 7-269 IgA Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	O	130	1031	646	181	195	9	0	0
1	M	130	1031	646	181	195	9	0	0
1	Q	130	1031	646	181	195	9	0	0

- Molecule 2 is a protein called 7-269 IgA Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	P	108	821	515	140	163	3	0	0
2	N	108	821	515	140	163	3	0	0
2	R	108	821	515	140	163	3	0	0

- Molecule 3 is a protein called gp120, BG505 SOSIP.664 T332N.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	A	445	3499	2195	618	658	28	0	0
3	B	445	3499	2195	618	658	28	0	0
3	C	445	3499	2195	618	658	28	0	0

- Molecule 4 is a protein called gp41 BG505 T332N SOSIP.664.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	129	1024	646	177	195	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace	
4	E	129	Total	C	N	O	S	0	0
			1024	646	177	195	6		
4	F	129	Total	C	N	O	S	0	0
			1024	646	177	195	6		

- Molecule 5 is a protein called 3BNC IgG Fab heavy chain.

Mol	Chain	Residues	Atoms				AltConf	Trace	
5	K	121	Total	C	N	O	S	0	0
			985	626	177	179	3		
5	G	121	Total	C	N	O	S	0	0
			985	626	177	179	3		
5	I	121	Total	C	N	O	S	0	0
			985	626	177	179	3		

- Molecule 6 is a protein called 3BNC117 IgG Fab light chain.

Mol	Chain	Residues	Atoms				AltConf	Trace	
6	L	98	Total	C	N	O	S	0	0
			783	493	137	150	3		
6	H	98	Total	C	N	O	S	0	0
			783	493	137	150	3		
6	J	98	Total	C	N	O	S	0	0
			783	493	137	150	3		

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
7	S	2	Total	C	N	O	0	0
			28	16	2	10		
7	T	2	Total	C	N	O	0	0
			28	16	2	10		
7	U	2	Total	C	N	O	0	0
			28	16	2	10		
7	V	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	Z	2	Total	C	N	O	0	0
			28	16	2	10		
7	d	2	Total	C	N	O	0	0
			28	16	2	10		
7	g	2	Total	C	N	O	0	0
			28	16	2	10		
7	h	2	Total	C	N	O	0	0
			28	16	2	10		
7	i	2	Total	C	N	O	0	0
			28	16	2	10		
7	j	2	Total	C	N	O	0	0
			28	16	2	10		
7	k	2	Total	C	N	O	0	0
			28	16	2	10		
7	p	2	Total	C	N	O	0	0
			28	16	2	10		
7	v	2	Total	C	N	O	0	0
			28	16	2	10		
7	w	2	Total	C	N	O	0	0
			28	16	2	10		
7	x	2	Total	C	N	O	0	0
			28	16	2	10		
7	4	2	Total	C	N	O	0	0
			28	16	2	10		
7	7	2	Total	C	N	O	0	0
			28	16	2	10		
7	8	2	Total	C	N	O	0	0
			28	16	2	10		
7	9	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	W	9	Total	C	N	O	0	0
			105	58	2	45		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
8	s	9	Total	C	N	O	0	0
			105	58	2	45		
8	y	9	Total	C	N	O	0	0
			105	58	2	45		

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
9	X	8	Total	C	N	O	0	0
			94	52	2	40		
9	l	8	Total	C	N	O	0	0
			94	52	2	40		
9	z	8	Total	C	N	O	0	0
			94	52	2	40		

- Molecule 10 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
10	Y	3	Total	C	N	O	0	0
			39	22	2	15		
10	c	3	Total	C	N	O	0	0
			39	22	2	15		
10	f	3	Total	C	N	O	0	0
			39	22	2	15		
10	m	3	Total	C	N	O	0	0
			39	22	2	15		
10	o	3	Total	C	N	O	0	0
			39	22	2	15		
10	t	3	Total	C	N	O	0	0
			39	22	2	15		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	u	3	39	22	2	15	0	0
10	0	3	39	22	2	15	0	0
10	2	3	39	22	2	15	0	0
10	3	3	39	22	2	15	0	0

- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	a	11	127	70	2	55	0	0
11	r	11	127	70	2	55	0	0
11	6	11	127	70	2	55	0	0


- Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	b	7	83	46	2	35	0	0


- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-

acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
13	e	5	61	34	2	25	0	0
13	n	5	61	34	2	25	0	0
13	1	5	61	34	2	25	0	0

- Molecule 14 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
14	q	8	94	52	2	40	0	0
14	5	8	94	52	2	40	0	0

- Molecule 15 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
15	A	1	70	40	5	25	0
15	A	1	70	40	5	25	0
15	A	1	70	40	5	25	0
15	A	1	70	40	5	25	0
15	A	1	70	40	5	25	0
15	B	1	70	40	5	25	0
15	B	1	70	40	5	25	0
15	B	1	70	40	5	25	0
15	B	1	70	40	5	25	0
15	B	1	70	40	5	25	0
15	C	1	56	32	4	20	0
15	C	1	56	32	4	20	0
15	C	1	56	32	4	20	0
15	C	1	56	32	4	20	0


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
15	D	1	Total 28	C 16	N 2	O 10	0
15	D	1	Total 28	C 16	N 2	O 10	0
15	E	1	Total 28	C 16	N 2	O 10	0
15	E	1	Total 28	C 16	N 2	O 10	0
15	F	1	Total 28	C 16	N 2	O 10	0
15	F	1	Total 28	C 16	N 2	O 10	0




• Molecule 2: 7-269 IgA Fab light chain




• Molecule 2: 7-269 IgA Fab light chain





• Molecule 2: 7-269 IgA Fab light chain







• Molecule 3: gp120, BG505 SOSIP.664 T332N






• Molecule 3: gp120, BG505 SOSIP.664 T332N







• Molecule 3: gp120, BG505 SOSIP.664 T332N








• Molecule 4: gp41 BG505 T332N SOSIP.664



• Molecule 4: gp41 BG505 T332N SOSIP.664



• Molecule 4: gp41 BG505 T332N SOSIP.664



VAL CYS LEU LEU ASN ASN PHE TYR PRO LEU ARG GLU ALA LYS VAL VAL GLN TRP LYS VAL ASP ASN ALA GLN SER GLY ASN SER GLN SER VAL THR GLN ASP SER LYS ASP SER THR TYR LEU SER SER THR THR LEU SER LYS ALA ASP TYR GLU LYS HIS VAL VAL TYR

ALA CYS GLU VAL THR HIS GLN GLY SER SER PRO THR LYS PHE ASN ARG GLY CYS

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  100%
100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain v:  100%
100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain w:  50%
100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain x:  100%
100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 4:  50%
100%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 7:  100%
100%




- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose








- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 10: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1



-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 12: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 13: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 13: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 13: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 14: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(

1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranos
e



• Molecule 14: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyra
nose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(
1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranos
e



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C3	Depositor
Number of particles used	115394	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	2.634	Depositor
Minimum map value	-0.659	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.049	Depositor
Recommended contour level	0.29	Depositor
Map size (Å)	357.0, 357.0, 357.0	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	M	0.51	0/1059	0.63	2/1432 (0.1%)
1	O	0.31	0/1059	0.50	1/1432 (0.1%)
1	Q	0.31	0/1059	0.50	1/1432 (0.1%)
2	N	0.30	0/840	0.47	0/1142
2	P	0.30	0/840	0.47	0/1142
2	R	0.29	0/840	0.47	0/1142
3	A	0.44	0/3569	0.52	0/4844
3	B	0.54	0/3569	0.54	0/4844
3	C	0.48	0/3569	0.53	0/4844
4	D	0.31	0/1041	0.44	0/1412
4	E	0.31	0/1041	0.45	0/1412
4	F	0.31	0/1041	0.46	0/1412
5	G	0.37	0/1017	0.48	0/1386
5	I	0.36	0/1017	0.48	0/1386
5	K	0.36	0/1017	0.48	0/1386
6	H	0.33	0/798	0.79	2/1080 (0.2%)
6	J	0.31	0/798	0.46	0/1080
6	L	0.30	0/798	0.45	0/1080
All	All	0.41	0/24972	0.52	6/33888 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	H	7	SER	CB-CA-C	-15.52	80.62	110.10
6	H	7	SER	N-CA-C	13.66	147.88	111.00
1	M	108	SER	CB-CA-C	-7.99	94.93	110.10
1	M	108	SER	N-CA-C	7.81	132.09	111.00
1	Q	110	CYS	CA-CB-SG	5.30	123.54	114.00
1	O	110	CYS	CA-CB-SG	5.19	123.35	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	128/240 (53%)	114 (89%)	14 (11%)	0	100	100
1	O	128/240 (53%)	115 (90%)	13 (10%)	0	100	100
1	Q	128/240 (53%)	117 (91%)	11 (9%)	0	100	100
2	N	106/215 (49%)	96 (91%)	10 (9%)	0	100	100
2	P	106/215 (49%)	97 (92%)	9 (8%)	0	100	100
2	R	106/215 (49%)	98 (92%)	8 (8%)	0	100	100
3	A	433/481 (90%)	398 (92%)	35 (8%)	0	100	100
3	B	433/481 (90%)	405 (94%)	28 (6%)	0	100	100
3	C	433/481 (90%)	405 (94%)	28 (6%)	0	100	100
4	D	125/153 (82%)	113 (90%)	12 (10%)	0	100	100
4	E	125/153 (82%)	114 (91%)	11 (9%)	0	100	100
4	F	125/153 (82%)	111 (89%)	14 (11%)	0	100	100
5	G	119/226 (53%)	112 (94%)	7 (6%)	0	100	100
5	I	119/226 (53%)	111 (93%)	8 (7%)	0	100	100
5	K	119/226 (53%)	112 (94%)	7 (6%)	0	100	100
6	H	92/206 (45%)	83 (90%)	9 (10%)	0	100	100
6	J	92/206 (45%)	86 (94%)	6 (6%)	0	100	100
6	L	92/206 (45%)	86 (94%)	6 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	3009/4563 (66%)	2773 (92%)	236 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	108/206 (52%)	101 (94%)	7 (6%)	17	44
1	O	108/206 (52%)	102 (94%)	6 (6%)	21	51
1	Q	108/206 (52%)	100 (93%)	8 (7%)	13	37
2	N	90/187 (48%)	82 (91%)	8 (9%)	9	28
2	P	90/187 (48%)	83 (92%)	7 (8%)	12	35
2	R	90/187 (48%)	86 (96%)	4 (4%)	28	61
3	A	398/428 (93%)	390 (98%)	8 (2%)	55	84
3	B	398/428 (93%)	386 (97%)	12 (3%)	41	75
3	C	398/428 (93%)	391 (98%)	7 (2%)	59	86
4	D	111/129 (86%)	107 (96%)	4 (4%)	35	69
4	E	111/129 (86%)	104 (94%)	7 (6%)	18	46
4	F	111/129 (86%)	104 (94%)	7 (6%)	18	46
5	G	102/193 (53%)	99 (97%)	3 (3%)	42	76
5	I	102/193 (53%)	98 (96%)	4 (4%)	32	66
5	K	102/193 (53%)	99 (97%)	3 (3%)	42	76
6	H	86/183 (47%)	84 (98%)	2 (2%)	50	82
6	J	86/183 (47%)	84 (98%)	2 (2%)	50	82
6	L	86/183 (47%)	85 (99%)	1 (1%)	71	92
All	All	2685/3978 (68%)	2585 (96%)	100 (4%)	37	68

All (100) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	O	7	SER
1	O	38	ARG
1	O	84	ASP
1	O	95	TYR
1	O	99	ASP
1	O	110	CYS
2	P	23	CYS
2	P	32	ASN
2	P	52	SER
2	P	61	ARG
2	P	67	SER
2	P	90	HIS
2	P	104	LYS
1	M	7	SER
1	M	21	SER
1	M	38	ARG
1	M	63	SER
1	M	84	ASP
1	M	95	TYR
1	M	99	ASP
2	N	7	SER
2	N	23	CYS
2	N	28	SER
2	N	61	ARG
2	N	63	SER
2	N	77	SER
2	N	90	HIS
2	N	98	SER
1	Q	3	GLN
1	Q	38	ARG
1	Q	63	SER
1	Q	83	MET
1	Q	84	ASP
1	Q	85	SER
1	Q	95	TYR
1	Q	99	ASP
2	R	61	ARG
2	R	77	SER
2	R	90	HIS
2	R	106	GLU
3	A	54	CYS
3	A	66	HIS
3	A	107	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	185(A)	GLU
3	A	201	ILE
3	A	276	ASN
3	A	378	CYS
3	A	412	ASP
3	B	54	CYS
3	B	66	HIS
3	B	125	LEU
3	B	140	ASP
3	B	166	ARG
3	B	178	ARG
3	B	276	ASN
3	B	378	CYS
3	B	393	SER
3	B	410	SER
3	B	425	ASN
3	B	432	GLN
3	C	45	TRP
3	C	66	HIS
3	C	125	LEU
3	C	183	GLN
3	C	236	THR
3	C	276	ASN
3	C	393	SER
4	D	534	SER
4	D	535	MET
4	D	550	GLN
4	D	613	SER
4	E	546	SER
4	E	549	VAL
4	E	550	GLN
4	E	607	ASN
4	E	629	LEU
4	E	650	GLN
4	E	658	GLN
4	F	535	MET
4	F	551	GLN
4	F	589	ASP
4	F	599	SER
4	F	605	CYS
4	F	620	SER
4	F	659	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	K	3	GLN
5	K	61	ARG
5	K	71	ARG
5	G	31	ASP
5	G	61	ARG
5	G	71	ARG
5	I	23	GLU
5	I	61	ARG
5	I	71	ARG
5	I	82	LEU
6	L	65	ARG
6	H	55	GLU
6	H	66	ARG
6	J	88	CYS
6	J	89	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (49) such sidechains are listed below:

Mol	Chain	Res	Type
1	O	74	ASN
1	O	82	GLN
2	P	92	ASN
1	M	74	ASN
1	M	80	HIS
1	M	109	HIS
2	N	42	GLN
2	N	79	GLN
2	N	92	ASN
1	Q	74	ASN
2	R	42	GLN
2	R	92	ASN
3	A	33	ASN
3	A	72	HIS
3	A	94	ASN
3	A	183	GLN
3	A	195	ASN
3	A	249	HIS
3	A	280	ASN
3	A	462	ASN
3	B	33	ASN
3	B	72	HIS
3	B	183	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	B	195	ASN
3	B	203	GLN
3	B	249	HIS
3	B	280	ASN
3	B	377	ASN
3	B	432	GLN
3	C	33	ASN
3	C	72	HIS
3	C	185	ASN
3	C	203	GLN
3	C	249	HIS
3	C	280	ASN
3	C	355	ASN
4	D	540	GLN
4	F	540	GLN
4	F	652	GLN
5	K	3	GLN
5	K	43	GLN
5	G	6	GLN
5	G	43	GLN
5	I	6	GLN
5	I	43	GLN
6	L	6	GLN
6	L	79	GLN
6	H	6	GLN
6	J	89	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

190 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	NAG	0	1	3,10	14,14,15	0.22	0	17,19,21	0.47	0
10	NAG	0	2	10	14,14,15	0.21	0	17,19,21	0.46	0
10	BMA	0	3	10	11,11,12	0.50	0	15,15,17	0.75	0
13	NAG	1	1	3,13	14,14,15	0.40	0	17,19,21	0.41	0
13	NAG	1	2	13	14,14,15	0.31	0	17,19,21	0.45	0
13	BMA	1	3	13	11,11,12	0.58	0	15,15,17	0.73	0
13	MAN	1	4	13	11,11,12	0.63	0	15,15,17	1.11	2 (13%)
13	MAN	1	5	13	11,11,12	0.65	0	15,15,17	1.00	2 (13%)
10	NAG	2	1	3,10	14,14,15	0.30	0	17,19,21	0.66	1 (5%)
10	NAG	2	2	10	14,14,15	0.22	0	17,19,21	0.40	0
10	BMA	2	3	10	11,11,12	0.51	0	15,15,17	0.75	0
10	NAG	3	1	3,10	14,14,15	0.25	0	17,19,21	0.44	0
10	NAG	3	2	10	14,14,15	0.17	0	17,19,21	0.41	0
10	BMA	3	3	10	11,11,12	0.60	0	15,15,17	0.91	0
7	NAG	4	1	3,7	14,14,15	0.20	0	17,19,21	0.59	0
7	NAG	4	2	7	14,14,15	0.26	0	17,19,21	0.43	0
14	NAG	5	1	3,14	14,14,15	0.40	0	17,19,21	1.30	2 (11%)
14	NAG	5	2	14	14,14,15	0.34	0	17,19,21	0.53	0
14	BMA	5	3	14	11,11,12	0.72	0	15,15,17	0.96	1 (6%)
14	MAN	5	4	14	11,11,12	0.62	0	15,15,17	0.96	1 (6%)
14	MAN	5	5	14	11,11,12	0.63	0	15,15,17	1.15	2 (13%)
14	MAN	5	6	14	11,11,12	0.71	0	15,15,17	1.11	1 (6%)
14	MAN	5	7	14	11,11,12	0.87	1 (9%)	15,15,17	1.20	1 (6%)
14	MAN	5	8	14	11,11,12	0.71	0	15,15,17	0.99	1 (6%)
11	NAG	6	1	11,3	14,14,15	0.50	0	17,19,21	0.41	0
11	MAN	6	10	11	11,11,12	0.75	0	15,15,17	1.24	2 (13%)
11	MAN	6	11	11	11,11,12	0.76	1 (9%)	15,15,17	0.93	1 (6%)
11	NAG	6	2	11	14,14,15	0.32	0	17,19,21	0.49	0
11	BMA	6	3	11	11,11,12	0.59	0	15,15,17	0.96	1 (6%)
11	MAN	6	4	11	11,11,12	0.76	0	15,15,17	1.25	2 (13%)
11	MAN	6	5	11	11,11,12	0.69	0	15,15,17	0.93	1 (6%)
11	MAN	6	6	11	11,11,12	0.55	0	15,15,17	1.12	2 (13%)
11	MAN	6	7	11	11,11,12	0.67	0	15,15,17	1.23	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	MAN	6	8	11	11,11,12	0.59	0	15,15,17	1.19	2 (13%)
11	MAN	6	9	11	11,11,12	0.59	0	15,15,17	0.99	1 (6%)
7	NAG	7	1	7,6	14,14,15	0.22	0	17,19,21	0.38	0
7	NAG	7	2	7	14,14,15	0.20	0	17,19,21	0.41	0
7	NAG	8	1	7,6	14,14,15	0.24	0	17,19,21	0.37	0
7	NAG	8	2	7	14,14,15	0.19	0	17,19,21	0.41	0
7	NAG	9	1	7,6	14,14,15	0.23	0	17,19,21	0.37	0
7	NAG	9	2	7	14,14,15	0.20	0	17,19,21	0.37	0
7	NAG	S	1	3,7	14,14,15	0.24	0	17,19,21	0.47	0
7	NAG	S	2	7	14,14,15	0.40	0	17,19,21	1.25	1 (5%)
7	NAG	T	1	3,7	14,14,15	0.22	0	17,19,21	0.47	0
7	NAG	T	2	7	14,14,15	0.20	0	17,19,21	0.40	0
7	NAG	U	1	3,7	14,14,15	0.36	0	17,19,21	0.41	0
7	NAG	U	2	7	14,14,15	0.23	0	17,19,21	0.42	0
7	NAG	V	1	3,7	14,14,15	0.44	0	17,19,21	0.46	0
7	NAG	V	2	7	14,14,15	0.23	0	17,19,21	0.41	0
8	NAG	W	1	3,8	14,14,15	0.30	0	17,19,21	0.52	0
8	NAG	W	2	8	14,14,15	0.32	0	17,19,21	0.51	0
8	BMA	W	3	8	11,11,12	0.84	0	15,15,17	0.99	1 (6%)
8	MAN	W	4	8	11,11,12	0.55	0	15,15,17	1.18	2 (13%)
8	MAN	W	5	8	11,11,12	0.58	0	15,15,17	1.09	2 (13%)
8	MAN	W	6	8	11,11,12	0.65	0	15,15,17	0.91	1 (6%)
8	MAN	W	7	8	11,11,12	0.66	0	15,15,17	1.43	2 (13%)
8	MAN	W	8	8	11,11,12	0.67	0	15,15,17	1.30	2 (13%)
8	MAN	W	9	8	11,11,12	0.53	0	15,15,17	1.15	2 (13%)
9	NAG	X	1	3,9	14,14,15	0.39	0	17,19,21	0.43	0
9	NAG	X	2	9	14,14,15	0.18	0	17,19,21	0.42	0
9	BMA	X	3	9	11,11,12	0.58	0	15,15,17	0.71	1 (6%)
9	MAN	X	4	9	11,11,12	0.68	0	15,15,17	1.24	2 (13%)
9	MAN	X	5	9	11,11,12	0.71	0	15,15,17	0.88	1 (6%)
9	MAN	X	6	9	11,11,12	0.61	0	15,15,17	1.06	2 (13%)
9	MAN	X	7	9	11,11,12	0.60	0	15,15,17	1.06	2 (13%)
9	MAN	X	8	9	11,11,12	0.61	0	15,15,17	0.99	2 (13%)
10	NAG	Y	1	3,10	14,14,15	0.24	0	17,19,21	0.46	0
10	NAG	Y	2	10	14,14,15	0.20	0	17,19,21	0.45	0
10	BMA	Y	3	10	11,11,12	0.54	0	15,15,17	0.75	0
7	NAG	Z	1	3,7	14,14,15	0.21	0	17,19,21	0.57	0
7	NAG	Z	2	7	14,14,15	0.26	0	17,19,21	0.43	0
11	NAG	a	1	11,3	14,14,15	0.53	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	MAN	a	10	11	11,11,12	0.86	0	15,15,17	1.51	2 (13%)
11	MAN	a	11	11	11,11,12	0.62	0	15,15,17	1.65	2 (13%)
11	NAG	a	2	11	14,14,15	0.34	0	17,19,21	0.48	0
11	BMA	a	3	11	11,11,12	0.59	0	15,15,17	0.97	1 (6%)
11	MAN	a	4	11	11,11,12	0.78	0	15,15,17	1.25	2 (13%)
11	MAN	a	5	11	11,11,12	0.69	0	15,15,17	0.93	1 (6%)
11	MAN	a	6	11	11,11,12	0.56	0	15,15,17	1.20	2 (13%)
11	MAN	a	7	11	11,11,12	0.69	0	15,15,17	1.23	2 (13%)
11	MAN	a	8	11	11,11,12	0.56	0	15,15,17	1.19	2 (13%)
11	MAN	a	9	11	11,11,12	0.54	0	15,15,17	1.01	2 (13%)
12	NAG	b	1	12,3	14,14,15	0.60	0	17,19,21	0.46	0
12	NAG	b	2	12	14,14,15	0.24	0	17,19,21	0.56	0
12	BMA	b	3	12	11,11,12	0.73	0	15,15,17	0.96	0
12	MAN	b	4	12	11,11,12	0.55	0	15,15,17	1.02	2 (13%)
12	MAN	b	5	12	11,11,12	0.61	0	15,15,17	1.08	2 (13%)
12	MAN	b	6	12	11,11,12	0.67	0	15,15,17	1.12	2 (13%)
12	MAN	b	7	12	11,11,12	0.68	0	15,15,17	0.93	1 (6%)
10	NAG	c	1	3,10	14,14,15	0.41	0	17,19,21	1.30	2 (11%)
10	NAG	c	2	10	14,14,15	0.20	0	17,19,21	0.43	0
10	BMA	c	3	10	11,11,12	0.60	0	15,15,17	0.70	0
7	NAG	d	1	3,7	14,14,15	0.31	0	17,19,21	0.47	0
7	NAG	d	2	7	14,14,15	0.23	0	17,19,21	0.39	0
13	NAG	e	1	3,13	14,14,15	0.42	0	17,19,21	0.40	0
13	NAG	e	2	13	14,14,15	0.27	0	17,19,21	0.50	0
13	BMA	e	3	13	11,11,12	0.62	0	15,15,17	0.75	0
13	MAN	e	4	13	11,11,12	0.65	0	15,15,17	0.95	1 (6%)
13	MAN	e	5	13	11,11,12	0.67	0	15,15,17	1.05	2 (13%)
10	NAG	f	1	3,10	14,14,15	0.29	0	17,19,21	0.65	0
10	NAG	f	2	10	14,14,15	0.22	0	17,19,21	0.44	0
10	BMA	f	3	10	11,11,12	0.54	0	15,15,17	0.75	0
7	NAG	g	1	3,7	14,14,15	0.26	0	17,19,21	0.47	0
7	NAG	g	2	7	14,14,15	0.41	0	17,19,21	1.24	2 (11%)
7	NAG	h	1	3,7	14,14,15	0.17	0	17,19,21	0.49	0
7	NAG	h	2	7	14,14,15	0.18	0	17,19,21	0.41	0
7	NAG	i	1	3,7	14,14,15	0.34	0	17,19,21	0.41	0
7	NAG	i	2	7	14,14,15	0.23	0	17,19,21	0.42	0
7	NAG	j	1	3,7	14,14,15	0.41	0	17,19,21	0.46	0
7	NAG	j	2	7	14,14,15	0.25	0	17,19,21	0.38	0
7	NAG	k	1	3,7	14,14,15	0.41	0	17,19,21	1.33	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	k	2	7	14,14,15	0.23	0	17,19,21	0.37	0
9	NAG	l	1	3,9	14,14,15	0.49	0	17,19,21	0.40	0
9	NAG	l	2	9	14,14,15	0.19	0	17,19,21	0.44	0
9	BMA	l	3	9	11,11,12	0.55	0	15,15,17	0.71	1 (6%)
9	MAN	l	4	9	11,11,12	0.70	0	15,15,17	1.06	0
9	MAN	l	5	9	11,11,12	0.78	0	15,15,17	1.15	2 (13%)
9	MAN	l	6	9	11,11,12	0.72	0	15,15,17	1.07	1 (6%)
9	MAN	l	7	9	11,11,12	0.63	0	15,15,17	1.24	2 (13%)
9	MAN	l	8	9	11,11,12	0.60	0	15,15,17	0.98	2 (13%)
10	NAG	m	1	3,10	14,14,15	0.23	0	17,19,21	0.46	0
10	NAG	m	2	10	14,14,15	0.21	0	17,19,21	0.43	0
10	BMA	m	3	10	11,11,12	0.51	0	15,15,17	0.73	0
13	NAG	n	1	3,13	14,14,15	0.42	0	17,19,21	0.40	0
13	NAG	n	2	13	14,14,15	0.30	0	17,19,21	0.46	0
13	BMA	n	3	13	11,11,12	0.62	0	15,15,17	0.86	0
13	MAN	n	4	13	11,11,12	0.72	0	15,15,17	1.39	2 (13%)
13	MAN	n	5	13	11,11,12	0.74	0	15,15,17	1.27	2 (13%)
10	NAG	o	1	3,10	14,14,15	0.32	0	17,19,21	0.63	0
10	NAG	o	2	10	14,14,15	0.23	0	17,19,21	0.39	0
10	BMA	o	3	10	11,11,12	0.54	0	15,15,17	0.75	0
7	NAG	p	1	3,7	14,14,15	0.21	0	17,19,21	0.57	0
7	NAG	p	2	7	14,14,15	0.24	0	17,19,21	0.44	0
14	NAG	q	1	3,14	14,14,15	0.50	0	17,19,21	0.48	0
14	NAG	q	2	14	14,14,15	0.28	0	17,19,21	0.52	0
14	BMA	q	3	14	11,11,12	0.64	0	15,15,17	0.96	1 (6%)
14	MAN	q	4	14	11,11,12	0.60	0	15,15,17	0.95	1 (6%)
14	MAN	q	5	14	11,11,12	0.62	0	15,15,17	1.13	2 (13%)
14	MAN	q	6	14	11,11,12	0.71	0	15,15,17	1.12	1 (6%)
14	MAN	q	7	14	11,11,12	0.61	0	15,15,17	1.10	2 (13%)
14	MAN	q	8	14	11,11,12	0.66	0	15,15,17	0.94	1 (6%)
11	NAG	r	1	11,3	14,14,15	0.52	0	17,19,21	0.40	0
11	MAN	r	10	11	11,11,12	0.71	0	15,15,17	1.20	2 (13%)
11	MAN	r	11	11	11,11,12	0.73	1 (9%)	15,15,17	0.92	1 (6%)
11	NAG	r	2	11	14,14,15	0.35	0	17,19,21	0.54	0
11	BMA	r	3	11	11,11,12	0.64	0	15,15,17	0.98	1 (6%)
11	MAN	r	4	11	11,11,12	0.75	0	15,15,17	1.24	2 (13%)
11	MAN	r	5	11	11,11,12	0.67	0	15,15,17	0.98	1 (6%)
11	MAN	r	6	11	11,11,12	0.54	0	15,15,17	1.16	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	MAN	r	7	11	11,11,12	0.68	0	15,15,17	1.21	2 (13%)
11	MAN	r	8	11	11,11,12	0.57	0	15,15,17	1.16	2 (13%)
11	MAN	r	9	11	11,11,12	0.52	0	15,15,17	1.03	2 (13%)
8	NAG	s	1	3,8	14,14,15	0.29	0	17,19,21	0.51	0
8	NAG	s	2	8	14,14,15	0.33	0	17,19,21	0.52	0
8	BMA	s	3	8	11,11,12	0.89	0	15,15,17	1.02	2 (13%)
8	MAN	s	4	8	11,11,12	0.61	0	15,15,17	1.19	2 (13%)
8	MAN	s	5	8	11,11,12	0.61	0	15,15,17	1.11	2 (13%)
8	MAN	s	6	8	11,11,12	0.65	0	15,15,17	0.94	1 (6%)
8	MAN	s	7	8	11,11,12	0.63	0	15,15,17	0.89	1 (6%)
8	MAN	s	8	8	11,11,12	0.87	1 (9%)	15,15,17	1.38	3 (20%)
8	MAN	s	9	8	11,11,12	0.76	1 (9%)	15,15,17	0.91	1 (6%)
10	NAG	t	1	3,10	14,14,15	0.28	0	17,19,21	0.43	0
10	NAG	t	2	10	14,14,15	0.19	0	17,19,21	0.39	0
10	BMA	t	3	10	11,11,12	0.56	0	15,15,17	0.73	0
10	NAG	u	1	3,10	14,14,15	0.26	0	17,19,21	0.43	0
10	NAG	u	2	10	14,14,15	0.39	0	17,19,21	1.25	1 (5%)
10	BMA	u	3	10	11,11,12	0.54	0	15,15,17	0.78	0
7	NAG	v	1	3,7	14,14,15	0.36	0	17,19,21	0.41	0
7	NAG	v	2	7	14,14,15	0.23	0	17,19,21	0.42	0
7	NAG	w	1	3,7	14,14,15	0.38	0	17,19,21	0.46	0
7	NAG	w	2	7	14,14,15	0.22	0	17,19,21	0.40	0
7	NAG	x	1	3,7	14,14,15	0.46	0	17,19,21	0.72	1 (5%)
7	NAG	x	2	7	14,14,15	0.40	0	17,19,21	0.74	1 (5%)
8	NAG	y	1	3,8	14,14,15	0.29	0	17,19,21	0.52	0
8	NAG	y	2	8	14,14,15	0.33	0	17,19,21	0.56	0
8	BMA	y	3	8	11,11,12	0.80	0	15,15,17	0.94	0
8	MAN	y	4	8	11,11,12	0.64	0	15,15,17	1.16	2 (13%)
8	MAN	y	5	8	11,11,12	0.56	0	15,15,17	1.10	2 (13%)
8	MAN	y	6	8	11,11,12	0.65	0	15,15,17	0.94	1 (6%)
8	MAN	y	7	8	11,11,12	0.63	0	15,15,17	0.91	1 (6%)
8	MAN	y	8	8	11,11,12	0.67	0	15,15,17	1.26	2 (13%)
8	MAN	y	9	8	11,11,12	0.68	0	15,15,17	1.32	2 (13%)
9	NAG	z	1	3,9	14,14,15	0.51	0	17,19,21	0.38	0
9	NAG	z	2	9	14,14,15	0.18	0	17,19,21	0.44	0
9	BMA	z	3	9	11,11,12	0.51	0	15,15,17	0.73	0
9	MAN	z	4	9	11,11,12	0.76	1 (9%)	15,15,17	1.09	1 (6%)
9	MAN	z	5	9	11,11,12	0.81	1 (9%)	15,15,17	1.13	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	MAN	z	6	9	11,11,12	0.68	0	15,15,17	0.92	1 (6%)
9	MAN	z	7	9	11,11,12	0.53	0	15,15,17	1.15	2 (13%)
9	MAN	z	8	9	11,11,12	0.60	0	15,15,17	0.99	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	NAG	0	1	3,10	-	0/6/23/26	0/1/1/1
10	NAG	0	2	10	-	2/6/23/26	0/1/1/1
10	BMA	0	3	10	-	0/2/19/22	0/1/1/1
13	NAG	1	1	3,13	-	0/6/23/26	0/1/1/1
13	NAG	1	2	13	-	0/6/23/26	0/1/1/1
13	BMA	1	3	13	-	1/2/19/22	0/1/1/1
13	MAN	1	4	13	-	2/2/19/22	1/1/1/1
13	MAN	1	5	13	-	2/2/19/22	0/1/1/1
10	NAG	2	1	3,10	-	2/6/23/26	0/1/1/1
10	NAG	2	2	10	-	0/6/23/26	0/1/1/1
10	BMA	2	3	10	-	0/2/19/22	0/1/1/1
10	NAG	3	1	3,10	-	0/6/23/26	0/1/1/1
10	NAG	3	2	10	-	0/6/23/26	0/1/1/1
10	BMA	3	3	10	-	2/2/19/22	0/1/1/1
7	NAG	4	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	4	2	7	-	1/6/23/26	0/1/1/1
14	NAG	5	1	3,14	-	5/6/23/26	0/1/1/1
14	NAG	5	2	14	-	2/6/23/26	0/1/1/1
14	BMA	5	3	14	-	0/2/19/22	0/1/1/1
14	MAN	5	4	14	-	2/2/19/22	0/1/1/1
14	MAN	5	5	14	-	2/2/19/22	0/1/1/1
14	MAN	5	6	14	-	0/2/19/22	0/1/1/1
14	MAN	5	7	14	-	2/2/19/22	0/1/1/1
14	MAN	5	8	14	-	2/2/19/22	0/1/1/1
11	NAG	6	1	11,3	-	2/6/23/26	0/1/1/1
11	MAN	6	10	11	-	2/2/19/22	0/1/1/1
11	MAN	6	11	11	-	2/2/19/22	0/1/1/1
11	NAG	6	2	11	-	0/6/23/26	0/1/1/1
11	BMA	6	3	11	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	MAN	6	4	11	-	0/2/19/22	0/1/1/1
11	MAN	6	5	11	-	2/2/19/22	0/1/1/1
11	MAN	6	6	11	-	2/2/19/22	0/1/1/1
11	MAN	6	7	11	-	1/2/19/22	1/1/1/1
11	MAN	6	8	11	-	0/2/19/22	0/1/1/1
11	MAN	6	9	11	-	0/2/19/22	0/1/1/1
7	NAG	7	1	7,6	-	1/6/23/26	0/1/1/1
7	NAG	7	2	7	-	2/6/23/26	0/1/1/1
7	NAG	8	1	7,6	-	0/6/23/26	0/1/1/1
7	NAG	8	2	7	-	1/6/23/26	0/1/1/1
7	NAG	9	1	7,6	-	2/6/23/26	0/1/1/1
7	NAG	9	2	7	-	1/6/23/26	0/1/1/1
7	NAG	S	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	S	2	7	-	5/6/23/26	0/1/1/1
7	NAG	T	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	T	2	7	-	0/6/23/26	0/1/1/1
7	NAG	U	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	U	2	7	-	0/6/23/26	0/1/1/1
7	NAG	V	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	V	2	7	-	0/6/23/26	0/1/1/1
8	NAG	W	1	3,8	-	0/6/23/26	0/1/1/1
8	NAG	W	2	8	-	0/6/23/26	0/1/1/1
8	BMA	W	3	8	-	0/2/19/22	0/1/1/1
8	MAN	W	4	8	-	0/2/19/22	0/1/1/1
8	MAN	W	5	8	-	0/2/19/22	0/1/1/1
8	MAN	W	6	8	-	0/2/19/22	0/1/1/1
8	MAN	W	7	8	-	2/2/19/22	0/1/1/1
8	MAN	W	8	8	-	2/2/19/22	0/1/1/1
8	MAN	W	9	8	-	2/2/19/22	0/1/1/1
9	NAG	X	1	3,9	-	0/6/23/26	0/1/1/1
9	NAG	X	2	9	-	0/6/23/26	0/1/1/1
9	BMA	X	3	9	-	0/2/19/22	0/1/1/1
9	MAN	X	4	9	-	2/2/19/22	0/1/1/1
9	MAN	X	5	9	-	1/2/19/22	0/1/1/1
9	MAN	X	6	9	-	2/2/19/22	0/1/1/1
9	MAN	X	7	9	-	2/2/19/22	1/1/1/1
9	MAN	X	8	9	-	2/2/19/22	0/1/1/1
10	NAG	Y	1	3,10	-	0/6/23/26	0/1/1/1
10	NAG	Y	2	10	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	BMA	Y	3	10	-	0/2/19/22	0/1/1/1
7	NAG	Z	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	Z	2	7	-	2/6/23/26	0/1/1/1
11	NAG	a	1	11,3	-	2/6/23/26	0/1/1/1
11	MAN	a	10	11	-	0/2/19/22	0/1/1/1
11	MAN	a	11	11	-	0/2/19/22	1/1/1/1
11	NAG	a	2	11	-	0/6/23/26	0/1/1/1
11	BMA	a	3	11	-	2/2/19/22	0/1/1/1
11	MAN	a	4	11	-	0/2/19/22	0/1/1/1
11	MAN	a	5	11	-	0/2/19/22	0/1/1/1
11	MAN	a	6	11	-	2/2/19/22	0/1/1/1
11	MAN	a	7	11	-	0/2/19/22	1/1/1/1
11	MAN	a	8	11	-	0/2/19/22	0/1/1/1
11	MAN	a	9	11	-	0/2/19/22	0/1/1/1
12	NAG	b	1	12,3	-	2/6/23/26	0/1/1/1
12	NAG	b	2	12	-	2/6/23/26	0/1/1/1
12	BMA	b	3	12	-	0/2/19/22	0/1/1/1
12	MAN	b	4	12	-	2/2/19/22	0/1/1/1
12	MAN	b	5	12	-	2/2/19/22	0/1/1/1
12	MAN	b	6	12	-	0/2/19/22	0/1/1/1
12	MAN	b	7	12	-	1/2/19/22	0/1/1/1
10	NAG	c	1	3,10	-	3/6/23/26	0/1/1/1
10	NAG	c	2	10	-	0/6/23/26	0/1/1/1
10	BMA	c	3	10	-	1/2/19/22	0/1/1/1
7	NAG	d	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	d	2	7	-	2/6/23/26	0/1/1/1
13	NAG	e	1	3,13	-	2/6/23/26	0/1/1/1
13	NAG	e	2	13	-	0/6/23/26	0/1/1/1
13	BMA	e	3	13	-	0/2/19/22	0/1/1/1
13	MAN	e	4	13	-	2/2/19/22	0/1/1/1
13	MAN	e	5	13	-	0/2/19/22	0/1/1/1
10	NAG	f	1	3,10	-	2/6/23/26	0/1/1/1
10	NAG	f	2	10	-	0/6/23/26	0/1/1/1
10	BMA	f	3	10	-	1/2/19/22	0/1/1/1
7	NAG	g	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	g	2	7	-	3/6/23/26	0/1/1/1
7	NAG	h	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	h	2	7	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	i	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	i	2	7	-	1/6/23/26	0/1/1/1
7	NAG	j	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	j	2	7	-	2/6/23/26	0/1/1/1
7	NAG	k	1	3,7	-	3/6/23/26	0/1/1/1
7	NAG	k	2	7	-	2/6/23/26	0/1/1/1
9	NAG	l	1	3,9	-	0/6/23/26	0/1/1/1
9	NAG	l	2	9	-	2/6/23/26	0/1/1/1
9	BMA	l	3	9	-	0/2/19/22	0/1/1/1
9	MAN	l	4	9	-	2/2/19/22	0/1/1/1
9	MAN	l	5	9	-	1/2/19/22	1/1/1/1
9	MAN	l	6	9	-	2/2/19/22	0/1/1/1
9	MAN	l	7	9	-	2/2/19/22	1/1/1/1
9	MAN	l	8	9	-	0/2/19/22	0/1/1/1
10	NAG	m	1	3,10	-	0/6/23/26	0/1/1/1
10	NAG	m	2	10	-	0/6/23/26	0/1/1/1
10	BMA	m	3	10	-	0/2/19/22	0/1/1/1
13	NAG	n	1	3,13	-	2/6/23/26	0/1/1/1
13	NAG	n	2	13	-	0/6/23/26	0/1/1/1
13	BMA	n	3	13	-	2/2/19/22	0/1/1/1
13	MAN	n	4	13	-	2/2/19/22	0/1/1/1
13	MAN	n	5	13	-	1/2/19/22	1/1/1/1
10	NAG	o	1	3,10	-	2/6/23/26	0/1/1/1
10	NAG	o	2	10	-	0/6/23/26	0/1/1/1
10	BMA	o	3	10	-	1/2/19/22	0/1/1/1
7	NAG	p	1	3,7	-	0/6/23/26	0/1/1/1
7	NAG	p	2	7	-	2/6/23/26	0/1/1/1
14	NAG	q	1	3,14	-	2/6/23/26	0/1/1/1
14	NAG	q	2	14	-	2/6/23/26	0/1/1/1
14	BMA	q	3	14	-	0/2/19/22	0/1/1/1
14	MAN	q	4	14	-	0/2/19/22	0/1/1/1
14	MAN	q	5	14	-	2/2/19/22	0/1/1/1
14	MAN	q	6	14	-	1/2/19/22	0/1/1/1
14	MAN	q	7	14	-	0/2/19/22	0/1/1/1
14	MAN	q	8	14	-	1/2/19/22	0/1/1/1
11	NAG	r	1	11,3	-	1/6/23/26	0/1/1/1
11	MAN	r	10	11	-	2/2/19/22	0/1/1/1
11	MAN	r	11	11	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	r	2	11	-	2/6/23/26	0/1/1/1
11	BMA	r	3	11	-	2/2/19/22	0/1/1/1
11	MAN	r	4	11	-	2/2/19/22	0/1/1/1
11	MAN	r	5	11	-	1/2/19/22	0/1/1/1
11	MAN	r	6	11	-	2/2/19/22	0/1/1/1
11	MAN	r	7	11	-	0/2/19/22	1/1/1/1
11	MAN	r	8	11	-	1/2/19/22	0/1/1/1
11	MAN	r	9	11	-	2/2/19/22	0/1/1/1
8	NAG	s	1	3,8	-	0/6/23/26	0/1/1/1
8	NAG	s	2	8	-	0/6/23/26	0/1/1/1
8	BMA	s	3	8	-	0/2/19/22	0/1/1/1
8	MAN	s	4	8	-	0/2/19/22	0/1/1/1
8	MAN	s	5	8	-	1/2/19/22	0/1/1/1
8	MAN	s	6	8	-	2/2/19/22	0/1/1/1
8	MAN	s	7	8	-	0/2/19/22	0/1/1/1
8	MAN	s	8	8	-	0/2/19/22	0/1/1/1
8	MAN	s	9	8	-	2/2/19/22	0/1/1/1
10	NAG	t	1	3,10	-	0/6/23/26	0/1/1/1
10	NAG	t	2	10	-	2/6/23/26	0/1/1/1
10	BMA	t	3	10	-	0/2/19/22	0/1/1/1
10	NAG	u	1	3,10	-	0/6/23/26	0/1/1/1
10	NAG	u	2	10	-	3/6/23/26	0/1/1/1
10	BMA	u	3	10	-	0/2/19/22	0/1/1/1
7	NAG	v	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	v	2	7	-	1/6/23/26	0/1/1/1
7	NAG	w	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	w	2	7	-	2/6/23/26	0/1/1/1
7	NAG	x	1	3,7	-	2/6/23/26	0/1/1/1
7	NAG	x	2	7	-	3/6/23/26	0/1/1/1
8	NAG	y	1	3,8	-	0/6/23/26	0/1/1/1
8	NAG	y	2	8	-	0/6/23/26	0/1/1/1
8	BMA	y	3	8	-	0/2/19/22	0/1/1/1
8	MAN	y	4	8	-	0/2/19/22	0/1/1/1
8	MAN	y	5	8	-	1/2/19/22	0/1/1/1
8	MAN	y	6	8	-	0/2/19/22	0/1/1/1
8	MAN	y	7	8	-	0/2/19/22	0/1/1/1
8	MAN	y	8	8	-	0/2/19/22	0/1/1/1
8	MAN	y	9	8	-	1/2/19/22	1/1/1/1
9	NAG	z	1	3,9	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	z	2	9	-	2/6/23/26	0/1/1/1
9	BMA	z	3	9	-	0/2/19/22	0/1/1/1
9	MAN	z	4	9	-	2/2/19/22	0/1/1/1
9	MAN	z	5	9	-	1/2/19/22	0/1/1/1
9	MAN	z	6	9	-	0/2/19/22	0/1/1/1
9	MAN	z	7	9	-	0/2/19/22	0/1/1/1
9	MAN	z	8	9	-	1/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	z	5	MAN	C1-C2	2.34	1.57	1.52
14	5	7	MAN	O5-C1	-2.19	1.40	1.43
11	6	11	MAN	O5-C1	-2.17	1.40	1.43
8	s	8	MAN	O5-C1	-2.17	1.40	1.43
11	r	11	MAN	O5-C1	-2.15	1.40	1.43
8	s	9	MAN	O5-C1	-2.04	1.40	1.43
9	z	4	MAN	C1-C2	2.02	1.56	1.52

All (151) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	a	11	MAN	C1-O5-C5	5.19	119.22	112.19
10	c	1	NAG	C2-N2-C7	4.37	129.13	122.90
14	5	1	NAG	C2-N2-C7	4.36	129.11	122.90
11	a	10	MAN	O2-C2-C3	-4.29	101.55	110.14
13	n	4	MAN	C1-O5-C5	4.29	118.00	112.19
7	S	2	NAG	C2-N2-C7	4.28	129.00	122.90
10	u	2	NAG	C2-N2-C7	4.27	128.98	122.90
7	k	1	NAG	C2-N2-C7	4.26	128.98	122.90
7	g	2	NAG	C2-N2-C7	4.25	128.95	122.90
8	W	7	MAN	C1-O5-C5	3.84	117.39	112.19
13	n	5	MAN	C1-O5-C5	3.73	117.25	112.19
8	y	9	MAN	C1-O5-C5	3.69	117.19	112.19
8	s	8	MAN	O2-C2-C3	-3.65	102.82	110.14
14	5	7	MAN	O2-C2-C3	-3.58	102.97	110.14
11	a	7	MAN	C1-O5-C5	3.44	116.85	112.19
11	6	7	MAN	C1-O5-C5	3.42	116.82	112.19
11	6	10	MAN	O2-C2-C3	-3.40	103.33	110.14
11	a	4	MAN	O2-C2-C3	-3.39	103.34	110.14
11	r	7	MAN	C1-O5-C5	3.38	116.77	112.19
9	l	5	MAN	C1-O5-C5	3.34	116.72	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	a	6	MAN	C1-O5-C5	3.33	116.71	112.19
11	6	4	MAN	O2-C2-C3	-3.30	103.53	110.14
11	r	10	MAN	O2-C2-C3	-3.26	103.60	110.14
11	a	8	MAN	C1-O5-C5	3.26	116.60	112.19
9	l	7	MAN	C1-O5-C5	3.25	116.60	112.19
11	r	8	MAN	C1-O5-C5	3.21	116.54	112.19
11	r	6	MAN	C1-O5-C5	3.20	116.53	112.19
8	W	4	MAN	C1-O5-C5	3.18	116.50	112.19
11	r	4	MAN	O2-C2-C3	-3.15	103.82	110.14
9	X	4	MAN	O2-C2-C3	-3.09	103.95	110.14
8	W	8	MAN	C1-O5-C5	3.09	116.37	112.19
11	6	8	MAN	C1-O5-C5	3.09	116.37	112.19
9	z	7	MAN	C1-O5-C5	3.06	116.34	112.19
13	1	4	MAN	C1-O5-C5	3.03	116.29	112.19
9	X	4	MAN	C1-O5-C5	3.01	116.27	112.19
8	W	9	MAN	C1-O5-C5	3.01	116.26	112.19
11	6	6	MAN	C1-O5-C5	2.98	116.23	112.19
8	s	4	MAN	C1-O5-C5	2.93	116.17	112.19
9	X	7	MAN	C1-O5-C5	2.88	116.09	112.19
8	s	5	MAN	O2-C2-C3	-2.87	104.38	110.14
14	q	5	MAN	C1-O5-C5	2.87	116.08	112.19
11	6	8	MAN	O2-C2-C3	-2.86	104.41	110.14
14	5	5	MAN	C1-O5-C5	2.85	116.06	112.19
8	y	8	MAN	O2-C2-C3	-2.85	104.43	110.14
9	l	6	MAN	O2-C2-C3	-2.80	104.53	110.14
8	y	5	MAN	O2-C2-C3	-2.79	104.54	110.14
14	5	5	MAN	O2-C2-C3	-2.79	104.55	110.14
8	y	8	MAN	C1-O5-C5	2.77	115.94	112.19
8	W	8	MAN	O2-C2-C3	-2.76	104.61	110.14
14	q	7	MAN	O2-C2-C3	-2.72	104.68	110.14
8	y	4	MAN	C1-O5-C5	2.71	115.86	112.19
8	W	5	MAN	O2-C2-C3	-2.71	104.72	110.14
11	a	8	MAN	O2-C2-C3	-2.70	104.72	110.14
14	q	5	MAN	O2-C2-C3	-2.67	104.78	110.14
12	b	5	MAN	O2-C2-C3	-2.65	104.83	110.14
9	X	6	MAN	O2-C2-C3	-2.64	104.85	110.14
12	b	5	MAN	C1-O5-C5	2.64	115.77	112.19
7	x	2	NAG	C1-O5-C5	2.64	115.76	112.19
11	r	4	MAN	C1-O5-C5	2.63	115.76	112.19
12	b	7	MAN	O2-C2-C3	-2.61	104.91	110.14
11	6	10	MAN	C1-O5-C5	2.60	115.72	112.19
11	r	5	MAN	O2-C2-C3	-2.60	104.93	110.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	b	4	MAN	O2-C2-C3	-2.60	104.94	110.14
11	6	9	MAN	O2-C2-C3	-2.59	104.95	110.14
14	5	4	MAN	O2-C2-C3	-2.59	104.96	110.14
11	6	7	MAN	O2-C2-C3	-2.58	104.96	110.14
11	a	9	MAN	O2-C2-C3	-2.58	104.97	110.14
11	r	8	MAN	O2-C2-C3	-2.58	104.97	110.14
11	a	7	MAN	O2-C2-C3	-2.57	104.99	110.14
11	r	9	MAN	O2-C2-C3	-2.57	105.00	110.14
14	q	4	MAN	O2-C2-C3	-2.56	105.00	110.14
11	r	7	MAN	O2-C2-C3	-2.56	105.01	110.14
11	r	10	MAN	C1-O5-C5	2.53	115.62	112.19
11	6	6	MAN	O2-C2-C3	-2.51	105.11	110.14
11	6	4	MAN	C1-O5-C5	2.51	115.59	112.19
9	z	7	MAN	O2-C2-C3	-2.50	105.13	110.14
14	q	6	MAN	O2-C2-C3	-2.50	105.13	110.14
12	b	6	MAN	O2-C2-C3	-2.49	105.14	110.14
14	5	6	MAN	O2-C2-C3	-2.49	105.15	110.14
11	a	6	MAN	O2-C2-C3	-2.49	105.15	110.14
9	z	6	MAN	O2-C2-C3	-2.48	105.18	110.14
11	a	10	MAN	C1-O5-C5	2.47	115.54	112.19
13	e	5	MAN	C1-O5-C5	2.46	115.53	112.19
11	6	5	MAN	O2-C2-C3	-2.45	105.22	110.14
8	s	4	MAN	O2-C2-C3	-2.45	105.23	110.14
8	W	5	MAN	C1-O5-C5	2.45	115.51	112.19
9	z	8	MAN	O2-C2-C3	-2.43	105.26	110.14
11	r	6	MAN	O2-C2-C3	-2.43	105.26	110.14
8	W	4	MAN	O2-C2-C3	-2.43	105.26	110.14
8	s	9	MAN	O2-C2-C3	-2.43	105.27	110.14
11	r	11	MAN	O2-C2-C3	-2.43	105.28	110.14
8	W	9	MAN	O2-C2-C3	-2.42	105.28	110.14
9	X	8	MAN	O2-C2-C3	-2.41	105.31	110.14
9	X	7	MAN	O2-C2-C3	-2.41	105.31	110.14
13	e	4	MAN	O2-C2-C3	-2.41	105.32	110.14
8	y	5	MAN	C1-O5-C5	2.41	115.45	112.19
8	y	4	MAN	O2-C2-C3	-2.40	105.33	110.14
11	6	3	BMA	O2-C2-C3	-2.39	105.35	110.14
11	6	11	MAN	O2-C2-C3	-2.39	105.35	110.14
11	r	3	BMA	O2-C2-C3	-2.39	105.36	110.14
8	y	6	MAN	O2-C2-C3	-2.38	105.36	110.14
9	l	8	MAN	O2-C2-C3	-2.38	105.37	110.14
11	a	3	BMA	O2-C2-C3	-2.38	105.37	110.14
8	s	3	BMA	C1-C2-C3	2.36	112.57	109.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	z	5	MAN	C1-O5-C5	2.36	115.39	112.19
13	l	4	MAN	O2-C2-C3	-2.35	105.42	110.14
14	q	8	MAN	O2-C2-C3	-2.35	105.42	110.14
8	s	5	MAN	C1-O5-C5	2.35	115.38	112.19
8	s	6	MAN	O2-C2-C3	-2.35	105.43	110.14
14	5	8	MAN	O2-C2-C3	-2.34	105.45	110.14
11	a	5	MAN	O2-C2-C3	-2.34	105.45	110.14
8	W	6	MAN	O2-C2-C3	-2.33	105.47	110.14
8	y	7	MAN	O2-C2-C3	-2.32	105.50	110.14
12	b	4	MAN	C1-O5-C5	2.31	115.32	112.19
8	s	7	MAN	O2-C2-C3	-2.30	105.53	110.14
13	n	5	MAN	O2-C2-C3	-2.29	105.55	110.14
9	l	8	MAN	C1-O5-C5	2.29	115.29	112.19
8	W	7	MAN	O2-C2-C3	-2.29	105.56	110.14
11	r	9	MAN	C1-O5-C5	2.28	115.28	112.19
13	l	5	MAN	C1-O5-C5	2.28	115.28	112.19
13	e	5	MAN	O2-C2-C3	-2.27	105.58	110.14
11	a	4	MAN	C1-O5-C5	2.27	115.26	112.19
9	X	8	MAN	C1-O5-C5	2.26	115.26	112.19
13	l	5	MAN	O2-C2-C3	-2.26	105.61	110.14
9	z	8	MAN	C1-O5-C5	2.26	115.25	112.19
14	q	7	MAN	C1-O5-C5	2.26	115.25	112.19
9	l	7	MAN	O2-C2-C3	-2.25	105.62	110.14
9	X	6	MAN	C1-O5-C5	2.25	115.24	112.19
11	a	11	MAN	O2-C2-C3	-2.22	105.69	110.14
14	5	1	NAG	C1-C2-N2	2.19	114.23	110.49
11	a	9	MAN	C1-O5-C5	2.19	115.16	112.19
8	y	9	MAN	O2-C2-C3	-2.18	105.77	110.14
10	c	1	NAG	C1-C2-N2	2.17	114.19	110.49
7	x	1	NAG	O4-C4-C5	-2.14	103.97	109.30
14	q	3	BMA	O2-C2-C3	-2.14	105.85	110.14
8	s	8	MAN	C1-O5-C5	2.13	115.08	112.19
14	5	3	BMA	O2-C2-C3	-2.13	105.88	110.14
9	z	4	MAN	O2-C2-C3	-2.12	105.89	110.14
9	z	5	MAN	O2-C2-C3	-2.11	105.90	110.14
13	n	4	MAN	O2-C2-C3	-2.11	105.92	110.14
9	l	5	MAN	O2-C2-C3	-2.09	105.96	110.14
12	b	6	MAN	C1-O5-C5	2.08	115.01	112.19
9	X	5	MAN	O2-C2-C3	-2.07	106.00	110.14
9	X	3	BMA	O2-C2-C3	-2.05	106.03	110.14
8	s	8	MAN	O2-C2-C1	2.04	113.33	109.15
8	W	3	BMA	C1-C2-C3	2.02	112.15	109.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	g	2	NAG	C1-C2-N2	2.02	113.93	110.49
7	k	1	NAG	C1-C2-N2	2.01	113.93	110.49
8	s	3	BMA	O2-C2-C3	-2.01	106.11	110.14
9	l	3	BMA	O2-C2-C3	-2.00	106.13	110.14
10	2	1	NAG	C1-O5-C5	2.00	114.90	112.19

There are no chirality outliers.

All (199) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	k	2	NAG	C4-C5-C6-O6
7	g	1	NAG	O5-C5-C6-O6
12	b	1	NAG	C4-C5-C6-O6
7	S	1	NAG	O5-C5-C6-O6
9	l	7	MAN	O5-C5-C6-O6
13	n	4	MAN	O5-C5-C6-O6
7	T	1	NAG	O5-C5-C6-O6
11	6	6	MAN	C4-C5-C6-O6
7	k	2	NAG	O5-C5-C6-O6
7	x	1	NAG	C4-C5-C6-O6
7	j	2	NAG	O5-C5-C6-O6
10	3	3	BMA	O5-C5-C6-O6
12	b	1	NAG	O5-C5-C6-O6
7	V	1	NAG	O5-C5-C6-O6
7	h	1	NAG	O5-C5-C6-O6
8	W	8	MAN	C4-C5-C6-O6
11	a	6	MAN	C4-C5-C6-O6
7	9	1	NAG	O5-C5-C6-O6
8	s	6	MAN	O5-C5-C6-O6
10	f	1	NAG	O5-C5-C6-O6
10	o	1	NAG	O5-C5-C6-O6
10	2	1	NAG	O5-C5-C6-O6
13	e	1	NAG	O5-C5-C6-O6
14	5	4	MAN	O5-C5-C6-O6
14	5	7	MAN	O5-C5-C6-O6
14	5	8	MAN	O5-C5-C6-O6
7	T	1	NAG	C4-C5-C6-O6
7	d	2	NAG	O5-C5-C6-O6
7	j	1	NAG	O5-C5-C6-O6
7	w	1	NAG	O5-C5-C6-O6
7	w	2	NAG	O5-C5-C6-O6
7	x	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	X	6	MAN	O5-C5-C6-O6
11	r	11	MAN	O5-C5-C6-O6
14	5	5	MAN	O5-C5-C6-O6
7	V	1	NAG	C4-C5-C6-O6
9	X	8	MAN	C4-C5-C6-O6
10	f	1	NAG	C4-C5-C6-O6
11	a	3	BMA	O5-C5-C6-O6
11	r	3	BMA	O5-C5-C6-O6
11	r	6	MAN	O5-C5-C6-O6
11	6	3	BMA	O5-C5-C6-O6
11	6	6	MAN	O5-C5-C6-O6
14	q	5	MAN	O5-C5-C6-O6
7	g	1	NAG	C4-C5-C6-O6
7	j	2	NAG	C4-C5-C6-O6
9	l	7	MAN	C4-C5-C6-O6
10	o	1	NAG	C4-C5-C6-O6
10	2	1	NAG	C4-C5-C6-O6
7	x	1	NAG	O5-C5-C6-O6
11	6	10	MAN	O5-C5-C6-O6
12	b	5	MAN	O5-C5-C6-O6
7	S	1	NAG	C4-C5-C6-O6
9	X	6	MAN	C4-C5-C6-O6
11	r	4	MAN	C4-C5-C6-O6
7	p	2	NAG	O5-C5-C6-O6
8	W	8	MAN	O5-C5-C6-O6
9	X	8	MAN	O5-C5-C6-O6
11	r	4	MAN	O5-C5-C6-O6
11	r	11	MAN	C4-C5-C6-O6
13	l	4	MAN	C4-C5-C6-O6
7	Z	2	NAG	O5-C5-C6-O6
11	a	6	MAN	O5-C5-C6-O6
10	t	2	NAG	C4-C5-C6-O6
13	n	4	MAN	C4-C5-C6-O6
7	j	1	NAG	C4-C5-C6-O6
14	5	5	MAN	C4-C5-C6-O6
7	w	1	NAG	C4-C5-C6-O6
12	b	5	MAN	C4-C5-C6-O6
14	q	5	MAN	C4-C5-C6-O6
11	r	10	MAN	O5-C5-C6-O6
7	p	2	NAG	C4-C5-C6-O6
11	6	10	MAN	C4-C5-C6-O6
9	z	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	e	4	MAN	O5-C5-C6-O6
14	5	2	NAG	O5-C5-C6-O6
7	h	1	NAG	C4-C5-C6-O6
7	w	2	NAG	C4-C5-C6-O6
7	9	1	NAG	C4-C5-C6-O6
10	3	3	BMA	C4-C5-C6-O6
13	e	1	NAG	C4-C5-C6-O6
14	5	7	MAN	C4-C5-C6-O6
7	S	2	NAG	C8-C7-N2-C2
7	S	2	NAG	O7-C7-N2-C2
7	g	2	NAG	C8-C7-N2-C2
7	g	2	NAG	O7-C7-N2-C2
7	k	1	NAG	C8-C7-N2-C2
7	k	1	NAG	O7-C7-N2-C2
10	c	1	NAG	C8-C7-N2-C2
10	c	1	NAG	O7-C7-N2-C2
10	u	2	NAG	C8-C7-N2-C2
10	u	2	NAG	O7-C7-N2-C2
14	5	1	NAG	C8-C7-N2-C2
14	5	1	NAG	O7-C7-N2-C2
9	l	2	NAG	O5-C5-C6-O6
10	t	2	NAG	O5-C5-C6-O6
11	6	11	MAN	O5-C5-C6-O6
7	Z	1	NAG	C4-C5-C6-O6
14	5	2	NAG	C4-C5-C6-O6
7	7	2	NAG	O5-C5-C6-O6
8	W	9	MAN	O5-C5-C6-O6
7	Z	2	NAG	C4-C5-C6-O6
7	d	2	NAG	C4-C5-C6-O6
7	x	2	NAG	C4-C5-C6-O6
14	5	8	MAN	C4-C5-C6-O6
11	r	9	MAN	O5-C5-C6-O6
14	q	2	NAG	O5-C5-C6-O6
14	5	1	NAG	O5-C5-C6-O6
7	S	2	NAG	C4-C5-C6-O6
8	s	6	MAN	C4-C5-C6-O6
11	r	10	MAN	C4-C5-C6-O6
13	e	4	MAN	C4-C5-C6-O6
14	q	1	NAG	O5-C5-C6-O6
9	z	2	NAG	C4-C5-C6-O6
14	5	4	MAN	C4-C5-C6-O6
7	7	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	l	2	NAG	C4-C5-C6-O6
11	6	11	MAN	C4-C5-C6-O6
14	5	1	NAG	C4-C5-C6-O6
13	n	3	BMA	O5-C5-C6-O6
13	1	4	MAN	O5-C5-C6-O6
8	W	9	MAN	C4-C5-C6-O6
9	l	4	MAN	C4-C5-C6-O6
9	z	4	MAN	C4-C5-C6-O6
14	q	1	NAG	C4-C5-C6-O6
14	q	2	NAG	C4-C5-C6-O6
12	b	2	NAG	O5-C5-C6-O6
7	v	1	NAG	C4-C5-C6-O6
11	r	6	MAN	C4-C5-C6-O6
11	r	2	NAG	O5-C5-C6-O6
9	X	7	MAN	O5-C5-C6-O6
12	b	2	NAG	C4-C5-C6-O6
13	n	1	NAG	C4-C5-C6-O6
13	n	3	BMA	C4-C5-C6-O6
7	Z	1	NAG	O5-C5-C6-O6
11	a	3	BMA	C4-C5-C6-O6
9	z	4	MAN	O5-C5-C6-O6
9	l	4	MAN	O5-C5-C6-O6
7	S	2	NAG	O5-C5-C6-O6
8	W	7	MAN	O5-C5-C6-O6
11	6	3	BMA	C4-C5-C6-O6
10	f	3	BMA	O5-C5-C6-O6
11	r	5	MAN	O5-C5-C6-O6
8	W	7	MAN	C4-C5-C6-O6
9	z	5	MAN	O5-C5-C6-O6
10	o	3	BMA	O5-C5-C6-O6
11	r	9	MAN	C4-C5-C6-O6
7	v	1	NAG	O5-C5-C6-O6
7	9	2	NAG	O5-C5-C6-O6
10	c	3	BMA	O5-C5-C6-O6
7	i	2	NAG	O5-C5-C6-O6
9	l	5	MAN	O5-C5-C6-O6
13	n	5	MAN	O5-C5-C6-O6
8	s	5	MAN	O5-C5-C6-O6
12	b	7	MAN	O5-C5-C6-O6
7	v	2	NAG	O5-C5-C6-O6
14	q	6	MAN	O5-C5-C6-O6
14	q	8	MAN	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
7	4	2	NAG	O5-C5-C6-O6
13	n	1	NAG	O5-C5-C6-O6
9	l	6	MAN	O5-C5-C6-O6
11	r	3	BMA	C4-C5-C6-O6
13	1	5	MAN	O5-C5-C6-O6
11	6	5	MAN	O5-C5-C6-O6
11	a	1	NAG	C4-C5-C6-O6
13	1	5	MAN	C4-C5-C6-O6
11	r	8	MAN	O5-C5-C6-O6
11	a	1	NAG	O5-C5-C6-O6
11	6	5	MAN	C4-C5-C6-O6
7	7	1	NAG	O5-C5-C6-O6
10	0	2	NAG	C4-C5-C6-O6
12	b	4	MAN	C4-C5-C6-O6
7	x	2	NAG	C1-C2-N2-C7
8	s	9	MAN	O5-C5-C6-O6
7	k	1	NAG	C3-C2-N2-C7
10	c	1	NAG	C3-C2-N2-C7
9	X	4	MAN	C4-C5-C6-O6
7	8	2	NAG	C4-C5-C6-O6
11	6	1	NAG	C4-C5-C6-O6
8	s	9	MAN	C4-C5-C6-O6
10	0	2	NAG	O5-C5-C6-O6
8	y	9	MAN	C4-C5-C6-O6
8	y	5	MAN	C4-C5-C6-O6
13	1	3	BMA	C4-C5-C6-O6
9	z	8	MAN	O5-C5-C6-O6
9	X	7	MAN	C4-C5-C6-O6
11	6	7	MAN	C4-C5-C6-O6
9	l	6	MAN	C4-C5-C6-O6
7	S	2	NAG	C3-C2-N2-C7
7	g	2	NAG	C3-C2-N2-C7
10	u	2	NAG	C3-C2-N2-C7
14	5	1	NAG	C3-C2-N2-C7
10	Y	2	NAG	C4-C5-C6-O6
9	X	4	MAN	O5-C5-C6-O6
11	r	1	NAG	C4-C5-C6-O6
11	6	1	NAG	O5-C5-C6-O6
12	b	4	MAN	O5-C5-C6-O6
11	r	2	NAG	C4-C5-C6-O6
9	X	5	MAN	C4-C5-C6-O6


All (10) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
9	l	7	MAN	C1-C2-C3-C4-C5-O5
8	y	9	MAN	C1-C2-C3-C4-C5-O5
11	a	11	MAN	C1-C2-C3-C4-C5-O5
9	X	7	MAN	C1-C2-C3-C4-C5-O5
9	l	5	MAN	C1-C2-C3-C4-C5-O5
13	l	4	MAN	C1-C2-C3-C4-C5-O5
13	n	5	MAN	C1-C2-C3-C4-C5-O5
11	r	7	MAN	C1-C2-C3-C4-C5-O5
11	a	7	MAN	C1-C2-C3-C4-C5-O5
11	6	7	MAN	C1-C2-C3-C4-C5-O5


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



















































































































5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	NAG	C	602	3	14,14,15	0.21	0	17,19,21	0.49	0
15	NAG	B	605	3	14,14,15	0.27	0	17,19,21	0.43	0
15	NAG	B	603	3	14,14,15	0.26	0	17,19,21	0.38	0
15	NAG	C	603	3	14,14,15	0.28	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	NAG	C	604	3	14,14,15	0.21	0	17,19,21	0.45	0
15	NAG	A	601	3	14,14,15	0.25	0	17,19,21	0.39	0
15	NAG	F	701	4	14,14,15	0.20	0	17,19,21	0.43	0
15	NAG	B	604	3	14,14,15	0.19	0	17,19,21	0.45	0
15	NAG	B	602	3	14,14,15	0.19	0	17,19,21	0.39	0
15	NAG	D	701	4	14,14,15	0.22	0	17,19,21	0.46	0
15	NAG	E	702	4	14,14,15	0.20	0	17,19,21	0.42	0
15	NAG	D	702	4	14,14,15	0.22	0	17,19,21	0.41	0
15	NAG	A	605	3	14,14,15	0.22	0	17,19,21	0.47	0
15	NAG	A	602	3	14,14,15	0.17	0	17,19,21	0.42	0
15	NAG	B	601	3	14,14,15	0.22	0	17,19,21	0.47	0
15	NAG	C	601	3	14,14,15	0.27	0	17,19,21	0.46	0
15	NAG	A	603	3	14,14,15	0.19	0	17,19,21	0.44	0
15	NAG	A	604	3	14,14,15	0.29	0	17,19,21	0.39	0
15	NAG	F	702	4	14,14,15	0.21	0	17,19,21	0.41	0
15	NAG	E	701	4	14,14,15	0.19	0	17,19,21	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	NAG	C	602	3	-	2/6/23/26	0/1/1/1
15	NAG	B	605	3	-	4/6/23/26	0/1/1/1
15	NAG	B	603	3	-	0/6/23/26	0/1/1/1
15	NAG	C	603	3	-	0/6/23/26	0/1/1/1
15	NAG	C	604	3	-	1/6/23/26	0/1/1/1
15	NAG	A	601	3	-	0/6/23/26	0/1/1/1
15	NAG	F	701	4	-	0/6/23/26	0/1/1/1
15	NAG	B	604	3	-	2/6/23/26	0/1/1/1
15	NAG	B	602	3	-	2/6/23/26	0/1/1/1
15	NAG	D	701	4	-	2/6/23/26	0/1/1/1
15	NAG	E	702	4	-	0/6/23/26	0/1/1/1
15	NAG	D	702	4	-	2/6/23/26	0/1/1/1
15	NAG	A	605	3	-	2/6/23/26	0/1/1/1
15	NAG	A	602	3	-	2/6/23/26	0/1/1/1
15	NAG	B	601	3	-	2/6/23/26	0/1/1/1
15	NAG	C	601	3	-	2/6/23/26	0/1/1/1
15	NAG	A	603	3	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	NAG	A	604	3	-	1/6/23/26	0/1/1/1
15	NAG	F	702	4	-	2/6/23/26	0/1/1/1
15	NAG	E	701	4	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
15	A	603	NAG	C4-C5-C6-O6
15	A	602	NAG	C4-C5-C6-O6
15	B	602	NAG	C4-C5-C6-O6
15	B	604	NAG	C4-C5-C6-O6
15	A	605	NAG	O5-C5-C6-O6
15	A	603	NAG	O5-C5-C6-O6
15	B	602	NAG	O5-C5-C6-O6
15	B	604	NAG	O5-C5-C6-O6
15	A	605	NAG	C4-C5-C6-O6
15	B	605	NAG	C8-C7-N2-C2
15	B	605	NAG	O7-C7-N2-C2
15	B	601	NAG	O5-C5-C6-O6
15	B	605	NAG	O5-C5-C6-O6
15	A	602	NAG	O5-C5-C6-O6
15	B	601	NAG	C4-C5-C6-O6
15	C	602	NAG	O5-C5-C6-O6
15	C	602	NAG	C4-C5-C6-O6
15	C	601	NAG	O5-C5-C6-O6
15	D	701	NAG	C4-C5-C6-O6
15	D	702	NAG	C4-C5-C6-O6
15	D	702	NAG	O5-C5-C6-O6
15	B	605	NAG	C4-C5-C6-O6
15	A	604	NAG	O5-C5-C6-O6
15	F	702	NAG	C4-C5-C6-O6
15	F	702	NAG	O5-C5-C6-O6
15	D	701	NAG	O5-C5-C6-O6
15	C	601	NAG	C4-C5-C6-O6
15	C	604	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
3	B	2
6	H	2
6	J	2
3	A	2
3	C	2
6	L	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	141:ASP	C	150:MET	N	3.05
1	H	27:GLY	C	32:TYR	N	2.98
1	J	91:TYR	C	96:GLU	N	2.97
1	A	141:ASP	C	150:MET	N	2.96
1	B	309:ILE	C	312:GLY	N	2.95
1	H	91:TYR	C	96:GLU	N	2.95
1	C	141:ASP	C	150:MET	N	2.93
1	C	309:ILE	C	312:GLY	N	2.93
1	J	27:GLY	C	32:TYR	N	2.93
1	A	309:ILE	C	312:GLY	N	2.92
1	L	27:GLY	C	32:TYR	N	2.92
1	L	91:TYR	C	96:GLU	N	2.89


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13316. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 223



Y Index: 205



Z Index: 201

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.29. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_13316_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 208 nm³; this corresponds to an approximate mass of 188 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.357\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13316 and PDB model 7PC2. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.29 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Atom inclusion [i](#)



At the recommended contour level, 37% of all backbone atoms, 29% of all non-hydrogen atoms, are inside the map.