



Full wwPDB EM Validation Report ⓘ

Nov 27, 2022 – 11:21 AM EST

PDB ID : 6PEM
EMDB ID : EMD-20316
Title : Focussed refinement of InvGN0N1:SpaPQR:PrgHK from Salmonella SPI-1 injectisome NC-base
Authors : Hu, J.; Worrall, L.J.; Strynadka, N.C.J.
Deposited on : 2019-06-20
Resolution : 3.50 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY










The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	252	 72% 27%
1	AB	252	 73% 27%
1	AC	252	 73% 27%
1	AD	252	 72% 27%
1	AE	252	 72% 27%
1	AF	252	 73% 27%
1	AG	252	 73% 27%
1	AH	252	 73% 27%
1	AI	252	 72% 27%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	AJ	252	 73% 27%
1	AK	252	 73% 27%
1	AL	252	 73% 27%
1	o	252	 73% 27%
1	p	252	 73% 27%
1	q	252	 73% 27%
1	r	252	 73% 27%
1	s	252	 73% 27%
1	t	252	 73% 27%
1	u	252	 72% 27%
1	v	252	 73% 27%
1	w	252	 73% 27%
1	x	252	 73% 27%
1	y	252	 73% 27%
1	z	252	 73% 27%
2	0	224	 83% 16%
2	1	224	 82% 16%
2	2	224	 83% 17%
2	3	224	 85% 13%
2	4	224	 5% 93% 6%
3	5	263	 86% 13%
4	6	86	 62% 38%
4	7	86	 15% 97% ..
4	8	86	 95% ...
4	9	86	 98% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
5	A	562	25%	75%
5	B	562	25%	74%
5	C	562	25%	75%
5	D	562	26%	74%
5	F	562	25%	75%
5	G	562	25%	74%
5	H	562	24%	75%
5	I	562	25%	74%
5	J	562	25%	75%
5	K	562	25%	74%
5	L	562	25%	75%
5	M	562	26%	74%
5	N	562	25%	75%
5	O	562	25%	74%
5	P	562	25%	75%
5	Q	562	25%	74%
6	E	392	56%	43%
6	R	392	56%	44%
6	S	392	56%	43%
6	T	392	57%	43%
6	U	392	56%	44%
6	V	392	56%	43%
6	W	392	57%	43%
6	X	392	56%	44%
6	Y	392	56%	43%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
6	Z	392		43%
6	a	392		44%
6	b	392		43%
6	c	392		43%
6	d	392		44%
6	e	392		43%
6	f	392		43%
6	g	392		44%
6	h	392		43%
6	i	392		43%
6	j	392		44%
6	k	392		43%
6	l	392		43%
6	m	392		44%
6	n	392		43%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 108033 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipoprotein PrgK.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	AA	184	1431	901	250	277	3	0	0
1	AB	184	1431	901	250	277	3	0	0
1	AC	184	1431	901	250	277	3	0	0
1	AD	184	1431	901	250	277	3	0	0
1	AE	184	1431	901	250	277	3	0	0
1	AF	184	1431	901	250	277	3	0	0
1	AG	184	1431	901	250	277	3	0	0
1	AH	184	1431	901	250	277	3	0	0
1	AI	184	1431	901	250	277	3	0	0
1	AL	184	1431	901	250	277	3	0	0
1	o	184	1431	901	250	277	3	0	0
1	p	184	1431	901	250	277	3	0	0
1	q	184	1431	901	250	277	3	0	0
1	r	184	1431	901	250	277	3	0	0
1	s	184	1431	901	250	277	3	0	0
1	t	184	1431	901	250	277	3	0	0
1	u	184	1431	901	250	277	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	v	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	w	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	x	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	y	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	z	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	AJ	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		
1	AK	184	Total	C	N	O	S	0	0
			1431	901	250	277	3		

- Molecule 2 is a protein called Surface presentation of antigens protein SpaP.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	0	189	Total	C	N	O	S	0	0
			1468	982	219	256	11		
2	1	189	Total	C	N	O	S	0	0
			1475	988	220	256	11		
2	2	187	Total	C	N	O	S	0	0
			1464	981	219	253	11		
2	3	194	Total	C	N	O	S	0	0
			1520	1016	227	266	11		
2	4	211	Total	C	N	O	S	1	0
			1672	1108	255	298	11		

- Molecule 3 is a protein called Surface presentation of antigens protein SpaR.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	5	228	Total	C	N	O	S	0	0
			1718	1136	276	293	13		

- Molecule 4 is a protein called Surface presentation of antigens protein SpaQ.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	6	53	Total	C	N	O	S	0	0
			405	276	61	67	1		
4	7	84	Total	C	N	O	S	0	0
			644	436	97	109	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
4	8	84	Total	C	N	O	S	0	0
			644	436	97	109	2		
4	9	84	Total	C	N	O	S	0	0
			647	438	97	109	3		

- Molecule 5 is a protein called Protein InvG.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
5	B	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
5	C	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
5	D	144	Total	C	N	O	S	0	0
			1146	736	195	209	6		
5	F	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
5	G	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
5	H	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
5	I	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
5	J	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
5	K	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
5	L	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
5	M	144	Total	C	N	O	S	0	0
			1146	736	195	209	6		
5	N	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
5	O	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		
5	P	139	Total	C	N	O	S	0	0
			1108	710	189	203	6		
5	Q	144	Total	C	N	O	S	1	0
			1154	741	198	209	6		

- Molecule 6 is a protein called Protein PrgH.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	E	222	Total 1836	C 1170	N 326	O 335	S 5	0	0
6	R	221	Total 1827	C 1164	N 325	O 333	S 5	0	0
6	S	222	Total 1831	C 1167	N 326	O 333	S 5	0	0
6	T	222	Total 1836	C 1170	N 326	O 335	S 5	0	0
6	U	221	Total 1827	C 1164	N 325	O 333	S 5	0	0
6	V	222	Total 1831	C 1167	N 326	O 333	S 5	0	0
6	W	222	Total 1836	C 1170	N 326	O 335	S 5	0	0
6	X	221	Total 1827	C 1164	N 325	O 333	S 5	0	0
6	Y	222	Total 1831	C 1167	N 326	O 333	S 5	0	0
6	Z	222	Total 1836	C 1170	N 326	O 335	S 5	0	0
6	a	221	Total 1827	C 1164	N 325	O 333	S 5	0	0
6	b	222	Total 1831	C 1167	N 326	O 333	S 5	0	0
6	c	222	Total 1836	C 1170	N 326	O 335	S 5	0	0
6	d	221	Total 1827	C 1164	N 325	O 333	S 5	0	0
6	e	222	Total 1831	C 1167	N 326	O 333	S 5	0	0
6	f	222	Total 1836	C 1170	N 326	O 335	S 5	0	0
6	g	221	Total 1827	C 1164	N 325	O 333	S 5	0	0
6	h	222	Total 1831	C 1167	N 326	O 333	S 5	0	0
6	i	222	Total 1836	C 1170	N 326	O 335	S 5	0	0
6	j	221	Total 1827	C 1164	N 325	O 333	S 5	0	0
6	k	222	Total 1831	C 1167	N 326	O 333	S 5	0	0
6	l	222	Total 1836	C 1170	N 326	O 335	S 5	0	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	m	221	Total	C	N	O	S	0	0
			1827	1164	325	333	5		
6	n	222	Total	C	N	O	S	0	0
			1831	1167	326	333	5		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lipoprotein PrgK

Chain AA:  72% 27%




- Molecule 1: Lipoprotein PrgK

Chain AB:  73% 27%




- Molecule 1: Lipoprotein PrgK

Chain AC:  73% 27%





- Molecule 1: Lipoprotein PrgK

Chain AD:  72% 27%





ALA
ARG
ASN
LYS
LYS
GLY
ILE
THR
THR
GLU

• Molecule 1: Lipoprotein PrgK





LYS
LYS
GLY
ILE
ALA
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK




GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK



GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK




ASN
LYS
LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK




ARG
ASN
LYS
LYS
GLY
ILE
THR
ASP
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK




LYS
LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK




LYS
LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK



GLY
ILE
THR
ALA
ASP
LYS
LYS
ALA
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK




THR
ALA
ASP
ASP
LYS
LYS
SER
SER
GLU

• Molecule 1: Lipoprotein PrgK




ARG
ASN
LYS
LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
ALA
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK




LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK



GLY
ILE
THR
ALA
ASP
LYS
ALA
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK





ARG
ASN
LYS
LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
ALA
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK



ASN
LYS
LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
LYS
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK



LYS
ASN
HIS
TYR
ARG
ALA
ARG
ASN
LYS
LYS
GLY
ILE
THR
THR
ALA
ASP
ASP
LYS
ALA
ALA
SER
SER
SER
SER
ASN
ASN
GLU

• Molecule 1: Lipoprotein PrgK



MET ILE ARG ARG TYR LEU TYR THR PHE LEU LEU LEU VAL MET THR LEU LEU ALA ALA LYS LYS CYS LYS D20 A136 K203 ARG ASN SER PHE ALA THR THR TRP TRP ILE VAL LEU LEU ILE ILE LEU LEU SER MET MET ALA ALA GLY PHE GLY VAL TRP TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS

GLY
ILE
THR
ALA
ASP
LYS
ALA
SER
SER
ASN
GLU

• Molecule 1: Lipoprotein PrgK



MET ILE ARG ARG TYR LEU TYR THR PHE LEU LEU LEU VAL MET THR LEU LEU ALA ALA LYS LYS CYS LYS D20 R80 D136 E138 K203 ARG ASN SER PHE ALA THR THR TRP TRP ILE VAL LEU LEU ILE ILE LEU LEU SER MET MET ALA LEU LEU SER VAL MET MET VAL VAL SER VAL ALA GLY PHE VAL TRP TYR TYR LYS ASN HIS TYR TYR LYS ASN HIS TYR ALA

ARG
ASN
LYS
GLY
ILE
THR
ALA
ASP
LYS
LYS
SER
SER
ASN
GLU


• Molecule 1: Lipoprotein PrgK



MET ILE ARG ARG TYR LEU TYR THR PHE LEU LEU LEU VAL MET THR LEU LEU ALA ALA LYS LYS CYS LYS D20 R80 K203 ARG ASN SER PHE ALA THR THR TRP TRP ILE VAL LEU LEU ILE ILE LEU LEU SER MET MET ALA LEU LEU SER VAL MET MET VAL VAL SER VAL ALA GLY PHE VAL TRP TYR TYR LYS ASN HIS TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS

GLY
ILE
THR
ALA
ASP
LYS
ALA
SER
SER
ASN
GLU


• Molecule 1: Lipoprotein PrgK



MET ILE ARG ARG TYR LEU TYR THR PHE LEU LEU LEU VAL MET THR LEU LEU ALA ALA LYS LYS CYS LYS D20 G137 E138 K203 ARG ASN SER PHE ALA THR THR TRP TRP ILE VAL LEU LEU ILE ILE LEU LEU SER MET MET ALA ALA GLY PHE VAL TRP TYR TYR LYS ASN HIS TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS

LYS
GLY
ILE
THR
ALA
ASP
LYS
ALA
SER
SER
ASN
GLU



• Molecule 1: Lipoprotein PrgK




MET ILE ARG ARG TYR LEU TYR THR PHE LEU LEU LEU VAL MET THR LEU LEU ALA ALA LYS LYS CYS LYS D20 R80 D136 A136 K203 ARG ASN SER PHE ALA THR THR TRP TRP ILE VAL LEU LEU ILE ILE LEU LEU SER MET MET VAL VAL SER VAL ALA GLY PHE VAL TRP TYR TYR LYS ASN HIS TYR TYR LYS ASN HIS TYR ALA ARG ASN LYS

ASN
LYS
LYS
GLY
ILE
THR
ALA
ASP
ASP
LYS
ALA
LYS
SER
SER
ASN
GLU



• Molecule 2: Surface presentation of antigens protein SpaP




• Molecule 2: Surface presentation of antigens protein SpaP




• Molecule 2: Surface presentation of antigens protein SpaP





• Molecule 2: Surface presentation of antigens protein SpaP



• Molecule 2: Surface presentation of antigens protein SpaP




• Molecule 3: Surface presentation of antigens protein SpaR



• Molecule 4: Surface presentation of antigens protein SpaQ






• Molecule 5: Protein InvG





• Molecule 5: Protein InvG









• Molecule 6: Protein PrgH




• Molecule 6: Protein PrgH



• Molecule 6: Protein PrgH



• Molecule 6: Protein PrgH



MET
GLU
THR
SER
LYS
GLU
LYS
THR
THR
SER
PRO
GLY
PRO
TYR
ILE
VAL
THR
ARG
LEU
LEU
ASN
GLY
CYS
PHE
LEU
LEU
THR
GLY
ARG
THR
LEU
PHE
VAL
GLN
THR
GLY
PRO
GLN
SER
ASP
ALA
THR
LEU
ALA
GLY
GLN

PHE
ILE
PRO
LEU
PRO
ASP
HIS
GLY
GLY
VAL
ASN
PHE
GLU
ILE
GLN
VAL
ASP
THR
ASP
ALA
THR
GLU
ILE
SER
LEU
HIS
GLU
LEU
LYS
GLY
PHE
GLY
ASN
SER
GLU
SER
ARG
SER
THR
VAL
GLN
LEU
ASN
THR
TRP
ILE
SER
GLN
VAL
GLY
LEU
LEU
LEU
SER
ILE
LEU
ILE
ARG
PRO
GLU
SER
GLU
PRO
TRP
PHE

PRO
GLU
GLN
PRO
GLU
LYS
LEU
GLU
THR
SER
ALA
LYS
ASN
GLU
PRO
ARG
PHE
LYS
ASN
GLY
ILE
VAL
ALA
LEU
ALA
ALA
PHE
PHE
ILE
LEU
GLY
ILE
GLY
THR
VAL
GLY
THR
LEU
ILE
LEU
ASN
SER
PRO
GLN
ARG
GLN
ALA
ALA
A171
L392

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	144097	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51.3	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.267	Depositor
Minimum map value	-0.159	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.025	Depositor
Map size (Å)	427.5, 427.5, 427.5	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.71, 1.71, 1.71	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	0.41	0/1458	0.58	1/1979 (0.1%)
1	AB	0.40	0/1458	0.57	0/1979
1	AC	0.39	0/1458	0.55	0/1979
1	AD	0.39	0/1458	0.60	2/1979 (0.1%)
1	AE	0.40	0/1458	0.58	1/1979 (0.1%)
1	AF	0.42	0/1458	0.55	0/1979
1	AG	0.39	0/1458	0.54	0/1979
1	AH	0.39	0/1458	0.54	0/1979
1	AI	0.40	0/1458	0.58	0/1979
1	AJ	0.41	0/1458	0.59	0/1979
1	AK	0.40	0/1458	0.56	0/1979
1	AL	0.40	0/1458	0.57	1/1979 (0.1%)
1	o	0.38	0/1458	0.57	0/1979
1	p	0.38	0/1458	0.53	0/1979
1	q	0.39	0/1458	0.54	0/1979
1	r	0.39	0/1458	0.57	0/1979
1	s	0.40	0/1458	0.55	0/1979
1	t	0.40	0/1458	0.59	0/1979
1	u	0.38	0/1458	0.58	1/1979 (0.1%)
1	v	0.42	1/1458 (0.1%)	0.57	0/1979
1	w	0.39	0/1458	0.56	0/1979
1	x	0.40	0/1458	0.55	0/1979
1	y	0.39	0/1458	0.54	0/1979
1	z	0.41	0/1458	0.58	0/1979
2	0	0.34	0/1501	0.65	0/2040
2	1	0.38	0/1508	0.72	2/2049 (0.1%)
2	2	0.37	0/1497	0.68	1/2032 (0.0%)
2	3	0.34	0/1553	0.64	2/2107 (0.1%)
2	4	0.37	0/1710	0.62	1/2318 (0.0%)
3	5	0.35	0/1758	0.62	0/2402
4	6	0.30	0/414	0.60	0/565
4	7	0.33	0/657	0.77	1/897 (0.1%)
4	8	0.33	0/657	0.72	1/897 (0.1%)
4	9	0.35	0/660	0.61	0/900

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
5	A	0.37	0/1131	0.55	0/1525
5	B	0.37	0/1181	0.56	1/1593 (0.1%)
5	C	0.38	0/1131	0.54	0/1525
5	D	0.37	0/1170	0.54	0/1579
5	F	0.39	0/1131	0.52	0/1525
5	G	0.38	0/1181	0.57	0/1593
5	H	0.38	0/1131	0.54	1/1525 (0.1%)
5	I	0.37	0/1181	0.56	0/1593
5	J	0.38	0/1131	0.54	0/1525
5	K	0.38	0/1181	0.57	0/1593
5	L	0.39	0/1131	0.55	0/1525
5	M	0.37	0/1170	0.55	0/1579
5	N	0.39	0/1131	0.55	0/1525
5	O	0.38	0/1181	0.60	2/1593 (0.1%)
5	P	0.39	0/1131	0.55	0/1525
5	Q	0.37	0/1181	0.57	0/1593
6	E	0.38	0/1881	0.54	0/2541
6	R	0.39	0/1872	0.55	0/2530
6	S	0.38	0/1876	0.55	0/2536
6	T	0.39	0/1881	0.53	0/2541
6	U	0.37	0/1872	0.56	0/2530
6	V	0.38	0/1876	0.53	0/2536
6	W	0.38	0/1881	0.52	0/2541
6	X	0.37	0/1872	0.55	1/2530 (0.0%)
6	Y	0.40	0/1876	0.54	0/2536
6	Z	0.38	0/1881	0.53	0/2541
6	a	0.38	0/1872	0.55	0/2530
6	b	0.40	0/1876	0.55	0/2536
6	c	0.39	0/1881	0.53	0/2541
6	d	0.38	0/1872	0.53	0/2530
6	e	0.39	0/1876	0.53	0/2536
6	f	0.39	0/1881	0.53	0/2541
6	g	0.39	0/1872	0.55	0/2530
6	h	0.39	0/1876	0.54	0/2536
6	i	0.38	0/1881	0.55	1/2541 (0.0%)
6	j	0.39	0/1872	0.55	0/2530
6	k	0.38	0/1876	0.53	0/2536
6	l	0.38	0/1881	0.52	0/2541
6	m	0.38	0/1872	0.54	0/2530
6	n	0.39	0/1876	0.55	0/2536
All	All	0.38	1/110413 (0.0%)	0.56	20/149475 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	8	0	2
6	b	0	1
6	k	0	1
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	v	76	GLN	C-N	-5.20	1.22	1.34

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2	16	LEU	CA-CB-CG	7.15	131.75	115.30
2	3	217	LEU	CA-CB-CG	6.92	131.21	115.30
2	4	206	ASP	CB-CG-OD1	6.79	124.42	118.30
6	i	176	LEU	CA-CB-CG	6.46	130.17	115.30
1	AA	192	ASP	CB-CG-OD1	6.42	124.08	118.30
2	3	17	LEU	CA-CB-CG	5.95	128.99	115.30
1	AD	192	ASP	CB-CG-OD1	5.93	123.64	118.30
5	O	76	ASP	CB-CG-OD1	5.76	123.48	118.30
4	7	16	LEU	CA-CB-CG	5.49	127.92	115.30
2	1	16	LEU	CA-CB-CG	5.46	127.87	115.30
6	X	237	ASP	CB-CG-OD2	5.41	123.17	118.30
1	AD	171	LEU	CA-CB-CG	5.33	127.56	115.30
4	8	16	LEU	CA-CB-CG	5.30	127.50	115.30
1	AE	20	ASP	CB-CG-OD1	5.27	123.04	118.30
5	O	167	ASP	CB-CG-OD1	5.27	123.04	118.30
1	AL	181	ASP	CB-CG-OD1	5.19	122.97	118.30
2	1	103	LEU	CA-CB-CG	5.18	127.21	115.30
1	u	171	LEU	CA-CB-CG	5.12	127.07	115.30
5	B	90	LEU	CA-CB-CG	5.04	126.89	115.30
5	H	90	LEU	CA-CB-CG	5.04	126.88	115.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	8	16	LEU	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
4	8	40	THR	Peptide
6	b	366	LEU	Peptide
6	k	366	LEU	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AA	182/252 (72%)	174 (96%)	8 (4%)	0	100	100
1	AB	182/252 (72%)	178 (98%)	4 (2%)	0	100	100
1	AC	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	AD	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	AE	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	AF	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	AG	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	AH	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	AI	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	AJ	182/252 (72%)	178 (98%)	4 (2%)	0	100	100
1	AK	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	AL	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	o	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	p	182/252 (72%)	172 (94%)	10 (6%)	0	100	100
1	q	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	r	182/252 (72%)	174 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	s	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	t	182/252 (72%)	179 (98%)	3 (2%)	0	100	100
1	u	182/252 (72%)	178 (98%)	4 (2%)	0	100	100
1	v	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	w	182/252 (72%)	177 (97%)	5 (3%)	0	100	100
1	x	182/252 (72%)	175 (96%)	7 (4%)	0	100	100
1	y	182/252 (72%)	176 (97%)	6 (3%)	0	100	100
1	z	182/252 (72%)	174 (96%)	8 (4%)	0	100	100
2	0	183/224 (82%)	178 (97%)	4 (2%)	1 (0%)	29	68
2	1	183/224 (82%)	176 (96%)	6 (3%)	1 (0%)	29	68
2	2	181/224 (81%)	174 (96%)	6 (3%)	1 (1%)	25	64
2	3	188/224 (84%)	185 (98%)	3 (2%)	0	100	100
2	4	208/224 (93%)	199 (96%)	9 (4%)	0	100	100
3	5	222/263 (84%)	216 (97%)	6 (3%)	0	100	100
4	6	49/86 (57%)	48 (98%)	1 (2%)	0	100	100
4	7	82/86 (95%)	80 (98%)	2 (2%)	0	100	100
4	8	82/86 (95%)	79 (96%)	3 (4%)	0	100	100
4	9	82/86 (95%)	81 (99%)	1 (1%)	0	100	100
5	A	137/562 (24%)	136 (99%)	1 (1%)	0	100	100
5	B	143/562 (25%)	139 (97%)	4 (3%)	0	100	100
5	C	137/562 (24%)	134 (98%)	3 (2%)	0	100	100
5	D	142/562 (25%)	138 (97%)	4 (3%)	0	100	100
5	F	137/562 (24%)	135 (98%)	2 (2%)	0	100	100
5	G	143/562 (25%)	137 (96%)	6 (4%)	0	100	100
5	H	137/562 (24%)	134 (98%)	3 (2%)	0	100	100
5	I	143/562 (25%)	141 (99%)	2 (1%)	0	100	100
5	J	137/562 (24%)	135 (98%)	2 (2%)	0	100	100
5	K	143/562 (25%)	139 (97%)	4 (3%)	0	100	100
5	L	137/562 (24%)	135 (98%)	2 (2%)	0	100	100
5	M	142/562 (25%)	137 (96%)	5 (4%)	0	100	100
5	N	137/562 (24%)	134 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	O	143/562 (25%)	140 (98%)	3 (2%)	0	100	100
5	P	137/562 (24%)	136 (99%)	1 (1%)	0	100	100
5	Q	143/562 (25%)	139 (97%)	4 (3%)	0	100	100
6	E	220/392 (56%)	213 (97%)	7 (3%)	0	100	100
6	R	219/392 (56%)	213 (97%)	6 (3%)	0	100	100
6	S	220/392 (56%)	208 (94%)	12 (6%)	0	100	100
6	T	220/392 (56%)	210 (96%)	10 (4%)	0	100	100
6	U	219/392 (56%)	212 (97%)	7 (3%)	0	100	100
6	V	220/392 (56%)	207 (94%)	13 (6%)	0	100	100
6	W	220/392 (56%)	212 (96%)	8 (4%)	0	100	100
6	X	219/392 (56%)	213 (97%)	6 (3%)	0	100	100
6	Y	220/392 (56%)	205 (93%)	15 (7%)	0	100	100
6	Z	220/392 (56%)	210 (96%)	10 (4%)	0	100	100
6	a	219/392 (56%)	213 (97%)	6 (3%)	0	100	100
6	b	220/392 (56%)	206 (94%)	14 (6%)	0	100	100
6	c	220/392 (56%)	211 (96%)	9 (4%)	0	100	100
6	d	219/392 (56%)	212 (97%)	7 (3%)	0	100	100
6	e	220/392 (56%)	208 (94%)	12 (6%)	0	100	100
6	f	220/392 (56%)	209 (95%)	11 (5%)	0	100	100
6	g	219/392 (56%)	210 (96%)	9 (4%)	0	100	100
6	h	220/392 (56%)	207 (94%)	13 (6%)	0	100	100
6	i	220/392 (56%)	212 (96%)	8 (4%)	0	100	100
6	j	219/392 (56%)	212 (97%)	7 (3%)	0	100	100
6	k	220/392 (56%)	205 (93%)	15 (7%)	0	100	100
6	l	220/392 (56%)	210 (96%)	10 (4%)	0	100	100
6	m	219/392 (56%)	214 (98%)	5 (2%)	0	100	100
6	n	220/392 (56%)	207 (94%)	13 (6%)	0	100	100
All	All	13338/26175 (51%)	12863 (96%)	472 (4%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	0	49	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	2	47	PRO
2	1	49	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	AA	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	AB	155/215 (72%)	155 (100%)	0	100 100
1	AC	155/215 (72%)	155 (100%)	0	100 100
1	AD	155/215 (72%)	155 (100%)	0	100 100
1	AE	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	AF	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	AG	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	AH	155/215 (72%)	155 (100%)	0	100 100
1	AI	155/215 (72%)	153 (99%)	2 (1%)	69 86
1	AJ	155/215 (72%)	155 (100%)	0	100 100
1	AK	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	AL	155/215 (72%)	155 (100%)	0	100 100
1	o	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	p	155/215 (72%)	155 (100%)	0	100 100
1	q	155/215 (72%)	155 (100%)	0	100 100
1	r	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	s	155/215 (72%)	155 (100%)	0	100 100
1	t	155/215 (72%)	155 (100%)	0	100 100
1	u	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	v	155/215 (72%)	155 (100%)	0	100 100
1	w	155/215 (72%)	154 (99%)	1 (1%)	86 94
1	x	155/215 (72%)	155 (100%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	y	155/215 (72%)	154 (99%)	1 (1%)	86	94
1	z	155/215 (72%)	154 (99%)	1 (1%)	86	94
2	0	162/199 (81%)	161 (99%)	1 (1%)	86	94
2	1	164/199 (82%)	161 (98%)	3 (2%)	59	81
2	2	164/199 (82%)	164 (100%)	0	100	100
2	3	170/199 (85%)	168 (99%)	2 (1%)	71	87
2	4	187/199 (94%)	186 (100%)	1 (0%)	88	94
3	5	187/219 (85%)	186 (100%)	1 (0%)	88	94
4	6	41/71 (58%)	41 (100%)	0	100	100
4	7	69/71 (97%)	69 (100%)	0	100	100
4	8	69/71 (97%)	69 (100%)	0	100	100
4	9	70/71 (99%)	70 (100%)	0	100	100
5	A	119/477 (25%)	119 (100%)	0	100	100
5	B	125/477 (26%)	125 (100%)	0	100	100
5	C	119/477 (25%)	118 (99%)	1 (1%)	81	91
5	D	124/477 (26%)	124 (100%)	0	100	100
5	F	119/477 (25%)	118 (99%)	1 (1%)	81	91
5	G	125/477 (26%)	124 (99%)	1 (1%)	81	91
5	H	119/477 (25%)	118 (99%)	1 (1%)	81	91
5	I	125/477 (26%)	124 (99%)	1 (1%)	81	91
5	J	119/477 (25%)	119 (100%)	0	100	100
5	K	125/477 (26%)	124 (99%)	1 (1%)	81	91
5	L	119/477 (25%)	118 (99%)	1 (1%)	81	91
5	M	124/477 (26%)	124 (100%)	0	100	100
5	N	119/477 (25%)	118 (99%)	1 (1%)	81	91
5	O	125/477 (26%)	124 (99%)	1 (1%)	81	91
5	P	119/477 (25%)	118 (99%)	1 (1%)	81	91
5	Q	125/477 (26%)	124 (99%)	1 (1%)	81	91
6	E	190/337 (56%)	189 (100%)	1 (0%)	88	94
6	R	189/337 (56%)	189 (100%)	0	100	100
6	S	188/337 (56%)	187 (100%)	1 (0%)	88	94

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	T	190/337 (56%)	190 (100%)	0	100	100
6	U	189/337 (56%)	188 (100%)	1 (0%)	88	94
6	V	188/337 (56%)	186 (99%)	2 (1%)	73	88
6	W	190/337 (56%)	190 (100%)	0	100	100
6	X	189/337 (56%)	188 (100%)	1 (0%)	88	94
6	Y	188/337 (56%)	187 (100%)	1 (0%)	88	94
6	Z	190/337 (56%)	189 (100%)	1 (0%)	88	94
6	a	189/337 (56%)	189 (100%)	0	100	100
6	b	188/337 (56%)	188 (100%)	0	100	100
6	c	190/337 (56%)	190 (100%)	0	100	100
6	d	189/337 (56%)	188 (100%)	1 (0%)	88	94
6	e	188/337 (56%)	187 (100%)	1 (0%)	88	94
6	f	190/337 (56%)	189 (100%)	1 (0%)	88	94
6	g	189/337 (56%)	187 (99%)	2 (1%)	73	88
6	h	188/337 (56%)	188 (100%)	0	100	100
6	i	190/337 (56%)	189 (100%)	1 (0%)	88	94
6	j	189/337 (56%)	189 (100%)	0	100	100
6	k	188/337 (56%)	187 (100%)	1 (0%)	88	94
6	l	190/337 (56%)	190 (100%)	0	100	100
6	m	189/337 (56%)	189 (100%)	0	100	100
6	n	188/337 (56%)	188 (100%)	0	100	100
All	All	11489/22378 (51%)	11442 (100%)	47 (0%)	91	96

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	AA	80	ARG
1	AE	80	ARG
1	AF	80	ARG
1	AG	80	ARG
2	0	167	LEU
2	1	20	ILE
2	1	64	MET
2	1	166	TYR
2	3	167	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	3	217	LEU
2	4	4	ASP
3	5	174	ILE
1	AI	80	ARG
1	AI	133	ASP
5	C	143	ARG
6	E	340	ARG
5	F	143	ARG
5	G	143	ARG
5	H	143	ARG
5	I	143	ARG
5	K	143	ARG
5	L	143	ARG
5	N	143	ARG
5	O	143	ARG
5	P	143	ARG
5	Q	143	ARG
6	S	348	ARG
6	U	366	LEU
6	V	176	LEU
6	V	348	ARG
6	X	366	LEU
6	Y	348	ARG
6	Z	217	ASP
6	d	366	LEU
6	e	348	ARG
6	f	182	GLU
6	g	181	LYS
6	g	366	LEU
6	i	176	LEU
6	k	348	ARG
1	o	80	ARG
1	r	80	ARG
1	u	177	ASP
1	w	80	ARG
1	y	80	ARG
1	z	80	ARG
1	AK	80	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (95) such sidechains are listed below:

Mol	Chain	Res	Type
1	AB	29	GLN
1	AC	29	GLN
1	AC	163	GLN
1	AE	29	GLN
2	0	44	GLN
2	3	39	ASN
2	4	123	GLN
3	5	175	ASN
4	7	77	GLN
4	8	37	GLN
4	9	9	ASN
1	AI	162	HIS
5	A	71	ASN
5	B	87	GLN
5	B	170	ASN
5	C	123	ASN
5	D	87	GLN
6	E	199	GLN
5	G	124	ASN
5	G	169	GLN
5	G	170	ASN
5	H	97	GLN
5	J	87	GLN
5	K	97	GLN
5	L	87	GLN
5	L	97	GLN
5	L	169	GLN
5	M	161	ASN
5	M	169	GLN
5	N	97	GLN
5	N	170	ASN
5	P	87	GLN
5	P	169	GLN
5	P	170	ASN
5	Q	87	GLN
6	R	318	ASN
6	S	219	ASN
6	S	318	ASN
6	S	341	GLN
6	T	209	GLN
6	T	309	GLN
6	U	318	ASN
6	V	219	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	V	229	ASN
6	V	318	ASN
6	V	319	HIS
6	W	209	GLN
6	W	318	ASN
6	X	229	ASN
6	X	318	ASN
6	Y	318	ASN
6	Z	199	GLN
6	Z	209	GLN
6	Z	229	ASN
6	Z	265	ASN
6	Z	309	GLN
6	Z	356	GLN
6	a	229	ASN
6	a	310	GLN
6	a	318	ASN
6	b	199	GLN
6	b	219	ASN
6	b	318	ASN
6	c	209	GLN
6	c	219	ASN
6	c	318	ASN
6	d	263	GLN
6	d	356	GLN
6	e	219	ASN
6	e	310	GLN
6	e	318	ASN
6	f	318	ASN
6	h	318	ASN
6	i	242	GLN
6	i	318	ASN
6	j	328	GLN
6	k	219	ASN
6	k	310	GLN
6	k	318	ASN
6	l	209	GLN
6	m	318	ASN
6	n	319	HIS
1	o	115	GLN
1	o	162	HIS
1	p	139	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	r	163	GLN
1	t	173	ASN
1	u	29	GLN
1	u	139	ASN
1	u	173	ASN
1	v	29	GLN
1	v	139	ASN
1	AJ	162	HIS
1	AJ	163	GLN
1	AK	29	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20316. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 125



Y Index: 125




Z Index: 125


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 155



Y Index: 107




Z Index: 129


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 996 nm³; this corresponds to an approximate mass of 899 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20316 and PDB model 6PEM. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 97% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















































































The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9307	 0.5190
0	 0.8553	 0.4650
1	 0.8196	 0.4340
2	 0.8217	 0.4470
3	 0.8443	 0.4590
4	 0.8254	 0.4700
5	 0.9111	 0.4980
6	 0.7412	 0.4600
7	 0.6970	 0.4290
8	 0.8399	 0.4590
9	 0.8703	 0.4910
A	 0.9696	 0.5310
AA	 0.9280	 0.5260
AB	 0.9266	 0.5270
AC	 0.9359	 0.5310
AD	 0.9359	 0.5250
AE	 0.9252	 0.5260
AF	 0.9373	 0.5270
AG	 0.9273	 0.5230
AH	 0.9301	 0.5290
AI	 0.9316	 0.5290
AJ	 0.9280	 0.5240
AK	 0.9173	 0.5210
AL	 0.9359	 0.5240
B	 0.9573	 0.5170
C	 0.9604	 0.5260
D	 0.9573	 0.5150
E	 0.9370	 0.5250
F	 0.9309	 0.5210
G	 0.9306	 0.5180
H	 0.9549	 0.5220
I	 0.9520	 0.5130
J	 0.9669	 0.5260
K	 0.9466	 0.5040
L	 0.9448	 0.5240



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
M	 0.9555	 0.5170
N	 0.9586	 0.5220
O	 0.9413	 0.5110
P	 0.9475	 0.5230
Q	 0.9617	 0.5170
R	 0.9565	 0.5330
S	 0.9515	 0.5330
T	 0.9421	 0.5260
U	 0.9553	 0.5280
V	 0.9554	 0.5290
W	 0.9449	 0.5310
X	 0.9503	 0.5280
Y	 0.9492	 0.5280
Z	 0.9511	 0.5250
a	 0.9553	 0.5290
b	 0.9504	 0.5320
c	 0.9443	 0.5290
d	 0.9587	 0.5320
e	 0.9504	 0.5220
f	 0.9409	 0.5280
g	 0.9514	 0.5260
h	 0.9509	 0.5290
i	 0.9393	 0.5310
j	 0.9576	 0.5330
k	 0.9532	 0.5360
l	 0.9454	 0.5310
m	 0.9525	 0.5310
n	 0.9481	 0.5270
o	 0.9323	 0.5320
p	 0.9216	 0.5290
q	 0.9337	 0.5250
r	 0.9280	 0.5270
s	 0.9216	 0.5190
t	 0.9280	 0.5260
u	 0.9273	 0.5220
v	 0.9309	 0.5210
w	 0.9024	 0.5160
x	 0.9195	 0.5200
y	 0.9244	 0.5310
z	 0.9366	 0.5310