



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 10, 2024 – 08:49 PM EST

PDB ID : 2PGH
Title : STRUCTURE DETERMINATION OF AQUOMET PORCINE
HEMOGLOBIN AT 2.8 ANGSTROM RESOLUTION
Authors : Katz, D.S.; White, S.P.; Huang, W.; Kumar, R.; Christianson, D.W.
Deposited on : 1994-09-16
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	141	56% (green), 32% (yellow), 10% (orange), 2% (red), 2% (grey)
1	C	141	52% (green), 38% (yellow), 9% (orange), 1% (red), 2% (grey)
2	B	146	47% (green), 45% (yellow), 8% (orange), 2% (red), 2% (grey)
2	D	146	49% (green), 42% (yellow), 8% (orange), 2% (red), 2% (grey)

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4700 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HEMOGLOBIN (AQUO MET) (ALPHA CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	141	1064	677	192	193	2	0	0	0
1	C	141	1064	677	192	193	2	0	0	0

- Molecule 2 is a protein called HEMOGLOBIN (AQUO MET) (BETA CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	146	1135	726	203	204	2	0	0	0
2	D	146	1135	726	203	204	2	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	125	ASP	ASN	conflict	UNP P02067
D	125	ASP	ASN	conflict	UNP P02067

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
3	A	1	43	34	1	4	4	0	0
3	B	1	43	34	1	4	4	0	0
3	C	1	43	34	1	4	4	0	0
3	D	1	43	34	1	4	4	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	20	Total	O	0	0
			20	20		
4	B	34	Total	O	0	0
			34	34		
4	C	45	Total	O	0	0
			45	45		
4	D	31	Total	O	0	0
			31	31		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: HEMOGLOBIN (AQUO MET) (ALPHA CHAIN)




- Molecule 1: HEMOGLOBIN (AQUO MET) (ALPHA CHAIN)



- Molecule 2: HEMOGLOBIN (AQUO MET) (BETA CHAIN)



- Molecule 2: HEMOGLOBIN (AQUO MET) (BETA CHAIN)





4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.60Å 72.80Å 115.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.50 – 2.80	Depositor
% Data completeness (in resolution range)	(Not available) (6.50-2.80)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.154 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	4700	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/1091	1.06	8/1480 (0.5%)
1	C	0.70	1/1091 (0.1%)	1.18	8/1480 (0.5%)
2	B	0.63	0/1160	0.88	3/1568 (0.2%)
2	D	0.64	0/1160	0.92	3/1568 (0.2%)
All	All	0.66	1/4502 (0.0%)	1.01	22/6096 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	C	0	4
2	B	0	2
2	D	0	2
All	All	0	12

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	113	HIS	CB-CG	5.10	1.59	1.50

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	113	HIS	CA-CB-CG	26.33	158.36	113.60
1	A	113	HIS	CA-CB-CG	12.28	134.48	113.60
1	A	58	HIS	CA-CB-CG	-9.20	97.95	113.60
2	D	77	HIS	CA-CB-CG	8.62	128.25	113.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	146	HIS	CA-CB-CG	7.94	127.10	113.60
1	A	24	HIS	CA-CB-CG	7.59	126.51	113.60
2	B	77	HIS	CA-CB-CG	7.21	125.86	113.60
1	C	89	HIS	CA-CB-CG	7.13	125.72	113.60
1	C	122	HIS	CA-CB-CG	6.60	124.83	113.60
1	A	136	LEU	CA-CB-CG	6.24	129.65	115.30
1	C	112	HIS	CG-CD2-NE2	-5.96	97.89	109.20
2	B	63	HIS	CG-CD2-NE2	-5.51	98.74	109.20
1	A	52	SER	N-CA-C	-5.45	96.30	111.00
1	C	103	HIS	CG-CD2-NE2	-5.43	98.89	109.20
1	C	58	HIS	CG-ND1-CE1	-5.39	98.69	105.70
1	A	89	HIS	CA-CB-CG	5.38	122.74	113.60
1	C	112	HIS	ND1-CG-CD2	5.25	116.15	108.80
1	A	103	HIS	CG-CD2-NE2	-5.14	99.43	109.20
2	B	2	HIS	CG-CD2-NE2	-5.13	99.45	109.20
2	D	2	HIS	CG-CD2-NE2	-5.12	99.47	109.20
1	C	87	HIS	CA-CB-CG	-5.11	104.91	113.60
1	A	87	HIS	CG-CD2-NE2	-5.07	99.57	109.20

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	50	HIS	Sidechain
1	A	72	HIS	Sidechain
1	A	87	HIS	Sidechain
1	A	89	HIS	Sidechain
2	B	146	HIS	Sidechain
2	B	35	TYR	Sidechain
1	C	103	HIS	Sidechain
1	C	113	HIS	Sidechain
1	C	58	HIS	Sidechain
1	C	89	HIS	Sidechain
2	D	63	HIS	Sidechain
2	D	97	HIS	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1064	0	1060	49	0
1	C	1064	0	1060	57	0
2	B	1135	0	1134	67	0
2	D	1135	0	1134	73	0
3	A	43	0	30	1	0
3	B	43	0	30	6	0
3	C	43	0	30	2	0
3	D	43	0	30	12	0
4	A	20	0	0	3	0
4	B	34	0	0	1	0
4	C	45	0	0	11	0
4	D	31	0	0	2	0
All	All	4700	0	4508	232	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (232) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:14:LEU:HD21	2:B:126:VAL:HG11	1.45	0.98
2:B:106:LEU:HD23	3:B:147:HEM:HBB2	1.50	0.92
2:B:146:HIS:OXT	2:D:132:LYS:HD2	1.69	0.90
2:B:34:VAL:O	2:B:36:PRO:HD3	1.75	0.85
2:D:116:ARG:HG3	2:D:116:ARG:HH11	1.41	0.83
1:A:127:LYS:HE3	1:C:141:ARG:HG3	1.61	0.83
1:A:2:LEU:HG	1:A:131:ASN:HD21	1.44	0.81
1:A:2:LEU:HG	1:A:131:ASN:ND2	1.97	0.79
1:A:127:LYS:NZ	1:C:141:ARG:HB2	1.96	0.79
2:B:121:ASP:HB2	4:B:156:HOH:O	1.82	0.78
1:C:103:HIS:O	1:C:107:VAL:HG23	1.84	0.78
2:D:91:LEU:O	2:D:95:GLN:HB3	1.83	0.78
1:A:127:LYS:HZ2	1:C:141:ARG:HB2	1.47	0.76
3:C:142:HEM:HBB1	4:C:152:HOH:O	1.85	0.76
2:D:18:VAL:HG13	2:D:23:VAL:HG21	1.67	0.75
2:B:28:LEU:HD23	2:B:60:VAL:HG13	1.67	0.74
2:B:3:LEU:HD11	2:B:133:VAL:HG22	1.69	0.74
1:C:32:MET:SD	4:C:155:HOH:O	2.45	0.74
2:B:31:LEU:HD12	2:B:35:TYR:HD2	1.53	0.74
2:D:111:VAL:HG13	2:D:122:PHE:HZ	1.54	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:1:VAL:HG23	2:D:3:LEU:HG	1.72	0.71
2:B:107:GLY:O	2:B:111:VAL:HG23	1.91	0.71
1:C:76:LEU:HD23	1:C:131:ASN:ND2	2.04	0.70
2:B:59:LYS:HE3	2:B:59:LYS:HA	1.73	0.69
1:C:46:PHE:HD1	1:C:54:GLN:NE2	1.92	0.67
2:D:51:ALA:O	2:D:55:MET:HG2	1.94	0.67
3:C:142:HEM:CBB	4:C:152:HOH:O	2.42	0.67
2:D:91:LEU:HD21	3:D:147:HEM:CBA	2.24	0.67
2:B:141:LEU:CD1	3:B:147:HEM:HAB	2.23	0.67
1:A:33:PHE:CE2	1:A:48:LEU:HD22	2.30	0.66
2:B:141:LEU:HD12	3:B:147:HEM:HAB	1.77	0.66
1:A:30:GLU:O	1:A:34:LEU:HD12	1.96	0.66
2:D:91:LEU:HD21	3:D:147:HEM:HBA1	1.79	0.65
2:D:91:LEU:O	2:D:96:LEU:HG	1.98	0.64
2:D:116:ARG:HG3	2:D:116:ARG:NH1	2.13	0.64
1:A:70:VAL:HG23	1:A:128:PHE:CZ	2.34	0.63
1:C:61:LYS:CD	4:C:153:HOH:O	2.47	0.63
2:D:62:ALA:O	2:D:65:LYS:HG2	1.99	0.63
2:D:92:HIS:CD2	2:D:96:LEU:HD12	2.34	0.63
2:B:15:TRP:HH2	2:B:71:PHE:HD2	1.46	0.62
2:D:48:LEU:HD23	2:D:54:VAL:HG22	1.80	0.62
1:C:22:GLY:HA3	1:C:60:GLN:NE2	2.15	0.62
2:D:141:LEU:HD11	3:D:147:HEM:CAB	2.31	0.61
1:A:30:GLU:OE2	1:A:50:HIS:HA	2.01	0.61
1:A:41:THR:O	1:A:44:PRO:HD3	2.01	0.60
2:B:82:LYS:HD3	2:B:82:LYS:H	1.66	0.60
1:A:127:LYS:HD2	1:C:141:ARG:HD2	1.84	0.60
2:D:48:LEU:HD21	4:D:166:HOH:O	2.02	0.60
1:C:113:HIS:HB3	4:C:167:HOH:O	2.01	0.59
2:B:26:GLU:O	2:B:30:ARG:HB2	2.03	0.59
2:B:90:GLU:OE2	2:B:144:LYS:HG3	2.02	0.59
2:D:132:LYS:NZ	2:D:132:LYS:HB3	2.18	0.59
1:A:119:PRO:HB3	2:B:33:VAL:HG21	1.85	0.59
2:B:28:LEU:O	2:B:32:LEU:HD13	2.02	0.59
2:B:50:ASN:OD1	2:B:53:ALA:HB2	2.03	0.59
2:D:3:LEU:HD12	2:D:78:LEU:HD13	1.84	0.59
1:A:84:SER:OG	1:A:136:LEU:HA	2.02	0.58
2:D:95:GLN:HG2	2:D:96:LEU:HD23	1.85	0.58
1:C:13:ALA:O	1:C:17:VAL:HG23	2.04	0.58
1:A:137:THR:HG22	1:A:137:THR:O	2.03	0.58
1:C:2:LEU:HD22	1:C:6:ASP:CB	2.34	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:61:LYS:HD2	4:C:153:HOH:O	2.02	0.57
1:C:7:LYS:HG2	1:C:73:LEU:HD13	1.85	0.57
1:C:68:LYS:HG3	1:C:72:HIS:CD2	2.40	0.57
2:D:26:GLU:HG2	2:D:30:ARG:HD2	1.87	0.57
3:D:147:HEM:HAA2	4:D:173:HOH:O	2.04	0.57
2:B:31:LEU:HD12	2:B:35:TYR:CD2	2.37	0.57
1:A:52:SER:O	1:A:54:GLN:N	2.38	0.56
2:B:15:TRP:CH2	2:B:71:PHE:HD2	2.23	0.56
1:C:69:ALA:HB1	1:C:76:LEU:HD11	1.85	0.56
2:D:63:HIS:CE1	3:D:147:HEM:C1A	2.93	0.56
2:B:71:PHE:HZ	2:B:134:VAL:HG12	1.69	0.56
1:C:22:GLY:HA3	1:C:60:GLN:HE22	1.70	0.56
2:D:141:LEU:HD11	3:D:147:HEM:HAB	1.86	0.56
1:A:2:LEU:CG	1:A:131:ASN:HD21	2.17	0.56
1:C:27:GLU:OE1	1:C:108:THR:HG23	2.04	0.56
1:A:88:ALA:O	1:A:89:HIS:ND1	2.39	0.55
2:B:40:ARG:HG2	2:B:40:ARG:O	2.06	0.55
2:D:111:VAL:HG13	2:D:122:PHE:CZ	2.38	0.55
2:B:4:SER:OG	2:B:6:GLU:HG2	2.07	0.55
1:C:80:LEU:HD12	1:C:135:VAL:HG11	1.89	0.54
1:C:68:LYS:NZ	1:C:72:HIS:NE2	2.56	0.54
2:D:40:ARG:HG3	2:D:41:PHE:N	2.24	0.53
2:B:129:ALA:O	2:B:133:VAL:HG23	2.08	0.53
1:C:105:LEU:HD22	4:C:158:HOH:O	2.08	0.53
1:A:88:ALA:HB3	1:A:139:LYS:HB2	1.90	0.52
1:C:11:LYS:HE3	1:C:73:LEU:HD12	1.92	0.52
2:B:96:LEU:O	2:B:97:HIS:HB2	2.10	0.52
2:D:40:ARG:HG3	2:D:41:PHE:H	1.74	0.52
2:B:35:TYR:HD1	2:B:37:TRP:CH2	2.28	0.52
2:D:48:LEU:CD2	2:D:54:VAL:HG22	2.39	0.52
2:D:141:LEU:CD1	3:D:147:HEM:HAB	2.40	0.52
1:C:2:LEU:HD22	1:C:6:ASP:HB2	1.92	0.52
2:D:63:HIS:HE1	3:D:147:HEM:C1A	2.27	0.52
1:C:33:PHE:HB3	1:C:40:LYS:HG2	1.91	0.51
2:B:71:PHE:CZ	2:B:134:VAL:HG12	2.46	0.51
2:D:23:VAL:HG22	2:D:117:ARG:HD3	1.91	0.51
2:D:45:PHE:O	2:D:57:ASN:ND2	2.42	0.51
2:B:24:GLY:O	2:B:64:GLY:HA3	2.11	0.51
1:C:131:ASN:HB2	4:C:165:HOH:O	2.10	0.51
2:D:41:PHE:HB3	3:D:147:HEM:HMD2	1.92	0.51
1:A:140:TYR:HB2	4:A:148:HOH:O	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:66:LEU:HD22	1:C:128:PHE:CZ	2.46	0.50
2:D:32:LEU:HD11	2:D:42:PHE:CE2	2.46	0.50
2:D:123:ASN:OD1	2:D:126:VAL:HG23	2.12	0.50
2:D:28:LEU:HG	2:D:28:LEU:O	2.12	0.50
1:A:103:HIS:HE1	2:B:131:GLN:OE1	1.95	0.49
2:D:85:PHE:CE1	2:D:88:LEU:HD22	2.47	0.49
2:D:20:VAL:CG2	2:D:68:LEU:HB3	2.42	0.49
1:A:127:LYS:CE	1:C:141:ARG:HG3	2.37	0.49
2:D:20:VAL:HG22	2:D:68:LEU:HB3	1.95	0.49
1:A:47:ASN:HB2	1:A:52:SER:OG	2.13	0.48
1:A:114:PRO:HB3	2:B:116:ARG:HG2	1.94	0.48
1:C:49:SER:O	1:C:50:HIS:HB2	2.14	0.48
1:A:49:SER:OG	1:A:50:HIS:N	2.46	0.48
1:A:96:VAL:HG12	1:A:96:VAL:O	2.13	0.48
2:D:53:ALA:O	2:D:57:ASN:HB2	2.13	0.48
1:C:86:LEU:HD23	1:C:86:LEU:O	2.12	0.48
2:D:41:PHE:HB3	3:D:147:HEM:CMD	2.44	0.48
2:D:92:HIS:HB3	2:D:98:VAL:CG2	2.44	0.48
1:A:40:LYS:HG3	1:A:48:LEU:CD1	2.43	0.48
1:C:138:SER:HA	4:C:151:HOH:O	2.14	0.47
2:D:98:VAL:HG23	2:D:98:VAL:O	2.14	0.47
1:C:99:LYS:HD2	1:C:99:LYS:O	2.14	0.47
1:A:16:LYS:HG3	4:A:154:HOH:O	2.14	0.47
2:D:40:ARG:O	2:D:42:PHE:N	2.48	0.47
1:A:84:SER:HB3	1:A:139:LYS:HG2	1.96	0.47
1:A:114:PRO:CB	2:B:116:ARG:HG2	2.45	0.47
2:D:58:PRO:HG2	2:D:59:LYS:H	1.80	0.47
1:A:47:ASN:OD1	1:A:54:GLN:NE2	2.48	0.47
2:D:29:GLY:O	2:D:33:VAL:HG23	2.15	0.47
2:B:4:SER:HG	2:B:6:GLU:HG2	1.81	0.46
2:B:50:ASN:O	2:B:54:VAL:HG23	2.15	0.46
2:B:27:ALA:HB1	2:B:110:ILE:HG12	1.98	0.46
2:B:97:HIS:CD2	1:C:41:THR:HG21	2.50	0.46
1:C:115:ASP:HB3	4:C:178:HOH:O	2.14	0.46
1:A:113:HIS:HB3	4:A:153:HOH:O	2.15	0.46
2:B:127:GLN:O	2:B:131:GLN:HG2	2.15	0.46
1:C:99:LYS:HE2	1:C:100:LEU:CD2	2.46	0.46
2:B:14:LEU:HB2	2:B:118:LEU:HD11	1.97	0.46
2:B:82:LYS:H	2:B:82:LYS:CD	2.27	0.46
2:B:100:PRO:HA	2:B:103:PHE:CD2	2.51	0.46
1:C:99:LYS:HE2	1:C:100:LEU:HD21	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:144:LYS:NZ	2:D:144:LYS:HA	2.30	0.46
2:B:82:LYS:CD	2:B:82:LYS:N	2.79	0.45
1:C:36:PHE:CD1	1:C:100:LEU:HD13	2.50	0.45
2:B:14:LEU:HD22	2:B:118:LEU:CD1	2.46	0.45
2:D:1:VAL:CG2	2:D:3:LEU:HG	2.42	0.45
2:D:90:GLU:HA	2:D:93:CYS:HB3	1.97	0.45
2:B:1:VAL:HG21	2:B:132:LYS:HG2	1.99	0.45
2:B:32:LEU:HD12	2:B:32:LEU:N	2.32	0.45
2:B:29:GLY:O	2:B:33:VAL:HG22	2.15	0.45
2:D:3:LEU:HD12	2:D:78:LEU:CD1	2.46	0.45
2:B:18:VAL:HA	2:B:117:ARG:HD3	1.99	0.45
2:B:27:ALA:CB	2:B:110:ILE:HG12	2.47	0.45
2:B:50:ASN:OD1	2:B:53:ALA:CB	2.65	0.45
2:B:30:ARG:NH2	2:B:116:ARG:HD3	2.32	0.45
2:B:3:LEU:HD11	2:B:133:VAL:CG2	2.43	0.45
1:C:31:ARG:HD3	2:D:127:GLN:OE1	2.17	0.45
1:C:103:HIS:CE1	2:D:108:ASN:HD22	2.35	0.45
1:C:66:LEU:O	1:C:70:VAL:HG23	2.16	0.44
1:C:82:ALA:O	1:C:86:LEU:HB2	2.16	0.44
2:D:30:ARG:O	2:D:34:VAL:HG23	2.16	0.44
2:D:93:CYS:HB2	2:D:145:TYR:CD1	2.52	0.44
1:A:6:ASP:O	1:A:10:VAL:HG23	2.16	0.44
1:A:27:GLU:OE2	1:A:31:ARG:NH1	2.50	0.44
1:C:36:PHE:O	1:C:39:THR:HG23	2.18	0.44
1:A:68:LYS:O	1:A:72:HIS:HD2	1.99	0.44
2:D:14:LEU:HD13	2:D:14:LEU:O	2.18	0.44
2:B:31:LEU:HD22	2:B:106:LEU:HD13	2.00	0.44
1:C:61:LYS:HD3	4:C:153:HOH:O	2.14	0.44
1:A:58:HIS:O	1:A:62:VAL:HG23	2.17	0.43
1:A:107:VAL:O	1:A:107:VAL:HG12	2.17	0.43
2:B:63:HIS:O	2:B:66:LYS:HB2	2.18	0.43
2:D:91:LEU:HD21	3:D:147:HEM:HBA2	1.99	0.43
2:D:116:ARG:NH1	2:D:116:ARG:CG	2.81	0.43
2:B:18:VAL:HG12	2:B:117:ARG:HD3	2.00	0.43
2:B:123:ASN:HD22	2:B:124:PRO:HD2	1.83	0.43
1:A:138:SER:O	1:A:140:TYR:N	2.51	0.43
1:C:114:PRO:HB3	2:D:116:ARG:O	2.18	0.43
1:A:93:VAL:CG1	3:A:142:HEM:HAC	2.49	0.43
1:C:80:LEU:O	1:C:82:ALA:N	2.51	0.43
2:D:71:PHE:O	2:D:75:LEU:HD13	2.17	0.43
2:B:145:TYR:HB3	2:B:146:HIS:H	1.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:44:SER:O	2:D:46:GLY:N	2.51	0.43
2:D:44:SER:C	2:D:46:GLY:H	2.21	0.43
1:A:45:HIS:ND1	1:A:45:HIS:N	2.65	0.43
2:B:130:PHE:O	2:B:134:VAL:HG22	2.19	0.43
1:A:88:ALA:HB1	1:A:140:TYR:N	2.34	0.43
1:C:138:SER:C	1:C:140:TYR:H	2.21	0.43
1:C:30:GLU:OE1	1:C:50:HIS:HD2	2.02	0.43
2:D:107:GLY:HA3	2:D:134:VAL:HG13	2.01	0.43
2:B:41:PHE:CD2	3:B:147:HEM:HBC1	2.54	0.42
1:C:20:GLN:HB3	1:C:24:HIS:CE1	2.54	0.42
1:C:99:LYS:HD2	1:C:99:LYS:C	2.39	0.42
2:D:11:VAL:HG23	2:D:12:LEU:N	2.34	0.42
2:B:15:TRP:HH2	2:B:71:PHE:CD2	2.32	0.42
2:B:65:LYS:O	2:B:69:GLN:HB2	2.20	0.42
1:C:76:LEU:HD12	1:C:76:LEU:HA	1.89	0.42
2:B:41:PHE:HD2	3:B:147:HEM:HBC1	1.85	0.42
2:D:118:LEU:HD23	2:D:118:LEU:HA	1.74	0.42
1:A:49:SER:O	1:A:51:GLY:N	2.52	0.42
2:B:66:LYS:NZ	2:B:66:LYS:HB3	2.35	0.42
1:A:52:SER:O	1:A:53:ASP:C	2.57	0.42
1:A:87:HIS:HA	1:A:93:VAL:HG23	2.00	0.42
2:D:32:LEU:HD11	2:D:42:PHE:CD2	2.54	0.42
2:D:143:HIS:O	2:D:145:TYR:N	2.49	0.42
1:C:16:LYS:HD2	1:C:16:LYS:O	2.19	0.42
2:D:24:GLY:HA2	2:D:68:LEU:CD2	2.49	0.42
1:A:119:PRO:HA	2:B:30:ARG:HH11	1.85	0.41
1:C:36:PHE:CG	1:C:100:LEU:HD13	2.55	0.41
1:C:76:LEU:N	1:C:77:PRO:CD	2.83	0.41
2:D:91:LEU:CD2	3:D:147:HEM:HBA1	2.48	0.41
1:C:131:ASN:C	1:C:131:ASN:HD22	2.24	0.41
1:A:69:ALA:HB1	1:A:76:LEU:HD21	2.03	0.41
2:B:47:ASP:C	2:B:48:LEU:HG	2.41	0.41
1:C:98:PHE:HE1	1:C:136:LEU:HD12	1.86	0.41
1:A:41:THR:HG21	2:D:97:HIS:CG	2.55	0.41
1:A:76:LEU:N	1:A:77:PRO:CD	2.84	0.41
2:B:96:LEU:HD13	3:B:147:HEM:C2D	2.55	0.41
1:A:95:PRO:HG2	2:D:37:TRP:CE3	2.56	0.41
2:B:133:VAL:O	2:B:136:GLY:N	2.53	0.41
1:C:45:HIS:ND1	1:C:45:HIS:N	2.66	0.41
2:D:23:VAL:CG2	2:D:117:ARG:HD3	2.50	0.41
2:D:92:HIS:HA	2:D:96:LEU:HB2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:132:LYS:H	2:D:132:LYS:HG2	1.73	0.41
1:A:139:LYS:O	1:A:141:ARG:N	2.53	0.40
2:B:14:LEU:HD21	2:B:126:VAL:CG1	2.31	0.40
1:C:16:LYS:HE2	1:C:113:HIS:ND1	2.37	0.40
2:B:34:VAL:C	2:B:36:PRO:HD3	2.38	0.40
2:D:115:ALA:HB2	2:D:122:PHE:CD2	2.56	0.40
2:D:57:ASN:HA	2:D:58:PRO:HD2	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	110 (79%)	20 (14%)	9 (6%)	1	3
1	C	139/141 (99%)	126 (91%)	7 (5%)	6 (4%)	2	8
2	B	144/146 (99%)	120 (83%)	18 (12%)	6 (4%)	3	9
2	D	144/146 (99%)	118 (82%)	22 (15%)	4 (3%)	5	17
All	All	566/574 (99%)	474 (84%)	67 (12%)	25 (4%)	2	8

All (25) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	48	LEU
1	A	53	ASP
1	A	140	TYR
1	C	81	SER
2	D	45	PHE
1	A	51	GLY
1	A	89	HIS
1	A	117	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	139	LYS
1	C	90	LYS
2	D	49	SER
1	A	82	ALA
2	B	74	GLY
2	B	86	ALA
2	B	120	HIS
1	C	53	ASP
1	C	88	ALA
2	D	144	LYS
1	A	114	PRO
2	B	56	GLY
2	B	143	HIS
1	C	50	HIS
1	C	139	LYS
2	D	41	PHE
2	B	20	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	111/111 (100%)	98 (88%)	13 (12%)	5	16
1	C	111/111 (100%)	97 (87%)	14 (13%)	4	14
2	B	119/119 (100%)	104 (87%)	15 (13%)	4	14
2	D	119/119 (100%)	106 (89%)	13 (11%)	6	19
All	All	460/460 (100%)	405 (88%)	55 (12%)	5	15

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LYS
1	A	38	THR
1	A	60	GLN
1	A	74	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	80	LEU
1	A	86	LEU
1	A	89	HIS
1	A	90	LYS
1	A	93	VAL
1	A	106	LEU
1	A	113	HIS
1	A	116	ASP
1	A	122	HIS
2	B	14	LEU
2	B	21	ASP
2	B	30	ARG
2	B	33	VAL
2	B	59	LYS
2	B	69	GLN
2	B	75	LEU
2	B	78	LEU
2	B	82	LYS
2	B	89	SER
2	B	90	GLU
2	B	112	VAL
2	B	124	PRO
2	B	130	PHE
2	B	139	ASN
1	C	47	ASN
1	C	48	LEU
1	C	49	SER
1	C	76	LEU
1	C	99	LYS
1	C	113	HIS
1	C	115	ASP
1	C	124	SER
1	C	131	ASN
1	C	134	THR
1	C	138	SER
1	C	139	LYS
1	C	140	TYR
1	C	141	ARG
2	D	15	TRP
2	D	20	VAL
2	D	36	PRO
2	D	44	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	72	SER
2	D	82	LYS
2	D	90	GLU
2	D	101	GLU
2	D	116	ARG
2	D	117	ARG
2	D	132	LYS
2	D	144	LYS
2	D	145	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	HIS
1	A	72	HIS
1	A	103	HIS
2	B	63	HIS
2	B	69	GLN
2	B	123	ASN
2	B	127	GLN
2	B	131	GLN
1	C	47	ASN
1	C	50	HIS
1	C	60	GLN
1	C	89	HIS
1	C	103	HIS
1	C	112	HIS
1	C	131	ASN
2	D	63	HIS
2	D	97	HIS
2	D	108	ASN
2	D	139	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	B	147	2	41,50,50	1.77	13 (31%)	45,82,82	1.40	5 (11%)
3	HEM	A	142	1,4	41,50,50	1.79	7 (17%)	45,82,82	1.86	13 (28%)
3	HEM	C	142	1,4	41,50,50	1.87	8 (19%)	45,82,82	2.57	14 (31%)
3	HEM	D	147	4,2	41,50,50	1.58	7 (17%)	45,82,82	1.57	10 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	B	147	2	-	9/12/54/54	-
3	HEM	A	142	1,4	-	5/12/54/54	-
3	HEM	C	142	1,4	-	9/12/54/54	-
3	HEM	D	147	4,2	-	5/12/54/54	-

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	142	HEM	C3C-CAC	-5.93	1.35	1.47
3	C	142	HEM	C3C-CAC	-5.65	1.36	1.47
3	C	142	HEM	C3C-C2C	-5.46	1.32	1.40
3	A	142	HEM	C3C-C2C	-4.76	1.33	1.40
3	C	142	HEM	CAB-C3B	-4.19	1.36	1.47
3	B	147	HEM	C3B-C4B	4.03	1.52	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	147	HEM	C3C-C2C	-3.81	1.35	1.40
3	D	147	HEM	CAB-C3B	-3.75	1.37	1.47
3	D	147	HEM	C3C-CAC	-3.57	1.40	1.47
3	A	142	HEM	C4D-C3D	3.40	1.50	1.45
3	C	142	HEM	C3B-C2B	-3.38	1.30	1.37
3	B	147	HEM	C1B-C2B	3.34	1.51	1.44
3	B	147	HEM	C1D-C2D	3.29	1.50	1.44
3	A	142	HEM	CHA-C4D	3.26	1.43	1.35
3	A	142	HEM	CAB-C3B	-3.15	1.38	1.47
3	B	147	HEM	C4B-NB	2.98	1.44	1.38
3	B	147	HEM	C4D-C3D	2.91	1.50	1.45
3	B	147	HEM	C3C-CAC	-2.89	1.41	1.47
3	A	142	HEM	C3B-C4B	2.79	1.50	1.44
3	A	142	HEM	C3B-C2B	-2.54	1.32	1.37
3	D	147	HEM	CHB-C1B	2.43	1.41	1.35
3	B	147	HEM	C1A-NA	2.39	1.41	1.36
3	D	147	HEM	C3D-C2D	-2.39	1.31	1.36
3	D	147	HEM	C1A-NA	2.32	1.40	1.36
3	B	147	HEM	CAA-C2A	2.25	1.55	1.52
3	B	147	HEM	CBB-CAB	2.17	1.41	1.30
3	C	142	HEM	C3D-C2D	-2.16	1.32	1.36
3	B	147	HEM	CMB-C2B	2.15	1.55	1.50
3	C	142	HEM	C2C-C1C	2.13	1.47	1.42
3	B	147	HEM	C3B-C2B	2.12	1.41	1.37
3	B	147	HEM	C4A-CHB	-2.11	1.35	1.41
3	C	142	HEM	C3B-C4B	2.05	1.49	1.44
3	C	142	HEM	CBB-CAB	2.04	1.40	1.30
3	D	147	HEM	C4A-NA	2.03	1.40	1.36
3	B	147	HEM	CHA-C4D	2.02	1.40	1.35

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	142	HEM	CBA-CAA-C2A	-6.74	101.12	112.62
3	C	142	HEM	CMB-C2B-C1B	5.84	133.94	125.04
3	C	142	HEM	CBD-CAD-C3D	5.71	128.50	112.63
3	C	142	HEM	C3B-C2B-C1B	-5.23	102.61	106.49
3	C	142	HEM	C4B-C3B-C2B	4.90	111.01	107.11
3	C	142	HEM	C4B-CHC-C1C	4.65	128.70	122.56
3	A	142	HEM	CAD-C3D-C4D	4.47	132.47	124.66
3	C	142	HEM	C2B-C1B-NB	3.93	114.50	109.84
3	A	142	HEM	CAD-C3D-C2D	-3.91	120.59	127.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	142	HEM	CHD-C1D-ND	-3.84	120.25	124.43
3	D	147	HEM	CMD-C2D-C1D	3.73	130.72	125.04
3	D	147	HEM	C4C-CHD-C1D	3.71	127.46	122.56
3	C	142	HEM	CHB-C1B-NB	-3.45	120.12	124.38
3	C	142	HEM	CHC-C4B-C3B	3.41	129.79	124.57
3	B	147	HEM	C4C-CHD-C1D	3.21	126.80	122.56
3	A	142	HEM	CHC-C4B-NB	-3.16	121.00	124.43
3	A	142	HEM	C2C-C3C-C4C	-3.12	104.72	106.90
3	B	147	HEM	C2B-C1B-NB	3.04	113.44	109.84
3	D	147	HEM	C2C-C3C-C4C	-2.98	104.81	106.90
3	A	142	HEM	C1B-NB-C4B	-2.76	102.22	105.07
3	C	142	HEM	CMD-C2D-C1D	2.76	129.24	125.04
3	D	147	HEM	CBD-CAD-C3D	2.65	120.00	112.63
3	A	142	HEM	C2D-C1D-ND	2.63	113.03	109.88
3	D	147	HEM	C4D-ND-C1D	-2.60	102.39	105.07
3	B	147	HEM	C4A-C3A-C2A	2.53	108.76	107.00
3	D	147	HEM	CAD-C3D-C4D	2.52	129.06	124.66
3	A	142	HEM	CMA-C3A-C4A	-2.52	124.60	128.46
3	B	147	HEM	CAD-C3D-C4D	2.48	128.99	124.66
3	D	147	HEM	C3D-C4D-ND	2.46	112.90	110.17
3	A	142	HEM	C4C-CHD-C1D	2.45	125.79	122.56
3	D	147	HEM	CHD-C1D-ND	-2.45	121.77	124.43
3	A	142	HEM	CMD-C2D-C1D	2.43	128.74	125.04
3	A	142	HEM	C4B-CHC-C1C	2.36	125.67	122.56
3	A	142	HEM	C2B-C1B-NB	2.35	112.62	109.84
3	C	142	HEM	CAA-C2A-C3A	-2.26	120.74	127.25
3	C	142	HEM	CHD-C1D-ND	-2.24	121.99	124.43
3	D	147	HEM	C4A-C3A-C2A	-2.24	105.44	107.00
3	D	147	HEM	CMD-C2D-C3D	-2.22	120.10	126.12
3	C	142	HEM	CHC-C4B-NB	-2.21	122.03	124.43
3	B	147	HEM	CAA-C2A-C3A	-2.13	121.12	127.25
3	A	142	HEM	CHC-C4B-C3B	2.09	127.78	124.57
3	C	142	HEM	CMB-C2B-C3B	-2.04	123.31	128.30

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	142	HEM	C2B-C3B-CAB-CBB
3	A	142	HEM	C4D-C3D-CAD-CBD
3	B	147	HEM	C1A-C2A-CAA-CBA
3	B	147	HEM	C3A-C2A-CAA-CBA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	147	HEM	C2B-C3B-CAB-CBB
3	B	147	HEM	C4B-C3B-CAB-CBB
3	C	142	HEM	C2D-C3D-CAD-CBD
3	D	147	HEM	C3D-CAD-CBD-CGD
3	C	142	HEM	C4D-C3D-CAD-CBD
3	A	142	HEM	C2D-C3D-CAD-CBD
3	C	142	HEM	C2B-C3B-CAB-CBB
3	A	142	HEM	C4B-C3B-CAB-CBB
3	C	142	HEM	C4B-C3B-CAB-CBB
3	C	142	HEM	C3D-CAD-CBD-CGD
3	B	147	HEM	C2A-CAA-CBA-CGA
3	A	142	HEM	C3D-CAD-CBD-CGD
3	D	147	HEM	C2B-C3B-CAB-CBB
3	D	147	HEM	CAA-CBA-CGA-O2A
3	D	147	HEM	C4B-C3B-CAB-CBB
3	C	142	HEM	CAD-CBD-CGD-O1D
3	C	142	HEM	CAD-CBD-CGD-O2D
3	D	147	HEM	CAA-CBA-CGA-O1A
3	B	147	HEM	CAA-CBA-CGA-O2A
3	C	142	HEM	CAA-CBA-CGA-O2A
3	C	142	HEM	CAA-CBA-CGA-O1A
3	B	147	HEM	CAD-CBD-CGD-O1D
3	B	147	HEM	CAD-CBD-CGD-O2D
3	B	147	HEM	CAA-CBA-CGA-O1A


There are no ring outliers.


4 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	147	HEM	6	0
3	A	142	HEM	1	0
3	C	142	HEM	2	0
3	D	147	HEM	12	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.