

wwPDB EM Validation Summary Report (i)

Jul 8, 2024 - 08:43 am BST

PDB ID	:	7PIL
EMDB ID	:	EMD-13441
Title	:	Cryo-EM structure of the Rhodobacter sphaeroides RC-LH1-PufXY monomer complex at 2.5 A
Authors	:	Qian, P.; Hunter, C.N.
Deposited on	:	2021-08-20
Resolution	:	2.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev92
Mogul	:	1.8.4, CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	EM structures
Metric	$(\# {\rm Entries})$	$(\# {\rm Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	AA	55	82%	16%
1	AB	55	98%	•
1	AC	55	96%	•
1	AD	55	93%	7%
1	AE	55	96%	·
1	AF	55	98%	•
1	AG	55	98%	•
1	AH	55	98%	•



Mol	Chain	Length	Quality of chain	
1	AI	55	• 96%	•
1	AJ	55	96%	•
1	AK	55	98%	•
1	AL	55	95%	5%
1	AM	55	<u> </u>	•
1	AN	55	91%	• 7%
2	BA	43	93%	7%
2	BB	43	95%	5%
2	BC	43	93%	5% •
2	BD	43	95%	5%
2	BE	43	• 98%	•
2	BF	43	95%	5%
2	BG	43	• 100%	
2	BH	43	98%	•
2	BI	43	95%	5%
2	BJ	43	100%	
2	BK	43	98%	•
2	BL	43	100%	
2	BM	43	95%	5%
2	BN	43	88%	12%
3	Н	246	99%	•
4	L	281	98%	•
5	М	307	98%	•
6	UU	49	100%	
7	Х	55	98%	•





2 Entry composition (i)

There are 17 unique types of molecules in this entry. The entry contains 22480 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atc	\mathbf{ms}			AltConf	Trace
1	Λ.Λ	46	Total	С	Ν	Ο	S	0	0
	AA	40	392	271	60	58	3	0	0
1	٨D	55	Total	С	Ν	Ο	S	0	0
	AD	- 55	461	313	74	71	3	0	0
1		FF	Total	С	Ν	0	S	0	0
	AC	- 55	460	313	74	70	3	0	0
1		FF	Total	С	Ν	Ο	S	0	0
	AD	- 55	461	313	74	71	3	0	0
1	٨F	55	Total	С	Ν	Ο	S	0	0
T	AL	- 55	461	313	74	71	3	0	0
1	٨٢	55	Total	С	Ν	Ο	S	0	0
	Аг	- 55	461	313	74	71	3	0	0
1		55	Total	С	Ν	Ο	S	0	0
	AG	99	461	313	74	71	3	0	0
1	ΔН	55	Total	С	Ν	Ο	S	0	0
	AII	- 55	461	313	74	71	3	0	0
1	ΔΤ	55	Total	С	Ν	Ο	S	0	0
	AI	- 55	461	313	74	71	3	0	0
1	ΛΤ	55	Total	С	Ν	Ο	S	0	0
	ЛJ	- 55	461	313	74	71	3	0	0
1	ΛK	55	Total	С	Ν	Ο	S	0	0
	AN		461	313	74	71	3	0	0
1	ΔT	55	Total	С	Ν	Ο	S	0	0
	AL	55	461	313	74	71	3	0	0
1	AM	55	Total	С	Ν	Ο	S	0	0
			461	313	74	71	3		0
1	1 AN	51	Total	С	Ν	Ο	S	0	0
			432	296	69	65	2		U

• Molecule 1 is a protein called Light-harvesting protein B-875 alpha chain.

• Molecule 2 is a protein called Light-harvesting protein B-875 beta chain.

Mol	Chain	Residues		Atc	\mathbf{ms}	AltConf	Trace		
2	ВА	43	Total 352	C 236	N 55	O 60	S 1	0	0



Mol	Chain	Residues		Atc	ms			AltConf	Trace
0	рр	49	Total	С	Ν	Ο	S	0	0
	BB	43	352	236	55	60	1	0	0
0	DC	40	Total	С	Ν	Ο	S	0	0
	DU	42	344	230	54	59	1	0	0
0	рр	42	Total	С	Ν	Ο	S	0	0
	DD	40	352	236	55	60	1	0	0
0	DE	49	Total	С	Ν	Ο	S	0	0
	DE	40	352	236	55	60	1	0	0
0	DE	49	Total	С	Ν	0	S	0	0
	DF	40	352	236	55	60	1	0	0
0	BC	12	Total	С	Ν	Ο	S	0	0
	DG	40	352	236	55	60	1	0	0
9	вн	43	Total	С	Ν	Ο	S	0	0
	DII		352	236	55	60	1	0	0
9	BI	43	Total	С	Ν	0	S	0	0
	DI	40	352	236	55	60	1	0	0
9	BI	43	Total	С	Ν	Ο	S	0	0
	DJ	40	352	236	55	60	1	0	0
0	BK	12	Total	С	Ν	Ο	S	0	0
	DK	40	352	236	55	60	1	0	0
0	DI	12	Total	С	Ν	0	S	0	0
		43	352	236	55	60	1	0	0
0	РМ	12	Total	С	Ν	0	S	0	0
	BM	40	352	236	55	60	1	0	U
9	PN	20	Total	С	Ν	Ο	S	0	0
	DN	90	317	213	50	53	1		U

• Molecule 3 is a protein called Reaction center protein H chain.

Mol	Chain	Residues		At		AltConf	Trace		
3	Н	246	Total 1867	C 1196	N 316	0 345	S 10	0	0

• Molecule 4 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	L	281	Total 2232	C 1507	N 355	O 362	S 8	0	0

• Molecule 5 is a protein called Reaction center protein M chain.



Mol	Chain	Residues		At		AltConf	Trace		
5	М	307	Total 2445	C 1630	N 400	O 404	S 11	0	0

• Molecule 6 is a protein called RC-Y.

Mol	Chain	Residues		Ato	\mathbf{ms}	AltConf	Trace		
6	UU	49	Total 363	С 247	N 56	O 57	${ m S} { m 3}$	0	0

• Molecule 7 is a protein called Intrinsic membrane protein PufX.

Mol	Chain	Residues		Ato	\mathbf{ms}			AltConf	Trace
7	Х	55	Total 422	C 281	N 71	O 67	${ m S} { m 3}$	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Х	53	LEU	ARG	conflict	UNP P13402

• Molecule 8 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: $C_{55}H_{74}MgN_4O_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
8	АА	1	Total 66	$\begin{array}{c} \mathrm{C} \\ 55 \end{array}$	Mg 1	N 4	O 6	0



Continued from previous page...

Mol	Chain	Residues		At	oms			AltConf	
0	A D	1	Total	С	Mg	Ν	Ο	0	
8	AB	1	66	55	1	4	6	0	
0		1	Total	С	Mg	Ν	0	0	
8	AC	1	66	55	1	4	6	0	
0		1	Total	С	Mg	Ν	0	0	
8	AD	1	66	55	1	4	6	0	
0	ΔE	1	Total	С	Mg	Ν	0	0	
0	AL	1	66	55	1	4	6	0	
0		1	Total	С	Mg	Ν	0	0	
0	AL	1	66	55	1	4	6	0	
0		1	Total	С	Mg	Ν	Ο	0	
0	Аг	1	66	55	1	4	6	0	
0		1	Total	С	Mg	Ν	Ο	0	
0	AG	1	66	55	1	4	6	0	
0	ΔΤΤ	1	Total	С	Mg	Ν	Ο	0	
0	АП	1	66	55	1	4	6	0	
0	ΛТ	1	Total	С	Mg	Ν	Ο	0	
0	AI	1	66	55	1	4	6	0	
0	АТ	1	Total	С	Mg	Ν	Ο	0	
8	AJ	1	66	55	1	4	6	0	
0	AK	1	Total	С	Mg	Ν	Ο	0	
0		1	66	55	1	4	6	0	
0	ΔV	1	Total	С	Mg	Ν	0	0	
0	AA	1	66	55	1	4	6	0	
0	ΔT	1	Total	С	Mg	Ν	0	0	
0	AL	1	66	55	1	4	6	0	
8	АМ	1	Total	С	Mg	Ν	0	0	
0		T	66	55	1	4	6	0	
8	ΔM	1	Total	С	Mg	Ν	Ο	0	
0	7 1 1 1	I	66	55	1	4	6	0	
8	ΔN	1	Total	С	Mg	Ν	Ο	0	
0	1111	Ĩ	66	55	1	4	6	0	
8	ΒA	1	Total	\mathbf{C}	Mg	Ν	Ο	0	
0	DA	I	66	55	1	4	6	0	
8	BB	1	Total	\mathbf{C}	Mg	Ν	Ο	0	
		Ĩ	66	55	1	4	6	0	
8	BC	1	Total	\mathbf{C}	Mg	Ν	0	Ο	
		BC		66	55	1	4	6	U
8	BD	1	Total	\mathbf{C}	Mg	Ν	0	0	
		1	66	55	1	4	6	0	
8	RF	1	Total	$\overline{\mathbf{C}}$	Mg	N	0	Ο	
0	DI,	T	66	55	1	4	6	0	



Mol	Chain	Residues	_	At	oms			AltConf
0	ВС	1	Total	С	Mg	Ν	0	0
0	DG	1	66	55	1	4	6	0
8	8 BH	1	Total	С	Mg	Ν	Ο	0
0			1	66	55	1	4	6
8	BI	1	Total	С	Mg	Ν	Ο	0
0	DI	1	66	55	1	4	6	0
8	BI	1	Total	С	Mg	Ν	Ο	0
0	DŰ	1	66	55	1	4	6	0
8	BL.	1	Total	С	Mg	Ν	Ο	0
0		I	66	55	1	4	6	0
8	BN	1	Total	\mathbf{C}	Mg	Ν	Ο	0
0		Ĩ	66	55	1	4	6	0
8	T.	1	Total	\mathbf{C}	Mg	Ν	Ο	0
0	Ľ	Ĩ	66	55	1	4	6	0
8	T.	1	Total	\mathbf{C}	Mg	Ν	Ο	0
0	Ľ	Ĩ	66	55	1	4	6	0
8	М	1	Total	\mathbf{C}	Mg	Ν	Ο	0
	111	I	66	55	1	4	6	0
8	М	1	Total	С	Mg	Ν	Ο	0
0	111	1	66	55	1	4	6	U

• Molecule 9 is SPHEROIDENE (three-letter code: SPO) (formula: $C_{41}H_{60}O$).



Mol	Chain	Residues	Atoms	AltConf
9	АА	1	Total C O 42 41 1	0

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
9	AB	1	Total C O 42 41 1	0
9	AC	1	Total C O 42 41 1	0
9	AC	1	Total C O 42 41 1	0
9	AD	1	Total C O 42 41 1	0
9	AD	1	Total C O 42 41 1	0
9	AE	1	Total C O 42 41 1	0
9	AF	1	Total C O 42 41 1	0
9	AF	1	Total C O 42 41 1	0
9	AG	1	Total C O 42 41 1	0
9	AG	1	Total C O 42 41 1	0
9	AH	1	Total C O 42 41 1	0
9	AH	1	Total C O 42 41 1	0
9	AI	1	Total C O 42 41 1	0
9	AI	1	Total C O 42 41 1	0
9	AJ	1	Total C O 42 41 1	0
9	AJ	1	Total C O 42 41 1	0
9	AK	1	$\begin{array}{c cc} \hline \text{Total} & \text{C} & \text{O} \\ \hline 42 & 41 & 1 \end{array}$	0
9	AK	1	Total C O 42 41 1	0
9	AL	1	Total C O 42 41 1	0
9	AM	1	Total C O 42 41 1	0
9	AM	1	Total C O 42 41 1	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
0	ΒΛ	1	Total C O	0
9	DA	1	42 41 1	0
0	BE	1	Total C O	0
9	DĽ	1	42 41 1	0
0	BI	1	Total C O	0
3		1	42 41 1	0
0	М	1	Total C O	0
3	101	1	42 41 1	0

• Molecule 10 is DODECYL-BETA-D-MALTOSIDE (three-letter code: LMT) (formula: $C_{24}H_{46}O_{11}$).



Mol	Chain	Residues	Atoms	AltConf
10	ΔΔ	1	Total C O	0
10	ЛЛ	T	35 24 11	0
10	ΔB	1	Total C O	0
10	AD	1	35 24 11	0
10	М	1	Total C O	0
10	111	1	35 24 11	0
10	v	1	Total C O	0
10	Λ	1	35 24 11	0

• Molecule 11 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (three-letter code: 3PE) (formula: $C_{41}H_{82}NO_8P$).





Mol	Chain	Residues	Atoms					AltConf	
11 AB	1	Total	С	Ν	0	Р	0		
	T	51	41	1	8	1	0		
11	11 AC		1	Total	С	Ν	Ο	Р	0
AU AU	AU	L	51	41	1	8	1	0	
11	Ц	II 1	Total	С	Ν	0	Р	0	
	11	L	51	41	1	8	1	0	
11 H	Ц	П 1	Total	С	Ν	0	Р	0	
	11	L	51	41	1	8	1	U	

• Molecule 12 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: $C_{55}H_{76}N_4O_6$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Ate	AltConf		
19	T	1	Total (C N	Ο	0
12	L	1	65 5	55 4	6	0
19	М	1	Total (C N	Ο	0
12	111	I	65 - 5	55 4	6	0

• Molecule 13 is UBIQUINONE-10 (three-letter code: U10) (formula: $C_{59}H_{90}O_4$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	AltConf
13	L	1	Total C O 63 59 4	0
13	М	1	Total C O 63 59 4	0

• Molecule 14 is UBIQUINONE-1 (three-letter code: UQ1) (formula: $C_{14}H_{18}O_4$).





Mol	Chain	Residues	Atoms	AltConf
14	L	1	Total C O 18 14 4	0

Molecule 15 is (2R,5R,11R,14R)-5,8,11-trihydroxy-5,11-dioxido-17-oxo-2,14-bis(tetradecano yloxy)-4,6,10,12,16-pentaoxa-5,11-diphosphatriacont-1-yl tetradecanoate (three-letter code: CD4) (formula: C₆₅H₁₂₆O₁₇P₂).



Mol	Chain	Residues	Atoms			AltConf	
15	М	1	Total	С	Ο	Р	0
15 M	1	84	65	17	2	0	

• Molecule 16 is FE (III) ION (three-letter code: FE) (formula: Fe).



Mol	Chain	Residues	Atoms		AltConf
16	М	1	Total 1	Fe 1	0

• Molecule 17 is water.

Mol	Chain	Residues	Atoms	AltConf
17	AB	1	Total O 1 1	0
17	Н	2	Total O 2 2	0
17	Х	1	Total O 1 1	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Light-harvesting protein B-875 alpha chain











• Molecule 2: Light-harvesting protein B-875 beta chain

Chain BA: 93% 7%

• Molecule 2: Light-harvesting protein B-875 beta chain

Chain BB: 95% 5%

• Molecule 2: Light-harvesting protein B-875 beta chain

Chain BC: 93% 5% •





• Molecule 2: Light-harvesting protein B-875 beta chain



Chain BL:	
et en la companya de	
\bullet Molecule 2: Light-harvesting protein B-875 beta chain	
Chain BM: 95%	5%
L6 78 79 79 610 115 615 437 818 115 618 115 618 115 618 115 618 115 618 115 618 115 618 115 618 115 618 115 618 115 618 115 618 115 618 115 618 115 619 115 610 115 6115 115 6115 115 6115 115 6115 115 6115 115 6115 115 6115 115 6115 115 6115 115 6115 115 6115 115 6115 115 6115 115 616 115 617	
\bullet Molecule 2: Light-harvesting protein B-875 beta chain	
Chain BN: 88%	12%
LEU GLY THR CLIY L111 L111 D13 CL11 CL11 CL11 CL11 CL11 CL11 CL11 CL	
• Molecule 3: Reaction center protein H chain	
Chain H: 99%	·
M1 Y40 D157 D231 P246 ●	
• Molecule 4: Reaction center protein L chain	
Chain L: 98%	.
A1 138 138 1177 1177 1177 1177 1177 1177 1210 1000 100	
• Molecule 5: Reaction center protein M chain	
Chain M: 98%	·
A1 H145 W157 H206 F229 A244 N307	
• Molecule 6: RC-Y	
Chain UU: 100%	



• Molecule 7: Intrinsic membrane protein PufX





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	250613	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	44.94	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	120000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.172	Depositor
Minimum map value	-0.098	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.0187	Depositor
Map size (Å)	332.8, 332.8, 332.8	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.65, 0.65, 0.65	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: U10, BCL, 3PE, BPH, UQ1, CD4, SPO, LMT, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
WIOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	AA	0.26	0/405	0.49	0/549
1	AB	0.27	0/475	0.50	0/642
1	AC	0.28	0/474	0.51	0/642
1	AD	0.26	0/475	0.48	0/642
1	AE	0.27	0/475	0.52	0/642
1	AF	0.27	0/475	0.52	0/642
1	AG	0.27	0/475	0.52	0/642
1	AH	0.26	0/475	0.53	0/642
1	AI	0.27	0/475	0.51	0/642
1	AJ	0.27	0/475	0.51	0/642
1	AK	0.26	0/475	0.53	0/642
1	AL	0.26	0/475	0.51	0/642
1	AM	0.28	0/475	0.53	0/642
1	AN	0.27	0/446	0.48	0/606
2	BA	0.23	0/365	0.45	0/499
2	BB	0.26	0/365	0.48	0/499
2	BC	0.24	0/357	0.44	0/488
2	BD	0.24	0/365	0.43	0/499
2	BE	0.24	0/365	0.46	0/499
2	BF	0.25	0/365	0.48	0/499
2	BG	0.24	0/365	0.45	0/499
2	BH	0.24	0/365	0.47	0/499
2	BI	0.24	0/365	0.47	0/499
2	BJ	0.23	0/365	0.45	0/499
2	BK	0.24	0/365	0.50	0/499
2	BL	0.25	0/365	0.48	0/499
2	BM	0.24	0/365	0.45	0/499
2	BN	0.24	0/329	0.45	0/450
3	Н	0.25	0/1917	0.53	0/2609
4	L	0.25	0/2320	0.49	0/3175
5	М	0.25	0/2538	0.50	0/3464
6	UU	0.27	0/374	0.44	0/505



Mal	Chain	Bond lengths		Bond angles	
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
7	Х	0.26	0/434	0.46	0/586
All	All	0.25	0/19199	0.49	0/26124

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AD	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AD	15	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	392	0	412	1	0
1	AB	461	0	482	1	0
1	AC	460	0	482	3	0
1	AD	461	0	482	3	0
1	AE	461	0	482	2	0
1	AF	461	0	482	1	0
1	AG	461	0	482	1	0
1	AH	461	0	482	1	0
1	AI	461	0	482	2	0
1	AJ	461	0	482	2	0
1	AK	461	0	482	1	0
1	AL	461	0	482	4	0
1	AM	461	0	482	1	0



Continuea from previous page							
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes	
1	AN	432	0	447	2	0	
2	BA	352	0	336	3	0	
2	BB	352	0	336	2	0	
2	BC	344	0	325	2	0	
2	BD	352	0	336	2	0	
2	BE	352	0	336	1	0	
2	BF	352	0	336	2	0	
2	BG	352	0	336	0	0	
2	BH	352	0	336	1	0	
2	BI	352	0	336	2	0	
2	BJ	352	0	336	0	0	
2	BK	352	0	336	1	0	
2	BL	352	0	336	0	0	
2	BM	352	0	336	2	0	
2	BN	317	0	303	0	0	
3	Н	1867	0	1864	2	0	
4	L	2232	0	2187	3	0	
5	М	2445	0	2359	4	0	
6	UU	363	0	358	0	0	
7	Х	422	0	436	1	0	
8	AA	66	0	74	1	0	
8	AB	66	0	74	3	0	
8	AC	66	0	74	2	0	
8	AD	66	0	74	0	0	
8	AE	132	0	148	3	0	
8	AF	66	0	74	1	0	
8	AG	66	0	74	1	0	
8	AH	66	0	74	0	0	
8	AI	66	0	74	2	0	
8	AJ	66	0	74	4	0	
8	AK	132	0	148	1	0	
8	AL	66	0	74	0	0	
8	AM	132	0	148	3	0	
8	AN	66	0	74	1	0	
8	BA	66	0	74	1	0	
8	BB	66	0	74	1	0	
8	BC	66	0	74	2	0	
8	BD	66	0	74	1	0	
8	BF	66	0	74	1	0	
8	BG	66	0	74	1	0	
8	BH	66	0	74	1	0	
8	BI	66	0	74	1	0	



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	BJ	66	0	74	1	0
8	BL	66	0	74	1	0
8	BN	66	0	74	1	0
8	L	132	0	148	1	0
8	М	132	0	148	0	0
9	AA	42	0	60	3	0
9	AB	42	0	60	3	0
9	AC	84	0	120	2	0
9	AD	84	0	120	3	0
9	AE	42	0	60	3	0
9	AF	84	0	120	6	0
9	AG	84	0	120	0	0
9	AH	84	0	120	3	0
9	AI	84	0	120	5	0
9	AJ	84	0	120	3	0
9	AK	84	0	120	2	0
9	AL	42	0	60	3	0
9	AM	84	0	120	5	0
9	BA	42	0	60	3	0
9	BE	42	0	60	2	0
9	BL	42	0	60	0	0
9	М	42	0	60	1	0
10	AA	35	0	45	0	0
10	AB	35	0	45	0	0
10	М	35	0	46	0	0
10	Х	35	0	46	0	0
11	AB	51	0	82	0	0
11	AC	51	0	82	0	0
11	Н	102	0	164	1	0
12	L	65	0	76	0	0
12	М	65	0	76	1	0
13	L	63	0	90	1	0
13	М	63	0	90	1	0
14	L	18	0	18	1	0
15	М	84	0	124	1	0
16	М	1	0	0	0	0
17	AB	1	0	0	0	0
17	Н	2	0	0	0	0
17	X	1	0	0	0	0
All	All	22480	0	23419	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:AI:102:SPO:H132	8:AJ:101:BCL:H42	1.70	0.73
2:BD:48:PHE:HB3	9:BE:1000:SPO:H343	1.72	0.72
1:AC:54:VAL:O	1:AC:54:VAL:HG23	1.97	0.64
2:BE:44:TRP:CD1	9:BE:1000:SPO:H342	2.32	0.64
13:M:404:U10:H371	13:M:404:U10:H502	1.80	0.63

The worst 5 of 86 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	Percentiles	
1	AA	44/55~(80%)	43~(98%)	1 (2%)	0	100	100	
1	AB	53/55~(96%)	52 (98%)	1 (2%)	0	100	100	
1	AC	53/55~(96%)	53 (100%)	0	0	100	100	
1	AD	53/55~(96%)	52 (98%)	1 (2%)	0	100	100	
1	AE	53/55~(96%)	52 (98%)	1 (2%)	0	100	100	
1	AF	53/55~(96%)	53 (100%)	0	0	100	100	
1	AG	53/55~(96%)	52 (98%)	1 (2%)	0	100	100	
1	AH	53/55~(96%)	52 (98%)	1 (2%)	0	100	100	
1	AI	53/55~(96%)	51 (96%)	2(4%)	0	100	100	
1	AJ	53/55~(96%)	52 (98%)	1 (2%)	0	100	100	
1	AK	53/55~(96%)	51 (96%)	2(4%)	0	100	100	
1	AL	53/55~(96%)	52 (98%)	1 (2%)	0	100	100	
1	AM	53/55~(96%)	52 (98%)	1 (2%)	0	100	100	
1	AN	49/55~(89%)	48 (98%)	1 (2%)	0	100	100	



Mol	Chain	Analysed	Favoured	Allowed	Outliers Perce		ntiles
2	BA	41/43~(95%)	40 (98%)	1 (2%)	0	100	100
2	BB	41/43~(95%)	41 (100%)	0	0	100	100
2	BC	40/43~(93%)	40 (100%)	0	0	100	100
2	BD	41/43~(95%)	41 (100%)	0	0	100	100
2	BE	41/43~(95%)	41 (100%)	0	0	100	100
2	BF	41/43~(95%)	41 (100%)	0	0	100	100
2	BG	41/43~(95%)	41 (100%)	0	0	100	100
2	BH	41/43~(95%)	41 (100%)	0	0	100	100
2	BI	41/43~(95%)	41 (100%)	0	0	100	100
2	BJ	41/43~(95%)	41 (100%)	0	0	100	100
2	BK	41/43~(95%)	41 (100%)	0	0	100	100
2	BL	41/43~(95%)	41 (100%)	0	0	100	100
2	BM	41/43~(95%)	41 (100%)	0	0	100	100
2	BN	36/43~(84%)	35~(97%)	1 (3%)	0	100	100
3	Н	244/246~(99%)	240 (98%)	4 (2%)	0	100	100
4	L	279/281~(99%)	273 (98%)	6 (2%)	0	100	100
5	М	305/307~(99%)	297~(97%)	8 (3%)	0	100	100
6	UU	47/49~(96%)	46 (98%)	1 (2%)	0	100	100
7	Х	53/55~(96%)	51 (96%)	2 (4%)	0	100	100
All	All	2225/2310~(96%)	2188 (98%)	37 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	AA	43/49~(88%)	43 (100%)	0	100 100
1	AB	49/49~(100%)	49 (100%)	0	100 100





α \cdot \cdot \cdot	C	•	
Continued	from	previous	page
	5	1	1 0

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	AC	49/49~(100%)	49 (100%)	0	100	100
1	AD	49/49~(100%)	49 (100%)	0	100	100
1	AE	49/49~(100%)	49 (100%)	0	100	100
1	AF	49/49~(100%)	49 (100%)	0	100	100
1	AG	49/49~(100%)	49 (100%)	0	100	100
1	AH	49/49~(100%)	49 (100%)	0	100	100
1	AI	49/49~(100%)	49 (100%)	0	100	100
1	AJ	49/49~(100%)	49 (100%)	0	100	100
1	AK	49/49~(100%)	49 (100%)	0	100	100
1	AL	49/49~(100%)	49 (100%)	0	100	100
1	AM	49/49~(100%)	49 (100%)	0	100	100
1	AN	46/49~(94%)	46 (100%)	0	100	100
2	BA	35/35~(100%)	35 (100%)	0	100	100
2	BB	35/35~(100%)	35 (100%)	0	100	100
2	BC	34/35~(97%)	34 (100%)	0	100	100
2	BD	35/35~(100%)	35 (100%)	0	100	100
2	BE	35/35~(100%)	35~(100%)	0	100	100
2	$_{\mathrm{BF}}$	35/35~(100%)	35~(100%)	0	100	100
2	BG	35/35~(100%)	35~(100%)	0	100	100
2	BH	35/35~(100%)	35~(100%)	0	100	100
2	BI	35/35~(100%)	35~(100%)	0	100	100
2	BJ	35/35~(100%)	35~(100%)	0	100	100
2	BK	35/35~(100%)	35 (100%)	0	100	100
2	BL	35/35~(100%)	35 (100%)	0	100	100
2	BM	35/35~(100%)	35 (100%)	0	100	100
2	BN	32/35~(91%)	32 (100%)	0	100	100
3	Н	198/198~(100%)	197 (100%)	1 (0%)	88	96
4	L	220/220~(100%)	217 (99%)	3 (1%)	67	86
5	М	240/240~(100%)	239 (100%)	1 (0%)	91	97
6	UU	33/33~(100%)	33 (100%)	0	100	100
7	Х	42/42~(100%)	42 (100%)	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Analysed Rotameric		Percentiles		
All	All	1896/1909~(99%)	1891 (100%)	5~(0%)	92 97		

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	Н	231	ASP
4	L	210	ASP
4	L	247	CYS
4	L	272	TRP
5	М	216	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	AI	20	GLN
2	BJ	17	GLN
5	М	300	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 73 ligands modelled in this entry, 1 is monoatomic - leaving 72 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



Mol	Type	Chain	Ros	Link	B	ond leng	gths	Bond angles		es
	турс	Chan	1005		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
9	SPO	AJ	102	-	40,41,41	0.22	0	47,50,50	0.51	0
8	BCL	М	403	-	64,74,74	1.33	7(10%)	78,115,115	1.48	9 (11%)
8	BCL	AG	102	-	64,74,74	1.29	6 (9%)	78,115,115	1.49	9 (11%)
8	BCL	AE	101	-	64,74,74	1.28	6 (9%)	78,115,115	1.50	9 (11%)
9	SPO	AH	103	-	40,41,41	0.28	0	47,50,50	0.54	0
9	SPO	AF	101	-	40,41,41	0.39	0	$47,\!50,\!50$	0.58	1 (2%)
8	BCL	L	305	-	64,74,74	1.29	7 (10%)	78,115,115	1.49	11 (14%)
10	LMT	М	401	-	36,36,36	1.06	5 (13%)	47,47,47	0.97	2 (4%)
8	BCL	AK	103	-	64,74,74	1.29	5 (7%)	78,115,115	1.46	10 (12%)
8	BCL	BC	101	-	64,74,74	1.28	5 (7%)	78,115,115	1.46	9 (11%)
8	BCL	М	406	-	64,74,74	1.27	5 (7%)	78,115,115	1.58	12 (15%)
9	SPO	AE	102	-	40,41,41	0.32	0	47,50,50	0.51	0
9	SPO	AG	103	-	40,41,41	0.30	0	47,50,50	0.51	0
10	LMT	AB	104	-	36,36,36	1.12	4 (11%)	47,47,47	0.83	0
8	BCL	AE	103	-	64,74,74	1.30	5 (7%)	78,115,115	1.53	11 (14%)
11	3PE	Н	301	-	50,50,50	0.53	0	$53,\!55,\!55$	0.51	1 (1%)
9	SPO	BA	101	-	40,41,41	0.18	0	47,50,50	0.66	1 (2%)
9	SPO	AM	1002	-	40,41,41	0.24	0	47,50,50	0.41	0
13	U10	L	302	-	63,63,63	2.68	17 (26%)	76,79,79	1.56	18 (23%)
9	SPO	AG	101	-	40,41,41	0.29	0	47,50,50	0.41	0
9	SPO	AK	102	-	40,41,41	0.23	0	47,50,50	0.42	0
8	BCL	BG	101	-	64,74,74	1.31	5 (7%)	78,115,115	1.48	11 (14%)
8	BCL	AM	1001	-	64,74,74	1.31	6 (9%)	78,115,115	1.57	11 (14%)
13	U10	М	404	-	63,63,63	2.65	17 (26%)	76,79,79	1.67	16 (21%)
9	SPO	AD	103	-	40,41,41	0.20	0	47,50,50	0.40	0
8	BCL	AH	102	-	64,74,74	1.33	7 (10%)	78,115,115	1.51	10 (12%)
15	CD4	М	405	-	83,83,83	0.50	0	89,95,95	0.97	4 (4%)
8	BCL	AK	101	-	64,74,74	1.34	6 (9%)	78,115,115	1.55	11 (14%)
8	BCL	AI	101	-	64,74,74	1.33	4 (6%)	78,115,115	1.52	11 (14%)
11	3PE	AC	104	-	50,50,50	0.53	0	53,55,55	0.58	1 (1%)
8	BCL	BD	101	-	64,74,74	1.28	5 (7%)	78,115,115	1.51	11 (14%)
9	SPO	AB	103	-	40,41,41	0.39	0	47,50,50	0.71	2 (4%)
8	BCL	AF	102	-	64,74,74	1.32	6 (9%)	78,115,115	1.53	10 (12%)
9	SPO	AL	1002	_	40,41,41	0.37	0	47,50,50	0.68	2 (4%)

expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Trune	Chain	Dec	Tinle	В	ond leng	gths	Bo	ond ang	les
NIOI	Type	Chain	Res	LINK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
9	SPO	AI	102	-	40,41,41	0.37	0	47,50,50	0.79	2(4%)
11	3PE	AB	102	-	50,50,50	0.53	0	$53,\!55,\!55$	0.54	1 (1%)
8	BCL	AD	102	-	64,74,74	1.31	6 (9%)	78,115,115	1.63	11 (14%)
9	SPO	AH	101	-	40,41,41	0.19	0	47,50,50	0.46	1 (2%)
9	SPO	AC	103	-	40,41,41	0.23	0	47,50,50	0.25	0
9	SPO	AA	1002	-	40,41,41	0.17	0	47,50,50	0.71	2 (4%)
8	BCL	AN	101	-	64,74,74	1.32	7 (10%)	78,115,115	1.45	9 (11%)
12	BPH	М	402	-	51,70,70	0.86	1 (1%)	52,101,101	1.13	5 (9%)
9	SPO	AK	104	-	40,41,41	0.19	0	47,50,50	0.40	0
8	BCL	BA	102	-	64,74,74	1.30	5 (7%)	78,115,115	1.51	12 (15%)
8	BCL	AA	1001	-	64,74,74	1.36	6 (9%)	78,115,115	1.45	9 (11%)
12	BPH	L	301	-	51,70,70	0.82	1 (1%)	52,101,101	1.07	5 (9%)
8	BCL	AC	102	-	64,74,74	1.29	5 (7%)	78,115,115	1.48	9 (11%)
9	SPO	BE	1000	-	40,41,41	0.38	0	47,50,50	0.49	0
8	BCL	AM	1003	-	64,74,74	1.30	6 (9%)	78,115,115	1.47	9 (11%)
9	SPO	AD	101	-	40,41,41	0.16	0	47,50,50	0.44	0
9	SPO	AF	103	-	40,41,41	0.31	0	47,50,50	0.34	0
9	SPO	AI	103	-	40,41,41	0.33	0	47,50,50	0.86	2 (4%)
8	BCL	AB	101	-	64,74,74	1.35	6 (9%)	78,115,115	1.59	12 (15%)
9	SPO	AM	1004	-	40,41,41	0.38	0	47,50,50	0.39	0
8	BCL	BN	101	-	64,74,74	1.33	6 (9%)	78,115,115	1.55	12 (15%)
10	LMT	AA	1003	-	36,36,36	1.08	4 (11%)	47,47,47	0.94	2 (4%)
14	UQ1	L	303	-	18,18,18	0.78	0	22,25,25	1.85	6 (27%)
10	LMT	Х	101	-	36,36,36	1.11	5 (13%)	47,47,47	0.89	2 (4%)
8	BCL	AL	1001	-	64,74,74	1.32	6 (9%)	78,115,115	1.58	14 (17%)
9	SPO	AJ	103	-	40,41,41	0.35	0	47,50,50	0.68	2 (4%)
8	BCL	L	304	-	64,74,74	1.30	7 (10%)	78,115,115	1.43	9 (11%)
8	BCL	BL	102	-	64,74,74	1.29	5 (7%)	78,115,115	1.46	12 (15%)
9	SPO	AC	101	-	40,41,41	0.19	0	47,50,50	0.45	0
9	SPO	BL	101	-	40,41,41	0.35	0	47,50,50	0.35	0
8	BCL	AJ	101	-	64,74,74	1.32	6 (9%)	78,115,115	1.64	10 (12%)
11	3PE	Н	302	-	50,50,50	0.51	0	53,55,55	0.66	2 (3%)
8	BCL	BB	1001	-	64,74,74	1.28	5 (7%)	78,115,115	1.47	10 (12%)
9	SPO	М	407	-	40,41,41	0.20	0	47,50,50	0.51	0
8	BCL	BF	101	-	64,74,74	1.30	5 (7%)	78,115,115	1.44	10 (12%)
8	BCL	BJ	101	-	64,74,74	1.31	7 (10%)	78,115,115	1.46	9 (11%)



Mal	Turne	Chain	Dec	Timle	Bond lengths			Bo	ond angl	es
IVIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	BCL	BH	101	-	64,74,74	1.30	7 (10%)	78,115,115	1.48	10 (12%)
8	BCL	BI	101	-	64,74,74	1.29	5 (7%)	78,115,115	1.47	12 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	SPO	AJ	102	-	-	6/47/47/47	-
8	BCL	М	403	-	-	1/37/137/137	-
8	BCL	AG	102	-	-	1/37/137/137	-
8	BCL	AE	101	-	-	3/37/137/137	-
9	SPO	AH	103	-	-	3/47/47/47	-
9	SPO	AF	101	-	-	4/47/47/47	-
8	BCL	L	305	-	-	4/37/137/137	-
10	LMT	М	401	-	-	4/21/61/61	0/2/2/2
8	BCL	AK	103	-	-	5/37/137/137	-
8	BCL	BC	101	-	-	7/37/137/137	-
8	BCL	М	406	-	-	7/37/137/137	-
9	SPO	AE	102	-	-	3/47/47/47	-
9	SPO	AG	103	-	-	2/47/47/47	-
10	LMT	AB	104	-	-	4/21/61/61	0/2/2/2
8	BCL	AE	103	-	-	5/37/137/137	-
11	3PE	Н	301	-	-	16/54/54/54	-
9	SPO	BA	101	-	-	3/47/47/47	-
9	SPO	AM	1002	-	-	2/47/47/47	-
13	U10	L	302	-	-	13/63/87/87	0/1/1/1
9	SPO	AG	101	-	-	2/47/47/47	-
9	SPO	AK	102	-	-	4/47/47/47	-
8	BCL	BG	101	-	-	7/37/137/137	-
8	BCL	AM	1001	-	-	4/37/137/137	-
13	U10	М	404	-	-	8/63/87/87	0/1/1/1
9	SPO	AD	103	-	-	4/47/47/47	-
8	BCL	AH	102	-	-	1/37/137/137	-
15	CD4	М	405	-	-	12/94/94/94	-



		r · · · · ·	I J			-	
Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BCL	AK	101	-	-	5/37/137/137	-
8	BCL	AI	101	-	-	11/37/137/137	-
11	3PE	AC	104	-	-	12/54/54/54	-
8	BCL	BD	101	-	-	2/37/137/137	-
9	SPO	AB	103	-	-	9/47/47/47	-
8	BCL	AF	102	-	-	3/37/137/137	-
9	SPO	AL	1002	-	-	2/47/47/47	-
9	SPO	AI	102	-	-	4/47/47/47	-
11	3PE	AB	102	-	-	10/54/54/54	-
8	BCL	AD	102	-	-	4/37/137/137	-
9	SPO	AH	101	-	-	2/47/47/47	-
9	SPO	AC	103	-	-	3/47/47/47	-
9	SPO	AA	1002	-	-	8/47/47/47	-
8	BCL	AN	101	-	-	5/37/137/137	-
12	BPH	М	402	-	-	6/37/105/105	0/5/6/6
9	SPO	AK	104	-	-	8/47/47/47	-
8	BCL	BA	102	-	-	4/37/137/137	-
8	BCL	AA	1001	-	-	6/37/137/137	-
12	BPH	L	301	-	-	5/37/105/105	0/5/6/6
8	BCL	AC	102	-	-	10/37/137/137	-
9	SPO	BE	1000	-	-	7/47/47/47	-
8	BCL	AM	1003	-	-	6/37/137/137	-
9	SPO	AD	101	-	-	5/47/47/47	-
9	SPO	AF	103	_	-	2/47/47/47	-
9	SPO	AI	103	_	-	4/47/47/47	-
8	BCL	AB	101	_	-	7/37/137/137	-
9	SPO	AM	1004	-	-	3/47/47/47	-
8	BCL	BN	101	-	-	6/37/137/137	-
10	LMT	AA	1003	-	-	3/21/61/61	0/2/2/2
14	UQ1	L	303	-	-	4/9/33/33	0/1/1/1
10	LMT	X	101	-	-	1/21/61/61	0/2/2/2
8	BCL	AL	1001	-	-	5/37/137/137	-
9	SPO	AJ	103	-	-	4/47/47/47	-
8	BCL	L	304	-	-	1/37/137/137	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BCL	BL	102	-	-	11/37/137/137	-
9	SPO	AC	101	-	-	2/47/47/47	-
9	SPO	BL	101	-	-	5/47/47/47	-
8	BCL	AJ	101	-	-	7/37/137/137	-
11	3PE	Н	302	-	-	14/54/54/54	-
8	BCL	BB	1001	-	-	7/37/137/137	-
9	SPO	М	407	-	-	2/47/47/47	-
8	BCL	BF	101	-	-	8/37/137/137	-
8	BCL	BJ	101	-	-	6/37/137/137	-
8	BCL	BH	101	-	-	7/37/137/137	-
8	BCL	BI	101	-	-	3/37/137/137	-

The worst 5 of 239 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	L	302	U10	C43-C44	6.14	1.47	1.33
13	М	404	U10	C43-C44	6.11	1.47	1.33
13	L	302	U10	C48-C49	6.11	1.47	1.33
13	L	302	U10	C18-C19	6.10	1.47	1.33
13	М	404	U10	C18-C19	6.08	1.47	1.33

The worst 5 of 414 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	М	406	BCL	CHD-C1D-ND	-6.09	118.86	124.45
8	L	305	BCL	CHD-C1D-ND	-5.39	119.50	124.45
8	AI	101	BCL	CHD-C1D-ND	-5.25	119.62	124.45
8	М	403	BCL	C4D-CHA-C1A	5.20	127.58	121.25
8	BG	101	BCL	C4D-CHA-C1A	5.20	127.58	121.25

There are no chirality outliers.

5 of 384 torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
8	AK	101	BCL	C2-C3-C5-C6
8	AK	101	BCL	C4-C3-C5-C6
8	AN	101	BCL	C4-C3-C5-C6
8	BA	102	BCL	C3A-C2A-CAA-CBA
8	BB	1001	BCL	C1A-C2A-CAA-CBA



There are no ring outliers.

52 monomers are involved in 77 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	AJ	102	SPO	2	0
8	AG	102	BCL	1	0
8	AE	101	BCL	2	0
9	AH	103	SPO	1	0
9	AF	101	SPO	4	0
8	L	305	BCL	1	0
8	AK	103	BCL	1	0
8	BC	101	BCL	2	0
9	AE	102	SPO	3	0
8	AE	103	BCL	1	0
9	BA	101	SPO	3	0
9	AM	1002	SPO	3	0
13	L	302	U10	1	0
8	BG	101	BCL	1	0
8	AM	1001	BCL	2	0
13	М	404	U10	1	0
9	AD	103	SPO	2	0
15	М	405	CD4	1	0
8	AI	101	BCL	2	0
8	BD	101	BCL	1	0
9	AB	103	SPO	3	0
8	AF	102	BCL	1	0
9	AL	1002	SPO	3	0
9	AI	102	SPO	4	0
9	AH	101	SPO	2	0
9	AC	103	SPO	2	0
9	AA	1002	SPO	3	0
8	AN	101	BCL	1	0
12	М	402	BPH	1	0
9	AK	104	SPO	2	0
8	BA	102	BCL	1	0
8	AA	1001	BCL	1	0
8	AC	102	BCL	2	0
9	BE	1000	SPO	2	0
8	AM	1003	BCL	1	0
9	AD	101	SPO	1	0
9	AF	103	SPO	2	0
9	AI	103	SPO	1	0
8	AB	101	BCL	3	0
9	AM	1004	SPO	2	0



Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	BN	101	BCL	1	0
14	L	303	UQ1	1	0
9	AJ	103	SPO	1	0
8	BL	102	BCL	1	0
8	AJ	101	BCL	4	0
11	Н	302	3PE	1	0
8	BB	1001	BCL	1	0
9	М	407	SPO	1	0
8	BF	101	BCL	1	0
8	BJ	101	BCL	1	0
8	BH	101	BCL	1	0
8	BI	101	BCL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient must be highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














































































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.


6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-13441. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)

6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map



X Index: 256

Y Index: 256



Z Index: 256

The images above show central slices of the map in three orthogonal directions.

Largest variance slices (i) 6.3

6.3.1Primary map



X Index: 254

Y Index: 279

Z Index: 240

The images above show the largest variance slices of the map in three orthogonal directions.

Orthogonal standard-deviation projections (False-color) (i) 6.4

6.4.1**Primary map**



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0187. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 151 nm^3 ; this corresponds to an approximate mass of 136 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.400 \AA^{-1}



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.400 \AA^{-1}



8.2 Resolution estimates (i)

$\mathbf{B}_{\mathrm{assolution ostimato}}(\mathbf{\hat{\lambda}})$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	2.50	-	-
Author-provided FSC curve	2.45	2.89	2.52
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-13441 and PDB model 7PIL. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.0187 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0187).



9.4 Atom inclusion (i)



At the recommended contour level, 94% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.0187) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8910	0.6400
AA	0.9020	0.6480
AB	0.8900	0.6350
AC	0.8960	0.6520
AD	0.9310	0.6620
AE	0.9350	0.6610
AF	0.9230	0.6490
AG	0.9110	0.6440
AH	0.9040	0.6410
AI	0.8710	0.6270
AJ	0.8930	0.6250
AK	0.8680	0.6100
AL	0.8480	0.5940
AM	0.7610	0.5700
AN	0.6710	0.4990
BA	0.8970	0.6450
BB	0.9260	0.6680
BC	0.9200	0.6660
BD	0.9140	0.6490
BE	0.9330	0.6400
BF	0.8770	0.6160
BG	0.8920	0.6240
BH	0.8790	0.6230
BI	0.8620	0.5950
BJ	0.8450	0.5890
BK	0.8340	0.5740
BL	0.7810	0.5550
BM	0.7040	0.4850
BN	0.5460	0.4280
Н	0.9390	0.6620
L	0.9760	0.7140
М	0.9530	0.6990
UU	0.8440	0.5950
Х	0.8470	0.6020



BANK