



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2018 – 12:54 am GMT

PDB ID : 2POF
Title : Crystal structure of CDP-diacylglycerol pyrophosphatase
Authors : Madegowda, M.; Eswaramoorthy, S.; Burley, S.K.; Swaminathan, S.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2007-04-26
Resolution : 1.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : trunk30967
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)
Refmac : 5.8.0158
CCP4 : 7.0 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk30967


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 1.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	111664	1450 (1.40-1.40)
Clashscore	122126	1541 (1.40-1.40)
Ramachandran outliers	120053	1500 (1.40-1.40)
Sidechain outliers	120020	1499 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	227	 76% 19% . .
1	B	227	 71% 24% . .

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3818 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CDP-diacylglycerol pyrophosphatase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	220	1757	1098	320	329	4	6	0	0	0
1	B	220	1757	1098	320	329	4	6	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	25	SER	-	CLONING ARTIFACT	UNP Q8X7A5
A	26	LEU	-	CLONING ARTIFACT	UNP Q8X7A5
A	79	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
A	111	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
A	194	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
A	195	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
A	207	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
A	214	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
B	25	SER	-	CLONING ARTIFACT	UNP Q8X7A5
B	26	LEU	-	CLONING ARTIFACT	UNP Q8X7A5
B	79	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
B	111	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
B	194	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
B	195	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
B	207	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5
B	214	MSE	MET	MODIFIED RESIDUE	UNP Q8X7A5


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	162	Total	O	0	0
			162	162		
2	B	142	Total	O	0	0
			142	142		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CDP-diacylglycerol pyrophosphatase



- Molecule 1: CDP-diacylglycerol pyrophosphatase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	37.25Å 65.42Å 80.93Å 90.00° 90.21° 90.00°	Depositor
Resolution (Å)	25.44 – 1.40 25.44 – 1.40	Depositor EDS
% Data completeness (in resolution range)	88.5 (25.44-1.40) 88.0 (25.44-1.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.65 (at 1.40Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.249 , 0.257 0.250 , 0.257	Depositor DCC
R_{free} test set	3458 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	12.3	Xtrriage
Anisotropy	0.419	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 25.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.23$	Xtrriage
Estimated twinning fraction	0.267 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3818	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.38	0/1790	0.66	1/2423 (0.0%)
1	B	0.36	0/1790	0.65	0/2423
All	All	0.37	0/3580	0.66	1/4846 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	211	GLY	N-CA-C	-5.06	100.45	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1757	0	1729	45	0
1	B	1757	0	1729	57	0
2	A	162	0	0	7	0
2	B	142	0	0	12	0
All	All	3818	0	3458	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:SER:H	1:B:194:MSE:HE3	1.31	0.94
1:B:127:ALA:HB3	2:B:321:HOH:O	1.74	0.85
1:A:132:THR:HG21	1:A:229:ARG:HE	1.39	0.84
1:B:111:MSE:HE1	1:B:143:ILE:HG22	1.60	0.83
1:B:105:TRP:O	1:B:108:ARG:HG3	1.78	0.83
1:A:200:VAL:HG23	1:A:203:ALA:CB	2.12	0.79
1:B:111:MSE:HE1	1:B:143:ILE:C	2.04	0.78
1:A:196:LEU:O	1:A:200:VAL:HG22	1.83	0.76
1:B:111:MSE:CE	1:B:143:ILE:HG22	2.16	0.75
1:B:200:VAL:HG23	1:B:203:ALA:HB2	1.67	0.74
1:A:45:ASN:ND2	1:A:49:ASN:HD22	1.90	0.69
1:B:45:ASN:HD22	1:B:49:ASN:HD22	1.40	0.68
1:B:196:LEU:O	1:B:200:VAL:HG22	1.94	0.68
1:A:200:VAL:HG23	1:A:203:ALA:HB2	1.76	0.67
1:A:185:SER:O	1:A:188:VAL:HG12	1.96	0.66
1:A:200:VAL:HG23	1:A:203:ALA:HB3	1.79	0.65
1:B:200:VAL:HG23	1:B:203:ALA:CB	2.27	0.65
1:B:182:VAL:HG21	1:B:224:LEU:HD12	1.80	0.64
1:A:132:THR:HG21	1:A:229:ARG:NE	2.10	0.64
1:B:138:HIS:CE1	2:B:384:HOH:O	2.52	0.63
1:A:43:LEU:HB3	1:A:44:PRO:HD3	1.80	0.62
1:B:205:GLU:HG3	1:B:206:HIS:CD2	2.34	0.62
1:B:192:PRO:HA	1:B:195:MSE:HE3	1.83	0.61
1:A:94:ASP:C	1:A:94:ASP:OD1	2.37	0.61
1:B:38:VAL:HG11	2:B:384:HOH:O	2.01	0.60
1:A:35:ARG:O	1:A:39:LEU:HG	2.02	0.58
1:B:45:ASN:ND2	1:B:49:ASN:HD22	2.01	0.58
1:A:60:PRO:HG2	2:A:358:HOH:O	2.03	0.58
1:B:38:VAL:HB	2:B:384:HOH:O	2.03	0.58
1:A:204:ARG:HB2	2:A:308:HOH:O	2.04	0.57
1:B:33:THR:O	1:B:37:ILE:HG13	2.04	0.57
1:B:196:LEU:HD12	1:B:200:VAL:HG21	1.86	0.57
1:A:196:LEU:CD1	1:A:200:VAL:HG21	2.35	0.57
1:B:38:VAL:CG1	2:B:384:HOH:O	2.53	0.56
1:A:45:ASN:HD21	1:A:49:ASN:HD22	1.53	0.55
1:A:126:LEU:CD2	1:A:143:ILE:HG12	2.37	0.55
1:B:122:ARG:HG3	2:B:277:HOH:O	2.06	0.54
1:A:196:LEU:HD12	1:A:200:VAL:HG21	1.89	0.54
1:B:182:VAL:HG21	1:B:224:LEU:CD1	2.37	0.54
1:A:182:VAL:CG2	1:A:187:LEU:HD21	2.38	0.54
1:B:115:TYR:CD2	1:B:117:GLN:HG3	2.43	0.54
1:B:164:ARG:HH11	1:B:164:ARG:HG2	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:38:VAL:CB	2:B:384:HOH:O	2.57	0.52
1:B:78:LEU:HD13	1:B:104:ALA:HA	1.92	0.51
1:A:211:GLY:O	1:A:212:LEU:HD23	2.11	0.50
1:A:41:GLU:HG2	2:A:363:HOH:O	2.12	0.50
1:A:126:LEU:HD22	1:A:143:ILE:HG12	1.93	0.50
1:B:191:SER:N	1:B:194:MSE:HE3	2.14	0.50
1:A:112:SER:HA	1:A:119:VAL:HG23	1.95	0.48
1:A:157:ASN:CG	1:A:160:ASN:HD22	2.17	0.48
1:A:153:GLN:HG3	2:A:355:HOH:O	2.13	0.48
1:A:84:ILE:HG12	1:A:91:LEU:HD12	1.94	0.48
1:B:211:GLY:C	1:B:212:LEU:HD12	2.34	0.48
1:A:196:LEU:HD22	1:A:212:LEU:HD21	1.95	0.47
1:A:219:ASP:O	1:A:220:ASN:HB2	2.13	0.47
1:B:111:MSE:HE2	1:B:144:SER:HA	1.97	0.47
1:B:196:LEU:CD1	1:B:200:VAL:HG21	2.45	0.47
1:B:68:LYS:HE3	1:B:114:LYS:HE2	1.97	0.46
1:B:164:ARG:NH1	1:B:164:ARG:HG2	2.31	0.46
1:B:35:ARG:O	1:B:39:LEU:HG	2.15	0.46
1:A:94:ASP:OD1	1:A:95:PRO:N	2.49	0.46
1:A:75:GLN:NE2	1:A:142:HIS:ND1	2.63	0.46
1:B:202:GLU:O	1:B:206:HIS:HD2	1.98	0.46
1:A:99:ASN:ND2	1:A:187:LEU:O	2.49	0.45
1:B:111:MSE:HE1	1:B:144:SER:N	2.31	0.45
1:B:149:ASP:O	1:B:153:GLN:HG3	2.17	0.45
1:B:160:ASN:HA	2:B:323:HOH:O	2.16	0.45
1:A:45:ASN:ND2	1:A:49:ASN:ND2	2.63	0.44
1:A:196:LEU:HD12	1:A:200:VAL:CG2	2.47	0.44
1:B:240:GLU:HA	2:B:321:HOH:O	2.17	0.44
1:A:36:LYS:HB3	2:A:401:HOH:O	2.18	0.43
1:A:200:VAL:HA	1:A:201:PRO:HD3	1.92	0.43
1:B:180:ARG:HE	1:B:195:MSE:SE	2.52	0.43
1:B:48:GLN:HB3	2:B:385:HOH:O	2.17	0.43
1:B:108:ARG:HH11	1:B:108:ARG:HG3	1.83	0.43
1:B:65:VAL:HG13	1:B:81:THR:HG22	2.00	0.43
1:B:248:GLU:CD	2:B:366:HOH:O	2.57	0.43
1:B:196:LEU:HD12	1:B:200:VAL:CG2	2.48	0.43
1:B:216:ARG:HG2	1:B:216:ARG:HH11	1.83	0.43
1:B:236:ARG:HD3	2:B:367:HOH:O	2.18	0.43
1:A:41:GLU:O	1:A:45:ASN:HB2	2.19	0.42
1:B:212:LEU:HD12	1:B:212:LEU:N	2.34	0.42
1:A:60:PRO:CG	2:A:358:HOH:O	2.62	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:GLN:O	1:B:220:ASN:ND2	2.50	0.42
1:B:200:VAL:CG2	1:B:203:ALA:HB2	2.43	0.42
1:A:69:ASP:HB2	1:A:75:GLN:HG2	2.02	0.42
1:A:183:THR:O	1:A:187:LEU:HD23	2.21	0.41
1:A:122:ARG:HG3	2:A:258:HOH:O	2.19	0.41
1:A:36:LYS:O	1:A:40:GLU:HB2	2.20	0.41
1:A:175:HIS:HB3	1:A:235:ASN:ND2	2.36	0.41
1:A:182:VAL:HG21	1:A:187:LEU:HD21	2.02	0.41
1:B:184:GLU:O	1:B:188:VAL:HG23	2.20	0.41
1:B:219:ASP:O	1:B:220:ASN:HB2	2.20	0.41
1:B:79:MSE:HG2	1:B:140:HIS:HB3	2.02	0.41
1:A:182:VAL:HG23	1:A:222:PHE:HB2	2.03	0.41
1:B:180:ARG:HH11	1:B:180:ARG:HG3	1.86	0.40
1:B:182:VAL:CG2	1:B:224:LEU:HD12	2.49	0.40
1:B:75:GLN:NE2	1:B:142:HIS:ND1	2.69	0.40
1:A:200:VAL:CG2	1:A:203:ALA:HB2	2.49	0.40
1:B:75:GLN:HE21	1:B:142:HIS:HB3	1.85	0.40
1:B:68:LYS:CE	1:B:114:LYS:HE2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	218/227 (96%)	212 (97%)	6 (3%)	0	100	100
1	B	218/227 (96%)	213 (98%)	5 (2%)	0	100	100
All	All	436/454 (96%)	425 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/196 (100%)	191 (97%)	5 (3%)	49	14
1	B	196/196 (100%)	189 (96%)	7 (4%)	38	8
All	All	392/392 (100%)	380 (97%)	12 (3%)	43	10

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	ASN
1	A	109	ASP
1	A	157	ASN
1	A	180	ARG
1	A	204	ARG
1	B	45	ASN
1	B	108	ARG
1	B	117	GLN
1	B	202	GLU
1	B	204	ARG
1	B	229	ARG
1	B	234	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	ASN
1	A	47	GLN
1	A	75	GLN
1	A	160	ASN
1	A	175	HIS
1	A	206	HIS
1	B	45	ASN
1	B	47	GLN
1	B	71	ASN
1	B	75	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	117	GLN
1	B	138	HIS
1	B	156	ASN
1	B	175	HIS
1	B	206	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers

Unable to reproduce the depositors R factor - this section is therefore empty.