



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 4, 2023 – 02:02 PM EDT

PDB ID : 6POW  
Title : Structure of human endothelial nitric oxide synthase heme domain in complex with 7-(5-(Aminomethyl)pyridin-3-yl)-4-methylquinolin-2-amine  
Authors : Chreifi, G.; Li, H.; Poulos, T.L.  
Deposited on : 2019-07-05  
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	 5% 71% 19% • 8%
1	B	440	 % 80% 11% 9%
1	C	440	 2% 75% 15% • 9%
1	D	440	 % 75% 16% • 9%

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 13983 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric oxide synthase, endothelial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	404	3237	2062	570	589	16	0	2	0
1	B	402	3221	2051	566	587	17	0	3	0
1	C	401	3209	2044	563	586	16	0	2	0
1	D	402	3218	2049	566	586	17	0	2	0

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	298	GLU	ASP	variant	UNP P29474
B	298	GLU	ASP	variant	UNP P29474
C	298	GLU	ASP	variant	UNP P29474
D	298	GLU	ASP	variant	UNP P29474

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
			Total	C	Fe	N			O	
2	A	1	Total	43	34	1	4	4	0	0
2	B	1	Total	43	34	1	4	4	0	0
2	C	1	Total	43	34	1	4	4	0	0
2	D	1	Total	43	34	1	4	4	0	0

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula:  $C_9H_{15}N_5O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	C	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 7-[5-(aminomethyl)pyridin-3-yl]-4-methylquinolin-2-amine (three-letter code: OUA) (formula: C<sub>16</sub>H<sub>16</sub>N<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	N	0	0
			20	16	4		
4	B	1	Total	C	N	0	0
			20	16	4		
4	B	1	Total	C	N	0	0
			20	16	4		
4	C	1	Total	C	N	0	0
			20	16	4		
4	D	1	Total	C	N	0	0
			20	16	4		
4	D	1	Total	C	N	0	0
			20	16	4		

- Molecule 5 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C<sub>8</sub>H<sub>19</sub>NO<sub>5</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	A	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	B	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	C	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		
5	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 6 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Zn	0	0
			1	1		
6	C	1	Total	Zn	0	0
			1	1		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 6 3 3	0	0
7	C	1	Total C O 6 3 3	0	0

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Cl 1 1	0	0
8	B	1	Total Cl 1 1	0	0
8	C	1	Total Cl 1 1	0	0
8	D	1	Total Cl 1 1	0	0

- Molecule 9 is GADOLINIUM ATOM (three-letter code: GD) (formula: Gd).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total Gd 1 1	0	0
9	C	2	Total Gd 2 2	0	0
9	D	1	Total Gd 1 1	0	0

- Molecule 10 is water.


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
10	A	123	Total 123	O 123	0	0
10	B	191	Total 191	O 191	0	0
10	C	123	Total 123	O 123	0	0
10	D	187	Total 187	O 187	0	0




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitric oxide synthase, endothelial



- Molecule 1: Nitric oxide synthase, endothelial




- Molecule 1: Nitric oxide synthase, endothelial





• Molecule 1: Nitric oxide synthase, endothelial



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	59.70Å 152.71Å 108.77Å 90.00° 90.79° 90.00°	Depositor
Resolution (Å)	59.69 – 2.15 62.49 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.1 (59.69-2.15) 99.1 (62.49-2.15)	Depositor EDS
$R_{merge}$	0.15	Depositor
$R_{sym}$	0.15	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.46 (at 2.14Å)	Xtrriage
Refinement program	PHENIX (1.11.1-2575_1496: ???)	Depositor
R, $R_{free}$	0.211 , 0.277 0.204 , 0.271	Depositor DCC
$R_{free}$ test set	5231 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.2	Xtrriage
Anisotropy	0.899	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 38.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.148 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13983	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: H4B, CL, ZN, BTB, HEM, GD, GOL, OUA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/3335	0.53	0/4543
1	B	0.44	0/3319	0.56	0/4523
1	C	0.38	0/3307	0.53	0/4507
1	D	0.45	0/3313	0.58	0/4515
All	All	0.42	0/13274	0.55	0/18088

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	2
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	240	ASP	Peptide
1	C	143	SER	Peptide
1	C	144	GLN	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3237	0	3146	63	1
1	B	3221	0	3126	39	0
1	C	3209	0	3109	49	0
1	D	3218	0	3121	48	0
2	A	43	0	30	2	0
2	B	43	0	30	4	0
2	C	43	0	30	1	0
2	D	43	0	30	4	0
3	A	17	0	15	2	0
3	C	17	0	15	2	0
4	A	20	0	0	0	0
4	B	40	0	0	5	0
4	C	20	0	0	1	0
4	D	40	0	0	3	0
5	A	28	0	38	4	0
5	B	42	0	56	10	0
5	C	28	0	37	7	0
5	D	28	0	36	5	1
6	A	1	0	0	0	0
6	C	1	0	0	0	0
7	A	6	0	8	0	0
7	C	6	0	8	0	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
8	C	1	0	0	0	0
8	D	1	0	0	0	0
9	B	1	0	0	0	0
9	C	2	0	0	0	0
9	D	1	0	0	0	0
10	A	123	0	0	8	0
10	B	191	0	0	5	0
10	C	123	0	0	4	0
10	D	187	0	0	5	0
All	All	13983	0	12835	211	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (211) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:504:BTB:H61	5:A:504:BTB:O3	1.79	0.83
1:A:140:ARG:HG2	1:A:144:GLN:HB3	1.61	0.80
1:A:242:ARG:NH2	1:A:477:PRO:O	2.16	0.79
1:D:321:GLU:OE2	5:D:504:BTB:O4	2.01	0.79
4:B:502:OUA:N28	10:B:602:HOH:O	2.15	0.78
1:B:217:TYR:OH	10:B:601:HOH:O	2.03	0.76
1:B:446:ALA:O	4:B:503:OUA:N02	2.20	0.75
1:C:68:PHE:N	10:C:602:HOH:O	2.18	0.74
1:C:98:ARG:HH11	1:C:98:ARG:HG3	1.53	0.74
1:A:144:GLN:HE22	1:A:147:GLU:HG3	1.53	0.73
1:D:67:LYS:N	10:D:601:HOH:O	2.21	0.73
1:B:326:LEU:HD23	5:C:505:BTB:H52	1.73	0.70
2:C:502:HEM:HBB2	2:C:502:HEM:HHC	1.73	0.70
1:A:88:ALA:O	1:B:97:ARG:NH2	2.24	0.70
1:D:238:ARG:NH1	10:D:602:HOH:O	2.25	0.68
1:C:365:ARG:HH12	3:C:503:H4B:C4	2.06	0.68
5:A:504:BTB:O6	10:A:601:HOH:O	2.10	0.68
1:D:89:GLN:NE2	1:D:91:ASP:OD1	2.26	0.68
1:C:200:ASP:OD1	1:C:200:ASP:N	2.29	0.66
1:A:238:ARG:HB3	1:A:297:ASP:OD2	1.96	0.65
1:C:347:GLU:OE2	10:C:601:HOH:O	2.13	0.65
1:A:378:ASP:OD1	10:A:602:HOH:O	2.14	0.64
1:D:426:SER:HA	1:D:429:LYS:HE2	1.79	0.64
1:C:298:GLU:OE2	5:C:506:BTB:O6	2.06	0.64
1:D:336:VAL:HG21	4:D:502:OUA:C07	2.28	0.63
2:D:501:HEM:HBB2	2:D:501:HEM:HHC	1.79	0.63
1:B:298:GLU:OE2	5:B:505:BTB:N	2.32	0.62
1:B:298:GLU:HG3	1:B:299:PRO:HD2	1.82	0.62
1:D:140:ARG:HH21	1:D:145:ALA:HB3	1.65	0.61
1:C:90:GLN:NE2	10:C:608:HOH:O	2.34	0.60
1:D:100:LEU:HB3	1:D:103:LEU:HD22	1.83	0.60
1:D:475:TYR:OH	2:D:501:HEM:O1D	2.16	0.60
1:A:144:GLN:NE2	1:A:147:GLU:HG3	2.16	0.60
1:A:216:LYS:HB2	1:A:309:LEU:HD11	1.84	0.60
2:D:501:HEM:HMC2	2:D:501:HEM:HBC2	1.83	0.59
1:C:453:SER:OG	1:D:396:ASP:OD2	2.16	0.58
1:B:121:GLU:HA	1:B:124:LEU:HB2	1.86	0.58
1:D:271:THR:O	1:D:275:ILE:HG12	2.04	0.57
1:A:254:TYR:O	1:A:261:VAL:HA	2.04	0.57
1:A:242:ARG:NH1	10:A:608:HOH:O	2.37	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:235:CYS:SG	1:C:238:ARG:HD3	2.44	0.57
1:A:234:ARG:NH1	1:A:347:GLU:OE1	2.36	0.57
1:C:336:VAL:HG21	4:C:504:OUA:C07	2.35	0.57
1:D:317:HIS:NE2	1:D:401:GLU:OE1	2.33	0.56
5:B:508:BTB:H31	1:C:377:GLU:OE2	2.05	0.56
1:A:475:TYR:OH	2:A:501:HEM:O2D	2.21	0.55
1:D:209:THR:O	1:D:213:ASN:ND2	2.39	0.55
1:A:202:ARG:N	1:A:206:GLU:OE1	2.39	0.55
1:B:250:ARG:NH1	10:B:614:HOH:O	2.40	0.55
1:B:371:HIS:NE2	4:B:503:OUA:N28	2.55	0.55
1:D:200:ASP:O	1:D:202:ARG:NH1	2.40	0.55
1:A:205:GLN:OE1	10:A:603:HOH:O	2.18	0.55
1:C:98:ARG:HG3	1:C:98:ARG:NH1	2.19	0.54
1:C:382:CYS:HA	5:C:505:BTB:H42	1.89	0.54
1:A:120:PRO:O	1:A:122:GLN:N	2.41	0.54
1:D:170:LEU:HD11	1:D:230:VAL:HG11	1.90	0.53
1:B:124:LEU:O	1:B:128:ARG:HG3	2.08	0.53
1:B:336:VAL:HG21	4:B:502:OUA:C07	2.39	0.52
1:B:371:HIS:H	1:B:371:HIS:HD1	1.56	0.52
2:B:501:HEM:HBC2	2:B:501:HEM:HMC2	1.90	0.52
5:B:505:BTB:O3	5:B:505:BTB:H51	2.10	0.52
1:C:213:ASN:O	1:C:216:LYS:HG3	2.10	0.52
1:A:128:ARG:O	1:A:132:ASN:ND2	2.42	0.52
1:A:134:TYR:O	1:A:138:ILE:HG12	2.10	0.52
1:A:365:ARG:HH12	3:A:502:H4B:C4	2.23	0.51
1:B:342:GLU:OE1	1:B:474:ARG:NH1	2.43	0.51
1:C:89:GLN:NE2	1:C:470:SER:H	2.08	0.51
1:C:298:GLU:OE2	5:C:506:BTB:O8	2.21	0.51
1:B:124:LEU:HD13	1:B:128:ARG:HH21	1.75	0.51
1:B:144:GLN:H	1:B:144:GLN:CD	2.13	0.51
1:C:272:GLU:O	1:C:276:GLN:HG3	2.09	0.51
1:A:331:TYR:O	1:A:410:TYR:OH	2.26	0.51
1:A:140:ARG:NE	1:A:142:GLY:O	2.33	0.51
1:C:149:ARG:NE	1:C:169:GLU:OE2	2.28	0.50
1:D:290:PRO:HB3	1:D:304:LEU:HD23	1.92	0.50
1:D:446:ALA:O	4:D:503:OUA:N02	2.43	0.50
1:D:220:ASN:ND2	10:D:618:HOH:O	2.44	0.50
1:C:279:TRP:HB2	1:C:302:LEU:HD21	1.94	0.50
1:D:301:GLU:HB3	1:D:303:PHE:CE1	2.47	0.50
1:B:140:ARG:HG3	1:B:143:SER:OG	2.11	0.50
1:A:192:LYS:NZ	10:A:609:HOH:O	2.37	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:138:ILE:HG13	1:A:139:LYS:H	1.76	0.49
1:C:94:CYS:HB3	1:D:94:CYS:HB3	1.93	0.49
1:D:248:LEU:HB2	1:D:335:ALA:HB3	1.94	0.49
5:B:508:BTB:H81	1:C:387:THR:O	2.12	0.49
1:C:397:LYS:HG3	1:D:400:VAL:HG11	1.94	0.49
1:A:143:SER:HA	1:A:147:GLU:OE2	2.12	0.49
5:D:504:BTB:H62	5:D:504:BTB:O8	2.13	0.49
1:C:235:CYS:HB2	1:C:236:PRO:HD2	1.94	0.49
1:B:98:ARG:HG3	1:B:98:ARG:NH1	2.28	0.49
1:C:88:ALA:HB3	1:D:97:ARG:HG2	1.95	0.49
1:A:150:LEU:O	1:A:154:GLU:HG2	2.14	0.48
1:C:156:GLU:OE1	1:C:164:GLN:HG2	2.13	0.48
1:C:233:GLN:HB3	1:C:348:PHE:CE2	2.48	0.48
2:A:501:HEM:HBB2	2:A:501:HEM:HHC	1.95	0.48
1:B:98:ARG:HG3	1:B:98:ARG:HH11	1.79	0.48
1:A:384:ASP:HB3	10:A:640:HOH:O	2.14	0.48
5:D:504:BTB:H32	5:D:504:BTB:H51	1.50	0.48
1:B:475:TYR:OH	2:B:501:HEM:CGD	2.62	0.47
1:C:298:GLU:HG3	1:C:299:PRO:HD2	1.96	0.47
1:B:475:TYR:OH	2:B:501:HEM:O1D	2.32	0.47
1:C:128:ARG:O	1:C:132:ASN:ND2	2.47	0.47
1:C:156:GLU:O	1:C:160:THR:HG22	2.14	0.47
1:D:455:SER:HA	1:D:460:PHE:CG	2.49	0.47
1:B:106:PRO:O	10:B:603:HOH:O	2.20	0.47
5:A:504:BTB:O1	5:A:504:BTB:H51	2.14	0.47
1:C:364:THR:O	1:C:368:CYS:HB2	2.15	0.47
1:C:386:ASP:OD1	1:C:388:ARG:HG2	2.14	0.47
5:C:506:BTB:H51	5:C:506:BTB:H42	1.54	0.47
1:B:475:TYR:OH	2:B:501:HEM:O2D	2.28	0.46
1:A:99:CYS:HB3	1:B:466:ASN:HB3	1.97	0.46
1:A:146:HIS:O	1:A:150:LEU:N	2.42	0.46
1:C:450:PRO:HG2	1:C:457:THR:HG21	1.97	0.46
1:D:149:ARG:HD3	1:D:166:ARG:CZ	2.46	0.46
1:D:357:TYR:CD2	1:D:362:ILE:HD11	2.51	0.46
1:D:247:GLN:HB2	1:D:250:ARG:HG2	1.98	0.46
1:A:135:TYR:CE1	1:A:146:HIS:HB3	2.51	0.46
1:A:138:ILE:HG13	1:A:139:LYS:N	2.31	0.46
1:A:265:PRO:HA	1:A:268:VAL:HG23	1.97	0.46
1:D:387:THR:HA	1:D:394:TRP:CD1	2.51	0.46
1:A:279:TRP:HB2	1:A:302:LEU:HD13	1.98	0.46
1:C:220:ASN:HB3	1:C:223:ASN:O	2.16	0.46

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:72:LYS:NZ	10:D:622:HOH:O	2.48	0.46
1:A:258:ASP:N	1:A:258:ASP:OD1	2.49	0.45
1:D:70:ARG:HB2	1:D:81:TYR:CE2	2.51	0.45
1:A:478:ASP:O	1:A:480:TRP:N	2.45	0.45
1:D:233:GLN:HB3	1:D:348:PHE:CE2	2.52	0.45
1:A:224:LEU:HB2	1:A:416:THR:HB	1.99	0.45
1:A:279:TRP:CG	1:A:290:PRO:HG3	2.50	0.45
1:C:275:ILE:HD11	1:C:281:PRO:HB3	1.98	0.45
1:A:145:ALA:HA	1:A:148:GLN:NE2	2.31	0.45
1:B:93:PRO:HG3	1:B:106:PRO:CB	2.47	0.45
5:B:508:BTB:H31	5:B:508:BTB:H71	1.75	0.45
5:B:508:BTB:H41	5:B:508:BTB:H51	1.58	0.45
1:A:257:GLN:NE2	10:A:625:HOH:O	2.50	0.45
1:A:308:GLU:H	1:A:308:GLU:CD	2.19	0.45
1:A:455:SER:HA	1:A:460:PHE:CG	2.51	0.45
5:D:505:BTB:H32	5:D:505:BTB:H51	1.50	0.45
1:C:231:PHE:HB2	1:C:350:ALA:O	2.17	0.45
1:D:475:TYR:OH	2:D:501:HEM:CGD	2.64	0.45
1:B:379:VAL:O	1:B:383:MET:HG3	2.17	0.44
1:D:371:HIS:NE2	4:D:503:OUA:N28	2.65	0.44
1:A:229:THR:O	1:A:352:PRO:HD2	2.17	0.44
1:B:279:TRP:HB2	1:B:302:LEU:HD21	1.98	0.44
1:A:466:ASN:HB3	1:B:99:CYS:HB3	1.99	0.44
5:A:504:BTB:H41	5:A:504:BTB:H72	1.71	0.44
1:A:124:LEU:O	1:A:128:ARG:HG3	2.18	0.44
1:B:242:ARG:NH2	1:B:479:PRO:HD3	2.32	0.44
5:B:508:BTB:H82	5:B:508:BTB:H52	1.44	0.44
1:C:128:ARG:HH22	1:C:154:GLU:CD	2.21	0.44
1:C:224:LEU:HB2	1:C:416:THR:HB	2.00	0.44
1:D:171:VAL:HG12	1:D:175:LYS:HE3	1.99	0.44
1:D:453:SER:HB3	1:D:456:LEU:HD12	1.99	0.44
1:C:154:GLU:OE1	10:C:603:HOH:O	2.21	0.44
1:C:453:SER:HA	1:D:452:ILE:HG22	1.99	0.44
1:D:72:LYS:HD3	1:D:74:TRP:CE2	2.52	0.44
1:D:229:THR:O	1:D:351:ALA:HA	2.17	0.44
1:A:152:GLU:O	1:A:156:GLU:HB2	2.18	0.43
1:A:107:ARG:HH21	1:B:67:LYS:HE3	1.83	0.43
1:B:298:GLU:HG2	10:B:770:HOH:O	2.16	0.43
1:C:93:PRO:HG3	1:C:106:PRO:HB3	1.99	0.43
1:C:203:SER:OG	1:C:204:ALA:N	2.51	0.43
1:C:451:PRO:HB2	1:D:455:SER:OG	2.17	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:320:LEU:HD13	1:C:322:TRP:CZ2	2.53	0.43
1:A:447:TRP:CZ2	3:A:502:H4B:H6	2.54	0.43
1:A:292:LEU:HD23	1:A:292:LEU:HA	1.86	0.43
1:A:364:THR:O	1:A:368:CYS:HB2	2.19	0.43
1:D:199:ARG:O	1:D:232:PRO:HG3	2.19	0.43
5:D:505:BTB:H81	5:D:505:BTB:H52	1.55	0.43
1:D:279:TRP:HB2	1:D:302:LEU:HD21	2.00	0.43
1:A:139:LYS:HG3	1:A:140:ARG:HB3	2.01	0.42
1:B:361:GLU:OE2	4:B:502:OUA:N02	2.51	0.42
1:C:147:GLU:N	1:C:147:GLU:OE1	2.53	0.42
1:C:447:TRP:CZ2	3:C:503:H4B:H6	2.54	0.42
1:B:317:HIS:CG	1:B:318:PRO:HD2	2.54	0.42
1:D:317:HIS:CG	1:D:318:PRO:HD2	2.54	0.42
1:A:94:CYS:HB3	1:B:94:CYS:HB3	2.01	0.42
1:B:93:PRO:HG3	1:B:106:PRO:HB2	2.00	0.42
1:D:220:ASN:O	1:D:221:ARG:HG2	2.19	0.42
1:D:242:ARG:CZ	1:D:479:PRO:HG3	2.50	0.42
1:A:147:GLU:HA	1:A:150:LEU:HB2	2.02	0.42
1:A:170:LEU:HD11	1:A:230:VAL:HG11	2.01	0.42
1:C:250:ARG:HB2	1:C:289:LEU:HD12	2.02	0.42
1:C:146:HIS:O	1:C:150:LEU:HG	2.19	0.42
1:A:420:HIS:O	1:A:424:THR:HG23	2.20	0.42
1:A:147:GLU:O	1:A:151:GLN:N	2.42	0.41
1:A:144:GLN:CD	1:A:144:GLN:H	2.20	0.41
1:A:263:GLY:H	1:A:285:ARG:HG2	1.85	0.41
1:A:274:CYS:SG	1:A:290:PRO:HG2	2.59	0.41
1:B:429:LYS:HD2	1:B:429:LYS:HA	1.80	0.41
1:A:199:ARG:O	1:A:232:PRO:HG3	2.20	0.41
1:C:160:THR:HG23	1:C:162:THR:H	1.84	0.41
1:D:93:PRO:HG3	1:D:106:PRO:HB3	2.01	0.41
1:A:202:ARG:HG3	1:A:206:GLU:OE1	2.20	0.41
1:B:173:GLY:HA3	1:B:343:ILE:HD13	2.03	0.41
5:C:506:BTB:H72	5:C:506:BTB:H32	1.63	0.41
1:B:371:HIS:ND1	1:B:371:HIS:N	2.68	0.41
5:B:508:BTB:O8	5:B:508:BTB:H32	2.21	0.41
5:C:505:BTB:H32	5:C:505:BTB:H51	1.79	0.41
1:D:140:ARG:NH2	1:D:145:ALA:HB3	2.32	0.41
1:A:133:GLN:HA	1:A:136:SER:HB3	2.03	0.41
1:A:376:LEU:HD11	1:A:399:ALA:HB2	2.03	0.41
5:B:505:BTB:H42	5:B:505:BTB:H72	1.81	0.41
1:D:88:ALA:HB2	10:D:743:HOH:O	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:ALA:N	10:A:628:HOH:O	2.53	0.40
1:B:234:ARG:NH1	1:B:347:GLU:OE1	2.49	0.40
1:C:229:THR:O	1:C:351:ALA:HA	2.21	0.40
1:A:246:SER:OG	1:A:250:ARG:HD2	2.22	0.40
1:A:474:ARG:HG2	1:A:475:TYR:O	2.20	0.40
1:B:298:GLU:CD	5:B:505:BTB:H31	2.41	0.40
1:D:178:TRP:CE3	1:D:190:TRP:HA	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:GLU:OE2	5:D:505:BTB:O4[2_851]	2.11	0.09

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	402/440 (91%)	377 (94%)	20 (5%)	5 (1%)	13 7
1	B	401/440 (91%)	384 (96%)	16 (4%)	1 (0%)	47 46
1	C	399/440 (91%)	385 (96%)	13 (3%)	1 (0%)	41 37
1	D	400/440 (91%)	383 (96%)	14 (4%)	3 (1%)	19 12
All	All	1602/1760 (91%)	1529 (95%)	63 (4%)	10 (1%)	25 18

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	121	GLU
1	A	143	SER
1	B	120	PRO

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	89	GLN
1	A	144	GLN
1	D	88	ALA
1	D	91	ASP
1	A	90	GLN
1	D	90	GLN
1	A	181	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	345/373 (92%)	333 (96%)	12 (4%)	36	34
1	B	344/373 (92%)	333 (97%)	11 (3%)	39	38
1	C	342/373 (92%)	336 (98%)	6 (2%)	59	63
1	D	343/373 (92%)	340 (99%)	3 (1%)	78	83
All	All	1374/1492 (92%)	1342 (98%)	32 (2%)	52	53

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	VAL
1	A	107	ARG
1	A	124	LEU
1	A	143	SER
1	A	144	GLN
1	A	147	GLU
1	A	258	ASP
1	A	304	LEU
1	A	329	ARG
1	A	396	ASP
1	A	470	SER
1	A	474	ARG
1	B	87	GLN
1	B	168[A]	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	168[B]	SER
1	B	213	ASN
1	B	235[A]	CYS
1	B	235[B]	CYS
1	B	257	GLN
1	B	302	LEU
1	B	329	ARG
1	B	389	THR
1	B	396	ASP
1	C	90	GLN
1	C	136	SER
1	C	200	ASP
1	C	216	LYS
1	C	257	GLN
1	C	396	ASP
1	D	76	VAL
1	D	89	GLN
1	D	202	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	257	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 33 ligands modelled in this entry, 10 are monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	BTB	B	504	9	13,13,13	0.55	0	7,16,16	0.42	0
3	H4B	A	502	-	16,18,18	0.91	0	11,26,26	2.65	5 (45%)
4	OUA	D	502	-	22,22,22	0.94	2 (9%)	30,31,31	1.38	5 (16%)
4	OUA	D	503	-	22,22,22	1.09	2 (9%)	30,31,31	2.15	14 (46%)
4	OUA	C	504	-	22,22,22	0.96	0	30,31,31	1.26	5 (16%)
4	OUA	A	503	-	22,22,22	0.88	0	30,31,31	1.41	5 (16%)
7	GOL	A	507	-	5,5,5	0.39	0	5,5,5	0.50	0
5	BTB	C	505	9	13,13,13	0.43	0	7,16,16	0.43	0
2	HEM	C	502	1	41,50,50	1.54	5 (12%)	45,82,82	1.91	8 (17%)
5	BTB	B	508	-	13,13,13	0.85	1 (7%)	7,16,16	1.09	1 (14%)
5	BTB	D	505	-	13,13,13	0.43	0	7,16,16	0.61	0
3	H4B	C	503	-	16,18,18	0.82	0	11,26,26	2.63	6 (54%)
5	BTB	A	505	-	13,13,13	0.47	0	7,16,16	0.91	0
5	BTB	C	506	-	13,13,13	0.38	0	7,16,16	0.46	0
5	BTB	A	504	9	13,13,13	0.57	0	7,16,16	1.12	1 (14%)
2	HEM	D	501	1	41,50,50	1.43	5 (12%)	45,82,82	1.89	13 (28%)
5	BTB	D	504	9	13,13,13	0.45	0	7,16,16	0.48	0
5	BTB	B	505	-	13,13,13	0.44	0	7,16,16	0.83	0
7	GOL	C	508	-	5,5,5	0.49	0	5,5,5	0.22	0
2	HEM	B	501	1	41,50,50	1.42	6 (14%)	45,82,82	1.76	12 (26%)
2	HEM	A	501	1	41,50,50	1.49	5 (12%)	45,82,82	1.72	8 (17%)
4	OUA	B	502	-	22,22,22	1.06	2 (9%)	30,31,31	1.61	6 (20%)
4	OUA	B	503	-	22,22,22	1.29	2 (9%)	30,31,31	2.68	15 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BTB	B	504	9	-	4/21/21/21	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	H4B	A	502	-	-	3/8/17/17	0/2/2/2
4	OUA	D	502	-	-	0/6/6/6	0/3/3/3
4	OUA	D	503	-	-	4/6/6/6	0/3/3/3
4	OUA	C	504	-	-	0/6/6/6	0/3/3/3
4	OUA	A	503	-	-	1/6/6/6	0/3/3/3
7	GOL	A	507	-	-	2/4/4/4	-
5	BTB	C	505	9	-	7/21/21/21	-
2	HEM	C	502	1	-	3/12/54/54	-
5	BTB	B	508	-	-	15/21/21/21	-
5	BTB	D	505	-	-	5/21/21/21	-
3	H4B	C	503	-	-	1/8/17/17	0/2/2/2
5	BTB	A	505	-	-	8/21/21/21	-
5	BTB	C	506	-	-	3/21/21/21	-
5	BTB	A	504	9	-	3/21/21/21	-
2	HEM	D	501	1	-	3/12/54/54	-
5	BTB	D	504	9	-	6/21/21/21	-
5	BTB	B	505	-	-	3/21/21/21	-
7	GOL	C	508	-	-	2/4/4/4	-
2	HEM	B	501	1	-	3/12/54/54	-
2	HEM	A	501	1	-	2/12/54/54	-
4	OUA	B	502	-	-	2/6/6/6	0/3/3/3
4	OUA	B	503	-	-	4/6/6/6	0/3/3/3

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	HEM	C3C-C2C	-3.82	1.35	1.40
2	C	502	HEM	C3C-CAC	3.74	1.55	1.47
2	D	501	HEM	C3C-CAC	3.48	1.54	1.47
2	A	501	HEM	C3C-CAC	3.47	1.54	1.47
2	C	502	HEM	C3C-C2C	-3.45	1.35	1.40
2	C	502	HEM	FE-NB	3.28	2.13	1.96
2	B	501	HEM	CAB-C3B	3.27	1.56	1.47
4	B	503	OUA	C09-C10	-3.22	1.36	1.41
2	B	501	HEM	C3C-CAC	3.14	1.54	1.47
2	B	501	HEM	C3C-C2C	-3.10	1.36	1.40
2	C	502	HEM	CAB-C3B	2.98	1.55	1.47
2	A	501	HEM	CAB-C3B	2.97	1.55	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	HEM	FE-NB	2.97	2.11	1.96
2	D	501	HEM	C3C-C2C	-2.93	1.36	1.40
2	D	501	HEM	CAB-C3B	2.92	1.55	1.47
2	D	501	HEM	FE-NB	2.86	2.11	1.96
4	B	502	OUA	C05-C10	-2.62	1.38	1.42
2	C	502	HEM	CMB-C2B	2.58	1.56	1.50
4	D	503	OUA	C04-C05	-2.49	1.37	1.42
4	B	503	OUA	C04-C05	-2.45	1.37	1.42
2	B	501	HEM	FE-NB	2.33	2.08	1.96
4	D	502	OUA	C05-C10	-2.31	1.38	1.42
2	D	501	HEM	CMD-C2D	2.26	1.55	1.50
5	B	508	BTB	C1-C2	-2.23	1.50	1.53
4	D	503	OUA	C09-C10	-2.17	1.38	1.41
2	B	501	HEM	C2C-C1C	2.13	1.47	1.42
2	A	501	HEM	CMD-C2D	2.12	1.55	1.50
2	B	501	HEM	CMB-C2B	2.11	1.55	1.50
4	D	502	OUA	C03-C04	2.05	1.40	1.37
4	B	502	OUA	C04-C05	-2.04	1.38	1.42

All (104) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	503	OUA	C24-C23-C22	7.43	123.88	116.71
2	C	502	HEM	CBA-CAA-C2A	-5.76	102.78	112.62
2	C	502	HEM	C4B-CHC-C1C	5.55	129.89	122.56
4	D	503	OUA	C24-C23-C22	5.39	121.91	116.71
3	A	502	H4B	C8A-C4A-C4	5.32	119.29	114.57
3	C	503	H4B	C8A-C4A-C4	5.17	119.16	114.57
2	D	501	HEM	C4C-CHD-C1D	5.07	129.25	122.56
2	A	501	HEM	C4B-CHC-C1C	4.67	128.72	122.56
4	B	503	OUA	C25-C24-C23	-4.51	115.04	121.19
2	B	501	HEM	C4B-CHC-C1C	4.43	128.40	122.56
4	B	503	OUA	C26-C25-C08	-4.37	114.08	121.69
4	B	503	OUA	C06-C05-C10	3.75	122.52	118.33
4	D	503	OUA	C26-C25-C08	-3.60	115.42	121.69
4	B	502	OUA	C04-C05-C10	3.57	119.94	118.01
2	D	501	HEM	CMC-C2C-C3C	3.56	131.34	124.68
4	B	503	OUA	C08-C09-C10	-3.52	118.36	121.44
2	A	501	HEM	C1B-NB-C4B	3.46	108.65	105.07
4	C	504	OUA	C26-N21-C22	3.46	122.20	117.48
2	D	501	HEM	C1B-NB-C4B	3.43	108.62	105.07
3	C	503	H4B	N1-C2-N3	-3.41	120.06	125.42

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	503	OUA	C06-C05-C10	3.39	122.12	118.33
2	C	502	HEM	C1B-NB-C4B	3.38	108.57	105.07
3	A	502	H4B	N1-C2-N3	-3.37	120.13	125.42
2	D	501	HEM	CBA-CAA-C2A	-3.36	106.89	112.62
4	A	503	OUA	C26-N21-C22	3.35	122.05	117.48
4	D	502	OUA	C26-N21-C22	3.34	122.04	117.48
2	B	501	HEM	CAD-CBD-CGD	-3.34	106.41	113.60
4	B	503	OUA	C24-C25-C26	3.32	120.40	117.11
4	B	503	OUA	C23-C27-N28	-3.23	98.54	115.47
4	B	503	OUA	C07-C08-C09	3.20	123.11	118.09
3	A	502	H4B	C2-N3-C4	3.20	121.01	115.93
3	C	503	H4B	C2-N3-C4	3.18	120.98	115.93
2	B	501	HEM	CBD-CAD-C3D	-3.16	103.84	112.63
2	A	501	HEM	CBA-CAA-C2A	-3.16	107.23	112.62
2	D	501	HEM	CAD-CBD-CGD	-3.14	106.84	113.60
4	B	503	OUA	C11-C04-C05	-3.12	116.24	121.08
2	B	501	HEM	CBA-CAA-C2A	-3.08	107.36	112.62
2	A	501	HEM	CBD-CAD-C3D	-3.08	104.08	112.63
2	C	502	HEM	C3D-C4D-ND	-3.06	106.76	110.17
4	B	503	OUA	C09-C08-C25	-3.00	114.18	121.05
4	D	503	OUA	C24-C25-C08	2.98	125.79	120.86
2	A	501	HEM	C4D-ND-C1D	2.96	108.13	105.07
2	A	501	HEM	C3B-C2B-C1B	2.95	108.68	106.49
4	D	503	OUA	C11-C04-C05	-2.95	116.52	121.08
2	B	501	HEM	C4D-ND-C1D	2.94	108.11	105.07
3	C	503	H4B	C2-N1-C8A	2.93	121.11	114.54
2	C	502	HEM	C4D-ND-C1D	2.93	108.10	105.07
4	D	502	OUA	C24-C23-C22	2.92	119.53	116.71
3	A	502	H4B	C4-C4A-N5	2.92	121.57	119.12
3	A	502	H4B	C2-N1-C8A	2.91	121.07	114.54
4	B	502	OUA	C24-C23-C22	2.88	119.49	116.71
2	C	502	HEM	CAD-CBD-CGD	-2.87	107.43	113.60
2	D	501	HEM	C4B-CHC-C1C	2.84	126.31	122.56
2	B	501	HEM	C3B-C2B-C1B	2.83	108.58	106.49
2	C	502	HEM	CBD-CAD-C3D	-2.83	104.78	112.63
3	C	503	H4B	C4-C4A-N5	2.82	121.49	119.12
4	B	503	OUA	C24-C25-C08	2.81	125.52	120.86
4	A	503	OUA	C24-C23-C22	2.80	119.42	116.71
2	A	501	HEM	CHA-C4D-ND	2.79	127.83	124.38
4	D	503	OUA	C06-C05-C04	-2.76	118.40	123.66
4	B	503	OUA	C11-C04-C03	2.75	124.77	120.74
2	D	501	HEM	C4D-ND-C1D	2.73	107.90	105.07

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	HEM	CMC-C2C-C3C	2.73	129.78	124.68
4	D	503	OUA	C04-C05-C10	2.71	119.48	118.01
2	D	501	HEM	C4A-C3A-C2A	2.69	108.87	107.00
2	A	501	HEM	C3D-C4D-ND	-2.68	107.18	110.17
4	B	502	OUA	C06-C05-C10	2.67	121.32	118.33
4	A	503	OUA	C05-C10-N01	-2.65	120.00	122.81
4	B	503	OUA	C06-C05-C04	-2.63	118.63	123.66
4	D	502	OUA	C05-C10-N01	-2.62	120.03	122.81
2	B	501	HEM	CHA-C4D-ND	2.61	127.60	124.38
4	C	504	OUA	C24-C23-C22	2.59	119.21	116.71
4	B	502	OUA	C06-C05-C04	-2.59	118.72	123.66
2	D	501	HEM	C3D-C4D-ND	-2.58	107.30	110.17
2	D	501	HEM	C3B-C2B-C1B	2.54	108.37	106.49
4	B	502	OUA	C26-N21-C22	2.51	120.91	117.48
5	A	504	BTB	O4-C4-C2	2.51	118.31	111.44
2	D	501	HEM	CHC-C4B-C3B	2.51	128.41	124.57
4	D	503	OUA	C25-C24-C23	-2.50	117.78	121.19
2	B	501	HEM	CHB-C1B-NB	2.49	127.46	124.38
2	C	502	HEM	CHA-C4D-ND	2.48	127.44	124.38
2	B	501	HEM	C1B-NB-C4B	2.46	107.62	105.07
4	D	502	OUA	C03-C04-C05	2.42	120.17	117.78
4	D	503	OUA	C23-C22-N21	-2.39	119.04	123.72
4	B	503	OUA	C23-C22-N21	-2.37	119.10	123.72
5	B	508	BTB	O1-C1-C2	-2.36	104.97	111.44
4	B	503	OUA	C07-C06-C05	-2.35	117.87	121.13
2	B	501	HEM	CAB-C3B-C2B	-2.32	120.95	128.60
4	D	503	OUA	C11-C04-C03	2.32	124.13	120.74
4	B	502	OUA	C05-C10-N01	-2.28	120.39	122.81
4	C	504	OUA	C05-C10-N01	-2.28	120.40	122.81
4	C	504	OUA	C03-C04-C05	2.25	119.99	117.78
4	D	502	OUA	C23-C22-N21	-2.20	119.42	123.72
2	D	501	HEM	CMA-C3A-C4A	-2.19	125.09	128.46
4	C	504	OUA	C23-C22-N21	-2.18	119.45	123.72
4	D	503	OUA	C26-N21-C22	2.16	120.43	117.48
4	A	503	OUA	C03-C04-C05	2.15	119.90	117.78
4	D	503	OUA	C09-C08-C25	-2.13	116.18	121.05
4	D	503	OUA	C07-C06-C05	-2.10	118.21	121.13
2	D	501	HEM	CBD-CAD-C3D	-2.10	106.80	112.63
3	C	503	H4B	N2-C2-N1	2.04	120.42	117.25
4	D	503	OUA	C23-C27-N28	-2.02	104.90	115.47
4	A	503	OUA	C23-C22-N21	-2.01	119.78	123.72
2	B	501	HEM	C3D-C4D-ND	-2.00	107.94	110.17

There are no chirality outliers.

All (84) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	502	H4B	C7-C6-C9-O9
3	A	502	H4B	C7-C6-C9-C10
5	A	504	BTB	C1-C2-C3-O3
5	A	504	BTB	C4-C2-C3-O3
5	A	504	BTB	N-C2-C3-O3
5	A	505	BTB	O1-C1-C2-C3
5	A	505	BTB	O1-C1-C2-C4
5	A	505	BTB	O1-C1-C2-N
5	A	505	BTB	C1-C2-C3-O3
5	A	505	BTB	C4-C2-C3-O3
5	A	505	BTB	N-C2-C3-O3
5	A	505	BTB	C3-C2-C4-O4
5	A	505	BTB	N-C5-C6-O6
5	B	504	BTB	O1-C1-C2-C3
5	B	504	BTB	O1-C1-C2-C4
5	B	504	BTB	O1-C1-C2-N
5	B	508	BTB	O1-C1-C2-C3
5	B	508	BTB	O1-C1-C2-C4
5	B	508	BTB	C1-C2-C4-O4
5	B	508	BTB	C3-C2-C4-O4
5	B	508	BTB	N-C2-C4-O4
5	B	508	BTB	C1-C2-N-C7
5	B	508	BTB	C3-C2-N-C7
5	B	508	BTB	C4-C2-N-C5
5	B	508	BTB	C4-C2-N-C7
5	B	508	BTB	C8-C7-N-C5
5	C	505	BTB	O1-C1-C2-C3
5	C	505	BTB	O1-C1-C2-C4
5	C	505	BTB	O1-C1-C2-N
5	C	505	BTB	C1-C2-C4-O4
5	C	505	BTB	C3-C2-C4-O4
5	C	505	BTB	N-C2-C4-O4
5	C	506	BTB	C1-C2-C4-O4
5	C	506	BTB	C3-C2-C4-O4
5	C	506	BTB	N-C2-C4-O4
5	D	504	BTB	O1-C1-C2-C3
5	D	504	BTB	O1-C1-C2-C4
5	D	504	BTB	O1-C1-C2-N
5	D	504	BTB	N-C5-C6-O6
5	D	505	BTB	C1-C2-C3-O3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	D	505	BTB	C4-C2-C3-O3
5	D	505	BTB	N-C2-C3-O3
5	D	505	BTB	C8-C7-N-C5
7	A	507	GOL	O1-C1-C2-C3
7	C	508	GOL	O1-C1-C2-C3
5	C	505	BTB	N-C7-C8-O8
4	D	503	OUA	C09-C08-C25-C26
4	D	503	OUA	C07-C08-C25-C26
4	B	503	OUA	C07-C08-C25-C26
4	D	503	OUA	C09-C08-C25-C24
4	D	503	OUA	C07-C08-C25-C24
4	B	503	OUA	C07-C08-C25-C24
4	B	503	OUA	C09-C08-C25-C24
7	C	508	GOL	O1-C1-C2-O2
5	B	508	BTB	N-C5-C6-O6
4	B	503	OUA	C09-C08-C25-C26
5	D	505	BTB	N-C5-C6-O6
7	A	507	GOL	O1-C1-C2-O2
2	B	501	HEM	C4B-C3B-CAB-CBB
2	C	502	HEM	C4B-C3B-CAB-CBB
2	D	501	HEM	C4B-C3B-CAB-CBB
5	D	504	BTB	N-C7-C8-O8
5	B	505	BTB	N-C2-C4-O4
5	B	508	BTB	O1-C1-C2-N
5	B	508	BTB	C1-C2-N-C5
5	B	508	BTB	C3-C2-N-C5
2	C	502	HEM	CAA-CBA-CGA-O2A
5	B	508	BTB	N-C7-C8-O8
2	B	501	HEM	CAA-CBA-CGA-O1A
2	B	501	HEM	CAA-CBA-CGA-O2A
2	C	502	HEM	CAA-CBA-CGA-O1A
5	B	504	BTB	C6-C5-N-C7
2	A	501	HEM	CAA-CBA-CGA-O2A
4	B	502	OUA	C09-C08-C25-C26
4	A	503	OUA	C22-C23-C27-N28
2	D	501	HEM	CAA-CBA-CGA-O2A
3	C	503	H4B	C7-C6-C9-C10
2	A	501	HEM	CAA-CBA-CGA-O1A
4	B	502	OUA	C07-C08-C25-C26
2	D	501	HEM	CAA-CBA-CGA-O1A
3	A	502	H4B	N5-C6-C9-O9
5	B	505	BTB	O1-C1-C2-C3

*Continued on next page...*

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
5	B	505	BTB	C3-C2-C4-O4
5	D	504	BTB	C3-C2-C4-O4



There are no ring outliers.


18 monomers are involved in 51 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	H4B	2	0
4	D	502	OUA	1	0
4	D	503	OUA	2	0
4	C	504	OUA	1	0
5	C	505	BTB	3	0
2	C	502	HEM	1	0
5	B	508	BTB	6	0
5	D	505	BTB	2	1
3	C	503	H4B	2	0
5	C	506	BTB	4	0
5	A	504	BTB	4	0
2	D	501	HEM	4	0
5	D	504	BTB	3	0
5	B	505	BTB	4	0
2	B	501	HEM	4	0
2	A	501	HEM	2	0
4	B	502	OUA	3	0
4	B	503	OUA	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	404/440 (91%)	0.18	21 (5%) 27 35	26, 54, 109, 155	0
1	B	402/440 (91%)	-0.21	3 (0%) 87 91	20, 39, 75, 126	0
1	C	401/440 (91%)	-0.08	9 (2%) 62 69	26, 47, 89, 141	0
1	D	402/440 (91%)	-0.27	4 (0%) 82 86	21, 37, 71, 119	0
All	All	1609/1760 (91%)	-0.10	37 (2%) 60 68	20, 43, 91, 155	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	142	GLY	6.4
1	A	109	LEU	6.4
1	C	142	GLY	5.6
1	A	107	ARG	5.6
1	A	143	SER	4.6
1	C	238	ARG	4.4
1	B	89	GLN	4.1
1	A	480	TRP	3.8
1	D	88	ALA	3.2
1	C	140	ARG	3.0
1	A	145	ALA	3.0
1	A	139	LYS	2.9
1	A	283	ASN	2.8
1	A	130	PHE	2.8
1	D	90	GLN	2.8
1	A	153	VAL	2.8
1	A	141	SER	2.5
1	A	146	HIS	2.5
1	A	305	LEU	2.4
1	B	150	LEU	2.4
1	A	140	ARG	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	239	GLY	2.4
1	D	67	LYS	2.4
1	A	238	ARG	2.3
1	C	141	SER	2.3
1	C	468	PHE	2.3
1	A	346	LEU	2.2
1	A	134	TYR	2.2
1	A	171	VAL	2.1
1	C	134	TYR	2.1
1	B	67	LYS	2.1
1	D	255	ARG	2.1
1	C	68	PHE	2.1
1	C	131	ILE	2.1
1	A	89	GLN	2.1
1	A	207	MET	2.0
1	A	259	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	BTB	C	506	14/14	0.73	0.13	66,87,95,96	0
5	BTB	C	505	14/14	0.76	0.26	53,85,94,96	0
9	GD	C	510	1/1	0.76	0.10	124,124,124,124	1
5	BTB	D	504	14/14	0.79	0.19	25,59,76,76	0
7	GOL	C	508	6/6	0.80	0.20	52,59,60,63	0
5	BTB	A	504	14/14	0.83	0.21	67,87,100,102	0
5	BTB	D	505	14/14	0.85	0.20	63,76,79,80	0

*Continued on next page...*

*Continued from previous page...*




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	OUA	D	503	20/20	0.88	0.17	33,60,92,95	0
4	OUA	B	503	20/20	0.88	0.15	38,54,76,78	0
5	BTB	A	505	14/14	0.89	0.18	46,66,76,77	0
5	BTB	B	504	14/14	0.89	0.11	32,48,62,65	0
4	OUA	A	503	20/20	0.90	0.18	40,69,89,93	0
4	OUA	C	504	20/20	0.90	0.14	43,58,69,70	0
5	BTB	B	505	14/14	0.91	0.17	46,57,71,76	0
3	H4B	A	502	17/17	0.92	0.14	50,62,76,81	0
4	OUA	B	502	20/20	0.93	0.13	23,47,68,70	0
5	BTB	B	508	14/14	0.93	0.17	21,56,74,74	0
4	OUA	D	502	20/20	0.93	0.12	21,48,77,77	0
3	H4B	C	503	17/17	0.93	0.17	38,52,61,65	0
7	GOL	A	507	6/6	0.94	0.17	40,69,72,73	0
2	HEM	D	501	43/43	0.97	0.13	17,27,61,64	0
2	HEM	A	501	43/43	0.97	0.14	37,48,82,90	0
8	CL	A	508	1/1	0.97	0.06	48,48,48,48	0
2	HEM	C	502	43/43	0.97	0.12	23,43,76,94	0
8	CL	C	509	1/1	0.98	0.07	53,53,53,53	0
9	GD	C	501	1/1	0.98	0.12	55,55,55,55	1
2	HEM	B	501	43/43	0.98	0.12	15,27,67,73	0
9	GD	B	507	1/1	0.99	0.15	45,45,45,45	0
8	CL	B	506	1/1	0.99	0.05	42,42,42,42	0
8	CL	D	507	1/1	0.99	0.06	35,35,35,35	0
9	GD	D	506	1/1	0.99	0.16	47,47,47,47	0
6	ZN	A	506	1/1	1.00	0.14	41,41,41,41	0
6	ZN	C	507	1/1	1.00	0.11	33,33,33,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around OUA D 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OUA B 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OUA A 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OUA C 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OUA B 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OUA D 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM A 501:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEM C 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.