



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 27, 2022 – 06:11 pm GMT

PDB ID : 7PQY
Title : Crystal structure of the receptor binding domain of SARS-CoV-2 Spike glycoprotein in complex with FI-3A Fab
Authors : Zhou, D.; Ren, J.; Stuart, D.
Deposited on : 2021-09-20
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.26
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.26


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	205	<div style="display: flex; align-items: center;"> <div style="width: 20%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: grey;"></div> </div>
1	E	205	<div style="display: flex; align-items: center;"> <div style="width: 15%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: grey;"></div> </div>
2	B	222	<div style="display: flex; align-items: center;"> <div style="width: 6%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div>
2	H	222	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div>
3	C	214	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	L	214	 2% 88% 12%
4	D	3	 33% 67%

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 9491 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	E	189	1499	960	249	282	8	0	0	0
1	A	183	1462	939	242	274	7	0	0	0

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	324	GLU	-	expression tag	UNP P0DTC2
E	325	THR	-	expression tag	UNP P0DTC2
E	326	GLY	-	expression tag	UNP P0DTC2
E	327	HIS	-	expression tag	UNP P0DTC2
E	328	HIS	-	expression tag	UNP P0DTC2
E	329	HIS	-	expression tag	UNP P0DTC2
E	330	HIS	-	expression tag	UNP P0DTC2
E	331	HIS	-	expression tag	UNP P0DTC2
E	332	HIS	-	expression tag	UNP P0DTC2
E	527	LYS	-	expression tag	UNP P0DTC2
E	528	LYS	-	expression tag	UNP P0DTC2
A	324	GLU	-	expression tag	UNP P0DTC2
A	325	THR	-	expression tag	UNP P0DTC2
A	326	GLY	-	expression tag	UNP P0DTC2
A	327	HIS	-	expression tag	UNP P0DTC2
A	328	HIS	-	expression tag	UNP P0DTC2
A	329	HIS	-	expression tag	UNP P0DTC2
A	330	HIS	-	expression tag	UNP P0DTC2
A	331	HIS	-	expression tag	UNP P0DTC2
A	332	HIS	-	expression tag	UNP P0DTC2
A	527	LYS	-	expression tag	UNP P0DTC2
A	528	LYS	-	expression tag	UNP P0DTC2


- Molecule 2 is a protein called FI-3A Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	217	Total	C	N	O	S	0	0	0
			1611	1011	274	317	9			
2	B	217	Total	C	N	O	S	0	0	0
			1611	1011	274	317	9			

- Molecule 3 is a protein called FI-3A Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	213	Total	C	N	O	S	0	0	0
			1635	1021	273	336	5			
3	C	213	Total	C	N	O	S	0	0	0
			1635	1021	273	336	5			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	D	3	Total	C	N	O	0	0	0
			38	22	2	14			

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Spike protein S1

Chain E: 





- Molecule 1: Spike protein S1

Chain A: 




- Molecule 2: FI-3A Fab heavy chain


Chain H: 





- Molecule 2: FI-3A Fab heavy chain

Chain B: 







- Molecule 3: FI-3A Fab light chain



- Molecule 3: FI-3A Fab light chain



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	172.65Å 147.16Å 100.80Å 90.00° 123.80° 90.00°	Depositor
Resolution (Å)	83.77 – 3.00 83.77 – 3.00	Depositor EDS
% Data completeness (in resolution range)	88.5 (83.77-3.00) 89.2 (83.77-3.00)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.99 (at 3.01Å)	Xtrriage
Refinement program	PHENIX 1.19_4092	Depositor
R, R_{free}	0.228 , 0.245 0.231 , 0.246	Depositor DCC
R_{free} test set	2050 reflections (5.48%)	wwPDB-VP
Wilson B-factor (Å ²)	121.2	Xtrriage
Anisotropy	0.432	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtrriage
Estimated twinning fraction	0.013 for k+1,h+1,-l 0.065 for -k+1,-h-1,-l 0.045 for -h-2*l,-k,l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	9491	wwPDB-VP
Average B, all atoms (Å ²)	175.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/1503	0.47	0/2043
1	E	0.26	0/1539	0.47	0/2091
2	B	0.26	0/1647	0.51	0/2241
2	H	0.26	0/1647	0.50	0/2241
3	C	0.25	0/1669	0.48	0/2268
3	L	0.25	0/1669	0.48	0/2268
All	All	0.26	0/9674	0.49	0/13152

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1462	0	1383	13	0
1	E	1499	0	1414	14	0
2	B	1611	0	1584	19	0
2	H	1611	0	1584	15	0
3	C	1635	0	1583	15	1
3	L	1635	0	1583	17	0
4	D	38	0	34	1	0
All	All	9491	0	9165	89	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:131:SER:HG	2:H:135:THR:N	1.79	0.80
2:B:131:SER:HG	2:B:135:THR:N	1.90	0.69
2:B:99:HIS:HB2	2:B:105:ASN:HB2	1.77	0.65
1:A:376:THR:HB	1:A:435:ALA:HB3	1.78	0.64
2:B:47:TRP:HE1	2:B:50:VAL:HG23	1.62	0.63
3:L:63:SER:HB2	3:L:74:THR:HB	1.80	0.63
3:L:120:PRO:HD3	3:L:132:VAL:HG22	1.80	0.63
3:L:147:GLN:HB3	3:L:195:GLU:HB3	1.81	0.62
2:H:47:TRP:HE1	2:H:50:VAL:HG23	1.66	0.61
2:B:199:ILE:HG12	2:B:214:LYS:HG2	1.82	0.61
2:H:99:HIS:HB2	2:H:105:ASN:HB2	1.84	0.59
1:E:393:THR:HA	1:E:522:ALA:HA	1.84	0.59
1:A:383:SER:HB3	1:A:386:LYS:HB2	1.86	0.57
1:E:396:TYR:HB2	1:E:514:SER:HB2	1.87	0.56
2:H:82:MET:HB3	2:H:85:LEU:HD21	1.88	0.56
1:A:403:ARG:NH2	3:C:92:ASP:OD1	2.31	0.54
3:C:185:ASP:OD1	3:C:188:LYS:NZ	2.39	0.54
2:B:123:PRO:HB3	2:B:149:TYR:HB3	1.90	0.54
1:E:431:GLY:HA2	1:E:515:PHE:CD2	2.43	0.53
3:L:120:PRO:HB3	3:L:131:SER:H	1.73	0.53
2:B:11:LEU:HB2	2:B:151:PRO:HG3	1.90	0.53
3:C:166:GLN:HG3	3:C:173:TYR:CZ	2.44	0.53
3:C:197:THR:HG22	3:C:204:PRO:HB3	1.91	0.52
1:E:376:THR:HB	1:E:435:ALA:HB3	1.90	0.52
1:E:403:ARG:NH2	3:L:92:ASP:OD1	2.37	0.51
3:C:16:GLY:HA2	3:C:77:SER:HB2	1.94	0.50
1:A:396:TYR:HB2	1:A:514:SER:HB2	1.93	0.50
3:C:120:PRO:HD3	3:C:132:VAL:HG22	1.92	0.49
2:B:199:ILE:HD11	2:B:214:LYS:HE3	1.94	0.49
3:C:21:ILE:HG21	3:C:102:THR:HG21	1.94	0.49
2:H:11:LEU:HD21	2:H:118:ALA:O	2.13	0.49
1:E:350:VAL:HG22	1:E:422:ASN:HB3	1.94	0.49
3:L:166:GLN:HG3	3:L:173:TYR:CZ	2.49	0.48
2:H:36:TRP:CE2	2:H:80:LEU:HB2	2.49	0.47
3:C:8:PRO:HD2	3:C:21:ILE:HG22	1.96	0.47
1:E:431:GLY:HA2	1:E:515:PHE:HD2	1.80	0.47
2:B:90:THR:HG23	2:B:114:THR:HA	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:147:LYS:NZ	2:H:175:GLN:OE1	2.48	0.46
3:L:2:ILE:O	3:L:97:THR:HG21	2.14	0.46
3:C:161:GLU:HA	3:C:177:SER:HA	1.96	0.46
4:D:2:NAG:H82	4:D:3:FUC:O2	2.15	0.46
1:A:501:ASN:HB3	1:A:505:TYR:HB2	1.96	0.46
1:A:350:VAL:HG22	1:A:422:ASN:HB3	1.97	0.46
1:A:431:GLY:HA2	1:A:515:PHE:CD2	2.51	0.46
1:E:403:ARG:NH1	3:L:92:ASP:OD2	2.44	0.45
2:B:29:VAL:HG13	2:B:34:MET:HG3	1.97	0.45
2:B:163:LEU:HD21	2:B:186:VAL:HG21	1.98	0.45
2:H:123:PRO:HB3	2:H:149:TYR:HB3	1.98	0.45
2:B:82:MET:HB3	2:B:85:LEU:HD21	1.97	0.45
2:B:36:TRP:CE2	2:B:80:LEU:HB2	2.51	0.45
2:B:11:LEU:HD21	2:B:118:ALA:O	2.17	0.45
2:B:47:TRP:NE1	2:B:50:VAL:HG23	2.32	0.45
2:H:4:LEU:HD21	2:H:27:PHE:CZ	2.53	0.44
3:L:186:TYR:O	3:L:192:TYR:OH	2.34	0.44
3:C:35:TRP:HB2	3:C:48:ILE:HB	1.99	0.44
3:C:22:THR:HG22	3:C:72:THR:HG22	1.98	0.44
1:A:418:ILE:HA	1:A:422:ASN:HD22	1.83	0.44
3:C:145:LYS:HB3	3:C:197:THR:OG1	2.18	0.44
1:E:418:ILE:HA	1:E:422:ASN:HD22	1.83	0.43
3:L:185:ASP:HA	3:L:188:LYS:HZ3	1.83	0.43
2:B:47:TRP:CG	3:C:96:VAL:HB	2.53	0.43
1:E:439:ASN:HD21	1:E:499:PRO:HA	1.83	0.43
2:H:34:MET:HB3	2:H:78:LEU:HD22	2.01	0.43
1:E:350:VAL:HA	1:E:400:PHE:HB2	1.99	0.43
3:L:120:PRO:HG3	3:L:130:ALA:HB1	2.00	0.43
2:B:147:LYS:NZ	2:B:175:GLN:OE1	2.51	0.43
3:L:91:TYR:HA	3:L:96:VAL:HG22	2.01	0.43
2:H:47:TRP:NE1	2:H:50:VAL:HG23	2.34	0.42
1:A:431:GLY:HA2	1:A:515:PHE:HD2	1.84	0.42
1:E:502:GLY:O	1:E:506:GLN:HG3	2.20	0.42
3:C:11:LEU:HD21	3:C:19:VAL:HG13	2.02	0.41
1:E:448:ASN:HB3	1:E:497:PHE:HB2	2.02	0.41
2:H:47:TRP:CG	3:L:96:VAL:HB	2.55	0.41
3:C:186:TYR:O	3:C:192:TYR:OH	2.31	0.41
2:B:156:VAL:HG22	2:B:202:VAL:HG22	2.02	0.41
1:A:426:PRO:HB2	1:A:428:ASP:OD1	2.20	0.41
1:A:502:GLY:O	1:A:506:GLN:HG3	2.21	0.41
1:E:456:PHE:HB3	1:E:473:TYR:CD1	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:L:136:LEU:HB2	3:L:175:LEU:HB3	2.03	0.41
2:B:93:TYR:O	2:B:110:GLY:HA2	2.21	0.41
1:A:379:CYS:HA	1:A:432:CYS:HA	2.03	0.41
2:H:101:ARG:O	2:H:102:PRO:C	2.59	0.41
3:L:50:ASP:OD1	3:L:91:TYR:OH	2.39	0.40
3:L:145:LYS:HB3	3:L:197:THR:OG1	2.21	0.40
2:H:93:TYR:O	2:H:110:GLY:HA2	2.21	0.40
2:H:35:SER:OG	2:H:50:VAL:HG22	2.21	0.40
1:A:401:VAL:HG22	1:A:509:ARG:HG2	2.03	0.40
3:L:90:GLN:O	3:L:96:VAL:HG13	2.21	0.40
2:B:34:MET:HB3	2:B:78:LEU:HD22	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:60:SER:OG	3:C:81:GLU:OE1[2_556]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	181/205 (88%)	170 (94%)	11 (6%)	0	100	100
1	E	185/205 (90%)	173 (94%)	12 (6%)	0	100	100
2	B	213/222 (96%)	204 (96%)	8 (4%)	1 (0%)	29	68
2	H	213/222 (96%)	204 (96%)	8 (4%)	1 (0%)	29	68
3	C	211/214 (99%)	203 (96%)	8 (4%)	0	100	100
3	L	211/214 (99%)	204 (97%)	7 (3%)	0	100	100
All	All	1214/1282 (95%)	1158 (95%)	54 (4%)	2 (0%)	47	82

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	102	PRO
2	B	102	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	159/177 (90%)	158 (99%)	1 (1%)	86	95
1	E	163/177 (92%)	161 (99%)	2 (1%)	71	90
2	B	182/187 (97%)	180 (99%)	2 (1%)	73	90
2	H	182/187 (97%)	179 (98%)	3 (2%)	62	86
3	C	187/188 (100%)	187 (100%)	0	100	100
3	L	187/188 (100%)	187 (100%)	0	100	100
All	All	1060/1104 (96%)	1052 (99%)	8 (1%)	81	93

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	334	ASN
1	E	517	LEU
1	A	517	LEU
2	H	1	GLU
2	H	98	ASP
2	H	183	SER
2	B	98	ASP
2	B	183	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
3	L	147	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

3 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	D	1	4,1	14,14,15	0.39	0	17,19,21	0.88	1 (5%)
4	NAG	D	2	4	14,14,15	0.44	0	17,19,21	0.68	1 (5%)
4	FUC	D	3	4	10,10,11	1.39	1 (10%)	14,14,16	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	D	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	D	2	4	-	0/6/23/26	0/1/1/1
4	FUC	D	3	4	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	3	FUC	O5-C1	-3.45	1.38	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	D	1	NAG	C1-O5-C5	2.64	115.77	112.19
4	D	2	NAG	C1-O5-C5	2.32	115.33	112.19

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	1	NAG	O5-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6

There are no ring outliers.

2 monomers are involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	3	FUC	1	0
4	D	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	183/205 (89%)	1.04	42 (22%) 0 0	135, 218, 280, 321	0
1	E	189/205 (92%)	0.68	30 (15%) 1 1	132, 180, 286, 324	0
2	B	217/222 (97%)	0.55	14 (6%) 18 5	145, 177, 245, 301	0
2	H	217/222 (97%)	0.42	8 (3%) 41 17	101, 134, 197, 232	0
3	C	213/214 (99%)	0.39	20 (9%) 8 3	142, 176, 209, 232	0
3	L	213/214 (99%)	0.37	4 (1%) 66 37	103, 140, 198, 243	0
All	All	1232/1282 (96%)	0.56	118 (9%) 8 2	101, 170, 260, 324	0

All (118) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	342	PHE	8.1
1	E	515	PHE	6.3
1	A	347	PHE	6.1
1	E	365	TYR	6.1
1	A	511	VAL	5.5
1	A	392	PHE	5.4
1	A	433	VAL	5.3
1	E	377	PHE	5.1
2	B	45	LEU	5.0
1	A	510	VAL	4.8
1	A	423	TYR	4.7
1	A	515	PHE	4.6
3	C	193	ALA	4.5
1	A	338	PHE	4.5
2	B	198	TYR	4.4
1	A	406	GLU	4.1
1	A	401	VAL	3.9
1	A	374	PHE	3.8
1	E	456	PHE	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	389	ASP	3.8
1	A	385	THR	3.8
1	A	377	PHE	3.8
1	A	395	VAL	3.7
1	E	342	PHE	3.7
1	A	410	ILE	3.7
1	E	522	ALA	3.7
1	A	434	ILE	3.6
1	A	425	LEU	3.6
3	C	29	ILE	3.5
1	A	448	ASN	3.5
2	B	1	GLU	3.4
1	A	370	ASN	3.4
1	A	378	LYS	3.4
3	C	98	PHE	3.4
2	B	136	SER	3.3
3	C	35	TRP	3.3
1	A	402	ILE	3.3
1	A	400	PHE	3.3
2	B	158	TRP	3.2
1	E	358	ILE	3.2
1	E	409	GLN	3.2
2	B	220	CYS	3.1
3	C	148	TRP	3.1
1	E	357	ARG	3.0
1	E	451	TYR	3.0
1	A	432	CYS	3.0
1	E	335	LEU	2.9
1	A	468	ILE	2.9
3	C	91	TYR	2.9
1	A	481	ASN	2.8
2	H	218	LYS	2.8
1	E	338	PHE	2.8
1	A	372	ALA	2.8
1	A	382	VAL	2.7
2	H	4	LEU	2.7
1	E	392	PHE	2.7
1	A	496	GLY	2.7
1	E	492	LEU	2.7
2	B	93	TYR	2.7
1	A	386	LYS	2.6
2	H	176	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	455	LEU	2.6
2	B	26	GLY	2.6
1	E	466	ARG	2.6
2	B	107	TRP	2.6
1	A	341	VAL	2.6
1	E	434	ILE	2.6
1	A	495	TYR	2.5
3	C	116	PHE	2.5
3	C	181	LEU	2.5
1	E	364	ASP	2.5
3	C	155	GLN	2.5
1	E	384	PRO	2.4
1	A	356	LYS	2.4
2	B	156	VAL	2.4
3	C	87	TYR	2.4
3	C	47	LEU	2.4
3	C	192	TYR	2.4
1	E	387	LEU	2.4
2	H	215	VAL	2.4
1	A	429	PHE	2.4
1	A	517	LEU	2.4
2	H	119	SER	2.3
1	E	334	ASN	2.3
1	A	478	THR	2.3
2	H	37	VAL	2.3
1	E	505	TYR	2.3
1	E	524	VAL	2.3
1	E	513	LEU	2.3
3	C	2	ILE	2.3
1	A	380	TYR	2.3
1	E	511	VAL	2.3
2	H	36	TRP	2.3
1	E	423	TYR	2.3
3	C	186	TYR	2.3
1	A	387	LEU	2.3
2	B	193	LEU	2.3
2	B	100	VAL	2.2
1	A	368	LEU	2.2
3	C	117	ILE	2.2
1	E	433	VAL	2.2
3	C	147	GLN	2.2
3	L	148	TRP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	52	TYR	2.2
2	B	99	HIS	2.2
1	A	477	SER	2.2
1	E	400	PHE	2.1
2	B	38	ARG	2.1
1	A	350	VAL	2.1
1	E	526	GLY	2.1
3	C	48	ILE	2.1
3	C	44	PRO	2.1
1	E	402	ILE	2.1
3	C	62	PHE	2.1
3	L	73	PHE	2.1
3	C	89	GLN	2.0
3	L	133	VAL	2.0
3	L	117	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	D	2	14/15	0.74	0.21	191,218,225,232	0
4	FUC	D	3	10/11	0.75	0.29	198,211,215,216	0
4	NAG	D	1	14/15	0.84	0.25	205,221,229,237	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.