



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2024 – 10:28 PM EDT

PDB ID : 7PRC
Title : PHOTOSYNTHETIC REACTION CENTER FROM RHODOPSEUDOMONAS VIRIDIS (DG-420315 (TRIAZINE) COMPLEX)
Authors : Lancaster, C.R.D.; Michel, H.
Deposited on : 1997-08-01
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	180529	1063 (2.66-2.66)
Ramachandran outliers	177936	1052 (2.66-2.66)
Sidechain outliers	177891	1052 (2.66-2.66)
RSRZ outliers	164620	1003 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	336	 76% 20%
2	L	273	 78% 21%
3	M	323	 76% 22%
4	H	258	 2% 70% 26%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	BCB	L	302	X	-	-	-
6	BCB	L	304	X	-	-	-
6	BCB	M	805	X	-	-	-
6	BCB	M	806	X	-	-	-
7	BPB	L	402	X	-	-	-

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 10476 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOTOSYNTHETIC REACTION CENTER.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	C	332	2607	1642	467	480	18	51	1	0

- Molecule 2 is a protein called PHOTOSYNTHETIC REACTION CENTER.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	L	273	2171	1459	350	355	7	14	0	0

- Molecule 3 is a protein called PHOTOSYNTHETIC REACTION CENTER.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	M	323	2577	1720	421	425	11	19	2	0


- Molecule 4 is a protein called PHOTOSYNTHETIC REACTION CENTER.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	H	258	2018	1292	344	380	2	122	0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
6	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
6	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
6	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 7 is BACTERIOPHEOPHYTIN B (three-letter code: BPB) (formula: $C_{55}H_{74}N_4O_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	L	1	Total	C	N	O	7	0
			65	55	4	6		
7	L	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 8 is 2-CHLORO-4-ETHYLAMINO-6-(R(+)-2'-CYANO-4-BUTYLAMINO)-1,3,5-TRIAZINE (three-letter code: CET) (formula: $C_{10}H_{15}ClN_6$).


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
9	M	1	16	14	1	1	0	0
9	M	1	16	14	1	1	5	0
9	M	1	16	14	1	1	4	0
9	H	1	16	14	1	1	0	0

- Molecule 10 is FE (II) ION (three-letter code: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	M	1	Total Fe 1 1	0	0

- Molecule 11 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
11	M	1	5	4	1	0	0
11	M	1	5	4	1	0	0
11	M	1	5	4	1	0	0
11	H	1	5	4	1	0	0

- Molecule 12 is MENAQUINONE-7 (three-letter code: MQ7) (formula: $C_{46}H_{64}O_2$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	M	1	Total	C O	0	0
			48	46 2		

- Molecule 13 is 15-cis-1,2-dihydroneurosporene (three-letter code: NS5) (formula: $C_{40}H_{60}$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	M	1	Total	C	4	0
			40	40		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	C	118	Total 118	O 118	0	0
14	L	55	Total 55	O 55	0	0
14	M	78	Total 78	O 78	0	0
14	H	64	Total 64	O 64	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PHOTOSYNTHETIC REACTION CENTER



- Molecule 2: PHOTOSYNTHETIC REACTION CENTER




- Molecule 3: PHOTOSYNTHETIC REACTION CENTER



- Molecule 4: PHOTOSYNTHETIC REACTION CENTER

Chain H: 2% 70% 26%



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	223.50Å 223.50Å 113.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.65 10.00 – 2.65	Depositor EDS
% Data completeness (in resolution range)	88.3 (10.00-2.65) 86.5 (10.00-2.65)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.59 (at 2.61Å)	Xtrriage
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.184 , 0.231 0.180 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	23.1	Xtrriage
Anisotropy	0.039	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 88.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	10476	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, HEM, CET, LDA, MQ7, SO4, BPB, FME, NS5, BCB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	C	0.55	0/2674	0.67	2/3645 (0.1%)
2	L	0.58	0/2259	0.62	0/3084
3	M	0.58	0/2683	0.62	0/3669
4	H	0.67	2/2055 (0.1%)	0.86	4/2807 (0.1%)
All	All	0.59	2/9671 (0.0%)	0.69	6/13205 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	4
2	L	0	7
3	M	0	5
4	H	0	2
All	All	0	18

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	54	PRO	C-N	14.77	1.68	1.34
4	H	52	LEU	C-N	-6.29	1.19	1.34

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	52	LEU	O-C-N	-18.31	93.41	122.70
4	H	52	LEU	CA-C-N	13.07	145.95	117.20
4	H	52	LEU	C-N-CA	8.96	144.09	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	53	ALA	CB-CA-C	-6.78	99.92	110.10
1	C	50	PRO	CB-CA-C	-5.63	97.93	112.00
1	C	329	GLY	C-N-CD	-5.03	109.53	120.60

There are no chirality outliers.

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	15	ARG	Sidechain
1	C	187	TYR	Sidechain
1	C	202	ARG	Sidechain
1	C	227	TYR	Sidechain
4	H	117	TYR	Sidechain
4	H	218	PHE	Sidechain
2	L	103	ARG	Sidechain
2	L	148	TYR	Sidechain
2	L	160	PHE	Sidechain
2	L	162	TYR	Sidechain
2	L	215	TYR	Sidechain
2	L	257	ARG	Sidechain
2	L	85	PHE	Sidechain
3	M	154	PHE	Sidechain
3	M	231	ARG	Sidechain
3	M	249	PHE	Sidechain
3	M	265	ARG	Sidechain
3	M	61	PHE	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2607	0	2575	54	0
2	L	2171	0	2098	46	0
3	M	2577	0	2468	60	0
4	H	2018	0	2019	51	0
5	C	172	0	120	6	0
6	L	132	0	144	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	M	132	0	144	14	0
7	L	130	0	148	18	0
8	L	17	0	15	1	0
9	H	16	0	31	1	0
9	L	16	0	31	0	0
9	M	64	0	124	5	0
10	M	1	0	0	0	0
11	H	5	0	0	0	0
11	M	15	0	0	2	0
12	M	48	0	64	1	0
13	M	40	0	60	7	0
14	C	118	0	0	3	0
14	H	64	0	0	0	0
14	L	55	0	0	1	0
14	M	78	0	0	2	0
All	All	10476	0	10041	216	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:54:PRO:C	4:H:55:GLU:N	1.68	1.44
7:L:402:BPB:HHC	7:L:402:BPB:HBBB	1.54	0.90
6:M:805:BCB:HBB2	6:M:805:BCB:HHC	1.57	0.85
7:L:402:BPB:HHC	7:L:402:BPB:CBB	2.09	0.83
2:L:181:PHE:HB3	7:L:401:BPB:CBB	2.10	0.81
1:C:65:LEU:HD11	1:C:327:GLU:HG2	1.65	0.78
4:H:152:PRO:HA	4:H:155:LEU:HD12	1.67	0.76
1:C:152:LEU:HB3	1:C:164:GLU:HG2	1.69	0.75
7:L:401:BPB:H4B	6:M:806:BCB:H172	1.69	0.75
9:M:701:LDA:HM21	9:M:705:LDA:H22	1.71	0.73
1:C:123[A]:GLN:HG3	1:C:269:TRP:CE3	2.24	0.73
3:M:107:LEU:HD22	3:M:112:TRP:CE2	2.26	0.71
2:L:178:SER:O	2:L:182:VAL:HG23	1.91	0.70
3:M:160:CYS:SG	13:M:600:NS5:C31	2.80	0.69
3:M:160:CYS:SG	13:M:600:NS5:H332	2.34	0.68
4:H:160:ALA:HB3	4:H:214:LEU:HD23	1.76	0.68
2:L:80:LEU:HA	2:L:84:GLY:HA3	1.73	0.67
4:H:161:ASP:HB3	4:H:214:LEU:HD22	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:258:LYS:HG2	3:M:307:ALA:HB2	1.77	0.66
1:C:52:VAL:HB	1:C:56:TYR:HD2	1.60	0.65
1:C:323:LYS:H	1:C:323:LYS:HD3	1.62	0.65
6:M:805:BCB:HHC	6:M:805:BCB:CBB	2.26	0.64
2:L:208:THR:HG21	4:H:128:VAL:HG23	1.79	0.64
4:H:117:TYR:HB2	4:H:236:ASP:HB3	1.80	0.64
1:C:52:VAL:HG13	1:C:65:LEU:O	1.98	0.64
1:C:290:PRO:HG2	1:C:293:ARG:HG2	1.79	0.64
3:M:202:PHE:CE2	4:H:20:GLN:HG2	2.32	0.63
3:M:195:TYR:CE2	6:M:806:BCB:HMC2	2.34	0.63
7:L:401:BPB:HBBB	7:L:401:BPB:HHC	1.80	0.63
6:L:302:BCB:OBB	6:L:302:BCB:HHC	1.99	0.63
3:M:107:LEU:HA	3:M:111:GLY:HA3	1.80	0.63
2:L:205:LYS:HA	4:H:69:VAL:HG22	1.80	0.63
1:C:152:LEU:HD22	1:C:175:ARG:HA	1.81	0.62
4:H:107:PRO:HA	4:H:110:ASP:HB2	1.82	0.62
3:M:160:CYS:SG	13:M:600:NS5:H322	2.40	0.61
1:C:323:LYS:H	1:C:323:LYS:CD	2.14	0.61
3:M:195:TYR:CZ	6:M:806:BCB:HMC2	2.36	0.61
3:M:178:TRP:HA	3:M:178:TRP:CE3	2.36	0.60
1:C:102:TYR:CG	1:C:103:PRO:HD3	2.36	0.60
2:L:185:MET:SD	6:M:805:BCB:H41	2.41	0.60
6:M:805:BCB:HBB3	6:M:806:BCB:H41	1.83	0.60
3:M:231:ARG:HD2	14:M:1013:HOH:O	2.02	0.59
2:L:230:HIS:CD2	3:M:221:ILE:HG13	2.37	0.59
7:L:401:BPB:HBBB	7:L:401:BPB:CHC	2.33	0.58
3:M:136:ARG:HE	3:M:136:ARG:HA	1.69	0.58
1:C:8:THR:HB	1:C:23:LEU:HB2	1.86	0.58
2:L:215:TYR:O	2:L:219:VAL:HG23	2.03	0.57
4:H:37:ARG:HG2	4:H:41:TYR:CZ	2.39	0.57
4:H:86:ARG:NH2	4:H:111:ALA:O	2.36	0.57
1:C:56:TYR:HB3	5:C:337:HEM:O2A	2.04	0.57
2:L:181:PHE:HB3	7:L:401:BPB:HBB	1.86	0.57
7:L:402:BPB:HBB	3:M:208:TYR:CD2	2.40	0.57
1:C:121:TRP:HA	1:C:123[A]:GLN:HE21	1.70	0.57
4:H:136:PRO:HG2	4:H:138:ARG:HG2	1.86	0.57
1:C:189:PRO:HB3	1:C:232:LEU:HA	1.86	0.56
6:L:302:BCB:HMC1	6:L:302:BCB:HBC3	1.88	0.56
2:L:181:PHE:CD2	7:L:401:BPB:HBB	2.41	0.56
8:L:502:CET:N3	8:L:502:CET:H101	2.21	0.56
7:L:401:BPB:HMDA	3:M:147:ASN:HD22	1.69	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:55:GLU:HB3	4:H:58:GLN:HG3	1.88	0.55
4:H:90:LEU:HA	4:H:102:GLN:O	2.06	0.55
1:C:52:VAL:HB	1:C:56:TYR:CD2	2.41	0.55
2:L:124:PRO:HB2	6:L:302:BCB:H93	1.89	0.54
6:L:304:BCB:OBB	6:L:304:BCB:HHC	2.07	0.54
3:M:192:GLY:O	3:M:193:ASN:HB3	2.06	0.54
4:H:166:GLY:HA3	4:H:185:LEU:HD12	1.89	0.54
2:L:220:VAL:HG11	7:L:401:BPB:HEDA	1.89	0.54
3:M:204:ILE:HG12	6:M:806:BCB:HMB3	1.90	0.54
4:H:218:PHE:HA	4:H:221:VAL:HG23	1.89	0.54
2:L:109:ARG:HD2	14:L:1243:HOH:O	2.08	0.53
3:M:178:TRP:HA	3:M:178:TRP:HE3	1.72	0.53
4:H:114:PRO:HB2	4:H:244:GLY:HA2	1.90	0.53
7:L:401:BPB:HBCA	3:M:275:MET:HG2	1.90	0.53
4:H:152:PRO:HD2	4:H:171:LEU:HD11	1.90	0.53
1:C:170:SER:HB2	3:M:83:GLN:HG3	1.90	0.53
2:L:185:MET:SD	6:M:805:BCB:C4	2.97	0.52
1:C:323:LYS:HD3	1:C:323:LYS:N	2.25	0.52
2:L:139:LEU:HD21	2:L:253:PRO:HD3	1.92	0.52
2:L:12:ARG:HD3	4:H:102:GLN:NE2	2.26	0.51
6:L:304:BCB:CBB	6:L:304:BCB:HMB1	2.41	0.51
1:C:319:ALA:HB2	14:C:1169:HOH:O	2.11	0.51
4:H:233:ARG:O	4:H:233:ARG:HG2	2.11	0.50
1:C:50:PRO:HB2	1:C:55:VAL:HG23	1.91	0.50
2:L:22:PHE:HA	2:L:24:PHE:CE1	2.47	0.50
2:L:193:LEU:HB2	3:M:144:ILE:HD11	1.94	0.50
2:L:81:LEU:HD23	2:L:85:PHE:CE2	2.47	0.50
3:M:160:CYS:SG	13:M:600:NS5:C30	3.00	0.50
3:M:289:VAL:HG11	3:M:292:TRP:CD2	2.47	0.50
4:H:155:LEU:HD22	4:H:206:ASP:C	2.32	0.50
2:L:124:PRO:HB2	6:L:302:BCB:C9	2.42	0.50
3:M:160:CYS:SG	13:M:600:NS5:C32	2.99	0.50
1:C:252:THR:HG23	1:C:252:THR:O	2.11	0.49
2:L:166:ASN:OD1	2:L:168:HIS:HB2	2.12	0.49
1:C:123[A]:GLN:HG3	1:C:269:TRP:CD2	2.47	0.49
6:L:302:BCB:CBB	6:L:302:BCB:HMB1	2.42	0.49
4:H:106:ASN:ND2	4:H:109:VAL:HG23	2.28	0.49
4:H:145:ILE:HD13	4:H:151:ASP:HA	1.95	0.49
3:M:160:CYS:SG	13:M:600:NS5:C33	2.99	0.49
4:H:65:PRO:HA	4:H:79:PRO:HD2	1.95	0.49
2:L:205:LYS:HA	4:H:69:VAL:CG2	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:M:256:PHE:HB2	4:H:33:ARG:NH2	2.27	0.49
1:C:146:ARG:NH2	1:C:150:PRO:HA	2.28	0.48
4:H:65:PRO:HG3	9:H:703:LDA:H82	1.95	0.48
4:H:37:ARG:HG2	4:H:41:TYR:CE1	2.48	0.48
4:H:54:PRO:C	4:H:55:GLU:CA	2.73	0.48
4:H:96:PHE:HD1	4:H:96:PHE:H	1.61	0.48
4:H:204:LYS:HB2	4:H:207:LYS:O	2.13	0.48
1:C:65:LEU:HD11	1:C:327:GLU:CG	2.40	0.48
7:L:402:BPB:HBBA	3:M:208:TYR:HB3	1.95	0.48
3:M:73:MET:HE3	3:M:91:LEU:HB2	1.95	0.48
2:L:148:TYR:CE1	7:L:402:BPB:H14	2.48	0.48
3:M:200:HIS:CE1	3:M:204:ILE:HD11	2.48	0.48
1:C:102:TYR:CD2	1:C:103:PRO:HD3	2.49	0.47
6:M:806:BCB:HAA2	6:M:806:BCB:HBD	1.97	0.47
3:M:160:CYS:C	3:M:163:PRO:HD2	2.35	0.47
2:L:135:ARG:HB3	2:L:136:PRO:HD3	1.97	0.47
4:H:145:ILE:CD1	4:H:151:ASP:HA	2.45	0.47
1:C:52:VAL:HA	1:C:55:VAL:HB	1.97	0.47
2:L:22:PHE:HA	2:L:24:PHE:HE1	1.79	0.47
2:L:1:ALA:N	4:H:43:LEU:HB3	2.30	0.47
6:L:302:BCB:HBB3	6:M:805:BCB:HMD2	1.96	0.47
2:L:16:LEU:HD12	2:L:16:LEU:HA	1.63	0.47
3:M:154:PHE:O	3:M:157:CYS:HB2	2.14	0.47
6:M:806:BCB:HMB1	6:M:806:BCB:HBB3	1.96	0.47
3:M:289:VAL:HG11	3:M:292:TRP:CE3	2.50	0.46
1:C:115:ARG:HA	1:C:328:LEU:O	2.15	0.46
3:M:293:TYR:O	3:M:297:VAL:HG23	2.16	0.46
2:L:196:SER:HB2	3:M:141:GLY:O	2.15	0.46
2:L:237:ALA:HA	2:L:240:ILE:HD12	1.97	0.46
1:C:123[A]:GLN:H	1:C:123[A]:GLN:NE2	2.14	0.46
1:C:179:TYR:HB2	14:C:914:HOH:O	2.14	0.46
2:L:113:ILE:HB	3:M:223:ALA:O	2.16	0.46
4:H:78:VAL:HA	4:H:79:PRO:C	2.36	0.46
1:C:233:MET:HB3	5:C:339:HEM:C4B	2.51	0.46
2:L:45:GLY:O	2:L:49:ILE:HG13	2.16	0.46
7:L:401:BPB:C1B	6:M:805:BCB:H42	2.46	0.46
2:L:3:LEU:HD13	2:L:5:PHE:CZ	2.51	0.46
3:M:133:SER:OG	9:M:704:LDA:HM12	2.17	0.45
1:C:49:GLY:HA3	1:C:50:PRO:HD3	1.63	0.45
1:C:273:MET:O	1:C:277:LEU:HG	2.16	0.45
2:L:81:LEU:HD23	2:L:85:PHE:HE2	1.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:96:PHE:N	4:H:96:PHE:CD1	2.85	0.45
1:C:50:PRO:HB2	1:C:55:VAL:CG2	2.47	0.45
2:L:71:LEU:HD23	2:L:143:GLY:HA3	1.98	0.45
1:C:104:TYR:HE1	1:C:108:ARG:NH2	2.15	0.45
4:H:90:LEU:HD21	4:H:112:VAL:HB	1.99	0.45
1:C:110:MET:HB3	5:C:338:HEM:C4B	2.52	0.44
1:C:70:PHE:HE2	5:C:337:HEM:C2A	2.35	0.44
1:C:108:ARG:NH1	5:C:337:HEM:O2D	2.50	0.44
1:C:163:VAL:HB	2:L:273:SER:O	2.17	0.44
2:L:218:ASP:HB3	3:M:134:ARG:HD2	1.99	0.44
4:H:6:LEU:HD23	4:H:6:LEU:HA	1.77	0.44
1:C:181:ALA:O	1:C:182:TYR:HB2	2.18	0.44
3:M:10:ILE:CG2	4:H:145:ILE:HG23	2.48	0.44
2:L:107:ILE:HG23	3:M:252:TRP:HE3	1.83	0.44
6:M:805:BCB:HBA2	6:M:805:BCB:C4A	2.47	0.44
1:C:18:SER:HB2	2:L:156:TRP:CD1	2.53	0.44
1:C:92:ASP:HB3	1:C:95:ASN:O	2.18	0.43
3:M:112:TRP:CZ2	9:M:706:LDA:H51	2.53	0.43
3:M:241:THR:O	3:M:245:ARG:HG3	2.18	0.43
1:C:173:VAL:HG13	14:C:1137:HOH:O	2.18	0.43
3:M:262:SER:O	3:M:265:ARG:HB2	2.18	0.43
4:H:106:ASN:CG	4:H:109:VAL:HG23	2.39	0.43
4:H:196:ILE:HD12	4:H:242:TYR:CE1	2.53	0.43
1:C:109:ARG:NH2	1:C:280:ASN:O	2.52	0.43
2:L:115:TRP:CD1	2:L:115:TRP:N	2.86	0.43
1:C:308:CYS:O	1:C:315:PRO:HB3	2.18	0.43
13:M:600:NS5:H271	13:M:600:NS5:H29	1.71	0.43
4:H:114:PRO:HD2	4:H:248:TYR:CE2	2.53	0.43
7:L:401:BPB:H7A	7:L:401:BPB:H4	2.00	0.43
3:M:162:HIS:HD2	14:M:913:HOH:O	2.02	0.43
3:M:183:TRP:CE3	3:M:184:LEU:HD23	2.53	0.43
3:M:239:ARG:HD3	4:H:39:GLU:OE1	2.18	0.43
3:M:240:GLY:HA2	4:H:118:ALA:CB	2.49	0.43
4:H:142:ASP:OD1	4:H:142:ASP:N	2.50	0.43
1:C:111:LEU:HD23	5:C:338:HEM:CBB	2.49	0.43
2:L:52:ALA:HB2	2:L:85:PHE:CG	2.53	0.43
3:M:112:TRP:O	3:M:115:MET:HB2	2.19	0.43
3:M:233:ILE:O	3:M:236:ILE:HB	2.19	0.42
4:H:10:LEU:HD21	4:H:15:LEU:HD21	2.01	0.42
1:C:12:THR:OG1	1:C:20:GLY:HA2	2.19	0.42
2:L:80:LEU:HA	2:L:80:LEU:HD12	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:322:LEU:HD11	1:C:330:PRO:HD3	2.00	0.42
3:M:217:HIS:CE1	3:M:221:ILE:HD11	2.55	0.42
4:H:69:VAL:HA	4:H:75:THR:HG22	2.01	0.42
4:H:135:VAL:HG23	4:H:140:ALA:HB2	2.01	0.42
2:L:60:ASP:HA	2:L:61:PRO:HD3	1.80	0.42
3:M:11:GLN:OE1	3:M:39:GLY:HA3	2.20	0.42
2:L:100:TRP:CH2	12:M:501:MQ7:H301	2.55	0.42
6:L:304:BCB:H92	6:L:304:BCB:H62	1.75	0.42
3:M:1:ALA:N	11:M:803:SO4:S	2.85	0.42
11:M:804:SO4:O4	9:M:704:LDA:H22	2.20	0.42
2:L:121:PHE:O	2:L:124:PRO:HG2	2.19	0.42
3:M:17:ILE:HG13	4:H:178:HIS:CE1	2.55	0.42
3:M:318:LEU:HB2	3:M:321:ALA:HB2	2.02	0.42
1:C:77:ILE:HD11	1:C:111:LEU:HD21	2.02	0.41
1:C:80:TRP:CD1	1:C:133:TYR:HB2	2.55	0.41
2:L:146:PHE:HB3	2:L:156:TRP:CD2	2.56	0.41
3:M:236:ILE:HG12	3:M:261:GLU:HB2	2.01	0.41
6:L:304:BCB:HMB1	6:L:304:BCB:HBB3	2.02	0.41
3:M:311:ALA:O	3:M:313:PRO:HD3	2.20	0.41
1:C:153:PRO:HG2	1:C:158:GLU:HB2	2.03	0.41
1:C:329:GLY:HA2	1:C:330:PRO:C	2.41	0.41
7:L:401:BPB:H4	7:L:401:BPB:C7	2.50	0.41
1:C:123[A]:GLN:H	1:C:123[A]:GLN:CD	2.24	0.41
1:C:289:LEU:HD22	1:C:293:ARG:HG3	2.01	0.41
3:M:258:ALA:HB1	3:M:262:SER:OG	2.21	0.41
3:M:205:GLY:HA3	9:M:701:LDA:H121	2.03	0.40
4:H:232:LEU:HD23	4:H:232:LEU:HA	1.89	0.40
3:M:80:ASP:HA	3:M:81:PRO:HD2	1.87	0.40
3:M:318:LEU:HA	3:M:319:PRO:HD2	1.64	0.40
7:L:401:BPB:H4	7:L:401:BPB:H6	1.96	0.40
2:L:159:ASN:O	2:L:160:PHE:C	2.58	0.40
4:H:196:ILE:HG13	4:H:197:PRO:HD2	2.03	0.40
1:C:60:LYS:HB2	1:C:108:ARG:NH1	2.36	0.40
3:M:202:PHE:CZ	4:H:20:GLN:HG2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	331/336 (98%)	314 (95%)	14 (4%)	3 (1%)	14	25
2	L	271/273 (99%)	255 (94%)	14 (5%)	2 (1%)	19	31
3	M	323/323 (100%)	308 (95%)	12 (4%)	3 (1%)	14	25
4	H	256/258 (99%)	241 (94%)	15 (6%)	0	100	100
All	All	1181/1190 (99%)	1118 (95%)	55 (5%)	8 (1%)	19	31

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	M	51	LEU
3	M	193	ASN
2	L	57	PRO
1	C	67	GLU
2	L	23	ASP
1	C	148	LEU
3	M	319	PRO
1	C	330	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	281/282 (100%)	263 (94%)	18 (6%)	14	25
2	L	218/218 (100%)	212 (97%)	6 (3%)	38	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	M	251/249 (101%)	238 (95%)	13 (5%)	19	33
4	H	212/212 (100%)	190 (90%)	22 (10%)	5	9
All	All	962/961 (100%)	903 (94%)	59 (6%)	16	27

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	15	ARG
1	C	29	LYS
1	C	38	TYR
1	C	115	ARG
1	C	123[A]	GLN
1	C	123[B]	GLN
1	C	142	PRO
1	C	146	ARG
1	C	159	THR
1	C	166	VAL
1	C	168	THR
1	C	169	ARG
1	C	170	SER
1	C	203	VAL
1	C	288	SER
1	C	292	SER
1	C	322	LEU
1	C	323	LYS
2	L	4	SER
2	L	16	LEU
2	L	119	LEU
2	L	160	PHE
2	L	249	ILE
2	L	272	TRP
3	M	20	SER
3	M	37	TRP
3	M	40	LYS
3	M	71	PHE
3	M	97	LYS
3	M	114	LEU
3	M	115	MET
3	M	126	SER
3	M	136	ARG
3	M	181	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	M	203	SER
3	M	214	PHE
3	M	290	ASP
4	H	8	GLN
4	H	14	GLN
4	H	22	LEU
4	H	51	LYS
4	H	69	VAL
4	H	81	ARG
4	H	85	THR
4	H	89	LYS
4	H	94	ASP
4	H	96	PHE
4	H	109	VAL
4	H	141	THR
4	H	142	ASP
4	H	175	ARG
4	H	178	HIS
4	H	185	LEU
4	H	198	LEU
4	H	212	SER
4	H	236	ASP
4	H	256	SER
4	H	257	LEU
4	H	258	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
2	L	183	ASN
2	L	214	GLN
2	L	239	ASN
3	M	147	ASN
4	H	102	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FME	H	1	4	8,9,10	0.63	0	8,9,11	2.64	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FME	H	1	4	-	3/7/9/11	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	1	FME	O1-CN-N	-5.76	110.45	125.32
4	H	1	FME	CA-N-CN	-4.04	116.60	122.82

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	H	1	FME	O1-CN-N-CA
4	H	1	FME	CB-CG-SD-CE
4	H	1	FME	CA-CB-CG-SD

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 1 is monoatomic - leaving 23 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	SO4	M	802	-	4,4,4	0.54	0	6,6,6	0.80	0
9	LDA	H	703	-	13,15,15	2.71	2 (15%)	14,17,17	0.68	0
9	LDA	M	705	-	13,15,15	2.55	2 (15%)	14,17,17	0.50	0
7	BPB	L	402	-	49,70,70	1.46	7 (14%)	48,101,101	2.31	9 (18%)
12	MQ7	M	501	-	49,49,49	1.51	12 (24%)	61,63,63	1.65	14 (22%)
6	BCB	L	304	2	63,74,74	1.65	8 (12%)	72,115,115	2.06	13 (18%)
9	LDA	L	702	-	13,15,15	2.27	2 (15%)	14,17,17	0.53	0
7	BPB	L	401	-	49,70,70	1.32	6 (12%)	48,101,101	2.48	8 (16%)
6	BCB	M	806	3	63,74,74	2.05	10 (15%)	72,115,115	2.56	17 (23%)
11	SO4	M	803	-	4,4,4	0.58	0	6,6,6	0.73	0
8	CET	L	502	-	16,17,17	1.36	2 (12%)	21,23,23	0.88	1 (4%)
11	SO4	M	804	-	4,4,4	0.73	0	6,6,6	0.67	0
13	NS5	M	600	-	39,39,39	0.73	1 (2%)	46,46,46	1.17	7 (15%)
5	HEM	C	337	1	42,50,50	1.57	6 (14%)	46,82,82	1.29	6 (13%)
9	LDA	M	704	-	13,15,15	1.99	2 (15%)	14,17,17	0.54	0
9	LDA	M	701	-	13,15,15	3.17	2 (15%)	14,17,17	0.72	0
5	HEM	C	339	1	42,50,50	1.58	6 (14%)	46,82,82	1.18	5 (10%)
5	HEM	C	338	1	42,50,50	1.41	4 (9%)	46,82,82	1.08	3 (6%)
6	BCB	M	805	3	63,74,74	1.82	9 (14%)	72,115,115	2.08	13 (18%)
9	LDA	M	706	-	13,15,15	2.43	2 (15%)	14,17,17	0.49	0
6	BCB	L	302	2	63,74,74	1.89	8 (12%)	72,115,115	1.92	14 (19%)
5	HEM	C	340	1	42,50,50	1.64	8 (19%)	46,82,82	1.47	10 (21%)
11	SO4	H	801	-	4,4,4	0.51	0	6,6,6	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	LDA	H	703	-	-	3/13/13/13	-
9	LDA	M	705	-	-	1/13/13/13	-
7	BPB	L	402	-	1/1/18/23	4/37/105/105	0/5/6/6
12	MQ7	M	501	-	-	2/41/61/61	0/2/2/2
6	BCB	L	304	2	2/2/21/26	8/37/137/137	-
9	LDA	L	702	-	-	4/13/13/13	-
7	BPB	L	401	-	-	7/37/105/105	0/5/6/6
6	BCB	M	806	3	3/3/21/26	12/37/137/137	-
8	CET	L	502	-	-	0/11/14/14	0/1/1/1
13	NS5	M	600	-	-	14/43/43/43	-
5	HEM	C	337	1	-	4/12/54/54	-
9	LDA	M	704	-	-	6/13/13/13	-
9	LDA	M	701	-	-	5/13/13/13	-
5	HEM	C	339	1	-	3/12/54/54	-
5	HEM	C	338	1	-	6/12/54/54	-
6	BCB	M	805	3	3/3/21/26	11/37/137/137	-
9	LDA	M	706	-	-	4/13/13/13	-
6	BCB	L	302	2	3/3/21/26	7/37/137/137	-
5	HEM	C	340	1	-	4/12/54/54	-

All (99) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	M	806	BCB	CHC-C1C	9.89	1.42	1.33
9	M	701	LDA	O1-N1	-8.18	1.22	1.42
9	M	701	LDA	C1-N1	-7.87	1.43	1.51
6	M	805	BCB	CHC-C1C	7.78	1.40	1.33
6	L	302	BCB	CHC-C1C	7.67	1.40	1.33
9	H	703	LDA	O1-N1	-7.46	1.23	1.42
9	L	702	LDA	O1-N1	-7.43	1.23	1.42
9	M	705	LDA	O1-N1	-7.21	1.24	1.42
9	M	706	LDA	O1-N1	-7.19	1.24	1.42
6	L	302	BCB	CHB-C4A	7.01	1.39	1.33
6	M	806	BCB	CHB-C4A	6.70	1.39	1.33
6	L	304	BCB	CHB-C4A	6.33	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	M	704	LDA	O1-N1	-6.31	1.26	1.42
6	L	304	BCB	CHC-C1C	6.29	1.38	1.33
9	H	703	LDA	C1-N1	-6.25	1.45	1.51
6	M	806	BCB	MG-NA	5.89	2.20	2.06
9	M	705	LDA	C1-N1	-5.69	1.45	1.51
6	M	805	BCB	CHB-C4A	5.55	1.38	1.33
7	L	402	BPB	C3A-C2A	-5.32	1.50	1.54
5	C	339	HEM	CBB-CAB	5.03	1.54	1.30
9	M	706	LDA	C1-N1	-4.90	1.46	1.51
7	L	402	BPB	O2D-CED	-4.88	1.34	1.45
5	C	337	HEM	CBB-CAB	4.75	1.53	1.30
6	L	302	BCB	MG-NA	4.61	2.17	2.06
7	L	401	BPB	O2A-CGA	4.57	1.46	1.33
6	M	805	BCB	C1-C2	-4.51	1.36	1.49
5	C	340	HEM	CBC-CAC	4.36	1.56	1.29
6	M	805	BCB	O2D-CED	-4.35	1.35	1.45
6	L	302	BCB	O2D-CED	-4.32	1.35	1.45
5	C	340	HEM	CBB-CAB	4.28	1.51	1.30
6	L	304	BCB	MG-NA	4.21	2.16	2.06
5	C	338	HEM	CBB-CAB	4.15	1.50	1.30
5	C	339	HEM	CBC-CAC	4.13	1.55	1.29
6	L	302	BCB	MG-ND	-3.88	1.98	2.05
6	M	805	BCB	CAC-C3C	3.75	1.43	1.33
8	L	502	CET	C9-N9	3.74	1.19	1.14
5	C	337	HEM	CBC-CAC	3.74	1.52	1.29
5	C	337	HEM	C3C-C2C	-3.72	1.35	1.40
5	C	338	HEM	CBC-CAC	3.69	1.52	1.29
6	M	805	BCB	MG-NA	3.59	2.14	2.06
5	C	340	HEM	C3C-C4C	3.51	1.46	1.41
5	C	338	HEM	C3C-C2C	-3.36	1.35	1.40
6	L	302	BCB	C1-C2	-3.35	1.39	1.49
7	L	401	BPB	C3A-C2A	-3.35	1.51	1.54
6	L	302	BCB	O2D-CGD	3.29	1.41	1.33
12	M	501	MQ7	C32-C33	3.28	1.40	1.33
9	M	704	LDA	C1-N1	-3.26	1.48	1.51
9	L	702	LDA	C1-N1	-3.19	1.48	1.51
6	L	304	BCB	MG-ND	-3.16	1.99	2.05
5	C	339	HEM	C3C-CAC	3.15	1.54	1.47
12	M	501	MQ7	C11-C12	-3.11	1.45	1.50
12	M	501	MQ7	C21-C22	-3.09	1.41	1.50
5	C	339	HEM	C3C-C2C	-3.09	1.36	1.40
5	C	340	HEM	C3C-CAC	3.07	1.54	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	339	HEM	C3C-C4C	2.95	1.45	1.41
6	M	806	BCB	MG-ND	-2.94	2.00	2.05
7	L	401	BPB	C2-C3	2.89	1.39	1.33
6	M	805	BCB	O2A-CGA	2.88	1.41	1.33
5	C	337	HEM	C3C-C4C	2.85	1.45	1.41
6	M	806	BCB	CAA-CBA	-2.80	1.44	1.52
5	C	340	HEM	CHB-C1B	2.76	1.41	1.34
7	L	402	BPB	O2D-CGD	2.74	1.40	1.33
7	L	401	BPB	O2D-CGD	2.71	1.39	1.33
13	M	600	NS5	C22-C21	-2.70	1.45	1.50
7	L	402	BPB	C2-C3	2.69	1.39	1.33
6	L	304	BCB	O2D-CGD	2.68	1.39	1.33
5	C	339	HEM	CAB-C3B	2.60	1.54	1.47
5	C	340	HEM	CAB-C3B	2.59	1.54	1.47
6	M	806	BCB	CMD-C2D	2.58	1.56	1.50
6	M	806	BCB	C2-C3	2.57	1.39	1.33
8	L	502	CET	C8-C9	-2.57	1.47	1.49
12	M	501	MQ7	C37-C38	2.56	1.39	1.33
6	L	304	BCB	O2D-CED	-2.56	1.39	1.45
5	C	340	HEM	CAD-C3D	-2.53	1.44	1.51
5	C	337	HEM	CMD-C2D	2.52	1.55	1.50
12	M	501	MQ7	C27-C28	2.52	1.38	1.33
7	L	402	BPB	CMD-C2D	2.52	1.57	1.51
12	M	501	MQ7	C10-C5	-2.49	1.36	1.40
12	M	501	MQ7	C17-C18	2.48	1.38	1.33
5	C	340	HEM	C3C-C2C	-2.46	1.37	1.40
6	L	304	BCB	C2-C3	2.45	1.38	1.33
7	L	401	BPB	CHA-CBD	2.42	1.54	1.52
7	L	402	BPB	O2A-CGA	2.38	1.40	1.33
12	M	501	MQ7	C16-C17	-2.34	1.43	1.50
12	M	501	MQ7	C19-C18	2.34	1.56	1.50
12	M	501	MQ7	C42-C43	2.33	1.39	1.32
6	M	805	BCB	O2D-CGD	2.28	1.38	1.33
7	L	402	BPB	C1-C2	-2.28	1.42	1.49
7	L	401	BPB	C3B-C2B	-2.24	1.35	1.39
5	C	338	HEM	C3C-C4C	2.24	1.44	1.41
6	M	806	BCB	O2D-CGD	2.23	1.38	1.33
6	M	805	BCB	C2-C3	2.17	1.38	1.33
6	M	806	BCB	CAC-C3C	2.14	1.38	1.33
6	M	806	BCB	O2D-CED	-2.08	1.40	1.45
12	M	501	MQ7	C22-C23	2.08	1.37	1.33
6	L	304	BCB	C2C-C3C	-2.07	1.49	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	M	501	MQ7	C12-C13	2.06	1.37	1.33
6	L	302	BCB	C2-C3	2.05	1.37	1.33
5	C	337	HEM	CMA-C3A	2.04	1.55	1.51

All (120) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	L	401	BPB	O2D-CGD-CBD	12.45	124.63	110.95
7	L	402	BPB	O2D-CGD-CBD	10.76	122.77	110.95
6	M	806	BCB	C4A-NA-C1A	9.04	110.81	106.68
6	M	806	BCB	CMB-C2B-C1B	-8.67	115.75	128.46
6	M	805	BCB	C4A-NA-C1A	7.89	110.28	106.68
6	L	304	BCB	C4A-NA-C1A	7.86	110.27	106.68
6	L	304	BCB	O2D-CGD-CBD	7.35	124.09	111.23
6	L	302	BCB	C4A-NA-C1A	7.16	109.94	106.68
7	L	402	BPB	O1D-CGD-CBD	-6.97	114.15	124.72
7	L	401	BPB	O1D-CGD-CBD	-6.69	114.58	124.72
6	M	806	BCB	O2D-CGD-CBD	6.15	121.99	111.23
6	M	806	BCB	CMB-C2B-C3B	5.93	136.54	124.68
6	M	806	BCB	C1C-NC-C4C	5.82	109.33	106.68
6	M	806	BCB	OBB-CAB-C3B	5.59	129.34	119.99
6	M	805	BCB	O2D-CGD-CBD	5.48	120.82	111.23
6	M	805	BCB	CMB-C2B-C1B	-5.42	120.52	128.46
7	L	401	BPB	CED-O2D-CGD	5.33	128.01	115.92
6	L	304	BCB	O1D-CGD-CBD	-5.26	114.14	124.52
6	M	805	BCB	C1C-NC-C4C	4.91	108.92	106.68
12	M	501	MQ7	C41-C42-C43	4.76	143.52	127.64
6	L	302	BCB	C4B-C3B-CAB	-4.75	118.05	127.08
6	L	302	BCB	CMB-C2B-C1B	-4.61	121.70	128.46
6	M	806	BCB	O1D-CGD-CBD	-4.59	115.47	124.52
6	M	805	BCB	C1-C2-C3	4.55	133.65	126.20
12	M	501	MQ7	C29-C28-C30	-4.53	107.36	115.23
6	L	304	BCB	CMB-C2B-C1B	-4.45	121.94	128.46
7	L	402	BPB	OBD-CAD-CBD	-4.37	119.41	125.82
6	M	806	BCB	O2A-CGA-CBA	4.35	125.10	111.83
13	M	600	NS5	C19-C20-C21	-4.22	121.36	127.28
6	M	805	BCB	C4-C3-C5	4.17	122.47	115.23
6	M	805	BCB	O1D-CGD-CBD	-4.16	116.31	124.52
6	L	302	BCB	C1C-NC-C4C	4.15	108.57	106.68
6	L	302	BCB	O1D-CGD-CBD	-4.14	116.36	124.52
6	M	806	BCB	C1-C2-C3	-4.11	119.46	126.20
6	L	304	BCB	C4B-C3B-CAB	-4.05	119.37	127.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	302	BCB	O2D-CGD-CBD	4.01	118.24	111.23
6	L	302	BCB	CED-O2D-CGD	-3.68	107.56	115.92
7	L	401	BPB	OBD-CAD-CBD	-3.67	120.44	125.82
6	M	806	BCB	C4B-C3B-CAB	-3.64	120.16	127.08
12	M	501	MQ7	C25-C23-C22	3.60	129.24	121.17
12	M	501	MQ7	C35-C33-C32	3.59	129.23	121.17
6	L	304	BCB	O2A-CGA-CBA	3.51	122.53	111.83
6	M	806	BCB	O2A-CGA-O1A	-3.43	115.05	123.63
6	M	805	BCB	CMB-C2B-C3B	3.39	131.46	124.68
12	M	501	MQ7	C34-C33-C35	-3.38	109.36	115.23
5	C	340	HEM	CAD-C3D-C4D	-3.38	118.81	124.70
5	C	339	HEM	CBB-CAB-C3B	-3.32	110.95	127.53
6	L	302	BCB	OBB-CAB-C3B	3.30	125.50	119.99
5	C	338	HEM	CBA-CAA-C2A	-3.27	107.05	112.54
6	M	805	BCB	O2A-CGA-CBA	3.22	121.66	111.83
12	M	501	MQ7	C24-C23-C25	-3.20	109.68	115.23
5	C	337	HEM	C4C-CHD-C1D	3.15	126.71	122.56
6	M	805	BCB	C4B-C3B-CAB	-3.13	121.13	127.08
5	C	337	HEM	CBB-CAB-C3B	-3.06	112.24	127.53
6	L	304	BCB	CMB-C2B-C3B	3.01	130.70	124.68
5	C	340	HEM	CMB-C2B-C1B	2.97	129.67	125.03
6	L	302	BCB	CMB-C2B-C3B	2.96	130.60	124.68
5	C	340	HEM	CAD-C3D-C2D	2.95	133.39	127.87
6	L	304	BCB	C1C-NC-C4C	2.91	108.01	106.68
7	L	402	BPB	CMA-C3A-C4A	-2.89	108.38	114.61
5	C	337	HEM	CAD-C3D-C4D	2.86	129.69	124.70
6	L	304	BCB	OBB-CAB-C3B	2.86	124.78	119.99
7	L	401	BPB	CMA-C3A-C4A	-2.81	108.55	114.61
5	C	340	HEM	C4B-CHC-C1C	2.81	126.26	122.56
7	L	401	BPB	C6-C5-C3	2.78	120.25	113.47
5	C	338	HEM	CBB-CAB-C3B	-2.77	113.67	127.53
6	L	304	BCB	C1-C2-C3	-2.76	121.68	126.20
12	M	501	MQ7	C30-C28-C27	2.73	127.31	121.17
5	C	337	HEM	CMC-C2C-C3C	2.72	130.12	124.68
5	C	340	HEM	CBA-CAA-C2A	2.72	117.11	112.54
12	M	501	MQ7	C21-C20-C18	-2.70	104.23	113.19
6	M	805	BCB	C5-C3-C2	-2.69	115.13	121.17
13	M	600	NS5	C23-C21-C20	2.65	123.18	119.01
12	M	501	MQ7	C31-C32-C33	2.65	133.69	127.62
13	M	600	NS5	C22-C21-C23	-2.65	114.05	118.09
6	M	806	BCB	CAA-C2A-C1A	-2.64	103.31	111.97
6	M	806	BCB	CBB-CAB-C3B	-2.62	112.48	120.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	340	HEM	CBD-CAD-C3D	2.62	119.78	112.53
7	L	402	BPB	O2A-CGA-O1A	-2.54	117.28	123.63
5	C	337	HEM	CMD-C2D-C1D	2.53	128.99	125.03
7	L	402	BPB	O2A-CGA-CBA	2.53	119.55	111.83
6	M	806	BCB	CHD-C1D-ND	-2.49	121.30	124.80
7	L	402	BPB	CMD-C2D-C3D	2.47	129.62	124.68
13	M	600	NS5	C19-C18-C17	2.46	128.56	123.52
6	L	304	BCB	CBC-CAC-C3C	-2.45	120.04	126.70
7	L	402	BPB	C4-C3-C5	-2.44	111.00	115.23
7	L	401	BPB	C10-C8-C7	2.41	124.30	112.07
8	L	502	CET	C11-C10-C8	-2.40	108.98	115.07
5	C	339	HEM	C4B-CHC-C1C	2.40	125.72	122.56
5	C	340	HEM	CBB-CAB-C3B	-2.32	115.92	127.53
5	C	339	HEM	CAA-C2A-C3A	-2.31	120.60	127.25
5	C	338	HEM	C4C-CHD-C1D	2.31	125.61	122.56
13	M	600	NS5	C18-C19-C20	2.31	128.24	123.52
12	M	501	MQ7	C44-C43-C42	2.30	129.56	122.66
6	L	302	BCB	C4D-CHA-C1A	2.27	123.95	121.24
5	C	340	HEM	CAB-C3B-C2B	2.25	135.75	128.43
5	C	340	HEM	C4C-CHD-C1D	2.25	125.53	122.56
6	M	806	BCB	C3A-C2A-C1A	2.24	104.69	101.34
12	M	501	MQ7	C40-C41-C42	-2.24	100.96	112.02
12	M	501	MQ7	C21-C22-C23	-2.20	122.59	127.62
6	L	302	BCB	C1B-CHB-C4A	-2.20	125.85	130.04
5	C	340	HEM	CMB-C2B-C3B	-2.19	123.12	128.43
7	L	402	BPB	C4A-C3A-C2A	2.18	104.91	102.84
6	M	806	BCB	CMD-C2D-C1D	2.17	128.55	124.73
5	C	337	HEM	CAD-C3D-C2D	-2.16	123.82	127.87
6	L	304	BCB	O2A-CGA-O1A	-2.16	118.23	123.63
6	M	806	BCB	C2A-C1A-CHA	2.13	127.57	123.87
6	L	302	BCB	C15-C13-C12	-2.13	101.29	112.07
7	L	401	BPB	C1-C2-C3	2.10	129.63	126.20
13	M	600	NS5	C16-C15-C14	-2.09	114.89	118.09
6	M	805	BCB	CHD-C1D-ND	-2.07	121.88	124.80
13	M	600	NS5	C27-C26-C28	-2.07	114.93	118.09
6	M	805	BCB	C1B-CHB-C4A	-2.06	126.11	130.04
6	L	304	BCB	C4-C3-C5	-2.06	111.66	115.23
5	C	339	HEM	CAB-C3B-C2B	2.06	135.11	128.43
12	M	501	MQ7	C26-C25-C23	-2.04	106.41	113.19
12	M	501	MQ7	C36-C37-C38	-2.04	122.95	127.62
6	L	302	BCB	CHD-C1D-ND	-2.03	121.94	124.80
5	C	339	HEM	O2D-CGD-CBD	2.03	120.40	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	302	BCB	O2A-CGA-CBA	2.01	117.97	111.83

All (12) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	L	302	BCB	NC
6	L	302	BCB	NA
6	L	302	BCB	ND
6	L	304	BCB	NC
6	L	304	BCB	NA
6	M	805	BCB	NC
6	M	805	BCB	NA
6	M	805	BCB	ND
6	M	806	BCB	NC
6	M	806	BCB	NA
6	M	806	BCB	ND
7	L	402	BPB	C13

All (105) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	M	805	BCB	C1A-C2A-CAA-CBA
6	M	805	BCB	C3A-C2A-CAA-CBA
6	M	806	BCB	CAD-CBD-CGD-O1D
6	M	806	BCB	CAD-CBD-CGD-O2D
9	M	704	LDA	C2-C1-N1-CM1
9	M	704	LDA	N1-C1-C2-C3
9	M	706	LDA	N1-C1-C2-C3
13	M	600	NS5	C20-C21-C23-C24
13	M	600	NS5	C29-C30-C31-C33
6	L	302	BCB	O1D-CGD-O2D-CED
6	L	302	BCB	CBD-CGD-O2D-CED
6	L	302	BCB	C4-C3-C5-C6
6	M	805	BCB	C4-C3-C5-C6
6	M	805	BCB	C2-C3-C5-C6
13	M	600	NS5	C30-C31-C33-C34
13	M	600	NS5	C7-C8-C9-C10
7	L	401	BPB	CBD-CGD-O2D-CED
7	L	401	BPB	C4-C3-C5-C6
6	L	302	BCB	C2-C3-C5-C6
7	L	401	BPB	C2-C3-C5-C6
13	M	600	NS5	C22-C21-C23-C24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	M	806	BCB	C13-C15-C16-C17
13	M	600	NS5	C2-C3-C4-C5
9	H	703	LDA	C3-C4-C5-C6
6	M	806	BCB	O1D-CGD-O2D-CED
6	M	806	BCB	C8-C10-C11-C12
6	L	302	BCB	C15-C16-C17-C18
13	M	600	NS5	C16-C15-C17-C18
13	M	600	NS5	C24-C25-C26-C27
6	M	806	BCB	C2A-CAA-CBA-CGA
6	L	304	BCB	C16-C17-C18-C20
6	M	805	BCB	C15-C16-C17-C18
7	L	401	BPB	O1A-CGA-O2A-C1
7	L	401	BPB	CBA-CGA-O2A-C1
6	M	805	BCB	C3-C5-C6-C7
6	M	806	BCB	CBD-CGD-O2D-CED
13	M	600	NS5	C12-C13-C14-C15
7	L	401	BPB	O1D-CGD-O2D-CED
9	M	706	LDA	C1-C2-C3-C4
6	M	806	BCB	C15-C16-C17-C18
5	C	340	HEM	C2B-C3B-CAB-CBB
6	L	304	BCB	C16-C17-C18-C19
9	M	706	LDA	C6-C7-C8-C9
6	L	304	BCB	C12-C13-C15-C16
9	M	704	LDA	C4-C5-C6-C7
7	L	402	BPB	O2A-C1-C2-C3
9	L	702	LDA	C3-C4-C5-C6
9	M	701	LDA	C2-C3-C4-C5
9	M	704	LDA	C5-C6-C7-C8
13	M	600	NS5	C3-C4-C5-C6
6	M	805	BCB	C10-C11-C12-C13
6	L	304	BCB	C14-C13-C15-C16
7	L	401	BPB	C5-C6-C7-C8
6	M	805	BCB	C11-C12-C13-C15
7	L	402	BPB	C4-C3-C5-C6
9	H	703	LDA	C11-C10-C9-C8
9	M	701	LDA	C11-C10-C9-C8
5	C	338	HEM	C2B-C3B-CAB-CBB
5	C	339	HEM	C2B-C3B-CAB-CBB
6	L	304	BCB	C8-C10-C11-C12
9	M	701	LDA	C9-C10-C11-C12
9	L	702	LDA	C1-C2-C3-C4
6	M	806	BCB	C11-C10-C8-C7

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	H	703	LDA	C7-C8-C9-C10
9	L	702	LDA	C2-C3-C4-C5
9	M	704	LDA	C6-C7-C8-C9
6	L	302	BCB	CAD-CBD-CGD-O1D
6	L	304	BCB	CHA-CBD-CGD-O1D
6	L	304	BCB	CHA-CBD-CGD-O2D
13	M	600	NS5	C28-C29-C30-C31
9	M	701	LDA	C7-C8-C9-C10
7	L	402	BPB	C10-C11-C12-C13
9	L	702	LDA	N1-C1-C2-C3
13	M	600	NS5	C31-C33-C34-C35
6	M	805	BCB	C11-C12-C13-C14
6	M	806	BCB	C11-C10-C8-C9
5	C	339	HEM	C1A-C2A-CAA-CBA
5	C	340	HEM	C4B-C3B-CAB-CBB
6	M	806	BCB	C6-C7-C8-C10
12	M	501	MQ7	C34-C33-C35-C36
13	M	600	NS5	C3-C4-C5-C7
9	M	701	LDA	C1-C2-C3-C4
5	C	337	HEM	CAA-CBA-CGA-O2A
12	M	501	MQ7	C32-C33-C35-C36
5	C	337	HEM	CAD-CBD-CGD-O2D
5	C	338	HEM	CAA-CBA-CGA-O1A
9	M	706	LDA	C7-C8-C9-C10
5	C	338	HEM	CAD-CBD-CGD-O2D
5	C	337	HEM	CAA-CBA-CGA-O1A
9	M	705	LDA	C9-C10-C11-C12
5	C	338	HEM	C4B-C3B-CAB-CBB
5	C	339	HEM	C4B-C3B-CAB-CBB
5	C	337	HEM	CAD-CBD-CGD-O1D
5	C	338	HEM	CAD-CBD-CGD-O1D
6	M	805	BCB	C6-C7-C8-C10
6	M	806	BCB	C11-C12-C13-C15
7	L	402	BPB	C2-C3-C5-C6
5	C	338	HEM	CAA-CBA-CGA-O2A
13	M	600	NS5	C32-C31-C33-C34
6	L	302	BCB	C16-C17-C18-C20
6	M	805	BCB	C6-C7-C8-C9
9	M	704	LDA	C2-C1-N1-O1
6	L	304	BCB	C13-C15-C16-C17
5	C	340	HEM	C3A-C2A-CAA-CBA
5	C	340	HEM	CAD-CBD-CGD-O2D



There are no ring outliers.



19 monomers are involved in 61 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	H	703	LDA	1	0
9	M	705	LDA	1	0
7	L	402	BPB	5	0
12	M	501	MQ7	1	0
6	L	304	BCB	4	0
7	L	401	BPB	13	0
6	M	806	BCB	7	0
11	M	803	SO4	1	0
8	L	502	CET	1	0
11	M	804	SO4	1	0
13	M	600	NS5	7	0
5	C	337	HEM	3	0
9	M	704	LDA	2	0
9	M	701	LDA	2	0
5	C	339	HEM	1	0
5	C	338	HEM	2	0
6	M	805	BCB	8	0
9	M	706	LDA	1	0
6	L	302	BCB	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
4	H	2

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	H	54:PRO	C	55:GLU	N	1.68
1	H	52:LEU	C	53:ALA	N	1.19

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	332/336 (98%)	-0.86	1 (0%) 90 90	4, 20, 42, 66	19 (5%)
2	L	273/273 (100%)	-0.94	0 100 100	4, 16, 40, 61	6 (2%)
3	M	323/323 (100%)	-0.84	1 (0%) 90 90	4, 18, 45, 60	12 (3%)
4	H	249/258 (96%)	-0.52	5 (2%) 64 62	6, 26, 51, 76	19 (7%)
All	All	1177/1190 (98%)	-0.80	7 (0%) 85 83	4, 20, 44, 76	56 (4%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	H	54	PRO	3.7
4	H	45	GLU	2.6
4	H	8	GLN	2.6
3	M	37	TRP	2.5
4	H	55	GLU	2.4
4	H	7	ALA	2.4
1	C	1	CYS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FME	H	1	10/11	0.93	0.07	23,30,40,42	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	LDA	M	705	16/16	0.72	0.14	53,58,69,69	5
9	LDA	M	704	16/16	0.75	0.18	55,59,79,81	0
9	LDA	M	706	16/16	0.75	0.19	68,71,72,73	4
13	NS5	M	600	40/40	0.86	0.11	23,40,76,76	4
9	LDA	H	703	16/16	0.91	0.11	27,38,57,58	0
9	LDA	M	701	16/16	0.92	0.06	11,21,24,27	0
11	SO4	M	803	5/5	0.93	0.12	73,74,76,77	0
9	LDA	L	702	16/16	0.93	0.11	17,45,71,72	0
6	BCB	M	805	66/66	0.95	0.07	2,15,44,46	0
11	SO4	H	801	5/5	0.96	0.06	56,56,57,57	0
7	BPB	L	401	65/65	0.96	0.07	2,21,70,70	7
6	BCB	M	806	66/66	0.97	0.05	2,10,25,29	0
11	SO4	M	804	5/5	0.97	0.07	39,39,44,44	0
7	BPB	L	402	65/65	0.97	0.05	2,6,13,17	0
12	MQ7	M	501	48/48	0.97	0.05	3,15,34,38	0
8	CET	L	502	17/17	0.97	0.06	10,18,21,25	0
5	HEM	C	338	43/43	0.98	0.05	11,22,28,33	0
5	HEM	C	340	43/43	0.98	0.06	5,13,30,44	0
6	BCB	L	302	66/66	0.98	0.04	2,8,15,19	0
6	BCB	L	304	66/66	0.98	0.04	2,6,21,27	0
5	HEM	C	337	43/43	0.98	0.07	8,21,30,39	0
11	SO4	M	802	5/5	0.99	0.05	21,24,27,28	0
5	HEM	C	339	43/43	0.99	0.04	2,10,15,23	0
10	FE2	M	500	1/1	0.99	0.02	16,16,16,16	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NS5 M 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCB M 805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPB L 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCB M 806:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPB L 402:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)




**Electron density around MQ7 M 501:**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around CET L 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 338:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 340:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around BCB L 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCB L 304:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 337:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.