

Full wwPDB X-ray Structure Validation Report (i)

Dec 8, 2022 – 12:24 pm GMT

esence

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.31.3
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.31.3

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 1.91 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	7937 (1.94-1.90)
Clashscore	141614	8644 (1.94-1.90)
Ramachandran outliers	138981	8530 (1.94-1.90)
Sidechain outliers	138945	8530 (1.94-1.90)
RSRZ outliers	127900	7793 (1.94-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	523	80%	17%	••
1	В	523	^{2%} 79%	17%	•••
1	С	523	2% 8 4%	14%	·
1	D	523	80%	15%	•••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	FMT	D	607	-	-	-	Х



7 PVA

2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 37158 atoms, of which 17552 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
1	Δ	513	Total	С	Η	Ν	0	Se	0	38	0
1	Π	010	8933	2874	4440	751	847	21	0		U
1	В	505	Total	С	Η	Ν	Ο	Se	0	20	0
1		505	8545	2749	4262	720	793	21	0	20	0
1	С	513	Total	С	Η	Ν	0	Se	0	45 0	0
1	U	515	8981	2880	4469	759	851	22	0		0
1	а	502	Total	С	Н	Ν	0	Se	0	20	0
		502	8585	2772	4269	715	809	20	0	29	0

• Molecule 1 is a protein called Response regulator.

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual Comment		Reference
А	-4	GLY	-	expression tag	UNP Q7MVV4
А	-3	PRO	-	expression tag	UNP Q7MVV4
А	-2	LEU	-	expression tag	UNP Q7MVV4
A	-1	GLY	-	expression tag	UNP Q7MVV4
A	0	SER	-	expression tag	UNP Q7MVV4
В	-4	GLY	-	expression tag	UNP Q7MVV4
В	-3	PRO	-	expression tag	UNP Q7MVV4
В	-2	LEU	-	expression tag	UNP Q7MVV4
В	-1	GLY	-	expression tag	UNP Q7MVV4
В	0	SER	-	expression tag	UNP Q7MVV4
С	-4	GLY	-	expression tag	UNP Q7MVV4
С	-3	PRO	-	expression tag	UNP Q7MVV4
С	-2	LEU	-	expression tag	UNP Q7MVV4
С	-1	GLY	-	expression tag	UNP Q7MVV4
С	0	SER	-	expression tag	UNP Q7MVV4
D	-4	GLY	-	expression tag	UNP Q7MVV4
D	-3	PRO	-	expression tag	UNP Q7MVV4
D	-2	LEU	-	expression tag	UNP Q7MVV4
D	-1	GLY	-	expression tag	UNP Q7MVV4
D	0	SER	_	expression tag	UNP Q7MVV4



• Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	2	Total Mg 2 2	0	0
2	В	3	Total Mg 3 3	0	0
2	С	3	Total Mg 3 3	0	0
2	D	3	Total Mg 3 3	0	0

• Molecule 3 is BERYLLIUM TRIFLUORIDE ION (three-letter code: BEF) (formula: BeF₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Be F 4 1 3	0	0
3	А	1	Total Be F 4 1 3	0	0
3	В	1	Total Be F 4 1 3	0	0
3	В	1	Total Be F 4 1 3	0	0
3	С	1	Total Be F 4 1 3	0	0
3	С	1	Total Be F 4 1 3	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total Be F 4 1 3	0	0
3	D	1	Total Be F 4 1 3	0	0

• Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	2	Total Zn 2 2	0	0
4	В	1	Total Zn 1 1	0	0
4	С	2	Total Zn 2 2	0	0
4	D	1	Total Zn 1 1	0	0

• Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total C H O 14 3 8 3	0	0
5	А	1	Total C H O 14 3 8 3	0	0
5	А	1	Total C H O 14 3 8 3	0	0



Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
5	В	1	Total	С	Н	0	0	0
0	D	I	14	3	8	3	0	0
5	В	1	Total	С	Η	Ο	0	0
0	5 В	I	14	3	8	3	0	0
5	В	1	Total	С	Η	Ο	0	0
0	D	I	14	3	8	3	0	0
5	В	1	Total	С	Η	0	0	0
5	D	T	14	3	8	3	0	0
5	В	1	Total	С	Η	0	0	0
5	D	T	14	3	8	3	0	0
5	С	1	Total	С	Η	Ο	0	0
0	U	I	14	3	8	3	0	
5	С	1	Total	С	Η	Ο	0	0
0	U	I	14	3	8	3	0	0
5	С	1	Total	С	Η	Ο	0	0
0		1	14	3	8	3	0	0
5	р	1	Total	С	Η	0	0	0
0		L	14	3	8	3		0

• Molecule 6 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	А	1	Total 4	С 1	H 1	O 2	0	0
6	А	1	Total 4	С 1	H 1	O 2	0	0



Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
G		1	Total	С	Η	Ο	0	0
0	A	1	4	1	1	2	0	0
6	Р	1	Total	С	Η	0	0	0
0		T	4	1	1	2	0	0
6	В	1	Total	С	Η	0	0	0
0	D	1	4	1	1	2	0	0
6	В	1	Total	С	Н	Ο	0	0
0		1	4	1	1	2	0	0
6	В	1	Total	С	Н	Ο	0	0
		1	4	1	1	2	0	0
6	В	1	Total	С	Н	Ο	0	0
		1	4	1	1	2	0	0
6	В	1	Total	С	Н	Ο	0	0
		1	4	1	1	2	0	0
6	C	1	Total	С	Η	Ο	0	0
	Ű	-	4	1	1	2		
6	C	1	Total	С	Η	Ο	0	0
	Ŭ	-	4	1	1	2		0
6	О	1	Total	С	Η	Ο	0	0
		1	4	1	1	2	Ŭ	0
6	О	1	Total	С	Η	Ο	0	0
		1	4	1	1	2	Ŭ	0
6	О	1	Total	С	Η	Ο	0	0
		*	4	1	1	2		0
6	D	1	Total	С	Η	0	0	0
	-	-	4	1	1	2	Ŭ,	
6	D	1	Total	С	Η	0	0	0
			4	1	1	2		Ŭ

Continued from previous page...

• Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total Cl 1 1	0	0
7	С	1	Total Cl 1 1	0	0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	492	Total O 492 492	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	В	566	Total O 566 566	0	0
8	С	372	Total O 372 372	0	0
8	D	401	Total O 401 401	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Response regulator

1395 6179 R431 6179 P430 1182 P431 1182 R431 6187 R431 6187 1433 1191 1445 228 1446 228 1445 228 1446 232 1446 232 1446 232 1453 232 146 233</

• Molecule 1: Response regulator





4 Data and refinement statistics (i)

Property	Value	Source	
Space group	P 1	Depositor	
Cell constants	61.48Å 77.29Å 138.83Å	Depositor	
a, b, c, α , β , γ	82.42° 81.61° 76.51°	Depositor	
Bosolution (Å)	68.59 - 1.91	Depositor	
	68.59 - 1.91	EDS	
% Data completeness	98.2 (68.59-1.91)	Depositor	
(in resolution range)	$98.3 \ (68.59 - 1.91)$	EDS	
R_{merge}	(Not available)	Depositor	
R _{sym}	(Not available)	Depositor	
$< I/\sigma(I) > 1$	$1.72 (at 1.91 \text{\AA})$	Xtriage	
Refinement program	PHENIX 1.15.2_3472	Depositor	
B B.	0.159 , 0.192	Depositor	
II, II, <i>free</i>	0.160 , 0.193	DCC	
R_{free} test set	1877 reflections (1.00%)	wwPDB-VP	
Wilson B-factor $(Å^2)$	41.3	Xtriage	
Anisotropy	0.122	Xtriage	
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS	
L-test for twinning ²	$< L >=0.50, < L^2>=0.33$	Xtriage	
Estimated twinning fraction	No twinning to report.	Xtriage	
F_o, F_c correlation	0.98	EDS	
Total number of atoms	37158	wwPDB-VP	
Average B, all atoms $(Å^2)$	64.0	wwPDB-VP	

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.26% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, BEF, ZN, CL, FMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	B	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5		
1	А	0.74	0/4641	0.76	5/6242~(0.1%)		
1	В	0.84	3/4448~(0.1%)	0.85	10/5978~(0.2%)		
1	С	0.68	0/4677	0.69	2/6282~(0.0%)		
1	D	0.73	2/4468~(0.0%)	0.70	0/6010		
All	All	0.75	5/18234~(0.0%)	0.75	17/24512~(0.1%)		

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
1	D	506	GLU	CD-OE1	5.96	1.32	1.25
1	В	242	ARG	CB-CG	-5.58	1.37	1.52
1	В	508	MSE	CB-CG	-5.55	1.35	1.52
1	В	506	GLU	CD-OE1	5.40	1.31	1.25
1	D	185	GLN	CB-CG	-5.14	1.38	1.52

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	20[A]	LEU	CB-CG-CD1	11.18	130.01	111.00
1	А	20[B]	LEU	CB-CG-CD1	11.18	130.01	111.00
1	В	360	VAL	CG1-CB-CG2	10.21	127.23	110.90
1	В	360	VAL	N-CA-CB	-7.35	95.33	111.50
1	В	15	ASP	CB-CG-OD1	6.68	124.31	118.30
1	С	276	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	В	58	ASP	CB-CG-OD2	-6.26	112.67	118.30
1	В	307	LEU	CA-CB-CG	6.23	129.62	115.30
1	В	242	ARG	NE-CZ-NH2	6.13	123.36	120.30
1	В	244	ASP	CB-CG-OD1	6.01	123.71	118.30
1	А	237	LEU	CA-CB-CG	-5.60	102.42	115.30
1	А	262	ASP	CB-CG-OD1	5.59	123.33	118.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	58	ASP	CB-CG-OD2	-5.49	113.36	118.30
1	В	262	ASP	CB-CG-OD1	5.31	123.08	118.30
1	В	508	MSE	CG-SE-CE	5.17	110.27	98.90
1	В	360	VAL	CB-CA-C	5.14	121.16	111.40
1	С	58	ASP	CB-CG-OD2	-5.03	113.78	118.30

Continued from previous page...

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4493	4440	4370	81	0
1	В	4283	4262	4185	76	0
1	С	4512	4469	4364	67	0
1	D	4316	4269	4197	62	0
2	А	2	0	0	0	0
2	В	3	0	0	0	0
2	С	3	0	0	0	0
2	D	3	0	0	0	0
3	А	8	0	0	0	0
3	В	8	0	0	0	0
3	С	8	0	0	0	0
3	D	8	0	0	0	0
4	А	2	0	0	0	0
4	В	1	0	0	0	0
4	С	2	0	0	0	0
4	D	1	0	0	1	0
5	А	18	24	23	0	0
5	В	30	40	39	7	0
5	С	18	24	24	1	0
5	D	6	8	8	0	0
6	А	9	3	3	0	0
6	В	18	6	6	1	0
6	С	6	2	2	0	0
6	D	15	5	5	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	А	1	0	0	0	0
7	С	1	0	0	0	0
8	А	492	0	0	10	2
8	В	566	0	0	22	1
8	С	372	0	0	17	1
8	D	401	0	0	11	1
All	All	19606	17552	17226	274	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (274) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:363[B]:MSE:HE2	1:A:386:LEU:HD23	1.40	1.04
1:A:363[B]:MSE:CE	1:A:386:LEU:HD23	1.96	0.94
1:B:91:GLU:OE1	8:B:701:HOH:O	1.89	0.91
1:C:138:ARG:NH2	8:C:702:HOH:O	2.05	0.90
1:B:240:ASN:OD1	1:B:418:THR:HG23	1.72	0.90
1:B:287:GLN:OE1	8:B:703:HOH:O	1.90	0.88
1:B:351:GLN:OE1	8:B:702:HOH:O	1.90	0.88
1:A:80[B]:THR:HG22	8:A:1012:HOH:O	1.73	0.88
1:C:142:VAL:O	1:C:146[A]:THR:HG23	1.75	0.87
1:B:314[A]:ARG:NH2	8:B:707:HOH:O	2.08	0.86
1:A:134:ASN:OD1	1:A:174[A]:ALA:HB1	1.76	0.85
1:A:131:GLU:OE2	8:A:701:HOH:O	1.94	0.84
1:B:460:SER:O	8:B:704:HOH:O	1.96	0.82
1:A:80[B]:THR:HG21	8:A:829:HOH:O	1.79	0.81
1:D:383:TYR:OH	8:D:701:HOH:O	1.98	0.80
1:A:334[A]:THR:HG22	1:B:375:GLU:OE2	1.80	0.80
1:C:338:GLU:HG3	1:C:395:THR:HG21	1.64	0.78
1:C:168:GLU:O	8:C:701:HOH:O	2.02	0.77
1:A:334[B]:THR:O	1:A:338:GLU:N	2.18	0.76
1:B:187:GLN:OE1	8:B:706:HOH:O	2.04	0.75
1:B:360:VAL:HG11	1:B:362:MSE:HE2	1.67	0.75
1:B:289:GLU:OE1	8:B:705:HOH:O	2.03	0.74
1:D:137:TYR:O	1:D:141[A]:PHE:N	2.21	0.74
1:B:314[B]:ARG:NH1	8:B:711:HOH:O	2.16	0.74
1:B:365:HIS:NE2	1:B:494:TYR:OH	2.19	0.74
1:D:239[B]:ASP:OD1	1:D:276:ARG:NH1	2.21	0.74
1:D:148[B]:MSE:HG2	1:D:160:LEU:HD21	1.70	0.73



7PVA

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:101:LYS:NZ	8:C:706:HOH:O	2.13	0.72
1:C:261:GLU:OE1	8:C:703:HOH:O	2.06	0.72
1:B:492:GLN:NE2	8:B:712:HOH:O	2.17	0.72
1:A:487:TYR:O	1:A:491:VAL:HG23	1.90	0.71
1:D:409:LYS:NZ	8:D:706:HOH:O	2.24	0.71
1:C:191:ARG:NH1	8:C:708:HOH:O	2.17	0.70
1:B:360:VAL:CG1	1:B:362:MSE:HE2	2.21	0.70
1:A:176[A]:ARG:HG3	1:A:177[A]:GLN:N	2.05	0.70
1:D:360:VAL:HG21	1:D:362:MSE:HE2	1.74	0.70
1:D:239[A]:ASP:OD2	8:D:702:HOH:O	2.10	0.69
1:D:360:VAL:CG2	1:D:362:MSE:HE2	2.22	0.69
1:B:265:LEU:HD22	1:B:508:MSE:HE2	1.74	0.69
1:B:87:LYS:O	8:B:708:HOH:O	2.10	0.69
1:C:125:GLN:OE1	8:C:704:HOH:O	2.12	0.68
1:D:171:LEU:HD12	1:D:182:LEU:HD22	1.76	0.68
1:A:314:ARG:O	1:A:318:GLU:HG2	1.94	0.68
1:A:178[A]:MSE:HE2	1:A:181:LEU:HD12	1.74	0.67
1:A:434[B]:ASN:OD1	8:A:703:HOH:O	2.11	0.67
1:C:134:ASN:OD1	1:C:174[B]:ALA:HB1	1.94	0.67
1:A:168:GLU:OE1	8:A:704:HOH:O	2.13	0.66
1:A:420:GLN:NE2	8:A:706:HOH:O	2.20	0.66
1:C:18:ASP:OD2	8:C:705:HOH:O	2.12	0.66
1:C:433[A]:THR:HG21	1:C:441:ILE:H	1.60	0.66
1:B:446:ASP:HA	5:B:605:GOL:H12	1.77	0.66
1:D:272:THR:OG1	4:D:603:ZN:ZN	1.43	0.65
1:D:424:PRO:O	8:D:703:HOH:O	2.15	0.65
1:C:334[B]:THR:OG1	1:C:395:THR:HG23	1.96	0.65
1:A:433[B]:THR:HG21	1:A:441:ILE:H	1.60	0.65
1:D:138:ARG:HD3	1:D:178:MSE:SE	2.47	0.65
1:D:243:GLN:CD	1:D:263:MSE:HE2	2.17	0.64
1:B:242:ARG:HH12	1:B:380[A]:GLU:HG2	1.63	0.64
1:B:456:LYS:NZ	8:B:719:HOH:O	2.29	0.64
1:B:310:GLU:OE2	8:B:709:HOH:O	2.15	0.63
1:C:169:ILE:O	1:C:172[A]:GLU:HG3	1.98	0.63
1:A:176[A]:ARG:O	1:A:179[A]:GLY:N	2.32	0.63
1:A:265:LEU:HD22	1:A:508:MSE:HE2	1.81	0.63
1:C:433[A]:THR:HG21	1:C:440:LYS:HA	1.80	0.62
1:D:289:GLU:HG3	1:D:296:TRP:CD1	2.33	0.62
1:D:471:LYS:NZ	8:D:713:HOH:O	2.33	0.62
1:A:178[B]:MSE:HE2	1:A:181:LEU:HD12	1.82	0.62
1:B:362:MSE:O	8:B:710:HOH:O	2.16	0.62



7PVA

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:178[A]:MSE:HE2	1:A:178[A]:MSE:HA	1.81	0.62
1:D:83:VAL:HG22	1:D:104:ASP:HB2	1.82	0.62
1:A:178[A]:MSE:CE	1:A:181:LEU:HD12	2.29	0.61
1:B:363:MSE:HE1	5:B:608:GOL:H2	1.83	0.61
1:C:186:LYS:NZ	8:C:724:HOH:O	2.34	0.61
1:A:334[B]:THR:HG23	1:B:375:GLU:CD	2.21	0.61
1:D:141[B]:PHE:HE2	1:D:185:GLN:NE2	1.98	0.60
1:D:141[B]:PHE:CE2	1:D:185:GLN:NE2	2.69	0.60
1:B:277:ASN:HB3	1:B:288:ILE:HD13	1.83	0.60
1:D:33:GLN:NE2	8:D:714:HOH:O	2.33	0.60
1:A:303:GLU:O	1:A:305:LYS:HE2	2.01	0.60
1:C:176[B]:ARG:O	1:C:179[B]:GLY:N	2.34	0.60
1:A:178[B]:MSE:CE	1:A:181:LEU:HD12	2.32	0.60
1:D:125:GLN:N	1:D:125:GLN:OE1	2.37	0.58
1:B:295:LEU:HD13	1:B:308:ASN:O	2.03	0.57
1:D:433:THR:OG1	8:D:704:HOH:O	2.17	0.57
1:C:243:GLN:CD	1:C:263:MSE:HE2	2.24	0.57
1:B:20:LEU:HD21	5:B:604:GOL:H31	1.87	0.56
1:B:437:LEU:HD21	1:B:494:TYR:CG	2.39	0.56
1:D:198:THR:HG21	1:D:476[B]:LYS:CE	2.35	0.56
1:B:162:ARG:HG2	5:B:607:GOL:H11	1.86	0.56
1:D:134:ASN:OD1	1:D:174:ALA:HB1	2.04	0.56
1:C:335[B]:LYS:HA	1:C:338:GLU:OE2	2.06	0.55
1:A:363[B]:MSE:HE1	1:A:383:TYR:HD1	1.72	0.55
1:B:97:ALA:O	1:B:102:ILE:HG13	2.06	0.55
1:A:121:LYS:HE3	1:B:103:ALA:O	2.06	0.55
1:B:131:GLU:HG3	8:B:1246:HOH:O	2.06	0.55
1:C:125:GLN:HG2	8:C:853:HOH:O	2.06	0.55
1:A:363[B]:MSE:HE3	1:A:386:LEU:HD23	1.83	0.54
1:B:126[A]:HIS:ND1	8:B:723:HOH:O	2.33	0.54
1:B:334:THR:HG23	8:B:1153:HOH:O	2.07	0.54
1:C:338:GLU:HG3	1:C:395:THR:CG2	2.35	0.54
1:B:239:ASP:OD2	1:B:276:ARG:NH1	2.40	0.54
1:A:178[B]:MSE:HE2	1:A:178[B]:MSE:HA	1.90	0.54
1:A:431[A]:ARG:HD2	1:A:468:LEU:HB3	1.90	0.53
1:A:243:GLN:CD	1:A:263:MSE:HE2	2.28	0.53
1:B:158:LYS:O	1:B:263[B]:MSE:HE1	2.08	0.53
1:A:465:HIS:ND1	1:A:469:SER:O	2.36	0.53
1:A:334[B]:THR:O	1:A:338:GLU:HG3	2.09	0.53
1:C:363[B]:MSE:HE3	1:C:386:LEU:HD23	1.90	0.52
1:B:232:LYS:HB2	1:B:408:TYR:CE2	2.44	0.52



7PVA

A 4 1	A t 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:422:LYS:O	1:D:495:ARG:HD3	2.09	0.52
1:A:363[B]:MSE:SE	1:A:383:TYR:HE1	2.42	0.52
1:A:444:ASN:HB2	1:C:485:ASN:HB2	1.91	0.52
1:C:178[B]:MSE:CE	1:C:181:LEU:HD22	2.40	0.51
1:C:333[A]:GLU:N	8:C:732:HOH:O	2.40	0.51
1:B:256:PHE:CZ	1:B:401:ARG:HG3	2.45	0.51
1:C:142:VAL:HG12	1:C:146[A]:THR:CG2	2.41	0.51
1:A:118[B]:SER:OG	8:A:705:HOH:O	2.16	0.51
1:D:90:GLU:OE1	8:D:705:HOH:O	2.19	0.51
1:D:121:LYS:O	1:D:125:GLN:HB3	2.11	0.51
1:C:75:GLU:OE2	8:C:710:HOH:O	2.19	0.51
1:D:374:ARG:NH1	8:D:728:HOH:O	2.45	0.50
1:C:434[A]:ASN:ND2	8:C:736:HOH:O	2.44	0.50
1:C:433[A]:THR:HG23	1:C:440:LYS:HD2	1.94	0.50
1:D:242:ARG:HH12	1:D:380:GLU:HG2	1.77	0.50
1:D:286:LEU:O	1:D:290:LYS:HG2	2.10	0.50
1:C:441:ILE:HG22	1:C:469:SER:HB3	1.93	0.50
1:A:334[B]:THR:HG22	1:A:395:THR:H	1.77	0.50
1:B:326:PHE:HA	1:B:352:LEU:O	2.13	0.49
1:C:145[A]:GLY:O	8:C:707:HOH:O	2.16	0.49
1:A:232:LYS:HB3	1:A:408:TYR:CE2	2.48	0.49
1:A:433[A]:THR:O	1:A:433[A]:THR:OG1	2.31	0.49
1:C:137:TYR:O	1:C:141:PHE:N	2.46	0.49
1:D:483:TYR:HB3	1:D:484:PRO:HD2	1.94	0.49
1:D:277:ASN:HB3	1:D:288:ILE:HD13	1.94	0.49
1:A:120:LYS:HE3	1:B:91:GLU:CG	2.43	0.49
1:D:21:LYS:O	1:D:25:LEU:HG	2.13	0.48
1:A:243:GLN:NE2	1:A:263:MSE:HE2	2.29	0.48
1:B:291:MSE:HE3	8:B:1248:HOH:O	2.12	0.48
1:B:102:ILE:O	1:B:102:ILE:HD12	2.13	0.48
1:A:326:PHE:HA	1:A:352:LEU:O	2.13	0.48
1:B:240:ASN:HD21	1:B:418:THR:HG21	1.78	0.48
1:B:159:GLU:HB3	8:B:946:HOH:O	2.13	0.48
1:B:214:MSE:HA	1:B:265:LEU:O	2.13	0.48
1:D:146[B]:THR:HG22	1:D:148[B]:MSE:H	1.77	0.48
1:A:431[A]:ARG:CD	1:A:468:LEU:HB3	2.44	0.48
1:C:72[B]:LYS:NZ	8:C:715:HOH:O	2.30	0.48
1:B:273:GLN:HG3	1:B:305:LYS:HB3	1.96	0.47
1:C:266:SER:O	1:C:508:MSE:HE3	2.14	0.47
1:A:214:MSE:HA	1:A:265:LEU:O	2.15	0.47
1:A:292:PHE:HD1	1:D:489:TYR:CE2	2.32	0.47



7 PVA	ł
-------	---

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:117:LEU:HD13	1:C:117:LEU:C	2.35	0.47
1:A:334[B]:THR:HG23	1:B:375:GLU:OE1	2.14	0.47
1:B:117:LEU:HD13	1:B:117:LEU:C	2.35	0.47
1:B:204:TRP:O	1:B:211:ARG:HD3	2.15	0.47
1:C:442:GLY:HA3	1:C:445:LEU:HD21	1.97	0.47
1:A:283:LEU:HB3	1:A:287:GLN:HB2	1.97	0.47
1:B:309:GLU:OE1	1:B:328:TYR:OH	2.27	0.46
1:C:311:PRO:O	1:C:315:THR:HG23	2.15	0.46
1:D:437:LEU:HD21	1:D:494:TYR:CG	2.50	0.46
1:A:184[C]:MSE:HE3	8:A:989:HOH:O	2.14	0.46
1:C:326:PHE:HA	1:C:352:LEU:O	2.15	0.46
1:A:495:ARG:O	1:A:496:ASN:HB2	2.15	0.46
1:C:300:GLU:OE1	1:C:431[A]:ARG:NE	2.33	0.46
1:A:117:LEU:C	1:A:117:LEU:HD13	2.36	0.46
1:D:169:ILE:HD12	1:D:247:GLU:HG2	1.97	0.46
1:C:363[B]:MSE:SE	1:C:383:TYR:HE1	2.48	0.46
1:D:232:LYS:HB3	1:D:408:TYR:CE2	2.50	0.46
1:D:326:PHE:HA	1:D:352:LEU:O	2.16	0.46
1:D:360:VAL:HG23	1:D:362:MSE:HE2	1.96	0.46
1:C:281:SER:OG	1:C:288:ILE:HD11	2.16	0.46
1:D:198:THR:HG21	1:D:476[B]:LYS:HE3	1.98	0.46
1:A:344:ILE:HD12	1:A:347:LEU:HD12	1.97	0.45
1:B:345[B]:ARG:NH1	6:B:613:FMT:O2	2.46	0.45
1:A:467:ASN:OD1	1:A:468:LEU:HD22	2.17	0.45
1:C:363[B]:MSE:HE2	1:C:373:ILE:CG2	2.46	0.45
1:A:282:GLY:HA3	1:A:316:LEU:HD13	1.99	0.45
1:A:363[B]:MSE:SE	1:A:363[B]:MSE:C	3.04	0.45
1:A:334[A]:THR:HG23	8:B:1035:HOH:O	2.17	0.45
1:A:361:ASP:O	1:A:365:HIS:HD2	2.00	0.45
1:A:241:PHE:O	1:A:414:THR:HG21	2.16	0.45
1:A:102:ILE:O	5:B:606:GOL:H32	2.17	0.45
1:C:330:LYS:HD3	8:C:945:HOH:O	2.17	0.44
1:B:134:ASN:OD1	1:B:174:ALA:HB1	2.18	0.44
1:D:117:LEU:C	1:D:117:LEU:HD13	2.38	0.44
1:D:214:MSE:HA	1:D:265:LEU:O	2.17	0.44
1:B:486:ASN:HA	8:C:728:HOH:O	2.17	0.44
1:C:137:TYR:OH	1:C:182:LEU:HA	2.17	0.44
1:C:188:GLU:O	1:C:192:LEU:HG	2.18	0.44
1:C:243:GLN:NE2	1:C:263:MSE:HE2	2.32	0.44
1:D:152:LEU:HD12	1:D:152:LEU:N	2.33	0.44
1:D:443:LYS:HB2	1:D:469:SER:OG	2.18	0.44



7PVA

	A t area 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:138:ARG:NH1	1:D:178:MSE:SE	3.01	0.44
1:A:441:ILE:HD11	1:A:472:PHE:CE2	2.53	0.44
1:C:372:MSE:SE	1:D:373:ILE:HG13	2.68	0.44
1:A:101:LYS:NZ	1:B:170:GLU:OE1	2.42	0.43
1:D:144[A]:LEU:O	1:D:148[A]:MSE:HE3	2.18	0.43
1:A:237:LEU:HD22	1:A:276:ARG:HD2	1.99	0.43
1:A:334[B]:THR:CG2	1:A:394:SER:HB2	2.47	0.43
1:B:102:ILE:HD12	1:B:102:ILE:C	2.37	0.43
1:B:232:LYS:HD2	1:B:408:TYR:CE1	2.53	0.43
1:B:266:SER:O	1:B:508:MSE:HE3	2.17	0.43
1:D:215:SER:HB2	1:D:216:PRO:HD3	2.00	0.43
1:A:198:THR:HG22	1:A:453:PHE:CD1	2.53	0.43
1:B:121:LYS:O	1:B:125:GLN:HB2	2.18	0.43
1:C:435[A]:THR:O	8:C:711:HOH:O	2.20	0.43
1:B:485:ASN:HB3	1:C:321[B]:ARG:HH12	1.83	0.43
1:A:173[A]:GLN:HB2	8:A:717:HOH:O	2.17	0.43
1:D:138:ARG:HH11	1:D:178:MSE:SE	2.52	0.43
1:C:401:ARG:HG3	1:C:401:ARG:HH11	1.84	0.43
1:A:310:GLU:HB3	1:A:311:PRO:HD3	2.01	0.43
1:C:173[A]:GLN:HG3	1:D:392:LYS:HZ1	1.84	0.43
1:D:476[B]:LYS:NZ	8:D:743:HOH:O	2.52	0.43
1:D:97:ALA:O	1:D:102:ILE:HG13	2.18	0.43
1:C:433[A]:THR:HG21	1:C:440:LYS:CA	2.48	0.43
1:B:169:ILE:O	1:B:172:GLU:HG2	2.19	0.43
1:B:336[B]:PHE:CD1	1:B:336[B]:PHE:N	2.87	0.43
1:C:148[A]:MSE:O	1:C:192:LEU:HD13	2.19	0.43
1:A:121:LYS:O	1:A:125:GLN:HB2	2.19	0.42
1:B:158:LYS:HB3	1:B:263[B]:MSE:HE3	2.01	0.42
1:A:443:LYS:HD2	1:A:470:ASP:OD2	2.19	0.42
1:B:476:LYS:NZ	8:B:756:HOH:O	2.52	0.42
1:A:293:PRO:HD2	8:D:707:HOH:O	2.19	0.42
1:A:470:ASP:OD1	1:A:471:LYS:HE3	2.20	0.42
1:C:466:ASN:HD22	1:C:466:ASN:HA	1.68	0.42
1:D:431:ARG:HD3	1:D:431:ARG:N	2.34	0.42
1:A:172[B]:GLU:OE2	8:A:702:HOH:O	2.08	0.42
1:A:330:LYS:NZ	1:A:332[A]:TYR:OH	2.50	0.42
1:B:125:GLN:OE1	5:B:606:GOL:H31	2.20	0.42
1:A:363[B]:MSE:HE2	1:A:386:LEU:CD2	2.28	0.42
1:B:178:MSE:HA	1:B:178:MSE:HE2	2.01	0.42
1:B:409:LYS:NZ	8:B:758:HOH:O	2.52	0.42
1:C:168:GLU:HA	1:C:182:LEU:CD2	2.49	0.42



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:334[B]:THR:N	1:D:375:GLU:OE1	2.53	0.42
1:D:256:PHE:CE1	1:D:401:ARG:HD2	2.54	0.42
1:D:317:ILE:HG23	1:D:322:LYS:HB2	2.02	0.42
1:A:433[B]:THR:HG21	1:A:440:LYS:HA	2.01	0.41
1:A:21:LYS:HB3	1:A:22:PRO:HD3	2.01	0.41
1:C:8:TYR:CD2	5:C:607:GOL:H12	2.55	0.41
1:D:285:PRO:HB3	1:D:296:TRP:CH2	2.55	0.41
1:A:335[B]:LYS:NZ	1:A:336[B]:PHE:CE1	2.88	0.41
1:B:97:ALA:HB1	1:B:102:ILE:HG12	2.01	0.41
1:B:240:ASN:HA	1:B:416:HIS:O	2.20	0.41
1:C:434[B]:ASN:O	1:C:435[B]:THR:HG22	2.20	0.41
1:D:418:THR:HG22	1:D:500:HIS:HB3	2.03	0.41
1:A:475:THR:HG23	1:A:481:PHE:CE2	2.56	0.41
1:B:333:GLU:OE2	1:B:336[B]:PHE:HE1	2.04	0.41
1:C:164:ILE:HG21	1:C:186:LYS:HG3	2.03	0.41
1:C:441:ILE:HG22	1:C:469:SER:CB	2.50	0.41
1:A:363[B]:MSE:HE1	1:A:383:TYR:CD1	2.52	0.41
1:B:203:GLU:O	1:B:207:LYS:HG2	2.21	0.41
1:B:241:PHE:O	1:B:414:THR:HG21	2.20	0.41
1:C:21:LYS:HB3	1:C:22:PRO:HD3	2.03	0.41
1:C:137:TYR:HD2	1:C:178[A]:MSE:CE	2.34	0.41
1:C:430:ASP:HA	1:C:445:LEU:HD21	2.02	0.41
1:D:151:LYS:HD3	1:D:151:LYS:HA	1.89	0.41
1:A:466:ASN:OD1	1:A:468:LEU:HD23	2.21	0.41
1:B:483:TYR:HB3	1:B:484:PRO:HD2	2.03	0.41
1:C:336[A]:PHE:CD2	1:C:336[A]:PHE:O	2.74	0.40
1:B:13:ALA:HB3	1:B:57:LEU:HD12	2.04	0.40
1:C:485:ASN:OD1	1:C:485:ASN:N	2.41	0.40
1:B:162:ARG:CG	5:B:607:GOL:H11	2.52	0.40
1:A:331:VAL:HG22	1:A:336[A]:PHE:CD2	2.57	0.40
1:B:309:GLU:HG3	8:B:848:HOH:O	2.20	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:916:HOH:O	8:B:1130:HOH:O[1_455]	1.99	0.21
8:D:1054:HOH:O	8:D:1100:HOH:O[1_545]	2.15	0.05
8:A:847:HOH:O	8:C:1042:HOH:O[1_564]	2.18	0.02



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	550/523~(105%)	541 (98%)	9~(2%)	0	100	100
1	В	523/523~(100%)	513~(98%)	10~(2%)	0	100	100
1	С	556/523~(106%)	541 (97%)	15 (3%)	0	100	100
1	D	527/523~(101%)	516~(98%)	11 (2%)	0	100	100
All	All	2156/2092~(103%)	2111 (98%)	45 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	А	507/459~(110%)	498~(98%)	9~(2%)		59	53
1	В	484/459~(105%)	479~(99%)	5 (1%)		76	75
1	С	511/459~(111%)	507~(99%)	4 (1%)		81	81
1	D	488/459~(106%)	484 (99%)	4 (1%)		81	81
All	All	1990/1836~(108%)	1968~(99%)	22 (1%)		76	72

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	20[A]	LEU
1	А	20[B]	LEU



Mol	Chain	Res	Type
1	А	176[A]	ARG
1	А	176[B]	ARG
1	А	178[A]	MSE
1	А	178[B]	MSE
1	А	323	HIS
1	А	433[A]	THR
1	А	433[B]	THR
1	В	104	ASP
1	В	305	LYS
1	В	307	LEU
1	В	343	GLN
1	В	431	ARG
1	С	104	ASP
1	С	466	ASN
1	С	467	ASN
1	С	485	ASN
1	D	104	ASP
1	D	138	ARG
1	D	162	ARG
1	D	485	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	465	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 55 ligands modelled in this entry, 19 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tink	В	ond leng	gths	Bond angles		
WIOI	туре	Ullalli	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
3	BEF	В	615	-	0,3,3	-	-	-		
3	BEF	А	611	1	0,3,3	-	-	-		
3	BEF	А	602	1	0,3,3	-	-	-		
6	FMT	А	610	-	2,2,2	0.64	0	$1,\!1,\!1$	0.50	0
6	FMT	В	611	-	2,2,2	0.65	0	$1,\!1,\!1$	0.56	0
6	FMT	С	609	-	2,2,2	0.67	0	$1,\!1,\!1$	0.53	0
3	BEF	D	610	-	0,3,3	-	-	-		
3	BEF	В	602	1	0,3,3	-	-	-		
5	GOL	С	606	-	$5,\!5,\!5$	0.75	0	$5,\!5,\!5$	0.80	0
5	GOL	С	607	-	$5,\!5,\!5$	0.84	0	$5,\!5,\!5$	0.84	0
5	GOL	В	607	-	$5,\!5,\!5$	1.33	1 (20%)	$5,\!5,\!5$	0.61	0
3	BEF	D	602	1	0,3,3	-	-	-		
5	GOL	А	605	-	$5,\!5,\!5$	1.01	0	$5,\!5,\!5$	0.86	0
6	FMT	D	607	-	2,2,2	0.61	0	$1,\!1,\!1$	0.43	0
6	FMT	В	614	-	2,2,2	0.72	0	$1,\!1,\!1$	0.48	0
6	FMT	А	608	-	2,2,2	0.67	0	$1,\!1,\!1$	0.36	0
3	BEF	С	602	1	0,3,3	-	-	-		
6	FMT	С	608	-	$2,\!2,\!2$	0.75	0	$1,\!1,\!1$	0.51	0
5	GOL	D	604	-	$5,\!5,\!5$	0.52	0	5,5,5	1.05	0
6	FMT	D	605	-	$2,\!2,\!2$	0.62	0	$1,\!1,\!1$	0.29	0
6	FMT	D	606	-	$2,\!2,\!2$	0.68	0	$1,\!1,\!1$	0.54	0
6	FMT	В	610	-	2,2,2	0.59	0	$1,\!1,\!1$	0.50	0
5	GOL	С	605	-	$5,\!5,\!5$	1.04	0	$5,\!5,\!5$	1.00	0
6	FMT	В	612	-	2,2,2	0.80	0	1,1,1	0.18	0
5	GOL	В	608	-	$5,\!5,\!5$	0.94	0	$5,\!5,\!5$	0.97	0
3	BEF	С	610	1	0,3,3	-	-	-		
5	GOL	A	607	-	5,5,5	0.25	0	$5,\!5,\!5$	0.60	0
5	GOL	В	605	-	5,5,5	0.58	0	$5,\!5,\!5$	0.78	0
6	FMT	В	613	-	2,2,2	0.59	0	$1,\!1,\!1$	0.42	0
6	FMT	В	609		2,2,2	0.71	0	1,1,1	0.36	0
5	GOL	В	606	_	5,5,5	0.93	0	$5,\!5,\!5$	0.84	0
5	GOL	В	604	-	$5,\!5,\!5$	1.14	0	$5,\!5,\!5$	0.68	0



Mal	Turne	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Chain	Dec	s Link	Bond lengths			Bond angles		
WIOI	туре	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2												
6	FMT	D	608	-	2,2,2	0.47	0	$1,\!1,\!1$	0.50	0												
6	FMT	А	609	-	2,2,2	0.61	0	$1,\!1,\!1$	0.54	0												
5	GOL	А	606	-	$5,\!5,\!5$	0.63	0	$5,\!5,\!5$	1.04	0												
6	FMT	D	609	-	2,2,2	0.64	0	1,1,1	0.52	0												

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	D	604	-	-	0/4/4/4	-
5	GOL	А	607	-	-	4/4/4/4	-
5	GOL	В	605	-	-	2/4/4/4	-
5	GOL	С	605	-	-	2/4/4/4	-
5	GOL	А	605	-	-	0/4/4/4	-
5	GOL	В	606	-	-	0/4/4/4	-
5	GOL	В	604	-	-	1/4/4/4	-
5	GOL	С	607	-	-	2/4/4/4	-
5	GOL	С	606	-	-	2/4/4/4	-
5	GOL	В	608	-	-	2/4/4/4	-
5	GOL	А	606	-	-	0/4/4/4	-
5	GOL	В	607	-	-	2/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
5	В	607	GOL	O2-C2	-2.78	1.35	1.43

There are no bond angle outliers.

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	В	607	GOL	O1-C1-C2-C3
5	С	606	GOL	O2-C2-C3-O3
5	А	607	GOL	O2-C2-C3-O3
5	С	607	GOL	O2-C2-C3-O3
5	А	607	GOL	C1-C2-C3-O3



Mol	Chain	Res	Type	Atoms
5	В	604	GOL	O1-C1-C2-C3
5	В	608	GOL	O1-C1-C2-C3
5	С	605	GOL	O1-C1-C2-C3
5	С	606	GOL	C1-C2-C3-O3
5	С	607	GOL	C1-C2-C3-O3
5	В	608	GOL	O1-C1-C2-O2
5	В	607	GOL	O1-C1-C2-O2
5	С	605	GOL	O1-C1-C2-O2
5	В	605	GOL	O1-C1-C2-O2
5	А	607	GOL	O1-C1-C2-O2
5	В	605	GOL	O1-C1-C2-C3
5	A	607	GOL	O1-C1-C2-C3

Continued from previous page...

There are no ring outliers.

7 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	С	607	GOL	1	0
5	В	607	GOL	2	0
5	В	608	GOL	1	0
5	В	605	GOL	1	0
6	В	613	FMT	1	0
5	В	606	GOL	2	0
5	В	604	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	# RSRZ > 2	$OWAB(Å^2)$	Q<0.9
1	А	495/523~(94%)	0.03	13 (2%) 56 59	32, 52, 88, 118	0
1	В	487/523~(93%)	-0.06	9 (1%) 68 71	27, 44, 91, 132	0
1	С	495/523~(94%)	0.04	11 (2%) 62 65	38, 56, 90, 128	0
1	D	484/523~(92%)	0.08	17 (3%) 44 47	34, 53, 103, 140	0
All	All	1961/2092~(93%)	0.03	50 (2%) 57 60	27, 52, 93, 140	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	295	LEU	5.3
1	D	295	LEU	4.9
1	С	64	ILE	4.3
1	С	433[A]	THR	4.2
1	С	176[A]	ARG	3.9
1	D	336[A]	PHE	3.8
1	С	336[A]	PHE	3.7
1	D	144[A]	LEU	3.6
1	D	141[A]	PHE	3.5
1	С	432[A]	SER	3.5
1	В	307	LEU	3.5
1	А	333[A]	GLU	3.4
1	А	434[A]	ASN	3.4
1	В	431	ARG	3.3
1	А	433[A]	THR	3.1
1	А	431[A]	ARG	3.0
1	D	296	TRP	3.0
1	В	468	LEU	3.0
1	D	181	LEU	2.9
1	D	292	PHE	2.8
1	А	428	ILE	2.8



Mol	Chain	Res	Type	RSRZ
1	А	432[A]	SER	2.8
1	А	468	LEU	2.8
1	С	434[A]	ASN	2.7
1	В	296	TRP	2.7
1	D	176	ARG	2.7
1	В	430	ASP	2.6
1	А	332[A]	TYR	2.6
1	D	288	ILE	2.5
1	С	435[A]	THR	2.4
1	D	143[A]	GLN	2.4
1	В	332	TYR	2.4
1	С	175[A]	ASP	2.4
1	D	147[A]	GLN	2.4
1	D	431	ARG	2.3
1	А	336[A]	PHE	2.3
1	D	180	GLU	2.3
1	С	431[A]	ARG	2.3
1	С	146[A]	THR	2.2
1	В	292	PHE	2.2
1	А	176[A]	ARG	2.2
1	D	173	GLN	2.2
1	D	146[A]	THR	2.1
1	А	207	LYS	2.1
1	С	323	HIS	2.1
1	D	335	LYS	2.1
1	А	174[A]	ALA	2.1
1	А	323	HIS	2.1
1	В	288	ILE	2.0
1	D	359	PHE	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
3	BEF	D	610	4/4	0.26	0.29	94,95,97,102	0
3	BEF	В	615	4/4	0.69	0.21	84,88,89,92	0
6	FMT	D	607	3/3	0.72	0.48	102,102,103,123	0
6	FMT	А	610	3/3	0.73	0.25	98,99,99,119	0
5	GOL	В	607	6/6	0.74	0.24	79,95,114,114	0
6	FMT	D	608	3/3	0.74	0.19	105,106,106,126	0
2	MG	С	612	1/1	0.75	0.17	117,117,117,117	0
6	FMT	С	608	3/3	0.77	0.18	98,99,100,118	0
5	GOL	В	608	6/6	0.78	0.24	105,126,132,132	0
5	GOL	В	606	6/6	0.79	0.18	85,102,117,117	0
6	FMT	А	609	3/3	0.79	0.22	98,99,101,119	0
5	GOL	В	604	6/6	0.79	0.22	49,71,82,85	0
3	BEF	А	611	4/4	0.82	0.11	$53,\!53,\!56,\!58$	0
2	MG	С	611	1/1	0.82	0.10	89,89,89,89	0
7	CL	A	613	1/1	0.82	0.21	116,116,116,116	0
5	GOL	D	604	6/6	0.83	0.15	$71,\!88,\!105,\!105$	0
6	FMT	В	611	3/3	0.83	0.22	109,109,112,131	0
6	FMT	D	609	3/3	0.83	0.14	99,100,101,119	0
5	GOL	С	606	6/6	0.83	0.19	79,95,100,106	0
6	FMT	В	612	3/3	0.84	0.16	$67,\!68,\!72,\!87$	0
6	FMT	A	608	3/3	0.84	0.09	$53,\!56,\!59,\!71$	0
6	FMT	В	609	3/3	0.85	0.14	$57,\!65,\!66,\!79$	0
5	GOL	С	607	6/6	0.85	0.15	91,109,124,124	0
7	CL	С	613	1/1	0.85	0.21	110,110,110,110	0
6	FMT	С	609	3/3	0.86	0.12	$78,\!79,\!79,\!95$	0
2	MG	В	617	1/1	0.87	0.28	$63,\!63,\!63,\!63$	0
5	GOL	А	605	6/6	0.88	0.14	$64,\!77,\!86,\!89$	0
2	MG	А	612	1/1	0.88	0.07	101,101,101,101	0
4	ZN	С	604	1/1	0.88	0.11	$55,\!55,\!55,\!55$	1
6	FMT	В	613	3/3	0.90	0.23	$97,\!99,\!102,\!119$	0
3	BEF	C	602	4/4	0.90	0.08	48,50,51,51	0
5	GOL	A	607	$6\overline{6}$	0.90	0.19	$72,\!86,\!\overline{94,\!101}$	0
3	BEF	C	610	4/4	0.90	0.12	$53,\!56,\!56,\!59$	0
6	FMT	D	606	3/3	0.91	0.18	$65,\!67,\!67,\!81$	0
6	FMT	В	610	3/3	0.91	0.13	98,99,101,118	0
5	GOL	B	605	6/6	0.91	0.23	$82,\!98,\!\overline{105,\!107}$	0
2	MG	B	616	1/1	0.92	0.06	66,66,66,66	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	С	601	1/1	0.92	0.06	$52,\!52,\!52,\!52$	0
6	FMT	D	605	3/3	0.92	0.09	66,66,66,79	0
3	BEF	D	602	4/4	0.93	0.08	33,37,38,40	0
2	MG	D	611	1/1	0.93	0.10	64,64,64,64	0
6	FMT	В	614	3/3	0.94	0.24	100,101,101,121	0
3	BEF	А	602	4/4	0.94	0.10	34,36,37,39	0
2	MG	D	601	1/1	0.95	0.05	44,44,44,44	0
2	MG	В	601	1/1	0.95	0.10	40,40,40,40	0
5	GOL	С	605	6/6	0.96	0.21	64,77,86,87	0
2	MG	D	612	1/1	0.96	0.22	83,83,83,83	0
4	ZN	D	603	1/1	0.97	0.10	41,41,41,41	1
3	BEF	В	602	4/4	0.97	0.07	28,30,32,32	0
2	MG	А	601	1/1	0.98	0.09	43,43,43,43	0
5	GOL	А	606	6/6	0.98	0.16	$55,\!66,\!72,\!73$	0
4	ZN	А	604	1/1	0.98	0.11	46,46,46,46	1
4	ZN	В	603	1/1	0.99	0.12	$3\overline{6},\!36,\!36,\!36$	1
4	ZN	C	603	1/1	0.99	0.12	45,45,45,45	1
4	ZN	A	603	1/1	1.00	0.14	47,47,47,47	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





































































































6.5 Other polymers (i)

There are no such residues in this entry.

