



Full wwPDB EM Validation Report ⓘ

Apr 11, 2022 – 04:39 pm BST

PDB ID : 7PWG
EMDB ID : EMD-13681
Title : Cryo-EM structure of large subunit of Giardia lamblia ribosome at 2.7 Å resolution
Authors : Hiregange, D.G.; Rivalta, A.; Bose, T.; Breiner-Goldstein, E.; Samiya, S.; Cimicata, G.; Kulakova, L.; Zimmerman, E.; Bashan, A.; Herzberg, O.; Yonath, A.
Deposited on : 2021-10-06
Resolution : 2.75 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.0.dev97
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2707	
2	3	120	
3	4	139	
4	A	251	
5	B	379	
6	C	316	
7	D	297	
8	F	235	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	G	225	29% 75% 6% 19%
10	H	185	41% 96% ..
11	I	210	37% 92% . 5%
12	J	173	72% 88% 6% . 5%
13	L	234	17% 79% . 19%
14	M	131	39% 92% 5% .
15	N	204	. 97% .
16	O	197	23% 96% ..
17	P	164	16% 88% 5% 6%
18	Q	179	18% 98% ..
19	R	196	35% 85% 5% 10%
20	S	173	19% 95% 5%
21	T	159	18% 92% . .
22	U	171	46% 53% . 43%
23	V	142	26% 93% 5% .
24	X	141	16% 77% 5% 18%
25	Y	135	27% 93% 5% .
26	Z	135	72% 88% 7% .
27	a	149	10% 93% 6% .
28	b	62	15% 84% 6% 10%
29	c	109	62% 83% 9% 7%
30	d	106	20% 84% 5% 11%
31	e	136	22% 87% 6% 7%
32	f	123	29% 94% 6%
33	g	120	11% 78% . 18%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	h	124	
35	i	90	
36	j	89	
37	k	77	
38	l	51	
39	m	127	
40	o	106	
41	p	94	
42	w	76	
43	W	102	
44	E	3	

2 Entry composition [i](#)

There are 48 unique types of molecules in this entry. The entry contains 109151 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called rRNA 28S.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	1	2450	52618	23393	9753	17022	2450	0	0

- Molecule 2 is a RNA chain called rRNA 5S.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	3	117	2501	1116	458	810	117	0	0

- Molecule 3 is a RNA chain called rRNA 5.8S.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	4	138	2958	1315	553	952	138	0	0

- Molecule 4 is a protein called Ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	A	249	1865	1152	382	319	12	0	0

- Molecule 5 is a protein called Ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	B	378	2987	1886	566	514	21	0	0

- Molecule 6 is a protein called Ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	C	314	2446	1539	474	424	9	0	0

- Molecule 7 is a protein called Ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	D	266	2118	1342	392	376	8	0	0

- Molecule 8 is a protein called Ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	F	214	1730	1100	315	310	5	0	0

- Molecule 9 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	G	182	1450	923	264	257	6	0	0

- Molecule 10 is a protein called Ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	H	184	1442	912	263	257	10	0	0

- Molecule 11 is a protein called Ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	I	200	1621	1019	321	273	8	0	0

- Molecule 12 is a protein called Ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	J	164	1305	821	246	233	5	0	0

- Molecule 13 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	L	189	1512	942	309	255	6	0	0

- Molecule 14 is a protein called Ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	M	128	990	626	178	181	5	0	0

- Molecule 15 is a protein called Ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	N	204	1712	1083	358	265	6	0	0

- Molecule 16 is a protein called Ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	O	195	1587	997	310	267	13	0	0

- Molecule 17 is a protein called Ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	P	154	1235	781	239	211	4	0	0

- Molecule 18 is a protein called Ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	Q	178	1402	871	279	243	9	0	0

- Molecule 19 is a protein called Ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	R	177	1463	902	313	243	5	0	0

- Molecule 20 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	S	173	1418	895	274	240	9	0	0

- Molecule 21 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	T	153	1226	766	252	201	7	0	0

- Molecule 22 is a protein called Ribosomal protein eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	U	98	802	513	138	149	2	0	0

- Molecule 23 is a protein called Ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	V	139	1057	665	204	183	5	0	0

- Molecule 24 is a protein called Ribosomal protein L23A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	X	116	936	601	169	163	3	0	0

- Molecule 25 is a protein called Ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Y	133	1076	665	219	184	8	0	0

- Molecule 26 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	Z	129	980	623	179	173	5	0	0

- Molecule 27 is a protein called Ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	a	148	1201	759	240	199	3	0	0

- Molecule 28 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	b	56	Total	C	N	O	S	0	0
			463	280	104	77	2		

- Molecule 29 is a protein called Ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	c	101	Total	C	N	O	S	0	0
			756	475	133	144	4		

- Molecule 30 is a protein called Ribosomal protein L31B.

Mol	Chain	Residues	Atoms				AltConf	Trace
30	d	94	Total	C	N	O	0	0
			748	479	148	121		

- Molecule 31 is a protein called Ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	e	126	Total	C	N	O	S	0	0
			1039	661	207	165	6		

- Molecule 32 is a protein called Ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	f	123	Total	C	N	O	S	0	0
			974	619	180	171	4		

- Molecule 33 is a protein called Ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	g	99	Total	C	N	O	S	0	0
			798	493	167	134	4		

- Molecule 34 is a protein called Ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	h	116	Total	C	N	O	S	0	0
			926	589	178	154	5		

- Molecule 35 is a protein called Ribosomal protein L36-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	i	85	Total	C	N	O	S	0	0
			691	438	138	111	4		

- Molecule 36 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	j	87	Total	C	N	O	S	0	0
			692	423	146	116	7		

- Molecule 37 is a protein called Ribosomal L38e.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	k	66	Total	C	N	O	S	0	0
			500	317	85	94	4		

- Molecule 38 is a protein called Ribosomal protein L39.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	l	50	Total	C	N	O	0	0
			434	278	91	65		

- Molecule 39 is a protein called Ubiquitin/Ribosomal protein L40e.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	m	51	Total	C	N	O	S	0	0
			421	257	88	69	7		

- Molecule 40 is a protein called Ribosomal protein L44.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	94	Total	C	N	O	S	0	0
			762	474	157	126	5		

- Molecule 41 is a protein called Ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	91	Total	C	N	O	S	0	0
			708	436	144	122	6		

- Molecule 42 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
42	w	14	299	133	56	96	14	0	0

- Molecule 43 is a protein called Ribosomal protein L24A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	W	65	540	343	110	85	2	0	0

- Molecule 44 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
44	E	3	62	28	11	20	3	0	0


- Molecule 45 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
45	1	99	Total 99	Mg 99	0
45	4	5	Total 5	Mg 5	0
45	C	1	Total 1	Mg 1	0
45	F	1	Total 1	Mg 1	0
45	I	1	Total 1	Mg 1	0
45	P	1	Total 1	Mg 1	0
45	V	1	Total 1	Mg 1	0
45	a	1	Total 1	Mg 1	0
45	b	1	Total 1	Mg 1	0
45	o	1	Total 1	Mg 1	0

- Molecule 46 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	AltConf
46	1	163	Total K 163 163	0
46	3	1	Total K 1 1	0
46	A	3	Total K 3 3	0
46	B	3	Total K 3 3	0
46	C	2	Total K 2 2	0
46	I	1	Total K 1 1	0
46	L	1	Total K 1 1	0
46	N	2	Total K 2 2	0
46	V	1	Total K 1 1	0
46	a	1	Total K 1 1	0
46	e	1	Total K 1 1	0
46	j	1	Total K 1 1	0
46	o	1	Total K 1 1	0

- Molecule 47 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			AltConf
47	1	1	Total	C	O	0
			10	6	4	

- Molecule 48 is water.

Mol	Chain	Residues	Atoms		AltConf
48	1	3220	Total	O	0
			3220	3220	
48	3	71	Total	O	0
			71	71	
48	4	132	Total	O	0
			132	132	
48	A	54	Total	O	0
			54	54	
48	B	67	Total	O	0
			67	67	
48	C	57	Total	O	0
			57	57	
48	D	30	Total	O	0
			30	30	
48	F	23	Total	O	0
			23	23	
48	G	27	Total	O	0
			27	27	
48	H	15	Total	O	0
			15	15	
48	I	31	Total	O	0
			31	31	
48	J	19	Total	O	0
			19	19	
48	L	42	Total	O	0
			42	42	
48	M	7	Total	O	0
			7	7	
48	N	65	Total	O	0
			65	65	
48	O	35	Total	O	0
			35	35	
48	P	25	Total	O	0
			25	25	
48	Q	35	Total	O	0
			35	35	
48	R	19	Total	O	0
			19	19	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
48	S	27	Total 27	O 27	0
48	T	38	Total 38	O 38	0
48	U	9	Total 9	O 9	0
48	V	12	Total 12	O 12	0
48	X	30	Total 30	O 30	0
48	Y	18	Total 18	O 18	0
48	Z	23	Total 23	O 23	0
48	a	41	Total 41	O 41	0
48	b	19	Total 19	O 19	0
48	c	3	Total 3	O 3	0
48	d	12	Total 12	O 12	0
48	e	28	Total 28	O 28	0
48	f	15	Total 15	O 15	0
48	g	27	Total 27	O 27	0
48	h	14	Total 14	O 14	0
48	i	15	Total 15	O 15	0
48	j	28	Total 28	O 28	0
48	k	4	Total 4	O 4	0
48	l	7	Total 7	O 7	0
48	m	4	Total 4	O 4	0
48	o	15	Total 15	O 15	0

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
48	p	15	Total 15	O 15	0
48	w	6	Total 6	O 6	0
48	W	12	Total 12	O 12	0
48	E	1	Total 1	O 1	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: rRNA 28S







• Molecule 2: rRNA 5S







• Molecule 3: rRNA 5.8S




• Molecule 4: Ribosomal protein L2




• Molecule 5: Ribosomal protein L3






• Molecule 6: Ribosomal protein L4






• Molecule 7: Ribosomal protein L5






- Molecule 11: Ribosomal protein L10





- Molecule 12: Ribosomal protein L11




- Molecule 13: 60S ribosomal protein L13




- Molecule 14: Ribosomal protein L14








- Molecule 15: Ribosomal protein L15




- Molecule 16: Ribosomal protein L13a





- Molecule 17: Ribosomal protein L17




- Molecule 18: Ribosomal protein L18




- Molecule 19: Ribosomal protein L19




- Molecule 20: 60S ribosomal protein L18a




- Molecule 21: Ribosomal protein L21




- Molecule 22: Ribosomal protein eL22




- Molecule 23: Ribosomal protein L23




- Molecule 24: Ribosomal protein L23A





- Molecule 25: Ribosomal protein L26








• Molecule 26: 60S ribosomal protein L27





• Molecule 27: Ribosomal protein L27a




• Molecule 28: 60S ribosomal protein L29




• Molecule 29: Ribosomal protein L30





• Molecule 30: Ribosomal protein L31B









- Molecule 31: Ribosomal protein L32





- Molecule 32: Ribosomal protein L35a





- Molecule 33: Ribosomal protein L34





- Molecule 34: Ribosomal protein L29





- Molecule 35: Ribosomal protein L36-1





- Molecule 36: Ribosomal protein L37




• Molecule 37: Ribosomal L38e





• Molecule 38: Ribosomal protein L39





• Molecule 39: Ubiquitin/Ribosomal protein L40e




• Molecule 40: Ribosomal protein L44




• Molecule 41: Ribosomal protein L37a




• Molecule 42: E-site tRNA



• Molecule 43: Ribosomal protein L24A



• Molecule 44: P-site tRNA



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	91058	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.0	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.246	Depositor
Minimum map value	-0.108	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.034	Depositor
Map size (Å)	374.0, 374.0, 374.0	wwPDB
Map dimensions	440, 440, 440	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: OMU, A2M, 5MC, PGE, OMG, OMC, K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	1.13	5/58200 (0.0%)	1.13	189/90778 (0.2%)
2	3	0.92	0/2797	1.00	3/4359 (0.1%)
3	4	1.08	0/3277	1.06	5/5109 (0.1%)
4	A	0.42	0/1898	0.58	0/2551
5	B	0.44	0/3058	0.55	0/4129
6	C	0.44	0/2498	0.56	0/3388
7	D	0.41	0/2160	0.53	0/2903
8	F	0.45	0/1760	0.54	0/2374
9	G	0.43	0/1476	0.52	0/1994
10	H	0.37	0/1469	0.53	0/1985
11	I	0.38	0/1657	0.52	1/2219 (0.0%)
12	J	0.36	0/1325	0.52	1/1776 (0.1%)
13	L	0.43	0/1533	0.53	0/2052
14	M	0.38	0/1002	0.51	0/1349
15	N	0.51	0/1755	0.61	0/2353
16	O	0.45	0/1618	0.51	0/2169
17	P	0.44	0/1261	0.56	0/1688
18	Q	0.39	0/1425	0.55	0/1907
19	R	0.36	0/1478	0.49	0/1954
20	S	0.45	0/1452	0.51	0/1955
21	T	0.43	0/1251	0.54	0/1682
22	U	0.41	0/818	0.50	0/1101
23	V	0.39	0/1077	0.55	0/1451
24	X	0.41	0/956	0.56	0/1293
25	Y	0.41	0/1091	0.51	0/1454
26	Z	0.38	0/997	0.52	0/1352
27	a	0.47	0/1231	0.60	0/1647
28	b	0.40	0/471	0.50	0/624
29	c	0.34	0/764	0.50	0/1033
30	d	0.46	1/760 (0.1%)	0.52	0/1022
31	e	0.44	0/1063	0.53	0/1418
32	f	0.45	0/994	0.55	0/1338

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	g	0.40	0/813	0.56	0/1092
34	h	0.39	0/936	0.52	0/1247
35	i	0.40	0/700	0.50	0/927
36	j	0.46	0/708	0.57	0/941
37	k	0.36	0/503	0.47	0/675
38	l	0.37	0/445	0.54	0/594
39	m	0.39	0/426	0.54	0/568
40	o	0.43	0/773	0.56	0/1023
41	p	0.56	1/717 (0.1%)	0.72	3/956 (0.3%)
42	w	0.97	1/332 (0.3%)	1.02	1/511 (0.2%)
43	W	0.43	0/551	0.50	0/738
44	E	0.56	0/68	1.00	0/103
All	All	0.89	8/111544 (0.0%)	0.94	203/163782 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	A	0	1
7	D	0	1
All	All	0	2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
42	w	1	A	OP3-P	-10.35	1.48	1.61
41	p	39	CYS	CB-SG	6.75	1.93	1.82
1	1	406	G	C8-N7	-5.72	1.27	1.30
1	1	2236	G	C8-N7	-5.70	1.27	1.30
30	d	46	LEU	C-N	-5.56	1.21	1.34
1	1	1238	A	N3-C4	-5.20	1.31	1.34
1	1	1674	G	C8-N7	-5.12	1.27	1.30
1	1	645	G	C8-N7	-5.11	1.27	1.30

All (203) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	2156	G	P-O3'-C3'	-9.42	108.39	119.70
1	1	1849	C	C6-N1-C2	-9.38	116.55	120.30
1	1	2496	A	C5-N7-C8	-9.15	99.32	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	2154	C	P-O3'-C3'	-8.88	109.05	119.70
1	1	1813	G	P-O3'-C3'	-8.68	109.28	119.70
1	1	355	G	O4'-C1'-N9	8.58	115.06	108.20
1	1	2295	U	N3-C2-O2	-8.49	116.26	122.20
1	1	2496	A	N7-C8-N9	8.46	118.03	113.80
1	1	2152	U	P-O3'-C3'	-8.22	109.83	119.70
1	1	2149	C	N3-C2-O2	-8.12	116.22	121.90
1	1	2212	G	P-O3'-C3'	-8.11	109.97	119.70
1	1	2298	C	P-O3'-C3'	-8.05	110.03	119.70
1	1	2213	G	P-O3'-C3'	-7.93	110.18	119.70
1	1	1849	C	N3-C2-O2	-7.92	116.35	121.90
1	1	2149	C	C6-N1-C2	-7.78	117.19	120.30
1	1	2230	A	P-O3'-C3'	-7.72	110.43	119.70
41	p	60	CYS	CA-CB-SG	7.69	127.84	114.00
1	1	429	G	C5-N7-C8	-7.69	100.46	104.30
1	1	2211	C	P-O3'-C3'	-7.67	110.50	119.70
1	1	429	G	N7-C8-N9	7.60	116.90	113.10
1	1	300	C	C6-N1-C2	-7.60	117.26	120.30
1	1	1814	A	P-O3'-C3'	-7.59	110.59	119.70
1	1	2059	C	C2-N1-C1'	7.47	127.01	118.80
1	1	300	C	N3-C2-O2	-7.45	116.68	121.90
3	4	98	C	N3-C2-O2	-7.44	116.69	121.90
1	1	2155	C	P-O3'-C3'	-7.42	110.80	119.70
1	1	2157	G	P-O3'-C3'	-7.37	110.86	119.70
1	1	2009	C	C6-N1-C2	-7.32	117.37	120.30
1	1	1812	G	P-O3'-C3'	-7.27	110.98	119.70
1	1	2040	U	N3-C2-O2	-7.23	117.14	122.20
1	1	1871	C	C6-N1-C2	-7.22	117.41	120.30
1	1	2580	C	N3-C2-O2	-7.18	116.87	121.90
1	1	2214	A	P-O3'-C3'	-7.10	111.18	119.70
1	1	2575	C	C2-N1-C1'	7.05	126.56	118.80
1	1	2504	C	N3-C2-O2	-6.99	117.00	121.90
1	1	907	C	C6-N1-C2	-6.99	117.50	120.30
1	1	37	U	P-O3'-C3'	-6.98	111.32	119.70
1	1	1882	OMG	P-O3'-C3'	-6.95	111.36	119.70
1	1	907	C	N3-C2-O2	-6.94	117.04	121.90
1	1	1483	G	P-O3'-C3'	-6.92	111.39	119.70
1	1	2231	C	P-O3'-C3'	-6.85	111.48	119.70
1	1	1485	C	P-O3'-C3'	-6.83	111.51	119.70
1	1	2153	G	P-O3'-C3'	-6.80	111.54	119.70
1	1	2299	G	P-O3'-C3'	-6.80	111.55	119.70
1	1	2040	U	N1-C2-N3	6.73	118.94	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	2215	G	P-O3'-C3'	-6.71	111.65	119.70
1	1	2295	U	N1-C2-O2	6.67	127.47	122.80
1	1	2543	C	C5-C6-N1	6.65	124.33	121.00
1	1	300	C	C2-N1-C1'	6.64	126.11	118.80
1	1	1486	U	P-O3'-C3'	-6.61	111.77	119.70
1	1	2293	G	O5'-P-OP2	-6.60	99.76	105.70
1	1	1484	A	P-O3'-C3'	-6.60	111.78	119.70
1	1	2059	C	N1-C2-O2	6.59	122.85	118.90
1	1	156	G	O4'-C1'-N9	6.57	113.46	108.20
1	1	2628	C	N3-C2-O2	-6.56	117.31	121.90
1	1	1871	C	C2-N1-C1'	6.55	126.00	118.80
1	1	551	G	O4'-C1'-N9	6.54	113.43	108.20
1	1	1809	C	P-O3'-C3'	-6.54	111.85	119.70
2	3	77	U	N3-C2-O2	-6.52	117.64	122.20
1	1	185	C	C6-N1-C2	-6.50	117.70	120.30
1	1	611	G	N3-C4-N9	6.50	129.90	126.00
1	1	2268	C	N3-C2-O2	-6.49	117.36	121.90
1	1	300	C	N1-C2-O2	6.47	122.78	118.90
1	1	886	C	C6-N1-C2	-6.47	117.71	120.30
1	1	2018	C	N3-C2-O2	-6.47	117.37	121.90
1	1	2580	C	C6-N1-C2	-6.34	117.76	120.30
2	3	94	U	N3-C2-O2	-6.30	117.79	122.20
1	1	2596	C	C2-N1-C1'	6.27	125.70	118.80
1	1	1871	C	N3-C2-O2	-6.27	117.51	121.90
1	1	353	C	C6-N1-C2	-6.23	117.81	120.30
1	1	2232	C	P-O3'-C3'	-6.23	112.23	119.70
1	1	2496	A	C4-C5-N7	6.22	113.81	110.70
1	1	256	C	O5'-P-OP2	-6.21	100.11	105.70
41	p	39	CYS	CA-CB-SG	6.21	125.17	114.00
1	1	112	C	C2-N1-C1'	6.18	125.60	118.80
1	1	301	C	C5-C6-N1	-6.17	117.92	121.00
1	1	638	U	C2-N1-C1'	6.13	125.06	117.70
1	1	907	C	N1-C2-O2	6.11	122.57	118.90
1	1	864	C	C2-N1-C1'	6.09	125.50	118.80
1	1	2234	C	P-O3'-C3'	-6.09	112.39	119.70
1	1	2628	C	N1-C2-O2	6.09	122.55	118.90
42	w	75	C	N3-C2-O2	-6.08	117.64	121.90
1	1	2528	C	N3-C2-O2	-6.06	117.66	121.90
1	1	589	C	P-O3'-C3'	6.05	126.96	119.70
1	1	429	G	C4-C5-N7	6.04	113.21	110.80
1	1	2210	G	P-O3'-C3'	-6.02	112.48	119.70
1	1	35	C	P-O3'-C3'	-6.01	112.49	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	376	C	C2-N1-C1'	6.00	125.40	118.80
1	1	1760	G	O4'-C1'-N9	5.99	112.99	108.20
1	1	2050	C	C6-N1-C2	-5.98	117.91	120.30
1	1	1602	C	C6-N1-C2	-5.97	117.91	120.30
3	4	99	C	C2-N1-C1'	5.97	125.37	118.80
1	1	1179	C	C2-N1-C1'	5.97	125.37	118.80
1	1	1489	G	P-O3'-C3'	-5.95	112.56	119.70
1	1	2581	C	O4'-C1'-N1	5.93	112.94	108.20
1	1	2535	U	N3-C2-O2	-5.92	118.06	122.20
1	1	186	A	O4'-C1'-N9	5.91	112.93	108.20
1	1	2240	U	N3-C2-O2	-5.90	118.07	122.20
1	1	2628	C	C2-N1-C1'	5.89	125.28	118.80
1	1	2465	G	O4'-C1'-N9	5.87	112.89	108.20
1	1	2300	G	P-O3'-C3'	-5.86	112.67	119.70
1	1	2596	C	C5-C6-N1	5.85	123.92	121.00
1	1	186	A	C2-N3-C4	-5.83	107.69	110.60
1	1	2543	C	C6-N1-C2	-5.83	117.97	120.30
1	1	1277	A	O4'-C1'-N9	5.82	112.86	108.20
1	1	2596	C	O4'-C1'-N1	5.81	112.85	108.20
1	1	611	G	N3-C4-C5	-5.79	125.71	128.60
3	4	98	C	C2-N1-C1'	5.78	125.16	118.80
1	1	383	C	C6-N1-C2	-5.77	117.99	120.30
1	1	1238	A	N1-C2-N3	5.75	132.17	129.30
1	1	2151	G	P-O3'-C3'	-5.74	112.81	119.70
1	1	1238	A	C2-N3-C4	-5.70	107.75	110.60
1	1	632	G	P-O3'-C3'	5.66	126.49	119.70
1	1	2018	C	N1-C2-O2	5.65	122.29	118.90
1	1	1257	C	C6-N1-C2	-5.61	118.06	120.30
1	1	429	G	C8-N9-C4	-5.60	104.16	106.40
1	1	859	A	N1-C6-N6	-5.60	115.24	118.60
1	1	376	C	C6-N1-C2	-5.59	118.06	120.30
1	1	41	C	C6-N1-C2	-5.59	118.06	120.30
1	1	864	C	N1-C2-O2	5.59	122.25	118.90
1	1	2289	C	C6-N1-C2	-5.59	118.06	120.30
2	3	29	C	C6-N1-C2	-5.58	118.07	120.30
1	1	1322	C	C6-N1-C2	-5.58	118.07	120.30
1	1	2496	A	C8-N9-C4	-5.56	103.58	105.80
1	1	1223	C	C5-C4-N4	5.54	124.08	120.20
3	4	20	G	C5-C6-O6	5.53	131.92	128.60
1	1	1487	C	P-O3'-C3'	-5.53	113.07	119.70
1	1	1013	C	C6-N1-C2	-5.52	118.09	120.30
1	1	429	G	O4'-C1'-N9	5.51	112.61	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1163	G	O4'-C1'-N9	5.51	112.61	108.20
1	1	376	C	N1-C2-O2	5.49	122.19	118.90
1	1	1447	G	N1-C6-O6	-5.49	116.61	119.90
1	1	34	A	P-O3'-C3'	-5.48	113.13	119.70
1	1	849	G	N1-C6-O6	-5.48	116.61	119.90
1	1	36	U	P-O3'-C3'	-5.46	113.14	119.70
1	1	2546	C	C2-N1-C1'	5.46	124.80	118.80
1	1	1280	C	C6-N1-C2	-5.45	118.12	120.30
1	1	2293	G	N3-C4-C5	-5.45	125.88	128.60
1	1	515	G	P-O3'-C3'	5.44	126.23	119.70
1	1	2575	C	O4'-C1'-N1	5.44	112.55	108.20
1	1	684	G	N1-C6-O6	-5.44	116.64	119.90
1	1	1849	C	N1-C2-N3	5.42	122.99	119.20
1	1	675	C	C6-N1-C2	-5.41	118.14	120.30
41	p	42	CYS	CA-CB-SG	5.41	123.73	114.00
1	1	376	C	N3-C2-O2	-5.39	118.13	121.90
1	1	2628	C	C6-N1-C2	-5.38	118.15	120.30
1	1	1825	C	C6-N1-C2	-5.38	118.15	120.30
1	1	1280	C	C5-C6-N1	5.37	123.69	121.00
1	1	2301	C	P-O3'-C3'	-5.37	113.25	119.70
1	1	165	G	N3-C4-C5	5.37	131.28	128.60
1	1	2579	G	O4'-C1'-N9	5.37	112.49	108.20
1	1	545	G	P-O3'-C3'	5.33	126.10	119.70
1	1	2059	C	C6-N1-C1'	-5.33	114.41	120.80
1	1	763	C	C5-C6-N1	5.32	123.66	121.00
1	1	638	U	N3-C2-O2	-5.32	118.48	122.20
1	1	2550	C	N3-C2-O2	-5.30	118.19	121.90
3	4	99	C	N3-C2-O2	-5.29	118.19	121.90
1	1	1892	C	C6-N1-C2	-5.28	118.19	120.30
1	1	2129	G	C4-N9-C1'	5.28	133.36	126.50
1	1	824	G	C4-N9-C1'	5.27	133.35	126.50
1	1	301	C	C4-C5-C6	5.26	120.03	117.40
1	1	2544	A	C2-N3-C4	-5.25	107.97	110.60
1	1	1126	C	C6-N1-C2	-5.25	118.20	120.30
1	1	2504	C	C6-N1-C2	-5.24	118.20	120.30
1	1	2129	G	C8-N9-C1'	-5.23	120.20	127.00
1	1	112	C	N3-C2-O2	-5.23	118.24	121.90
1	1	90	C	N3-C2-O2	-5.23	118.24	121.90
1	1	545	G	O4'-C1'-N9	5.21	112.37	108.20
1	1	2268	C	C6-N1-C2	-5.20	118.22	120.30
1	1	1223	C	N3-C4-N4	-5.19	114.37	118.00
1	1	2303	C	P-O3'-C3'	-5.19	113.47	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	505	C	N3-C4-N4	-5.18	114.37	118.00
1	1	2019	C	C6-N1-C2	-5.18	118.23	120.30
1	1	477	C	N1-C2-O2	5.18	122.01	118.90
1	1	2059	C	N3-C2-O2	-5.15	118.29	121.90
1	1	2555	C	N3-C2-O2	-5.15	118.29	121.90
1	1	302	A	OP1-P-O3'	5.15	116.52	105.20
1	1	2399	U	O4'-C1'-N1	5.13	112.31	108.20
11	I	120	GLY	C-N-CA	5.13	134.53	121.70
1	1	1871	C	P-O3'-C3'	5.13	125.85	119.70
1	1	2040	U	C4-C5-C6	5.13	122.78	119.70
12	J	112	LEU	CA-CB-CG	5.12	127.08	115.30
1	1	1632	A	C8-N9-C4	-5.10	103.76	105.80
1	1	1674	G	N3-C4-N9	5.10	129.06	126.00
1	1	1864	G	C8-N9-C4	-5.10	104.36	106.40
1	1	596	G	O4'-C1'-N9	5.10	112.28	108.20
1	1	2488	G	O4'-C1'-N9	5.09	112.27	108.20
1	1	1599	G	C8-N9-C1'	-5.09	120.39	127.00
1	1	291	G	N1-C6-O6	-5.08	116.86	119.90
1	1	1238	A	C8-N9-C4	-5.08	103.77	105.80
1	1	1314	C	C6-N1-C2	-5.07	118.27	120.30
1	1	1879	C	P-O3'-C3'	-5.07	113.62	119.70
1	1	2249	U	O4'-C1'-N1	5.07	112.25	108.20
1	1	185	C	C2-N1-C1'	5.03	124.33	118.80
1	1	802	C	N1-C2-O2	5.02	121.91	118.90
1	1	1849	C	N3-C4-C5	-5.02	119.89	121.90
1	1	116	G	O4'-C1'-N9	5.01	112.21	108.20
1	1	1258	G	N3-C4-C5	-5.01	126.09	128.60
1	1	385	C	C6-N1-C2	-5.01	118.30	120.30
1	1	589	C	C6-N1-C2	-5.01	118.30	120.30
1	1	438	C	C6-N1-C2	-5.01	118.30	120.30
1	1	2149	C	N1-C2-N3	5.01	122.71	119.20
1	1	2150	C	C6-N1-C2	-5.00	118.30	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	A	13	GLY	Peptide
7	D	42	LYS	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	A	247/251 (98%)	236 (96%)	11 (4%)	0	100	100
5	B	376/379 (99%)	366 (97%)	10 (3%)	0	100	100
6	C	312/316 (99%)	290 (93%)	22 (7%)	0	100	100
7	D	264/297 (89%)	245 (93%)	19 (7%)	0	100	100
8	F	212/235 (90%)	208 (98%)	4 (2%)	0	100	100
9	G	178/225 (79%)	169 (95%)	9 (5%)	0	100	100
10	H	182/185 (98%)	173 (95%)	9 (5%)	0	100	100
11	I	196/210 (93%)	186 (95%)	10 (5%)	0	100	100
12	J	158/173 (91%)	145 (92%)	13 (8%)	0	100	100
13	L	185/234 (79%)	179 (97%)	6 (3%)	0	100	100
14	M	126/131 (96%)	121 (96%)	5 (4%)	0	100	100
15	N	202/204 (99%)	192 (95%)	10 (5%)	0	100	100
16	O	193/197 (98%)	188 (97%)	5 (3%)	0	100	100
17	P	152/164 (93%)	143 (94%)	9 (6%)	0	100	100
18	Q	176/179 (98%)	170 (97%)	6 (3%)	0	100	100
19	R	175/196 (89%)	170 (97%)	5 (3%)	0	100	100
20	S	171/173 (99%)	166 (97%)	5 (3%)	0	100	100
21	T	149/159 (94%)	145 (97%)	4 (3%)	0	100	100
22	U	96/171 (56%)	90 (94%)	6 (6%)	0	100	100
23	V	137/142 (96%)	131 (96%)	6 (4%)	0	100	100
24	X	114/141 (81%)	107 (94%)	7 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
25	Y	131/135 (97%)	126 (96%)	5 (4%)	0	100	100
26	Z	125/135 (93%)	113 (90%)	12 (10%)	0	100	100
27	a	146/149 (98%)	139 (95%)	7 (5%)	0	100	100
28	b	54/62 (87%)	54 (100%)	0	0	100	100
29	c	99/109 (91%)	95 (96%)	4 (4%)	0	100	100
30	d	90/106 (85%)	85 (94%)	5 (6%)	0	100	100
31	e	124/136 (91%)	117 (94%)	6 (5%)	1 (1%)	19	34
32	f	121/123 (98%)	117 (97%)	4 (3%)	0	100	100
33	g	97/120 (81%)	95 (98%)	2 (2%)	0	100	100
34	h	112/124 (90%)	109 (97%)	3 (3%)	0	100	100
35	i	81/90 (90%)	78 (96%)	3 (4%)	0	100	100
36	j	85/89 (96%)	82 (96%)	3 (4%)	0	100	100
37	k	62/77 (80%)	60 (97%)	2 (3%)	0	100	100
38	l	48/51 (94%)	45 (94%)	3 (6%)	0	100	100
39	m	49/127 (39%)	47 (96%)	2 (4%)	0	100	100
40	o	92/106 (87%)	90 (98%)	2 (2%)	0	100	100
41	p	89/94 (95%)	87 (98%)	2 (2%)	0	100	100
43	W	63/102 (62%)	61 (97%)	2 (3%)	0	100	100
All	All	5669/6297 (90%)	5420 (96%)	248 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
31	e	95	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	188/192 (98%)	185 (98%)	3 (2%)	62	77
5	B	312/313 (100%)	299 (96%)	13 (4%)	30	49
6	C	261/263 (99%)	245 (94%)	16 (6%)	18	33
7	D	211/242 (87%)	204 (97%)	7 (3%)	38	58
8	F	184/204 (90%)	174 (95%)	10 (5%)	22	38
9	G	160/198 (81%)	146 (91%)	14 (9%)	10	17
10	H	160/164 (98%)	154 (96%)	6 (4%)	33	53
11	I	166/177 (94%)	160 (96%)	6 (4%)	35	55
12	J	137/149 (92%)	125 (91%)	12 (9%)	10	17
13	L	159/197 (81%)	155 (98%)	4 (2%)	47	67
14	M	103/111 (93%)	96 (93%)	7 (7%)	16	28
15	N	174/175 (99%)	167 (96%)	7 (4%)	31	51
16	O	164/165 (99%)	159 (97%)	5 (3%)	41	61
17	P	130/139 (94%)	121 (93%)	9 (7%)	15	27
18	Q	154/155 (99%)	151 (98%)	3 (2%)	57	73
19	R	149/167 (89%)	139 (93%)	10 (7%)	16	28
20	S	147/154 (96%)	138 (94%)	9 (6%)	18	33
21	T	126/133 (95%)	120 (95%)	6 (5%)	25	44
22	U	85/153 (56%)	78 (92%)	7 (8%)	11	20
23	V	111/114 (97%)	104 (94%)	7 (6%)	18	31
24	X	104/123 (85%)	97 (93%)	7 (7%)	16	28
25	Y	114/115 (99%)	107 (94%)	7 (6%)	18	33
26	Z	101/119 (85%)	91 (90%)	10 (10%)	8	13
27	a	126/127 (99%)	117 (93%)	9 (7%)	14	26
28	b	51/57 (90%)	47 (92%)	4 (8%)	12	22
29	c	84/92 (91%)	74 (88%)	10 (12%)	5	8
30	d	77/92 (84%)	73 (95%)	4 (5%)	23	39
31	e	112/120 (93%)	105 (94%)	7 (6%)	18	31
32	f	102/103 (99%)	95 (93%)	7 (7%)	15	27
33	g	87/100 (87%)	82 (94%)	5 (6%)	20	36
34	h	98/107 (92%)	93 (95%)	5 (5%)	24	41
35	i	72/78 (92%)	67 (93%)	5 (7%)	15	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	j	70/74 (95%)	67 (96%)	3 (4%)	29	48
37	k	55/68 (81%)	49 (89%)	6 (11%)	6	10
38	l	46/48 (96%)	44 (96%)	2 (4%)	29	48
39	m	46/110 (42%)	46 (100%)	0	100	100
40	o	81/93 (87%)	76 (94%)	5 (6%)	18	32
41	p	71/73 (97%)	63 (89%)	8 (11%)	6	9
43	W	58/92 (63%)	56 (97%)	2 (3%)	37	58
All	All	4836/5356 (90%)	4569 (94%)	267 (6%)	25	37

All (267) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	A	122	ASP
4	A	146	THR
4	A	155	LYS
5	B	2	SER
5	B	41	ILE
5	B	74	ASP
5	B	155	ASP
5	B	199	MET
5	B	204	SER
5	B	219	SER
5	B	248	LYS
5	B	286	ASP
5	B	300	LEU
5	B	334	ARG
5	B	348	CYS
5	B	374	ARG
6	C	14	GLN
6	C	15	VAL
6	C	82	TYR
6	C	93	HIS
6	C	112	TYR
6	C	130	ARG
6	C	140	ILE
6	C	144	VAL
6	C	147	ASP
6	C	177	ILE
6	C	202	GLU
6	C	216	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	C	217	CYS
6	C	265	THR
6	C	287	ASP
6	C	289	LEU
7	D	41	ASN
7	D	55	THR
7	D	70	LYS
7	D	84	ARG
7	D	124	LEU
7	D	236	VAL
7	D	263	PHE
8	F	28	LYS
8	F	48	ARG
8	F	56	SER
8	F	57	GLU
8	F	66	LYS
8	F	106	ILE
8	F	112	MET
8	F	129	VAL
8	F	204	SER
8	F	225	LYS
9	G	56	THR
9	G	71	GLU
9	G	82	GLU
9	G	86	GLU
9	G	90	ARG
9	G	118	ARG
9	G	127	LYS
9	G	162	ARG
9	G	166	ASP
9	G	182	THR
9	G	183	ASP
9	G	187	GLU
9	G	189	LYS
9	G	191	THR
10	H	17	CYS
10	H	80	VAL
10	H	100	THR
10	H	118	LYS
10	H	121	ARG
10	H	136	VAL
11	I	45	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	I	125	THR
11	I	150	ASP
11	I	190	LEU
11	I	202	ARG
11	I	206	LEU
12	J	13	ARG
12	J	15	GLU
12	J	19	LEU
12	J	46	THR
12	J	52	LEU
12	J	55	ARG
12	J	81	GLU
12	J	112	LEU
12	J	122	ILE
12	J	165	ARG
12	J	169	VAL
12	J	172	THR
13	L	118	LYS
13	L	173	VAL
13	L	178	VAL
13	L	208	ARG
14	M	26	VAL
14	M	48	GLN
14	M	60	GLN
14	M	71	GLU
14	M	74	LYS
14	M	97	GLN
14	M	107	GLU
15	N	13	LYS
15	N	27	THR
15	N	80	SER
15	N	96	ARG
15	N	153	ASN
15	N	184	LEU
15	N	185	ARG
16	O	36	GLU
16	O	41	SER
16	O	101	VAL
16	O	119	SER
16	O	186	GLN
17	P	51	LEU
17	P	56	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
17	P	84	GLU
17	P	94	LEU
17	P	103	HIS
17	P	105	HIS
17	P	111	GLU
17	P	128	ARG
17	P	147	GLU
18	Q	20	LYS
18	Q	66	ARG
18	Q	110	SER
19	R	8	LYS
19	R	30	LYS
19	R	56	LYS
19	R	72	LEU
19	R	107	SER
19	R	119	LEU
19	R	141	HIS
19	R	154	LYS
19	R	158	GLU
19	R	161	GLN
20	S	1	MET
20	S	16	LYS
20	S	51	ARG
20	S	52	THR
20	S	58	ASP
20	S	70	LYS
20	S	114	ARG
20	S	166	ASP
20	S	167	ARG
21	T	24	MET
21	T	29	THR
21	T	91	VAL
21	T	96	VAL
21	T	113	ASP
21	T	151	THR
22	U	20	ASN
22	U	26	ASP
22	U	33	LEU
22	U	53	ARG
22	U	74	THR
22	U	94	GLN
22	U	95	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	V	14	LYS
23	V	16	ARG
23	V	44	LYS
23	V	73	GLU
23	V	77	LYS
23	V	108	ILE
23	V	136	THR
24	X	58	ASP
24	X	81	PHE
24	X	93	ARG
24	X	102	THR
24	X	109	THR
24	X	116	LEU
24	X	131	ASP
25	Y	10	SER
25	Y	56	GLU
25	Y	70	GLU
25	Y	72	ARG
25	Y	83	ILE
25	Y	95	VAL
25	Y	115	ARG
26	Z	5	ILE
26	Z	34	GLU
26	Z	41	VAL
26	Z	84	ARG
26	Z	91	ASP
26	Z	95	THR
26	Z	105	ARG
26	Z	108	ILE
26	Z	110	THR
26	Z	121	GLU
27	a	9	ARG
27	a	15	ARG
27	a	72	THR
27	a	75	ILE
27	a	94	LYS
27	a	98	GLU
27	a	115	ARG
27	a	140	GLU
27	a	141	VAL
28	b	10	LYS
28	b	45	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	b	52	ARG
28	b	55	LEU
29	c	9	LYS
29	c	13	SER
29	c	17	THR
29	c	20	LEU
29	c	26	LYS
29	c	45	LEU
29	c	47	PHE
29	c	71	VAL
29	c	80	GLU
29	c	81	LEU
30	d	8	THR
30	d	70	VAL
30	d	72	LEU
30	d	95	THR
31	e	27	SER
31	e	48	ARG
31	e	64	SER
31	e	79	HIS
31	e	94	ASN
31	e	112	GLN
31	e	126	ASN
32	f	2	GLU
32	f	3	GLU
32	f	25	ARG
32	f	61	ILE
32	f	64	LYS
32	f	98	ASN
32	f	112	LEU
33	g	9	ARG
33	g	19	LYS
33	g	64	THR
33	g	81	SER
33	g	99	LEU
34	h	9	LEU
34	h	12	LEU
34	h	15	GLU
34	h	19	ARG
34	h	83	THR
35	i	35	SER
35	i	43	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
35	i	67	LYS
35	i	69	ARG
35	i	88	ARG
36	j	46	ARG
36	j	55	ARG
36	j	76	SER
37	k	3	ASN
37	k	7	GLU
37	k	14	ILE
37	k	50	THR
37	k	58	LYS
37	k	65	LYS
38	l	34	LYS
38	l	46	ARG
40	o	30	LYS
40	o	66	GLN
40	o	67	VAL
40	o	79	THR
40	o	92	SER
41	p	3	LYS
41	p	5	THR
41	p	39	CYS
41	p	45	ASP
41	p	57	CYS
41	p	58	ARG
41	p	88	LEU
41	p	90	ARG
43	W	4	THR
43	W	13	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
14	M	97	GLN
16	O	189	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2423/2707 (89%)	395 (16%)	20 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	3	116/120 (96%)	17 (14%)	2 (1%)
3	4	136/139 (97%)	28 (20%)	1 (0%)
42	w	12/76 (15%)	5 (41%)	0
44	E	2/3 (66%)	1 (50%)	0
All	All	2689/3045 (88%)	446 (16%)	23 (0%)

All (446) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	21	G
1	1	39	A
1	1	42	A
1	1	48	G
1	1	56	C
1	1	59	A
1	1	64	A
1	1	65	A
1	1	73	G
1	1	84	U
1	1	89	G
1	1	90	C
1	1	106	A
1	1	107	G
1	1	116	G
1	1	127	G
1	1	128	U
1	1	156	G
1	1	165	G
1	1	166	G
1	1	176	G
1	1	180	G
1	1	184	G
1	1	185	C
1	1	186	A
1	1	187	A
1	1	188	G
1	1	192	C
1	1	199	C
1	1	219	C
1	1	220	G
1	1	222	G
1	1	239	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	248	A
1	1	250	G
1	1	280	G
1	1	288	A
1	1	301	C
1	1	313	OMG
1	1	326	A
1	1	327	G
1	1	333	C
1	1	343	C
1	1	348	A
1	1	349	A
1	1	350	G
1	1	351	A
1	1	374	C
1	1	375	C
1	1	376	C
1	1	377	G
1	1	378	C
1	1	383	C
1	1	396	A2M
1	1	400	A
1	1	407	A
1	1	424	A
1	1	428	C
1	1	429	G
1	1	431	G
1	1	442	C
1	1	448	A
1	1	458	A
1	1	460	A
1	1	461	C
1	1	462	G
1	1	467	G
1	1	477	C
1	1	485	C
1	1	486	G
1	1	490	G
1	1	491	U
1	1	492	G
1	1	493	C
1	1	501	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	522	A
1	1	533	U
1	1	565	G
1	1	577	C
1	1	579	C
1	1	585	G
1	1	590	U
1	1	595	C
1	1	611	G
1	1	612	A
1	1	623	G
1	1	630	A
1	1	632	G
1	1	633	A
1	1	637	A
1	1	639	C
1	1	640	G
1	1	641	A
1	1	653	G
1	1	660	G
1	1	675	C
1	1	676	C
1	1	690	G
1	1	708	G
1	1	718	G
1	1	722	G
1	1	759	A
1	1	761	C
1	1	769	G
1	1	776	C
1	1	793	U
1	1	800	G
1	1	801	G
1	1	803	G
1	1	804	G
1	1	807	G
1	1	808	A
1	1	813	G
1	1	826	G
1	1	840	G
1	1	849	G
1	1	853	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	866	G
1	1	868	A
1	1	907	C
1	1	908	G
1	1	911	G
1	1	912	G
1	1	915	G
1	1	990	G
1	1	992	C
1	1	1004	U
1	1	1006	G
1	1	1008	G
1	1	1012	G
1	1	1014	C
1	1	1015	G
1	1	1016	G
1	1	1017	A
1	1	1024	G
1	1	1029	G
1	1	1030	C
1	1	1031	G
1	1	1042	G
1	1	1044	G
1	1	1045	C
1	1	1046	G
1	1	1047	C
1	1	1050	C
1	1	1061	C
1	1	1066	G
1	1	1072	C
1	1	1074	G
1	1	1077	G
1	1	1106	C
1	1	1108	G
1	1	1118	G
1	1	1121	OMG
1	1	1124	C
1	1	1137	G
1	1	1149	C
1	1	1150	G
1	1	1151	C
1	1	1152	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	1158	G
1	1	1164	A
1	1	1166	G
1	1	1167	G
1	1	1186	G
1	1	1203	G
1	1	1205	U
1	1	1230	A
1	1	1232	A
1	1	1236	G
1	1	1238	A
1	1	1239	A
1	1	1241	G
1	1	1242	G
1	1	1244	C
1	1	1246	U
1	1	1247	G
1	1	1248	C
1	1	1252	C
1	1	1253	C
1	1	1259	A
1	1	1261	C
1	1	1299	C
1	1	1314	C
1	1	1322	C
1	1	1327	A
1	1	1331	G
1	1	1349	C
1	1	1358	G
1	1	1374	C
1	1	1380	A
1	1	1381	C
1	1	1382	G
1	1	1383	C
1	1	1388	C
1	1	1405	G
1	1	1411	G
1	1	1422	G
1	1	1439	A
1	1	1451	G
1	1	1452	C
1	1	1472	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	1473	A
1	1	1508	G
1	1	1509	C
1	1	1510	G
1	1	1515	C
1	1	1520	OMG
1	1	1537	G
1	1	1538	C
1	1	1565	G
1	1	1566	G
1	1	1570	G
1	1	1574	C
1	1	1588	G
1	1	1589	G
1	1	1599	G
1	1	1600	A
1	1	1609	G
1	1	1610	G
1	1	1619	A
1	1	1628	U
1	1	1646	A
1	1	1694	A
1	1	1696	C
1	1	1712	U
1	1	1731	A
1	1	1733	G
1	1	1736	G
1	1	1737	G
1	1	1739	A
1	1	1740	G
1	1	1742	A
1	1	1751	U
1	1	1756	U
1	1	1759	G
1	1	1760	G
1	1	1766	A
1	1	1767	A
1	1	1768	A2M
1	1	1769	U
1	1	1775	OMG
1	1	1797	U
1	1	1800	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	1801	U
1	1	1802	G
1	1	1821	U
1	1	1823	U
1	1	1844	G
1	1	1859	A
1	1	1860	A
1	1	1861	C
1	1	1862	G
1	1	1872	C
1	1	1880	G
1	1	1884	C
1	1	1888	A
1	1	1889	A
1	1	1890	G
1	1	1891	A
1	1	1898	U
1	1	1906	A
1	1	1922	G
1	1	1992	C
1	1	1999	C
1	1	2007	C
1	1	2011	C
1	1	2012	G
1	1	2016	A
1	1	2017	C
1	1	2019	C
1	1	2029	G
1	1	2030	G
1	1	2037	G
1	1	2049	G
1	1	2050	C
1	1	2060	A
1	1	2075	U
1	1	2078	C
1	1	2079	A
1	1	2091	G
1	1	2097	A
1	1	2098	C
1	1	2112	G
1	1	2113	G
1	1	2114	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2117	A
1	1	2125	A
1	1	2127	A
1	1	2137	G
1	1	2139	C
1	1	2151	G
1	1	2152	U
1	1	2175	G
1	1	2176	G
1	1	2185	A
1	1	2196	C
1	1	2199	C
1	1	2200	G
1	1	2202	C
1	1	2213	G
1	1	2218	G
1	1	2222	G
1	1	2223	A
1	1	2224	A
1	1	2232	C
1	1	2233	A
1	1	2236	G
1	1	2239	A
1	1	2241	A
1	1	2243	C
1	1	2251	U
1	1	2264	C
1	1	2267	G
1	1	2269	A
1	1	2273	A
1	1	2282	U
1	1	2292	5MC
1	1	2293	G
1	1	2294	A
1	1	2297	U
1	1	2298	C
1	1	2299	G
1	1	2309	A
1	1	2310	C
1	1	2321	C
1	1	2333	A
1	1	2345	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2355	C
1	1	2356	A
1	1	2357	A
1	1	2359	G
1	1	2363	C
1	1	2368	G
1	1	2372	G
1	1	2404	C
1	1	2406	C
1	1	2411	G
1	1	2423	A
1	1	2429	C
1	1	2433	G
1	1	2434	G
1	1	2495	G
1	1	2506	C
1	1	2508	G
1	1	2509	G
1	1	2514	G
1	1	2515	G
1	1	2519	C
1	1	2528	C
1	1	2531	C
1	1	2537	A
1	1	2538	A
1	1	2545	C
1	1	2546	C
1	1	2556	G
1	1	2562	G
1	1	2568	C
1	1	2573	G
1	1	2574	C
1	1	2575	C
1	1	2580	C
1	1	2581	C
1	1	2582	C
1	1	2583	C
1	1	2584	G
1	1	2585	U
1	1	2586	G
1	1	2587	C
1	1	2591	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2593	G
1	1	2594	C
1	1	2595	C
1	1	2596	C
1	1	2597	G
1	1	2598	A
1	1	2599	G
1	1	2600	G
1	1	2608	C
1	1	2609	G
1	1	2614	G
1	1	2627	G
1	1	2628	C
1	1	2629	G
1	1	2634	G
1	1	2652	G
1	1	2672	G
1	1	2678	C
1	1	2679	G
1	1	2688	G
1	1	2689	G
1	1	2690	G
1	1	2691	C
1	1	2692	G
1	1	2693	C
1	1	2694	G
2	3	19	G
2	3	21	G
2	3	23	A
2	3	33	A
2	3	37	G
2	3	38	U
2	3	39	U
2	3	50	A
2	3	52	G
2	3	54	G
2	3	65	A
2	3	77	U
2	3	101	A
2	3	107	G
2	3	108	G
2	3	111	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	3	115	A
3	4	9	C
3	4	12	C
3	4	13	G
3	4	24	C
3	4	35	G
3	4	36	C
3	4	40	G
3	4	49	G
3	4	52	G
3	4	60	A
3	4	63	C
3	4	64	G
3	4	69	G
3	4	73	A
3	4	74	C
3	4	76	C
3	4	79	C
3	4	86	G
3	4	87	A
3	4	88	G
3	4	100	C
3	4	105	A
3	4	106	C
3	4	112	G
3	4	114	G
3	4	115	C
3	4	120	G
3	4	122	G
42	w	2	G
42	w	4	G
42	w	70	G
42	w	74	C
42	w	76	A
44	E	76	A

All (23) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1	218	G
1	1	325	A
1	1	492	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	516	G
1	1	589	C
1	1	632	G
1	1	675	C
1	1	807	G
1	1	1017	A
1	1	1204	OMG
1	1	1382	G
1	1	1477	C
1	1	1587	G
1	1	1860	A
1	1	1871	C
1	1	1921	U
1	1	2151	G
1	1	2354	U
1	1	2530	G
1	1	2536	A
2	3	38	U
2	3	107	G
3	4	114	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

25 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	1	2237	46,1	18,26,27	1.47	2 (11%)	20,38,41	2.41	4 (20%)
1	OMU	1	49	46,1	14,22,23	1.08	1 (7%)	14,31,34	1.13	1 (7%)
1	OMU	1	1908	1	14,22,23	2.35	4 (28%)	14,31,34	1.47	4 (28%)
1	OMG	1	1121	45,1	18,26,27	1.62	2 (11%)	20,38,41	2.12	3 (15%)
1	OMG	1	1520	1	18,26,27	1.62	2 (11%)	20,38,41	2.31	5 (25%)
1	OMU	1	1896	46,1	14,22,23	0.87	0	14,31,34	1.15	2 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	OMG	1	1882	1	18,26,27	1.24	2 (11%)	20,38,41	2.17	6 (30%)
1	OMC	1	1684	46,1	15,22,23	0.92	1 (6%)	17,31,34	1.47	2 (11%)
1	OMG	1	2074	1	18,26,27	1.62	2 (11%)	20,38,41	2.17	3 (15%)
1	OMC	1	1824	1	15,22,23	0.84	1 (6%)	17,31,34	1.44	2 (11%)
1	OMG	1	1775	1	18,26,27	1.65	3 (16%)	20,38,41	2.29	5 (25%)
1	A2M	1	393	1	18,25,26	1.73	3 (16%)	18,36,39	1.06	0
1	OMG	1	1204	1	18,26,27	1.72	3 (16%)	20,38,41	2.37	6 (30%)
1	OMG	1	2042	44,1	18,26,27	1.65	4 (22%)	20,38,41	2.22	3 (15%)
3	OMG	4	133	3,1	18,26,27	1.68	4 (22%)	20,38,41	2.39	3 (15%)
1	5MC	1	1765	1	15,22,23	1.32	3 (20%)	19,32,35	1.23	2 (10%)
1	OMG	1	313	1	18,26,27	1.67	3 (16%)	20,38,41	2.27	4 (20%)
1	A2M	1	1768	1	18,25,26	1.49	1 (5%)	18,36,39	1.30	1 (5%)
1	OMG	1	624	1	18,26,27	1.55	3 (16%)	20,38,41	2.27	4 (20%)
1	5MC	1	2292	46,1	15,22,23	1.55	3 (20%)	19,32,35	1.55	4 (21%)
1	A2M	1	523	1	18,25,26	1.62	3 (16%)	18,36,39	0.93	0
1	OMC	1	2380	1	15,22,23	0.94	1 (6%)	17,31,34	1.40	2 (11%)
1	OMG	1	386	1	18,26,27	1.69	3 (16%)	20,38,41	2.13	5 (25%)
1	A2M	1	396	46,1	18,25,26	1.68	3 (16%)	18,36,39	1.06	1 (5%)
1	OMU	1	1897	46,1	14,22,23	0.99	1 (7%)	14,31,34	1.00	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMG	1	2237	46,1	-	0/5/27/28	0/3/3/3
1	OMU	1	49	46,1	-	1/7/27/28	0/2/2/2
1	OMU	1	1908	1	-	2/7/27/28	0/2/2/2
1	OMG	1	1121	45,1	-	2/5/27/28	0/3/3/3
1	OMG	1	1520	1	-	2/5/27/28	0/3/3/3
1	OMU	1	1896	46,1	-	0/7/27/28	0/2/2/2
1	OMG	1	1882	1	-	3/5/27/28	0/3/3/3
1	OMC	1	1684	46,1	-	3/7/27/28	0/2/2/2
1	OMG	1	2074	1	-	1/5/27/28	0/3/3/3
1	OMC	1	1824	1	-	1/7/27/28	0/2/2/2
1	OMG	1	1775	1	-	2/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	A2M	1	393	1	-	2/5/27/28	0/3/3/3
1	OMG	1	1204	1	-	0/5/27/28	0/3/3/3
1	OMG	1	2042	44,1	-	0/5/27/28	0/3/3/3
3	OMG	4	133	3,1	-	1/5/27/28	0/3/3/3
1	5MC	1	1765	1	-	0/5/25/26	0/2/2/2
1	OMG	1	313	1	-	2/5/27/28	0/3/3/3
1	A2M	1	1768	1	-	2/5/27/28	0/3/3/3
1	OMG	1	624	1	-	1/5/27/28	0/3/3/3
1	5MC	1	2292	46,1	-	4/5/25/26	0/2/2/2
1	A2M	1	523	1	-	0/5/27/28	0/3/3/3
1	OMC	1	2380	1	-	0/7/27/28	0/2/2/2
1	OMG	1	386	1	-	0/5/27/28	0/3/3/3
1	A2M	1	396	46,1	-	0/5/27/28	0/3/3/3
1	OMU	1	1897	46,1	-	0/7/27/28	0/2/2/2

All (58) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	1908	OMU	O5'-C5'	-6.59	1.28	1.44
1	1	1204	OMG	C6-N1	5.90	1.43	1.33
3	4	133	OMG	C6-N1	5.65	1.42	1.33
1	1	2074	OMG	C6-N1	5.51	1.42	1.33
1	1	1121	OMG	C6-N1	5.50	1.42	1.33
1	1	313	OMG	C6-N1	5.43	1.42	1.33
1	1	2042	OMG	C6-N1	5.43	1.42	1.33
1	1	1520	OMG	C6-N1	5.42	1.42	1.33
1	1	386	OMG	C6-N1	5.39	1.42	1.33
1	1	1775	OMG	C6-N1	5.37	1.42	1.33
1	1	393	A2M	O5'-C5'	-5.21	1.32	1.44
1	1	624	OMG	C6-N1	5.16	1.42	1.33
1	1	396	A2M	O5'-C5'	-5.07	1.32	1.44
1	1	1768	A2M	O5'-C5'	-4.86	1.32	1.44
1	1	523	A2M	O5'-C5'	-4.76	1.33	1.44
1	1	2237	OMG	C6-N1	4.43	1.40	1.33
1	1	1882	OMG	C5-C6	4.22	1.48	1.41
1	1	2292	5MC	C4-N3	-3.90	1.29	1.35
1	1	1765	5MC	C4-N3	-3.06	1.30	1.35
1	1	2380	OMC	C4-N3	-2.84	1.31	1.35
1	1	2292	5MC	CM5-C5	-2.79	1.45	1.51
1	1	1908	OMU	O2'-C2'	-2.76	1.35	1.42
1	1	313	OMG	C2-N1	2.73	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	2292	5MC	C5-C4	2.67	1.45	1.41
1	1	49	OMU	C4-N3	2.64	1.37	1.33
1	1	1684	OMC	C4-N3	-2.64	1.31	1.35
1	1	2042	OMG	C2-N1	2.60	1.40	1.35
1	1	1824	OMC	C4-N3	-2.59	1.31	1.35
1	1	523	A2M	O4'-C4'	-2.58	1.39	1.45
1	1	523	A2M	O2'-C2'	-2.52	1.36	1.42
1	1	393	A2M	C8-N7	-2.49	1.30	1.34
1	1	1765	5MC	CM5-C5	-2.47	1.46	1.51
1	1	1775	OMG	C2-N1	2.46	1.39	1.35
1	1	386	OMG	C2-N1	2.40	1.39	1.35
1	1	396	A2M	O4'-C1'	-2.40	1.37	1.41
1	1	1765	5MC	C5-C4	2.37	1.45	1.41
1	1	1775	OMG	C2-N2	2.36	1.38	1.33
1	1	1908	OMU	O3'-C3'	-2.34	1.37	1.43
3	4	133	OMG	C2-N1	2.34	1.39	1.35
1	1	2074	OMG	C4-N3	2.29	1.39	1.35
3	4	133	OMG	C4-N3	2.27	1.39	1.35
1	1	1121	OMG	C2-N1	2.22	1.39	1.35
1	1	1897	OMU	C4-N3	2.18	1.36	1.33
1	1	393	A2M	O3'-C3'	-2.18	1.37	1.43
1	1	1204	OMG	C2-N1	2.17	1.39	1.35
1	1	2042	OMG	C2-N2	2.17	1.38	1.33
1	1	396	A2M	C8-N7	-2.16	1.30	1.34
1	1	624	OMG	C2-N2	2.15	1.38	1.33
3	4	133	OMG	C2-N2	2.14	1.38	1.33
1	1	1520	OMG	C2-N1	2.12	1.39	1.35
1	1	1882	OMG	C5-C4	2.12	1.46	1.40
1	1	1204	OMG	C2-N2	2.08	1.38	1.33
1	1	313	OMG	C4-N3	2.07	1.38	1.35
1	1	2042	OMG	C4-N3	2.05	1.38	1.35
1	1	1908	OMU	C3'-C4'	-2.03	1.47	1.53
1	1	386	OMG	O6-C6	-2.02	1.19	1.24
1	1	624	OMG	C4-N3	2.01	1.38	1.35
1	1	2237	OMG	C4-N3	2.00	1.38	1.35

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	2237	OMG	C5-C6-N1	-8.37	111.98	123.43
3	4	133	OMG	C5-C6-N1	-8.30	112.08	123.43
1	1	2042	OMG	C5-C6-N1	-8.01	112.47	123.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1520	OMG	C5-C6-N1	-7.99	112.51	123.43
1	1	624	OMG	C5-C6-N1	-7.86	112.67	123.43
1	1	313	OMG	C5-C6-N1	-7.85	112.70	123.43
1	1	1775	OMG	C5-C6-N1	-7.80	112.76	123.43
1	1	2074	OMG	C5-C6-N1	-7.79	112.78	123.43
1	1	1204	OMG	C5-C6-N1	-7.61	113.02	123.43
1	1	1121	OMG	C5-C6-N1	-7.57	113.08	123.43
1	1	386	OMG	C5-C6-N1	-7.04	113.80	123.43
1	1	1882	OMG	C2-N3-C4	5.23	121.33	115.36
1	1	2380	OMC	C5-C4-N3	4.41	126.80	121.72
3	4	133	OMG	C2-N3-C4	-4.20	110.56	115.36
1	1	2237	OMG	C2-N3-C4	-4.13	110.64	115.36
1	1	2292	5MC	C6-N1-C1'	4.05	128.34	119.24
1	1	1684	OMC	C5-C4-N3	4.00	126.33	121.72
3	4	133	OMG	C2-N1-C6	3.95	122.20	115.93
1	1	1882	OMG	C2-N1-C6	3.80	121.96	115.93
1	1	1882	OMG	C5-C6-N1	-3.75	118.30	123.43
1	1	1882	OMG	C4-C5-C6	-3.72	117.24	120.80
1	1	2237	OMG	C2-N1-C6	3.71	121.83	115.93
1	1	313	OMG	C2-N3-C4	-3.70	111.13	115.36
1	1	1824	OMC	C5-C4-N3	3.70	125.98	121.72
1	1	1775	OMG	C2-N3-C4	-3.52	111.33	115.36
1	1	2042	OMG	C2-N3-C4	-3.52	111.34	115.36
1	1	1765	5MC	C4-N3-C2	3.48	120.22	116.02
1	1	2074	OMG	C2-N1-C6	3.47	121.44	115.93
1	1	624	OMG	C2-N1-C6	3.33	121.22	115.93
1	1	49	OMU	C5-C4-N3	-3.33	115.99	123.31
1	1	386	OMG	C2-N3-C4	-3.32	111.56	115.36
1	1	313	OMG	C2-N1-C6	3.31	121.19	115.93
1	1	1204	OMG	C2-N1-C6	3.28	121.13	115.93
1	1	2042	OMG	C2-N1-C6	3.25	121.09	115.93
1	1	2074	OMG	C2-N3-C4	-3.21	111.69	115.36
1	1	1882	OMG	N3-C2-N1	-3.21	122.94	127.22
1	1	1520	OMG	C2-N1-C6	3.19	121.00	115.93
1	1	1775	OMG	C2-N1-C6	3.18	120.98	115.93
1	1	2292	5MC	C4-N3-C2	3.17	119.84	116.02
1	1	1882	OMG	C4-C5-N7	-3.14	106.12	109.40
1	1	1824	OMC	CM2-O2'-C2'	3.12	122.70	114.52
1	1	1121	OMG	C2-N3-C4	-3.11	111.81	115.36
1	1	1520	OMG	C2-N3-C4	-3.07	111.85	115.36
1	1	1204	OMG	O3'-C3'-C4'	3.04	119.83	111.05
1	1	1897	OMU	C5-C4-N3	-3.02	116.65	123.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	1908	OMU	C5-C4-N3	-3.01	116.68	123.31
1	1	386	OMG	C2-N1-C6	2.92	120.57	115.93
1	1	624	OMG	O2'-C2'-C1'	2.91	114.87	109.09
1	1	1121	OMG	C2-N1-C6	2.88	120.50	115.93
1	1	1768	A2M	O3'-C3'-C4'	2.86	119.31	111.05
1	1	1204	OMG	C2-N3-C4	-2.85	112.10	115.36
1	1	1204	OMG	O3'-C3'-C2'	2.82	119.17	111.17
1	1	1896	OMU	C5-C4-N3	-2.79	117.16	123.31
1	1	386	OMG	CM2-O2'-C2'	-2.77	107.26	114.52
1	1	1520	OMG	C4-C5-N7	2.68	112.19	109.40
1	1	1908	OMU	CM2-O2'-C2'	-2.55	107.82	114.52
1	1	624	OMG	C2-N3-C4	-2.55	112.44	115.36
1	1	313	OMG	CM2-O2'-C2'	-2.52	107.90	114.52
1	1	1896	OMU	CM2-O2'-C2'	-2.51	107.93	114.52
1	1	1684	OMC	CM2-O2'-C2'	-2.47	108.04	114.52
1	1	1775	OMG	C4-C5-N7	2.46	111.97	109.40
1	1	1520	OMG	C1'-N9-C4	2.45	130.95	126.64
1	1	1775	OMG	C1'-N9-C4	2.44	130.93	126.64
1	1	1765	5MC	C5-C4-N3	2.42	125.07	121.26
1	1	386	OMG	C4-C5-N7	2.40	111.90	109.40
1	1	1908	OMU	C5'-C4'-C3'	-2.35	106.38	115.18
1	1	2292	5MC	CM5-C5-C6	2.33	123.60	118.68
1	1	1908	OMU	C2'-C3'-C4'	-2.18	97.26	101.99
1	1	1204	OMG	C3'-C2'-C1'	-2.14	98.87	102.89
1	1	396	A2M	N3-C2-N1	2.13	132.01	128.68
1	1	2237	OMG	N2-C2-N1	-2.12	113.96	117.25
1	1	2292	5MC	C5-C4-N3	2.06	124.51	121.26
1	1	2380	OMC	N4-C4-N3	-2.03	113.29	116.49

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	4	133	OMG	C1'-C2'-O2'-CM2
1	1	49	OMU	C1'-C2'-O2'-CM2
1	1	313	OMG	O4'-C4'-C5'-O5'
1	1	624	OMG	C1'-C2'-O2'-CM2
1	1	1684	OMC	C2'-C1'-N1-C6
1	1	1684	OMC	O4'-C1'-N1-C6
1	1	1775	OMG	O4'-C4'-C5'-O5'
1	1	1824	OMC	C3'-C2'-O2'-CM2
1	1	1882	OMG	C1'-C2'-O2'-CM2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	1	2292	5MC	O4'-C1'-N1-C6
1	1	2292	5MC	C2'-C1'-N1-C6
1	1	313	OMG	C3'-C4'-C5'-O5'
1	1	1520	OMG	O4'-C4'-C5'-O5'
1	1	1775	OMG	C3'-C4'-C5'-O5'
1	1	1520	OMG	C3'-C4'-C5'-O5'
1	1	1768	A2M	C3'-C4'-C5'-O5'
1	1	1882	OMG	O4'-C4'-C5'-O5'
1	1	2292	5MC	O4'-C4'-C5'-O5'
1	1	2292	5MC	C3'-C4'-C5'-O5'
1	1	1121	OMG	C3'-C4'-C5'-O5'
1	1	1908	OMU	C3'-C4'-C5'-O5'
1	1	1768	A2M	O4'-C4'-C5'-O5'
1	1	1882	OMG	C3'-C4'-C5'-O5'
1	1	1908	OMU	O4'-C4'-C5'-O5'
1	1	393	A2M	C3'-C2'-O2'-CM'
1	1	1684	OMC	C3'-C2'-O2'-CM2
1	1	393	A2M	O4'-C4'-C5'-O5'
1	1	1121	OMG	O4'-C4'-C5'-O5'
1	1	2074	OMG	C3'-C2'-O2'-CM2

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 294 ligands modelled in this entry, 293 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
47	PGE	1	3063	46	9,9,9	0.28	0	8,8,8	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
47	PGE	1	3063	46	-	4/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
47	1	3063	PGE	O3-C5-C6-O4
47	1	3063	PGE	C6-C5-O3-C4
47	1	3063	PGE	O1-C1-C2-O2
47	1	3063	PGE	O2-C3-C4-O3

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-13681. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 230



Y Index: 264



Z Index: 245

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.034. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 286 nm^3 ; this corresponds to an approximate mass of 258 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.364\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-13681 and PDB model 7PWG. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.034 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Atom inclusion [i](#)



At the recommended contour level, 72% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.