

Full wwPDB X-ray Structure Validation Report (i)

Aug 15, 2022 – 10:04 am BST

PDB ID	:	7PYV
Title	:	Crystal structure of human UBA6 in complex with the ubiquitin-like modifier
		FAT10
Authors	:	Li, S.; Truongvan, N.; Schindelin, H.
Deposited on	:	2021-10-11
Resolution	:	3.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.29
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0267
CCP4	:	7.1.010 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 3.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1177 (3.32-3.24)
Clashscore	141614	1044 (3.30-3.26)
Ramachandran outliers	138981	1026 (3.30-3.26)
Sidechain outliers	138945	1025 (3.30-3.26)
RSRZ outliers	127900	1141 (3.32-3.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	1045	80%	11%	•	7%
1	В	1045	80%	11%	•	7%
2	С	159	<u>6%</u> 89%		7%	••••



$7 \mathrm{PYV}$

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 32955 atoms, of which 16452 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Ubiquitin-like modifier-activating enzyme 6,Ubiquitin-like modifier-activating enzyme 1,Ubiquitin-like modifier-activating enzyme 6.

Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
1	1 A	967	Total	С	Н	Ν	Ο	S	0	0	0
1			15195	4872	7567	1282	1437	37	0		
1	Р	971	Total	С	Η	Ν	Ο	S	0	0	0
1	I B		15258	4892	7600	1286	1443	37	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	625	ALA	CYS	conflict	UNP P22314
В	625	ALA	CYS	conflict	UNP P22314

• Molecule 2 is a protein called UBD.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	С	154	Total 2502	С 773	Н 1285	N 214	O 226	${S \over 4}$	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
С	7	THR	CYS	conflict	UNP A0A1U9X8S9
С	9	THR	CYS	conflict	UNP A0A1U9X8S9
С	134	LEU	CYS	conflict	UNP A0A1U9X8S9
С	162	SER	CYS	conflict	UNP A0A1U9X8S9



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

 \bullet Molecule 1: Ubiquitin-like modifier-activating enzyme 6, Ubiquitin-like modifier-activating enzyme 6



 \bullet Molecule 1: Ubiquitin-like modifier-activating enzyme 6, Ubiquitin-like modifier-activating enzyme 6











4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	93.46Å 93.59Å 109.54Å	Depositor
a, b, c, α , β , γ	70.52° 88.54° 74.59°	Depositor
Bosolution(A)	45.14 - 3.27	Depositor
Resolution (A)	46.09 - 3.27	EDS
% Data completeness	59.0(45.14-3.27)	Depositor
(in resolution range)	$59.1 \ (46.09 - 3.27)$	EDS
R_{merge}	0.20	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.28 (at 3.25 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
P. P.	0.216 , 0.239	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.216 , 0.240	DCC
R_{free} test set	875 reflections $(2.84%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	91.8	Xtriage
Anisotropy	0.007	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	(Not available), (Not available)	EDS
L-test for $twinning^2$	$ < L > = 0.47, < L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	32955	wwPDB-VP
Average B, all atoms $(Å^2)$	125.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 9.46% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
WIOI	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.29	0/7810	0.47	0/10615	
1	В	0.29	0/7840	0.47	0/10657	
2	С	0.34	0/1233	0.55	1/1655~(0.1%)	
All	All	0.30	0/16883	0.48	1/22927~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	3
All	All	0	5

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
2	С	44	PRO	CA-N-CD	-6.07	103.00	111.50

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	225	ASN	Peptide
1	А	368	LYS	Peptide
1	В	225	ASN	Peptide
1	В	368	LYS	Peptide
1	В	614	HIS	Peptide



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	7628	7567	7567	86	0
1	В	7658	7600	7600	85	0
2	С	1217	1285	1285	5	0
All	All	16503	16452	16452	175	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (175) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:C:43:VAL:HG12	2:C:44:PRO:HD2	1.38	1.04
1:B:284:HIS:CG	1:B:285:GLY:H	2.08	0.72
2:C:43:VAL:CG1	2:C:44:PRO:HD2	2.19	0.70
1:A:251:ASN:OD1	1:A:284:HIS:CD2	2.46	0.68
1:B:747:PHE:CE1	1:B:754:HIS:HB3	2.32	0.65
1:A:747:PHE:CE1	1:A:754:HIS:HB3	2.32	0.65
1:A:614:HIS:O	1:A:615:ARG:O	2.15	0.64
1:B:284:HIS:CG	1:B:285:GLY:N	2.65	0.64
1:A:220:ASN:HA	1:A:282:TYR:HE2	1.64	0.63
1:B:220:ASN:HA	1:B:282:TYR:HE2	1.64	0.62
1:B:221:ILE:HG23	1:B:229:VAL:HG22	1.82	0.61
1:A:221:ILE:HG23	1:A:229:VAL:HG22	1.82	0.61
1:A:924:CYS:HB2	1:A:935:PHE:CE1	2.36	0.60
1:B:53:ASP:N	1:B:53:ASP:OD1	2.34	0.60
1:B:924:CYS:HB2	1:B:935:PHE:CE1	2.36	0.60
1:B:362:SER:OG	1:B:369:PRO:O	2.20	0.60
1:B:368:LYS:O	1:B:369:PRO:O	2.21	0.59
1:A:53:ASP:OD1	1:A:53:ASP:N	2.34	0.59
1:A:368:LYS:O	1:A:369:PRO:O	2.21	0.59
1:A:247:PHE:HB3	1:A:250:ILE:HD11	1.85	0.58
1:A:362:SER:OG	1:A:369:PRO:O	2.20	0.58
1:A:769:TYR:CE1	1:A:844:MET:SD	2.97	0.58
1:A:435:GLU:OE2	1:A:453:THR:OG1	2.22	0.58
1:B:221:ILE:HG12	1:B:229:VAL:HG13	1.86	0.58



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:769:TYR:CE1	1:B:844:MET:SD	2.97	0.58
1:B:345:VAL:HG22	1:B:381:TRP:O	2.03	0.58
1:B:602:VAL:HG12	1:B:923:ASN:OD1	2.04	0.58
1:B:435:GLU:OE2	1:B:453:THR:OG1	2.22	0.57
1:A:284:HIS:CB	1:A:732:ALA:HB2	2.34	0.57
1:B:701:THR:HG22	1:B:787:VAL:HG11	1.86	0.57
1:A:245:LEU:HB2	1:A:247:PHE:HE1	1.69	0.57
1:B:245:LEU:HB2	1:B:247:PHE:HE1	1.69	0.57
1:A:221:ILE:HG12	1:A:229:VAL:HG13	1.86	0.57
1:A:345:VAL:HG22	1:A:381:TRP:O	2.03	0.56
1:A:701:THR:HG22	1:A:787:VAL:HG11	1.86	0.56
1:B:247:PHE:HB3	1:B:250:ILE:HD11	1.85	0.56
1:A:220:ASN:HA	1:A:282:TYR:CE2	2.40	0.56
1:A:602:VAL:HG12	1:A:923:ASN:OD1	2.04	0.56
1:B:220:ASN:HA	1:B:282:TYR:CE2	2.40	0.56
2:C:42:LYS:C	2:C:43:VAL:HG23	2.26	0.55
1:B:504:SER:O	1:B:506:LEU:N	2.39	0.55
1:B:624:ILE:O	1:B:625:ALA:HB3	2.07	0.54
1:A:504:SER:O	1:A:506:LEU:N	2.39	0.54
1:A:624:ILE:O	1:A:625:ALA:HB3	2.07	0.54
1:A:251:ASN:OD1	1:A:284:HIS:O	2.25	0.54
1:B:284:HIS:CB	1:B:732:ALA:HB2	2.38	0.54
1:A:722:PHE:HD2	1:A:734:PHE:CE2	2.26	0.53
1:A:284:HIS:HB2	1:A:732:ALA:HB2	1.90	0.53
1:B:722:PHE:HD2	1:B:734:PHE:CE2	2.26	0.53
1:A:924:CYS:HB2	1:A:935:PHE:CD1	2.44	0.52
1:B:924:CYS:HB2	1:B:935:PHE:CD1	2.44	0.52
1:A:845:TYR:N	1:A:845:TYR:CD1	2.77	0.52
1:B:282:TYR:HE1	1:B:284:HIS:O	1.93	0.52
1:B:251:ASN:OD1	1:B:284:HIS:O	2.27	0.52
1:A:676:GLN:N	1:A:677:PRO:CD	2.74	0.51
1:B:676:GLN:N	1:B:677:PRO:CD	2.74	0.51
1:B:845:TYR:CD1	1:B:845:TYR:N	2.77	0.51
1:B:747:PHE:HE2	1:B:784:LEU:HD22	1.76	0.51
1:A:216:ILE:HG21	1:A:237:HIS:HB3	1.94	0.50
2:C:49:VAL:HG12	2:C:49:VAL:O	2.10	0.50
1:A:312:LEU:C	1:A:312:LEU:HD12	2.32	0.50
1:A:747:PHE:HE2	1:A:784:LEU:HD22	1.76	0.50
1:B:216:ILE:HG21	1:B:237:HIS:HB3	1.94	0.50
1:B:284:HIS:CG	1:B:732:ALA:CB	2.95	0.50
1:B:312:LEU:C	1:B:312:LEU:HD12	2.32	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:82:LEU:HD11	1:B:510:PHE:HB3	1.94	0.49
1:A:82:LEU:HD11	1:A:510:PHE:HB3	1.94	0.49
1:A:624:ILE:O	1:A:625:ALA:CB	2.61	0.49
1:B:753:LEU:HD22	1:B:868:LEU:HG	1.94	0.49
1:A:164:LEU:N	1:A:165:PRO:HD2	2.28	0.49
1:B:164:LEU:N	1:B:165:PRO:HD2	2.28	0.48
1:A:753:LEU:HD22	1:A:868:LEU:HG	1.94	0.48
1:A:271:PHE:CD1	1:A:271:PHE:N	2.82	0.48
1:A:406:VAL:HG23	1:A:407:THR:HG23	1.95	0.48
1:A:282:TYR:HE1	1:A:284:HIS:O	1.96	0.48
1:A:676:GLN:N	1:A:677:PRO:HD2	2.29	0.47
1:B:624:ILE:O	1:B:625:ALA:CB	2.61	0.47
1:B:676:GLN:N	1:B:677:PRO:HD2	2.29	0.47
1:A:247:PHE:N	1:A:247:PHE:CD1	2.83	0.47
1:A:711:TYR:CE2	1:A:868:LEU:CB	2.98	0.47
1:B:247:PHE:CD1	1:B:247:PHE:N	2.83	0.47
1:B:406:VAL:HG23	1:B:407:THR:HG23	1.95	0.47
1:A:251:ASN:OD1	1:A:284:HIS:CG	2.67	0.47
1:B:271:PHE:CD1	1:B:271:PHE:N	2.82	0.47
1:B:711:TYR:CE2	1:B:868:LEU:CB	2.98	0.46
1:B:711:TYR:HE2	1:B:868:LEU:HB2	1.81	0.46
1:A:503:LYS:O	1:A:505:ASN:N	2.48	0.46
1:A:971:PHE:C	1:A:971:PHE:CD1	2.88	0.46
1:B:971:PHE:C	1:B:971:PHE:CD1	2.88	0.46
1:A:711:TYR:CD1	1:A:711:TYR:N	2.84	0.46
1:A:711:TYR:CE2	1:A:868:LEU:HB3	2.51	0.45
1:A:711:TYR:HE2	1:A:868:LEU:HB2	1.81	0.45
1:B:711:TYR:CE2	1:B:868:LEU:HB3	2.51	0.45
1:B:910:ILE:O	1:B:913:THR:HG22	2.17	0.45
1:B:711:TYR:CD1	1:B:711:TYR:N	2.84	0.45
1:A:910:ILE:O	1:A:913:THR:HG22	2.17	0.45
1:A:1015:PRO:O	1:A:1016:THR:HG22	2.16	0.45
1:A:247:PHE:N	1:A:247:PHE:HD1	2.15	0.45
1:B:722:PHE:N	1:B:722:PHE:CD1	2.85	0.45
1:B:1015:PRO:O	1:B:1016:THR:HG22	2.16	0.45
1:B:247:PHE:N	1:B:247:PHE:HD1	2.15	0.44
1:B:386:PHE:CE1	1:B:391:ALA:HB2	2.52	0.44
1:A:131:PRO:O	1:B:86:LYS:NZ	2.40	0.44
1:B:85:ILE:O	1:B:133:VAL:HG13	2.18	0.44
1:A:221:ILE:H	1:A:282:TYR:HD2	1.65	0.44
1:B:729:SER:O	1:B:730:SER:CB	2.65	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:822:ASP:OD1	1:B:822:ASP:N	2.46	0.44
1:A:386:PHE:CE1	1:A:391:ALA:HB2	2.52	0.44
1:B:221:ILE:H	1:B:282:TYR:HD2	1.65	0.44
1:A:729:SER:O	1:A:730:SER:CB	2.65	0.44
1:B:313:ILE:HD11	1:B:315:ASP:O	2.17	0.44
1:A:924:CYS:HB2	1:A:935:PHE:HE1	1.80	0.44
1:A:85:ILE:O	1:A:133:VAL:HG13	2.18	0.44
1:A:722:PHE:CD1	1:A:722:PHE:N	2.86	0.44
1:A:393:ALA:HA	1:A:900:THR:HA	1.99	0.44
1:B:393:ALA:HA	1:B:900:THR:HA	1.99	0.44
1:A:313:ILE:HD11	1:A:315:ASP:O	2.17	0.43
1:B:503:LYS:O	1:B:505:ASN:N	2.48	0.43
1:A:147:ASP:OD1	1:A:148:LEU:N	2.51	0.43
1:B:656:VAL:HB	1:B:844:MET:HE3	2.00	0.43
1:B:147:ASP:OD1	1:B:148:LEU:N	2.52	0.43
1:A:856:ASN:HB3	1:A:858:HIS:CG	2.53	0.43
1:A:747:PHE:HE1	1:A:754:HIS:HB3	1.82	0.43
1:B:284:HIS:HB3	1:B:732:ALA:HB2	2.01	0.43
1:B:845:TYR:N	1:B:845:TYR:HD1	2.17	0.43
1:A:175:ARG:NH1	1:A:201:ASP:OD1	2.51	0.43
1:A:225:ASN:O	1:A:225:ASN:CG	2.57	0.43
1:B:856:ASN:HB3	1:B:858:HIS:CG	2.53	0.42
1:A:697:ALA:O	1:A:701:THR:HG23	2.18	0.42
1:A:722:PHE:HD2	1:A:734:PHE:CZ	2.36	0.42
1:B:722:PHE:HD2	1:B:734:PHE:CZ	2.36	0.42
1:A:114:ASN:N	1:A:114:ASN:OD1	2.52	0.42
1:B:711:TYR:CE2	1:B:868:LEU:HB2	2.55	0.42
1:B:114:ASN:N	1:B:114:ASN:OD1	2.52	0.42
1:A:711:TYR:CE2	1:A:868:LEU:HB2	2.55	0.42
1:B:697:ALA:O	1:B:701:THR:HG23	2.18	0.42
1:B:924:CYS:HB2	1:B:935:PHE:HE1	1.80	0.42
1:B:175:ARG:NH1	1:B:201:ASP:OD1	2.51	0.42
1:B:711:TYR:HE2	1:B:868:LEU:CB	2.33	0.42
1:B:284:HIS:ND1	1:B:732:ALA:HB1	2.35	0.41
1:B:969:LEU:HB2	1:B:1005:LEU:HG	2.02	0.41
1:A:122:VAL:O	1:A:122:VAL:HG12	2.21	0.41
1:B:69:MET:SD	1:B:90:ILE:CG2	3.09	0.41
1:B:122:VAL:O	1:B:122:VAL:HG12	2.21	0.41
1:B:747:PHE:HE1	1:B:754:HIS:HB3	1.82	0.41
1:A:656:VAL:HB	1:A:844:MET:HE3	2.02	0.41
1:B:225:ASN:O	1:B:225:ASN:CG	2.57	0.41



A 4 amo 1	A.4.a.m. D	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:946:ILE:HD13	1:B:1028:PHE:HB2	2.03	0.41
1:B:473:CYS:SG	1:B:511:LEU:HD12	2.60	0.41
1:A:507:ASN:ND2	1:A:507:ASN:O	2.53	0.41
1:A:693:PRO:CD	1:A:769:TYR:CD2	3.04	0.41
1:A:722:PHE:CD2	1:A:734:PHE:CZ	3.09	0.41
1:A:946:ILE:HD13	1:A:1028:PHE:HB2	2.03	0.41
1:A:964:GLU:O	1:A:1010:HIS:CD2	2.74	0.41
1:B:574:ARG:HD3	1:B:611:TYR:CE2	2.56	0.41
2:C:27:TYR:CD1	2:C:27:TYR:N	2.88	0.41
1:B:638:LEU:HD21	1:B:883:SER:CB	2.51	0.41
1:B:722:PHE:CD2	1:B:734:PHE:CZ	3.09	0.41
1:A:312:LEU:HD23	1:A:413:LEU:CD1	2.51	0.41
1:B:312:LEU:HD23	1:B:413:LEU:CD1	2.51	0.41
1:A:69:MET:SD	1:A:90:ILE:CG2	3.09	0.40
1:A:473:CYS:SG	1:A:511:LEU:HD12	2.60	0.40
1:A:711:TYR:HE2	1:A:868:LEU:CB	2.33	0.40
1:A:969:LEU:HB2	1:A:1005:LEU:HG	2.02	0.40
1:A:845:TYR:N	1:A:845:TYR:HD1	2.17	0.40
1:A:574:ARG:HD3	1:A:611:TYR:CE2	2.56	0.40
1:A:760:ALA:O	1:A:764:LEU:HD12	2.22	0.40
1:A:129:LEU:HD22	1:A:510:PHE:HB2	2.03	0.40
1:A:638:LEU:HD21	1:A:883:SER:CB	2.51	0.40
1:B:182:LYS:HG2	1:B:405:ALA:HB1	2.03	0.40
1:B:693:PRO:CD	1:B:769:TYR:CD2	3.04	0.40
1:A:638:LEU:HD21	1:A:883:SER:HA	2.03	0.40
1:A:693:PRO:HD3	1:A:769:TYR:CE2	2.56	0.40
1:B:760:ALA:O	1:B:764:LEU:HD12	2.22	0.40
1:B:964:GLU:O	1:B:1010:HIS:CD2	2.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	959/1045~(92%)	925~(96%)	25 (3%)	9 (1%)	17	50
1	В	963/1045~(92%)	929 (96%)	26 (3%)	8 (1%)	19	52
2	С	150/159~(94%)	143 (95%)	6 (4%)	1 (1%)	22	56
All	All	2072/2249~(92%)	1997 (96%)	57 (3%)	18 (1%)	17	50

All (18) Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	368	LYS
1	А	369	PRO
1	А	615	ARG
2	С	44	PRO
1	В	368	LYS
1	В	369	PRO
1	А	226	PRO
1	А	625	ALA
1	В	226	PRO
1	В	625	ALA
1	А	730	SER
1	В	730	SER
1	А	415	GLN
1	В	415	GLN
1	A	286	GLY
1	В	286	GLY
1	А	676	GLN
1	В	676	GLN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	848/913~(93%)	805~(95%)	43~(5%)	24 54
1	В	852/913~(93%)	807~(95%)	45 (5%)	22 53
2	С	138/143~(96%)	128 (93%)	10 (7%)	14 41



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1838/1969~(93%)	1740~(95%)	98~(5%)	22 53

All (98) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	53	ASP
1	А	56	MET
1	А	136	THR
1	А	142	PHE
1	А	153	LYS
1	А	216	ILE
1	А	228	ILE
1	А	234	ASN
1	А	247	PHE
1	А	271	PHE
1	А	287	ILE
1	А	317	SER
1	А	329	MET
1	А	366	GLU
1	А	370	ASP
1	А	477	LYS
1	А	490	LYS
1	А	504	SER
1	А	506	LEU
1	А	555	ASP
1	А	607	LEU
1	А	614	HIS
1	А	628	LYS
1	А	666	VAL
1	А	678	LEU
1	А	712	SER
1	А	719	LEU
1	A	722	PHE
1	А	753	LEU
1	А	764	LEU
1	А	774	SER
1	A	776	ASP
1	А	787	VAL
1	А	825	ARG
1	A	837	ASP
1	А	845	TYR
1	А	874	ASP



Mol	Chain	Res	Type
1	А	944	THR
1	А	966	PHE
1	А	971	PHE
1	А	992	MET
1	А	1016	THR
1	А	1025	THR
2	С	14	SER
2	С	27	TYR
2	С	38	ARG
2	С	44	PRO
2	С	90	LEU
2	С	98	GLU
2	С	108	ARG
2	С	132	VAL
2	С	139	LEU
2	С	141	ASP
1	В	53	ASP
1	В	56	MET
1	В	136	THR
1	В	142	PHE
1	В	153	LYS
1	В	216	ILE
1	В	228	ILE
1	В	234	ASN
1	В	247	PHE
1	В	248	ARG
1	В	271	PHE
1	В	287	ILE
1	В	317	SER
1	B	329	MET
1	B	366	GLU
1	B	370	ASP
1	B	477	LYS
1	B	490	LYS
1	B	504	SER
1	B	506	LEU
1	B	555	ASP
1	B	607	LEU
1	B	614	HIS
1	B	628	LYS
1	В	666	VAL
1	В	678	LEU



Mol	Chain	Res	Type
1	В	712	SER
1	В	719	LEU
1	В	722	PHE
1	В	753	LEU
1	В	764	LEU
1	В	774	SER
1	В	776	ASP
1	В	787	VAL
1	В	821	VAL
1	В	825	ARG
1	В	837	ASP
1	В	845	TYR
1	В	874	ASP
1	В	944	THR
1	В	966	PHE
1	В	971	PHE
1	В	992	MET
1	В	1016	THR
1	В	1025	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	284	HIS

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2		$\mathbf{OWAB}(\mathbf{A}^2)$	Q<0.9	
1	А	967/1045~(92%)	0.18	54 (5%) 2	24	23	29, 90, 223, 298	0
1	В	971/1045~(92%)	0.04	42 (4%) 3	35	33	29, 90, 223, 298	0
2	С	154/159~(96%)	0.36	10 (6%) 1	18	19	90, 150, 219, 238	0
All	All	2092/2249~(93%)	0.13	106 (5%)	28	26	29, 94, 223, 298	0

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	266	ILE	9.7
1	А	1016	THR	9.1
1	В	1016	THR	8.5
1	А	999	PRO	8.3
2	С	70	LYS	7.7
1	В	988	GLN	7.1
2	С	69	ASP	5.8
1	А	971	PHE	5.6
2	С	35	GLU	5.5
1	А	1017	THR	5.5
1	В	266	ILE	5.5
1	А	249	GLU	5.1
1	В	245	LEU	4.7
1	А	275	ASP	4.6
1	В	971	PHE	4.6
1	А	1012	LEU	4.6
1	А	988	GLN	4.5
1	В	275	ASP	4.4
1	A	979	TYR	4.4
1	А	1018	GLU	4.4
1	А	267	SER	4.3
1	A	986	VAL	4.3
1	А	993	LEU	4.2



7P	Y	V

Mol	Chain	Res	Type	RSRZ
1	В	50	VAL	4.1
1	А	276	THR	4.1
1	В	999	PRO	4.0
1	В	1017	THR	3.9
1	В	1018	GLU	3.9
1	А	992	MET	3.8
1	А	997	VAL	3.8
1	А	966	PHE	3.8
1	А	1006	LYS	3.8
1	А	1003	LYS	3.7
2	С	50	LEU	3.7
1	В	1003	LYS	3.7
1	В	979	TYR	3.6
1	В	267	SER	3.6
1	А	1048	SER	3.5
1	А	998	MET	3.5
1	В	1047	PHE	3.5
1	В	1026	VAL	3.5
1	В	963	LYS	3.4
1	В	276	THR	3.4
1	А	1050	ASP	3.3
1	В	681	LEU	3.3
1	В	969	LEU	3.3
1	В	997	VAL	3.1
2	С	22	PHE	3.1
1	А	228	ILE	3.1
1	А	1004	ARG	3.1
1	В	1050	ASP	3.0
1	В	1048	SER	3.0
1	В	279	LEU	3.0
1	А	244	PHE	3.0
1	А	245	LEU	3.0
1	В	234	ASN	2.9
1	В	255	GLY	2.9
1	В	992	MET	2.8
1	А	1015	PRO	2.8
1	В	1049	HIS	2.8
1	А	987	VAL	2.8
1	В	993	LEU	2.8
1	А	1049	HIS	2.7
1	А	255	GLY	2.7
2	С	31	LYS	2.7



7PYV	
------	--

Mol	Chain	Res	Type	RSRZ
1	В	995	VAL	2.7
1	B	1027	SER	2.7
1	B	1045	TYR	2.7
1	A	273	ILE	2.7
1	A	231	CYS	2.6
1	A	290	GLN	2.6
1	В	273	ILE	2.6
1	В	968	LEU	2.6
1	А	995	VAL	2.5
1	А	1011	LYS	2.5
1	В	1019	LYS	2.5
1	В	946	ILE	2.4
1	А	969	LEU	2.4
1	А	881	HIS	2.4
1	А	961	HIS	2.4
2	С	41	THR	2.4
1	В	961	HIS	2.4
1	А	218	ILE	2.3
1	А	279	LEU	2.3
1	А	984	THR	2.3
2	С	162	SER	2.3
1	А	1009	MET	2.3
1	А	1002	ALA	2.3
1	А	1019	LYS	2.3
1	А	958	TRP	2.2
1	В	987	VAL	2.2
1	В	960	VAL	2.2
1	В	998	MET	2.2
1	В	1014	LYS	2.2
1	В	1004	ARG	2.1
1	А	247	PHE	2.1
1	А	221	ILE	2.1
1	В	1015	PRO	2.1
1	А	973	ASN	2.1
1	А	230	THR	2.1
1	А	1007	LEU	2.1
2	С	68	ILE	2.1
1	А	216	ILE	2.0
2	С	37	VAL	2.0
1	А	797	GLY	2.0
1	А	254	THR	2.0

Continued from previous page...



6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

