



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 04:57 PM EDT

PDB ID : 3Q0N
Title : Crystal structure of the PUMILIO-homology domain from Human PUMILIO1
in complex with erk2 NRE
Authors : Lu, G.; Hall, T.M.T.
Deposited on : 2010-12-15
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.20.1
EDS : 2.36.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)
RNA backbone	3102	1174 (2.80-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	 4% 77% 21%
1	B	349	 7% 72% 25%
2	C	8	 12% 75% 25%
2	D	8	 88% 12%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6031 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pumilio homolog 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	341	2768	1756	495	499	18	0	1	0
1	B	340	2727	1729	486	495	17	0	0	0

- Molecule 2 is a RNA chain called 5'-R(UP*GP*UP*AP*CP*AP*UP*C)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	8	164	75	27	55	7	0	0	0
2	D	7	144	66	24	48	6	0	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	137	Total 137	O 137	0	0
3	B	67	Total 67	O 67	0	0
3	C	13	Total 13	O 13	0	0
3	D	11	Total 11	O 11	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pumilio homolog 1




- Molecule 1: Pumilio homolog 1



- Molecule 2: 5'-R(UP*GP*UP*AP*CP*AP*UP*C)-3'



- Molecule 2: 5'-R(UP*GP*UP*AP*CP*AP*UP*C)-3'



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	261.67Å 37.68Å 82.55Å 90.00° 102.68° 90.00°	Depositor
Resolution (Å)	22.89 – 2.40 22.89 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.2 (22.89-2.40) 99.2 (22.89-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.72 (at 2.41Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.4_6)	Depositor
R, R_{free}	0.202 , 0.260 0.195 , 0.252	Depositor DCC
R_{free} test set	1583 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	39.8	Xtrriage
Anisotropy	0.509	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6031	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/2825	0.46	0/3811
1	B	0.29	0/2780	0.44	0/3756
2	C	0.54	0/182	1.09	1/281 (0.4%)
2	D	0.51	0/160	0.97	0/247
All	All	0.33	0/5947	0.51	1/8095 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	5	C	O4'-C1'-N1	7.40	114.12	108.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2768	0	2777	51	0
1	B	2727	0	2711	63	1
2	C	164	0	87	1	0
2	D	144	0	76	0	0
3	A	137	0	0	1	0
3	B	67	0	0	0	0
3	C	13	0	0	0	0
3	D	11	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	6031	0	5651	114	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1023:LEU:HB3	1:A:1024:PRO:HD3	1.52	0.90
1:A:890:TYR:HA	1:A:893:MET:HE2	1.58	0.86
1:A:1118:ASP:HB3	1:A:1121:ALA:HB3	1.62	0.81
1:B:1133:GLU:HG2	1:B:1134:PRO:HD2	1.71	0.72
1:B:1043:ASN:O	1:B:1047:GLN:HG3	1.91	0.70
1:B:1134:PRO:O	1:B:1138:LYS:HG3	1.92	0.69
1:A:890:TYR:HA	1:A:893:MET:CE	2.23	0.69
1:B:863:SER:O	1:B:867:GLN:HG3	1.93	0.69
1:B:1118:ASP:HB3	1:B:1121:ALA:HB3	1.75	0.68
1:B:954:VAL:HG21	1:B:981:VAL:HG21	1.75	0.68
1:A:919:GLU:HG2	1:A:922:ARG:NH1	2.09	0.67
1:A:841:TYR:HB3	1:A:844:LEU:HB2	1.76	0.67
1:A:1113:TYR:HD1	1:A:1116:MET:HE3	1.60	0.67
1:A:833:LEU:HD22	1:A:855:GLU:HG2	1.76	0.65
1:B:919:GLU:CD	1:B:922:ARG:HH12	1.99	0.65
1:A:919:GLU:HG2	1:A:922:ARG:HH12	1.63	0.63
1:A:879:GLN:HE21	1:A:883:ASN:HD21	1.48	0.62
1:A:893:MET:HE3	1:A:928:LEU:HD11	1.82	0.61
1:B:945:ILE:HD12	1:B:949:GLN:HB3	1.83	0.61
1:B:1150:THR:HG22	1:B:1154:TYR:HE2	1.65	0.61
1:A:1133:GLU:HG2	1:A:1134:PRO:HD2	1.81	0.60
1:B:833:LEU:O	1:B:837:ARG:HG3	2.02	0.60
1:B:975:GLN:O	1:B:979:GLU:HG3	2.02	0.60
1:B:1065:ILE:HG13	1:B:1085:CYS:SG	2.41	0.59
1:A:1003:HIS:CG	1:A:1004:PRO:HD2	2.38	0.59
1:B:876:ALA:O	1:B:880:LEU:HG	2.03	0.58
1:B:983:PRO:HA	1:B:986:LEU:HD12	1.86	0.58
1:A:833:LEU:O	1:A:837:ARG:HG3	2.03	0.58
1:A:874:THR:HG23	1:A:877:GLU:H	1.69	0.58
1:A:1023:LEU:HB3	1:A:1024:PRO:CD	2.30	0.58
1:B:1066:ARG:CZ	1:B:1096:VAL:HG11	2.33	0.57
1:B:1156:TYR:HA	1:B:1159:HIS:HD2	1.68	0.57
1:B:869:LYS:O	1:B:873:ALA:HB2	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:982:GLN:HB3	1:A:984:GLN:NE2	2.19	0.57
1:A:1122:ASN:O	1:A:1126:GLN:HG3	2.05	0.56
1:A:1066:ARG:CZ	1:A:1096:VAL:HG11	2.36	0.56
1:B:864:ARG:HA	1:B:867:GLN:NE2	2.21	0.55
1:A:874:THR:HG22	1:A:877:GLU:OE1	2.08	0.54
1:B:1023:LEU:HB3	1:B:1024:PRO:HD3	1.89	0.53
1:A:1108:PRO:HB2	1:A:1109:HIS:CD2	2.42	0.53
1:B:1062:VAL:O	1:B:1066:ARG:HG3	2.09	0.53
1:B:1156:TYR:HA	1:B:1159:HIS:CD2	2.44	0.52
1:A:951:ASN:HB3	3:A:180:HOH:O	2.09	0.52
1:A:1062:VAL:O	1:A:1066:ARG:HG3	2.10	0.52
1:B:1006:GLY:O	1:B:1010:ILE:HG12	2.10	0.52
1:B:1160:ILE:O	1:B:1164:LEU:HG	2.11	0.51
1:A:1100:GLU:O	1:A:1104:MET:HB3	2.11	0.51
1:A:1065:ILE:HG13	1:A:1085:CYS:SG	2.51	0.50
1:B:962:LEU:H	1:B:962:LEU:HD22	1.77	0.50
1:A:975:GLN:O	1:A:979:GLU:HG3	2.12	0.50
1:A:945:ILE:HD12	1:A:949:GLN:HB3	1.94	0.50
1:A:911:LEU:O	1:A:915:LEU:HG	2.11	0.49
1:B:984:GLN:H	1:B:984:GLN:CD	2.16	0.49
1:B:1122:ASN:O	1:B:1126:GLN:HG3	2.12	0.49
1:B:1154:TYR:O	1:B:1158:LYS:HG3	2.13	0.49
1:A:889:ALA:O	1:A:893:MET:HG3	2.13	0.49
1:A:906:PHE:O	1:A:914:LYS:HE2	2.12	0.49
1:B:864:ARG:HA	1:B:867:GLN:HE21	1.77	0.49
1:B:981:VAL:HG12	1:B:982:GLN:N	2.28	0.48
1:B:1021:GLN:O	1:B:1024:PRO:HD2	2.14	0.48
1:B:1073:SER:HB2	1:B:1124:VAL:HG21	1.95	0.48
1:A:879:GLN:HE21	1:A:883:ASN:ND2	2.10	0.47
1:B:1100:GLU:O	1:B:1104:MET:HB3	2.14	0.47
1:B:1137:ARG:O	1:B:1141:MET:HG2	2.15	0.47
1:A:829:ARG:HG2	1:A:833:LEU:HD23	1.97	0.47
1:A:893:MET:HE3	1:A:928:LEU:CD1	2.45	0.47
1:B:871:GLU:HG3	1:B:908:PHE:CZ	2.50	0.46
1:B:1054:ARG:HE	1:B:1054:ARG:HB3	1.62	0.46
1:A:903:GLN:O	1:A:907:GLU:HG3	2.15	0.46
1:A:1013:ILE:HG21	1:A:1025:ILE:HD13	1.97	0.46
1:A:1145:ARG:HB3	1:A:1146:PRO:HD3	1.97	0.46
1:A:1073:SER:CB	1:A:1124:VAL:HG21	2.46	0.46
1:A:1154:TYR:O	1:A:1158:LYS:HG3	2.15	0.46
1:B:1013:ILE:O	1:B:1017:CYS:HB2	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:833:LEU:HD22	1:B:855:GLU:HG2	1.98	0.45
1:B:1113:TYR:HA	1:B:1116:MET:HE3	1.98	0.45
1:B:1116:MET:SD	1:B:1144:ILE:HG12	2.56	0.45
1:B:1143:LYS:HA	1:B:1143:LYS:HD3	1.82	0.45
1:A:830:SER:O	1:A:834:GLU:HG3	2.16	0.45
1:A:1033:THR:O	1:A:1037:VAL:HG13	2.17	0.45
1:B:982:GLN:HB3	1:B:984:GLN:HE21	1.82	0.45
1:A:1013:ILE:HG21	1:A:1025:ILE:CD1	2.48	0.44
1:B:1033:THR:O	1:B:1037:VAL:HG13	2.17	0.44
1:A:1073:SER:HB2	1:A:1124:VAL:HG21	1.99	0.44
1:A:863:SER:O	1:A:867:GLN:HG3	2.18	0.44
1:A:1089:ALA:HB1	1:A:1093:GLU:HB2	1.99	0.43
1:B:1117:LYS:HE3	1:B:1117:LYS:HB2	1.68	0.43
1:B:867:GLN:OE1	1:B:900:TYR:HB3	2.18	0.43
1:B:916:ALA:O	1:B:919:GLU:HB3	2.18	0.43
1:B:982:GLN:HB3	1:B:984:GLN:NE2	2.33	0.43
1:B:878:ARG:NH1	1:B:908:PHE:HB3	2.34	0.43
1:B:971:ASN:O	1:B:975:GLN:HG3	2.18	0.43
1:B:1150:THR:HG22	1:B:1154:TYR:CE2	2.48	0.43
1:B:1008:ARG:O	1:B:1012:ARG:HG2	2.19	0.42
1:B:1127:LYS:HD3	1:B:1127:LYS:HA	1.88	0.42
1:A:1159:HIS:CE1	2:C:1:U:C6	3.07	0.42
1:B:874:THR:OG1	1:B:877:GLU:HG3	2.19	0.42
1:B:919:GLU:OE2	1:B:922:ARG:NH1	2.52	0.42
1:B:1074:GLN:HA	1:B:1118:ASP:OD2	2.20	0.42
1:B:1037:VAL:HG12	1:B:1046:ILE:HG21	2.02	0.42
1:A:1117:LYS:HE2	1:A:1117:LYS:HB2	1.80	0.42
1:A:893:MET:HE3	1:A:928:LEU:HD21	2.02	0.41
1:B:1009:VAL:O	1:B:1013:ILE:HG13	2.20	0.41
1:A:1117:LYS:HG2	1:A:1154:TYR:CG	2.55	0.41
1:A:1002:THR:HG22	1:A:1039:ASP:CG	2.41	0.41
1:B:1113:TYR:HA	1:B:1116:MET:CE	2.50	0.41
1:B:860:GLN:HB2	1:B:897:PHE:CZ	2.56	0.41
1:A:983:PRO:HA	1:A:986:LEU:HD12	2.02	0.41
1:B:1003:HIS:CG	1:B:1004:PRO:HD2	2.56	0.41
1:B:1007:CYS:SG	1:B:1041:TYR:HB3	2.60	0.41
1:B:1066:ARG:HE	1:B:1066:ARG:HB3	1.53	0.41
1:B:1003:HIS:HE1	1:B:1005:TYR:CD1	2.38	0.40
1:B:1154:TYR:O	1:B:1158:LYS:HE3	2.21	0.40
1:A:1118:ASP:HB3	1:A:1121:ALA:CB	2.42	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:839:ASN:OD1	1:B:1108:PRO:O[2_553]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	340/349 (97%)	334 (98%)	6 (2%)	0	100	100
1	B	338/349 (97%)	329 (97%)	9 (3%)	0	100	100
All	All	678/698 (97%)	663 (98%)	15 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/310 (98%)	301 (99%)	2 (1%)	84	92
1	B	296/310 (96%)	294 (99%)	2 (1%)	84	92
All	All	599/620 (97%)	595 (99%)	4 (1%)	88	92

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	932[A]	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	932[B]	MET
1	B	839	ASN
1	B	1035	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	883	ASN
1	A	891	GLN
1	A	951	ASN
1	A	1074	GLN
1	A	1109	HIS
1	A	1119	GLN
1	A	1159	HIS
1	B	845	GLN
1	B	867	GLN
1	B	883	ASN
1	B	891	GLN
1	B	903	GLN
1	B	949	GLN
1	B	951	ASN
1	B	1147	HIS
1	B	1159	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	C	7/8 (87%)	0	0
2	D	6/8 (75%)	0	0
All	All	13/16 (81%)	0	0

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	341/349 (97%)	-0.05	13 (3%) 40 39	21, 33, 58, 80	0
1	B	340/349 (97%)	0.30	23 (6%) 17 15	28, 46, 72, 80	0
2	C	8/8 (100%)	-0.22	1 (12%) 3 3	34, 35, 44, 56	0
2	D	7/8 (87%)	0.40	0 100 100	45, 52, 58, 60	0
All	All	696/714 (97%)	0.12	37 (5%) 26 25	21, 40, 68, 80	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1107	GLY	5.1
1	A	1108	PRO	5.0
1	A	828	GLY	4.9
1	A	1104	MET	4.7
1	A	1106	ASP	4.1
1	B	1009	VAL	3.8
2	C	8	C	3.5
1	B	1157	GLY	3.2
1	B	1162	ALA	3.1
1	A	1105	ASN	3.1
1	B	974	VAL	3.0
1	B	1018	LEU	3.0
1	B	1150	THR	3.0
1	B	1010	ILE	2.9
1	A	1109	HIS	2.9
1	A	1168	TYR	2.8
1	A	831	ARG	2.7
1	A	871	GLU	2.7
1	B	1147	HIS	2.7
1	B	1135	GLY	2.6
1	A	842	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	989	ILE	2.6
1	B	840	ARG	2.5
1	B	874	THR	2.5
1	B	1007	CYS	2.5
1	B	995	GLY	2.5
1	B	1154	TYR	2.4
1	A	840	ARG	2.3
1	B	973	VAL	2.3
1	B	1045	VAL	2.2
1	B	838	ASN	2.2
1	B	843	ASN	2.2
1	B	1164	LEU	2.1
1	B	1149	ALA	2.1
1	B	984	GLN	2.1
1	B	873	ALA	2.0
1	A	1134	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.