Full wwPDB X-ray Structure Validation Report ⓘ

Sep 13, 2023 – 11:30 AM EDT

PDB ID	:	4Q1E
Title	:	Human dCK C4S-S74E mutant in complex with UDP and the inhibitor 10 {2-{[(1R/S)-1-{2-[3-(2-fluoroethoxy)-4-methoxyphenyl]-5-methyl-1,3-thiazol 4-yl}ethyl]sulfanyl}pyrimidine-4,6-diamine}
Authors	:	Nomme, J.; Lavie, A.
Deposited on	:	2014-04-03
Resolution	:	1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2469 (1.86-1.86)
Clashscore	141614	2625 (1.86-1.86)
Ramachandran outliers	138981	2592 (1.86-1.86)
Sidechain outliers	138945	2592 (1.86-1.86)
RSRZ outliers	127900	2436 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	67% 15% 18%
1	B	280	% 68% 13% 18%

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 4160 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Deoxycytidine kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	231	Total	C	N	O	S	0	4	0
			1905	1221	318	359	7			
1	B	231	Total	C	N	O	S	0	4	0
			1904	1221	317	359	7			

There are 50 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP P27707
A	-18	GLY	-	expression tag	UNP P27707
A	-17	SER	-	expression tag	UNP P27707
A	-16	SER	-	expression tag	UNP P27707
A	-15	HIS	-	expression tag	UNP P27707
A	-14	HIS	-	expression tag	UNP P27707
A	-13	HIS	-	expression tag	UNP P27707
A	-12	HIS	-	expression tag	UNP P27707
A	-11	HIS	-	expression tag	UNP P27707
A	-10	HIS	-	expression tag	UNP P27707
A	-9	SER	-	expression tag	UNP P27707
A	-8	SER	-	expression tag	UNP P27707
A	-7	GLY	-	expression tag	UNP P27707
A	-6	LEU	-	expression tag	UNP P27707
A	-5	VAL	-	expression tag	UNP P27707
A	-4	PRO	-	expression tag	UNP P27707
A	-3	ARG	-	expression tag	UNP P27707
A	-2	GLY	-	expression tag	UNP P27707
A	-1	SER	-	expression tag	UNP P27707
A	0	HIS	-	expression tag	UNP P27707
A	9	SER	CYS	engineered mutation	UNP P27707
A	45	SER	CYS	engineered mutation	UNP P27707
A	59	SER	CYS	engineered mutation	UNP P27707
A	74	GLU	SER	engineered mutation	UNP P27707
A	146	SER	CYS	engineered mutation	UNP P27707

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	expression tag	UNP P27707
B	-18	GLY	-	expression tag	UNP P27707
B	-17	SER	-	expression tag	UNP P27707
B	-16	SER	-	expression tag	UNP P27707
B	-15	HIS	-	expression tag	UNP P27707
B	-14	HIS	-	expression tag	UNP P27707
B	-13	HIS	-	expression tag	UNP P27707
B	-12	HIS	-	expression tag	UNP P27707
B	-11	HIS	-	expression tag	UNP P27707
B	-10	HIS	-	expression tag	UNP P27707
B	-9	SER	-	expression tag	UNP P27707
B	-8	SER	-	expression tag	UNP P27707
B	-7	GLY	-	expression tag	UNP P27707
B	-6	LEU	-	expression tag	UNP P27707
B	-5	VAL	-	expression tag	UNP P27707
B	-4	PRO	-	expression tag	UNP P27707
B	-3	ARG	-	expression tag	UNP P27707
B	-2	GLY	-	expression tag	UNP P27707
B	-1	SER	-	expression tag	UNP P27707
B	0	HIS	-	expression tag	UNP P27707
B	9	SER	CYS	engineered mutation	UNP P27707
B	45	SER	CYS	engineered mutation	UNP P27707
B	59	SER	CYS	engineered mutation	UNP P27707
B	74	GLU	SER	engineered mutation	UNP P27707
B	146	SER	CYS	engineered mutation	UNP P27707

- Molecule 2 is (R)-2-((1-(2-(3-(2-fluoroethoxy)-4-methoxyphenyl)-5-methylthiazol-4-yl)ethyl)thio)pyrimidine-4,6-diamine (three-letter code: 2Y8) (formula: $C_{19}H_{22}FN_5O_2S_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			29	19	1	5	2	2		
2	B	1	Total	C	F	N	O	S	0	0
			29	19	1	5	2	2		

- Molecule 3 is (S)-2-((1-(2-(3-(2-fluoroethoxy)-4-methoxyphenyl)-5-methylthiazol-4-yl)ethyl) thio)pyrimidine-4,6-diamine (three-letter code: 2Y7) (formula: $C_{19}H_{22}FN_5O_2S_2$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	S	0	0
			29	19	1	5	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	B	1	Total	C	F	N	O	S	0	0
			29	19	1	5	2	2		

- Molecule 4 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
4	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	91	Total	O	0	0
			91	91		
5	B	94	Total	O	0	0
			94	94		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Deoxycytidine kinase

Chain A:



• Molecule 1: Deoxycytidine kinase

Chain B:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α, β, γ	68.74Å 68.74Å 122.21Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	27.92 – 1.85 27.92 – 1.85	Depositor EDS
% Data completeness (in resolution range)	95.4 (27.92-1.85) 95.4 (27.92-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.03	Depositor
$< I/\sigma(I) >$ [1]	1.65 (at 1.85Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.174 , 0.218 0.182 , 0.229	Depositor DCC
R_{free} test set	2337 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å^2)	33.4	Xtriage
Anisotropy	0.256	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.34 , 31.2	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	0.487 for h,-k,-l	Xtriage
Reported twinning fraction	0.500 for H, K, L 0.500 for -H, K, -L	Depositor
Outliers	0 of 46958 reflections	Xtriage
F_o,F_c correlation	0.97	EDS
Total number of atoms	4160	wwPDB-VP
Average B, all atoms (Å^2)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.39% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 2Y7, 2Y8, UDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|>5$	RMSZ	#$\|Z\|>5$
1	A	0.58	0/1961	0.75	2/2653 (0.1%)
1	B	0.56	0/1961	0.73	0/2654
All	All	0.57	0/3922	0.74	2/5307 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	192	ARG	NE-CZ-NH2	-6.70	116.95	120.30
1	A	192	ARG	NE-CZ-NH1	6.53	123.56	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1905	0	1849	29	1
1	B	1904	0	1836	25	1
2	A	29	0	22	2	0
2	B	29	0	22	2	0
3	A	29	0	22	0	0
3	B	29	0	22	0	0
4	A	25	0	11	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	25	0	11	1	0
5	A	91	0	0	5	1
5	B	94	0	0	5	1
All	All	4160	0	3795	49	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (49) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:57:ARG:NH1	5:B:459:HOH:O	2.05	0.89
1:A:196:GLU:H	1:A:196:GLU:CD	1.85	0.79
1:A:42:LYS:O	5:A:455:HOH:O	2.05	0.74
1:B:107:ALA:O	5:B:438:HOH:O	2.11	0.69
1:A:106:ARG:NH1	5:A:442:HOH:O	2.28	0.66
1:A:143:GLU:OE1	1:A:211:LYS:NZ	2.31	0.64
1:B:165:GLN:O	1:B:168:GLN:HB2	1.99	0.63
1:B:137:PHE:CE1	2:B:301:2Y8:H15	2.37	0.60
1:A:192:ARG:HD3	1:A:194:ARG:HD2	1.85	0.59
1:A:94:PHE:O	1:A:98:THR:HG23	2.03	0.57
1:A:162:MET:SD	1:B:162:MET:SD	3.06	0.54
1:B:169:SER:HA	5:B:479:HOH:O	2.07	0.54
1:B:194:ARG:O	1:B:198:GLN:NE2	2.41	0.54
1:A:144[B]:SER:OG	2:A:301:2Y8:CAK	2.57	0.53
1:B:234:LEU:HD21	1:B:236:LEU:HD21	1.91	0.53
1:B:189:ILE:O	5:B:441:HOH:O	2.19	0.52
1:A:166:PHE:CB	1:B:166:PHE:CZ	2.92	0.52
1:A:106:ARG:HD3	1:B:161:TRP:CD1	2.45	0.51
1:B:94:PHE:O	1:B:98:THR:HG23	2.11	0.50
1:A:108:GLN:HB3	1:A:170:LEU:HD22	1.94	0.50
1:A:166:PHE:CB	1:B:166:PHE:CE1	2.95	0.50
1:B:60:ASN:O	1:B:60:ASN:ND2	2.46	0.49
1:A:74:GLU:HA	1:A:99:TYR:OH	2.13	0.49
1:B:39:ASN:OD1	1:B:42:LYS:NZ	2.45	0.49
1:B:192:ARG:NH1	1:B:197:GLU:OE1	2.47	0.48
1:A:240:GLU:HG3	1:A:241:ASP:N	2.28	0.48
1:A:77:ASN:HD21	1:B:153:THR:HG22	1.79	0.48
1:A:158:TRP:NE1	1:A:162:MET:SD	2.87	0.47
1:B:53:GLU:OE2	5:B:492:HOH:O	2.20	0.47
1:A:49:GLU:CG	1:A:115:LYS:HD3	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:GLU:HA	5:A:438:HOH:O	2.14	0.46
1:A:192:ARG:HD2	1:A:197:GLU:OE1	2.15	0.46
1:B:187:HIS:O	1:B:191:LEU:N	2.38	0.46
1:A:140:ASN:ND2	5:A:481:HOH:O	2.39	0.46
1:A:82:LEU:CD1	2:A:301:2Y8:H13	2.46	0.45
2:B:301:2Y8:H11	2:B:301:2Y8:H14	1.79	0.45
1:A:181:THR:HG23	1:A:239:ASN:OD1	2.17	0.44
1:A:157:ASP:OD2	1:B:99:TYR:OH	2.28	0.44
1:B:24:ILE:HD11	1:B:260:LEU:CD1	2.48	0.44
1:A:49:GLU:HG3	1:A:115:LYS:HD3	2.00	0.44
1:A:181:THR:HG21	5:A:461:HOH:O	2.17	0.43
1:A:255:GLU:O	1:A:259:THR:HG23	2.17	0.43
1:A:84:MET:HB3	1:A:92:TRP:CD1	2.53	0.43
1:B:234:LEU:HB2	1:B:256:PHE:CD1	2.53	0.43
1:A:204:TYR:CE2	1:A:208:LEU:HD11	2.54	0.42
1:A:242:PHE:CD2	4:A:303:UDP:O4	2.72	0.42
1:B:188:ARG:HB3	4:B:303:UDP:H5'2	2.02	0.42
1:B:131:TYR:CD1	1:B:228:LEU:HD11	2.56	0.41
1:B:231:VAL:HG22	1:B:232:PRO:HD2	2.02	0.41

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:83:GLN:OE1	5:B:418:HOH:O[4_664]	1.98	0.22
1:A:87:GLU:OE1	5:A:486:HOH:O[3_555]	2.13	0.07

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	231/280 (82%)	219 (95%)	12 (5%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	231/280 (82%)	222 (96%)	9 (4%)	0	100 100
All	All	462/560 (82%)	441 (96%)	21 (4%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	207/256 (81%)	201 (97%)	6 (3%)	42 26
1	B	206/256 (80%)	196 (95%)	10 (5%)	25 9
All	All	413/512 (81%)	397 (96%)	16 (4%)	31 15

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	SER
1	A	60	ASN
1	A	81	VAL
1	A	132	SER
1	A	168	GLN
1	A	221	LEU
1	B	60	ASN
1	B	88	LYS
1	B	132	SER
1	B	162	MET
1	B	165	GLN
1	B	192	ARG
1	B	211	LYS
1	B	223	THR
1	B	224	ASN
1	B	255	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	224	ASN
1	B	224	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
4	UDP	A	303	-	24,26,26	1.19	3 (12%)	37,40,40	1.60	5 (13%)
2	2Y8	B	301	-	25,31,31	2.58	4 (16%)	30,43,43	2.37	10 (33%)
4	UDP	B	303	-	24,26,26	1.14	3 (12%)	37,40,40	1.46	4 (10%)
2	2Y8	A	301	-	25,31,31	3.14	4 (16%)	30,43,43	1.98	6 (20%)
3	2Y7	B	302	-	25,31,31	1.68	4 (16%)	30,43,43	1.92	6 (20%)
3	2Y7	A	302	-	25,31,31	1.82	4 (16%)	30,43,43	1.81	8 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	UDP	A	303	-	-	3/16/32/32	0/2/2/2
2	2Y8	B	301	-	-	1/14/18/18	0/3/3/3
4	UDP	B	303	-	-	2/16/32/32	0/2/2/2
2	2Y8	A	301	-	-	3/14/18/18	0/3/3/3
3	2Y7	B	302	-	-	6/14/18/18	0/3/3/3
3	2Y7	A	302	-	-	5/14/18/18	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	2Y8	CBA-SAS	-14.13	1.54	1.73
2	B	301	2Y8	CBA-SAS	-9.97	1.59	1.73
3	B	302	2Y7	CBC-SAR	-5.91	1.77	1.83
3	A	302	2Y7	FAF-CAK	-4.61	1.20	1.39
3	A	302	2Y7	CBB-CAV	-4.53	1.33	1.42
2	B	301	2Y8	CBB-CAV	-4.42	1.33	1.42
3	A	302	2Y7	CBC-SAR	-4.10	1.79	1.83
2	A	301	2Y8	CBB-CAV	-4.05	1.34	1.42
2	B	301	2Y8	FAF-CAK	-3.99	1.22	1.39
3	B	302	2Y7	CBB-CAV	-3.84	1.35	1.42
2	B	301	2Y8	CBA-NAO	3.59	1.36	1.31
2	A	301	2Y8	CBA-NAO	3.14	1.36	1.31
2	A	301	2Y8	CBC-SAR	-2.90	1.80	1.83
4	A	303	UDP	C2-N1	2.58	1.42	1.38
4	B	303	UDP	C4-N3	-2.46	1.34	1.38
3	B	302	2Y7	CAK-CAL	2.43	1.52	1.49
3	B	302	2Y7	CBA-SAS	-2.38	1.70	1.73
4	A	303	UDP	C2-N3	-2.30	1.33	1.38
3	A	302	2Y7	CAK-CAL	2.26	1.52	1.49
4	A	303	UDP	C4-N3	-2.21	1.34	1.38
4	B	303	UDP	C2-N3	-2.17	1.34	1.38
4	B	303	UDP	C2-N1	2.11	1.41	1.38

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
2	B	301	2Y8	OAQ-CAL-CAK	-6.57	99.58	107.92
2	B	301	2Y8	C2-N1-C6	6.23	122.45	115.51
2	A	301	2Y8	C2-N3-C4	5.79	121.95	115.51
3	A	302	2Y7	C2-N1-C6	4.86	120.93	115.51
3	B	302	2Y7	C2-N1-C6	4.70	120.74	115.51
4	A	303	UDP	C4-N3-C2	-4.64	120.46	126.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	B	302	2Y7	C2-N3-C4	4.49	120.51	115.51
4	B	303	UDP	N3-C2-N1	4.20	120.46	114.89
4	A	303	UDP	C5-C4-N3	4.09	120.96	114.84
4	B	303	UDP	C4-N3-C2	-3.99	121.32	126.58
2	A	301	2Y8	OAQ-CAL-CAK	-3.77	103.14	107.92
3	A	302	2Y7	C2-N3-C4	3.73	119.67	115.51
2	A	301	2Y8	C2-N1-C6	3.71	119.64	115.51
3	B	302	2Y7	N1-C2-N3	-3.69	120.18	126.95
2	A	301	2Y8	N1-C2-N3	-3.66	120.24	126.95
4	A	303	UDP	N3-C2-N1	3.66	119.74	114.89
3	A	302	2Y7	CAV-CBB-NAO	3.55	116.04	110.37
4	B	303	UDP	C5-C4-N3	3.51	120.10	114.84
2	B	301	2Y8	N1-C2-N3	-3.37	120.77	126.95
3	B	302	2Y7	NAE-C4-N3	3.35	121.79	116.49
3	B	302	2Y7	CAV-CBB-NAO	3.34	115.71	110.37
4	A	303	UDP	O4-C4-C5	-3.33	119.31	125.16
2	A	301	2Y8	FAF-CAK-CAL	-3.31	104.64	110.61
3	A	302	2Y7	N1-C2-N3	-3.23	121.04	126.95
2	B	301	2Y8	CAA-OAP-CAX	3.19	122.35	117.53
2	B	301	2Y8	C2-N3-C4	2.92	118.76	115.51
3	A	302	2Y7	FAF-CAK-CAL	-2.89	105.39	110.61
4	B	303	UDP	O4-C4-C5	-2.72	120.37	125.16
3	A	302	2Y7	NAE-C4-N3	2.69	120.74	116.49
2	B	301	2Y8	FAF-CAK-CAL	-2.59	105.94	110.61
3	A	302	2Y7	CAA-OAP-CAX	2.53	121.34	117.53
2	B	301	2Y8	CAV-CBB-NAO	2.42	114.24	110.37
3	B	302	2Y7	NAD-C6-N1	2.28	120.09	116.49
2	B	301	2Y8	OAQ-CAY-CAX	-2.22	111.14	115.73
3	A	302	2Y7	SAR-C2-N3	2.18	123.79	115.94
4	A	303	UDP	C1'-N1-C2	2.18	121.51	117.57
2	A	301	2Y8	CAA-OAP-CAX	2.16	120.79	117.53
2	B	301	2Y8	CAL-OAQ-CAY	2.11	122.84	117.69
2	B	301	2Y8	CAC-CBC-CBB	-2.08	108.44	113.60

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	302	2Y7	FAF-CAK-CAL-OAQ
4	A	303	UDP	PA-O3A-PB-O3B
3	B	302	2Y7	CAX-CAY-OAQ-CAL
2	A	301	2Y8	CAX-CAY-OAQ-CAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	B	302	2Y7	CAJ-CAY-OAQ-CAL
3	B	302	2Y7	CAK-CAL-OAQ-CAY
3	A	302	2Y7	N1-C2-SAR-CBC
3	B	302	2Y7	N1-C2-SAR-CBC
2	A	301	2Y8	CAJ-CAY-OAQ-CAL
2	A	301	2Y8	FAF-CAK-CAL-OAQ
2	B	301	2Y8	FAF-CAK-CAL-OAQ
3	A	302	2Y7	FAF-CAK-CAL-OAQ
4	B	303	UDP	C4'-C5'-O5'-PA
4	A	303	UDP	PA-O3A-PB-O1B
3	A	302	2Y7	N3-C2-SAR-CBC
3	B	302	2Y7	N3-C2-SAR-CBC
4	A	303	UDP	PA-O3A-PB-O2B
4	B	303	UDP	PA-O3A-PB-O3B
3	A	302	2Y7	CBB-CBC-SAR-C2
3	A	302	2Y7	CAC-CBC-SAR-C2

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	303	UDP	1	0
2	B	301	2Y8	2	0
4	B	303	UDP	1	0
2	A	301	2Y8	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand UDP A 303



Bond lengths



Bond angles



Torsions



Rings

Ligand 2Y8 B 301



Bond lengths



Bond angles



Torsions



Rings

Ligand UDP B 303



Bond lengths



Bond angles



Torsions



Rings

Ligand 2Y8 A 301



Bond lengths



Bond angles



Torsions



Rings





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	231/280 (82%)	-0.28	1 (0%)	92	92	25, 36, 52, 65	0
1	B	231/280 (82%)	-0.20	2 (0%)	84	84	25, 37, 56, 70	0
All	All	462/560 (82%)	-0.24	3 (0%)	89	89	25, 36, 55, 70	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	166	PHE	3.1
1	B	167	GLY	3.0
1	A	162	MET	2.3

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no monosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	2Y8	B	301	29/29	0.94	0.11	27,38,48,54	0
3	2Y7	B	302	29/29	0.94	0.14	39,45,59,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	2Y7	A	302	29/29	0.95	0.12	39,44,49,52	0
2	2Y8	A	301	29/29	0.95	0.11	30,45,53,54	0
4	UDP	A	303	25/25	0.98	0.08	28,37,45,48	0
4	UDP	B	303	25/25	0.98	0.08	28,39,46,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 2Y8 B 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around 2Y7 B 302:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around 2Y7 A 302:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around 2Y8 A 301:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







Electron density around UDP A 303:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)





Electron density around UDP B 303:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



6.5 Other polymers

There are no such residues in this entry.