



## wwPDB EM Validation Summary Report ⓘ

Mar 11, 2024 – 01:47 PM EDT

PDB ID : 6Q1F  
EMDB ID : EMD-20557  
Title : Atomic structure of the Human Herpesvirus 6B Capsid and Capsid-Associated Tegument Complexes  
Authors : Zhang, Y.B.; Liu, W.; Li, Z.H.; Kumar, V.; Alvarez-Cabrera, A.L.; Leibovitch, E.; Cui, Y.X.; Mei, Y.; Bi, G.Q.; Jacobson, S.; Zhou, Z.H.  
Deposited on : 2019-08-03  
Resolution : 9.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 9.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1345	39% 99% .
1	B	1345	41% 98% .
1	C	1345	42% 97% ..
1	D	1345	38% 98% .
1	E	1345	37% 98% .
1	F	1345	43% 98% .
1	G	1345	42% 98% .
1	H	1345	34% 98% .
1	I	1345	40% 99% .

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	q	1345	54% 95%
1	r	1345	49% 99%
1	s	1345	47% 99%
1	t	1345	45% 99%
1	u	1345	49% 99%
1	v	1345	51% 96%
1	w	1345	77% 92% 7%
2	e	858	27% 31% 69%
2	f	858	28% 31% 69%
2	g	858	25% 30% 69%
2	h	858	29% 31% 69%
2	i	858	26% 30% 69%
2	j	858	29% 30% 69%
2	k	858	25% 30% 69%
2	l	858	30% 30% 69%
2	m	858	24% 31% 69%
2	n	858	22% 30% 69%
2	o	858	21% 30% 69%
2	p	858	25% 31% 69%
3	1	89	45% 67% 31%
3	2	89	53% 67% 31%
3	3	89	61% 67% 31%
3	4	89	65% 64% 35%
3	J	89	48% 65% 31%
3	K	89	47% 67% 31%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	L	89	53% 66% 31%
3	M	89	49% 67% 31%
3	N	89	47% 67% 31%
3	O	89	58% 67% 31%
3	P	89	45% 67% 31%
3	Q	89	54% 67% 31%
3	R	89	49% 67% 31%
3	x	89	64% 67% 31%
3	y	89	61% 67% 31%
3	z	89	57% 67% 31%
4	5	299	56% 83% 16%
4	S	299	45% 98%
4	T	299	57% 99%
4	U	299	48% 97%
4	V	299	47% 97%
5	6	296	69% 95% 5%
5	7	296	71% 98%
5	W	296	48% 98%
5	X	296	58% 99%
5	Y	296	50% 98%
5	Z	296	46% 96%
5	a	296	48% 98%
5	b	296	54% 97%
5	c	296	46% 98%
5	d	296	47% 97%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 238552 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Major capsid protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1343	10682	6792	1813	2017	60	0	0
1	B	1343	10682	6792	1813	2017	60	0	0
1	C	1325	10552	6709	1792	1991	60	0	0
1	D	1343	10682	6792	1813	2017	60	0	0
1	E	1343	10682	6792	1813	2017	60	0	0
1	F	1343	10682	6792	1813	2017	60	0	0
1	G	1343	10682	6792	1813	2017	60	0	0
1	H	1343	10682	6792	1813	2017	60	0	0
1	I	1343	10682	6792	1813	2017	60	0	0
1	q	1296	10313	6561	1751	1942	59	0	0
1	r	1343	10682	6792	1813	2017	60	0	0
1	s	1343	10682	6792	1813	2017	60	0	0
1	t	1343	10682	6792	1813	2017	60	0	0
1	u	1344	10690	6797	1814	2018	61	0	0
1	v	1301	10331	6564	1759	1948	60	0	0
1	w	1248	9933	6324	1691	1860	58	0	0

- Molecule 2 is a protein called Large structural phosphoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	e	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	f	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	g	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	h	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	i	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	j	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	k	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	l	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	m	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	n	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	o	269	Total 2224	C 1417	N 376	O 426	S 5	0	0
2	p	269	Total 2224	C 1417	N 376	O 426	S 5	0	0

- Molecule 3 is a protein called Small capsomere-interacting protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	J	61	Total 483	C 308	N 89	O 83	S 3	0	0
3	K	61	Total 483	C 308	N 89	O 83	S 3	0	0
3	L	61	Total 483	C 308	N 89	O 83	S 3	0	0
3	M	61	Total 483	C 308	N 89	O 83	S 3	0	0
3	N	61	Total 483	C 308	N 89	O 83	S 3	0	0
3	O	61	Total 483	C 308	N 89	O 83	S 3	0	0
3	P	61	Total 483	C 308	N 89	O 83	S 3	0	0
3	Q	61	Total 483	C 308	N 89	O 83	S 3	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
3	R	61	Total	C	N	O	S	0	0
			483	308	89	83	3		
3	x	61	Total	C	N	O	S	0	0
			483	308	89	83	3		
3	y	61	Total	C	N	O	S	0	0
			483	308	89	83	3		
3	z	61	Total	C	N	O	S	0	0
			483	308	89	83	3		
3	1	61	Total	C	N	O	S	0	0
			483	308	89	83	3		
3	2	61	Total	C	N	O	S	0	0
			483	308	89	83	3		
3	3	61	Total	C	N	O	S	0	0
			483	308	89	83	3		
3	4	58	Total	C	N	O	S	0	0
			456	292	85	76	3		

- Molecule 4 is a protein called Triplex capsid protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	5	251	Total	C	N	O	S	0	0
			2023	1306	327	376	14		
4	S	299	Total	C	N	O	S	0	0
			2398	1542	395	446	15		
4	T	299	Total	C	N	O	S	0	0
			2398	1542	395	446	15		
4	U	299	Total	C	N	O	S	0	0
			2398	1542	395	446	15		
4	V	299	Total	C	N	O	S	0	0
			2398	1542	395	446	15		

- Molecule 5 is a protein called Triplex capsid protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	6	282	Total	C	N	O	S	0	0
			2226	1422	370	415	19		
5	W	296	Total	C	N	O	S	0	0
			2337	1486	393	437	21		
5	X	296	Total	C	N	O	S	0	0
			2337	1486	393	437	21		
5	Y	296	Total	C	N	O	S	0	0
			2337	1486	393	437	21		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	Z	296	Total 2337	C 1486	N 393	O 437	S 21	0	0
5	7	296	Total 2337	C 1486	N 393	O 437	S 21	0	0
5	a	295	Total 2329	C 1481	N 392	O 436	S 20	0	0
5	b	295	Total 2329	C 1481	N 392	O 436	S 20	0	0
5	c	295	Total 2329	C 1481	N 392	O 436	S 20	0	0
5	d	295	Total 2329	C 1481	N 392	O 436	S 20	0	0




### 3 Residue-property plots [i](#)



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Major capsid protein








• Molecule 1: Major capsid protein







- Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein








- Molecule 1: Major capsid protein









• Molecule 1: Major capsid protein











• Molecule 1: Major capsid protein








• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein










• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein






• Molecule 1: Major capsid protein













• Molecule 1: Major capsid protein







• Molecule 1: Major capsid protein







ILE

• Molecule 1: Major capsid protein







• Molecule 2: Large structural phosphoprotein







● Molecule 2: Large structural phosphoprotein
























- Molecule 2: Large structural phosphoprotein















- Molecule 3: Small capsomere-interacting protein





- Molecule 3: Small capsomere-interacting protein




- Molecule 3: Small capsomere-interacting protein




- Molecule 3: Small capsomere-interacting protein




- Molecule 3: Small capsomere-interacting protein




• Molecule 3: Small capsomere-interacting protein




• Molecule 3: Small capsomere-interacting protein




• Molecule 3: Small capsomere-interacting protein





• Molecule 3: Small capsomere-interacting protein









• Molecule 3: Small capsomere-interacting protein





• Molecule 3: Small capsomere-interacting protein




• Molecule 3: Small capsomere-interacting protein





• Molecule 3: Small capsomere-interacting protein




• Molecule 3: Small capsomere-interacting protein




• Molecule 4: Triplex capsid protein 1




• Molecule 4: Triplex capsid protein 1




• Molecule 4: Triplex capsid protein 1




• Molecule 4: Triplex capsid protein 1




• Molecule 4: Triplex capsid protein 1







• Molecule 5: Triplex capsid protein 2




• Molecule 5: Triplex capsid protein 2




• Molecule 5: Triplex capsid protein 2




• Molecule 5: Triplex capsid protein 2




• Molecule 5: Triplex capsid protein 2






• Molecule 5: Triplex capsid protein 2




• Molecule 5: Triplex capsid protein 2




• Molecule 5: Triplex capsid protein 2









• Molecule 5: Triplex capsid protein 2



• Molecule 5: Triplex capsid protein 2





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, I	Depositor
Number of particles used	6443	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	23	Depositor
Minimum defocus (nm)	2200	Depositor
Maximum defocus (nm)	3200	Depositor
Magnification	64000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.125	Depositor
Minimum map value	-0.077	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.036	Depositor
Map size (Å)	1388.8, 1388.8, 1388.8	wwPDB
Map dimensions	640, 640, 640	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	2.17, 2.17, 2.17	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.51	0/10927	0.68	0/14860
1	B	0.46	0/10927	0.66	0/14860
1	C	0.46	0/10793	0.63	0/14676
1	D	0.46	0/10927	0.64	1/14860 (0.0%)
1	E	0.50	0/10927	0.66	0/14860
1	F	0.42	0/10927	0.65	0/14860
1	G	0.42	1/10927 (0.0%)	0.66	0/14860
1	H	0.50	0/10927	0.66	0/14860
1	I	0.47	0/10927	0.64	0/14860
1	q	0.42	0/10550	0.64	0/14349
1	r	0.38	0/10927	0.62	0/14860
1	s	0.39	0/10927	0.64	0/14860
1	t	0.40	0/10927	0.63	0/14860
1	u	0.38	0/10935	0.62	0/14870
1	v	0.38	0/10566	0.62	0/14366
1	w	0.38	0/10161	0.66	1/13814 (0.0%)
2	e	0.32	0/2272	0.54	0/3084
2	f	0.34	0/2272	0.62	0/3084
2	g	0.35	0/2272	0.62	0/3084
2	h	0.31	0/2272	0.56	0/3084
2	i	0.32	0/2272	0.63	0/3084
2	j	0.32	0/2272	0.59	0/3084
2	k	0.33	0/2272	0.58	0/3084
2	l	0.32	0/2272	0.57	1/3084 (0.0%)
2	m	0.36	0/2272	0.60	1/3084 (0.0%)
2	n	0.34	0/2272	0.63	1/3084 (0.0%)
2	o	0.40	0/2272	0.66	0/3084
2	p	0.34	0/2272	0.60	0/3084
3	1	0.29	0/490	0.44	0/656
3	2	0.29	0/490	0.44	0/656
3	3	0.28	0/490	0.44	0/656
3	4	0.29	0/463	0.44	0/621
3	J	0.28	0/490	0.44	0/656
3	K	0.28	0/490	0.44	0/656

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
3	L	0.29	0/490	0.44	0/656
3	M	0.29	0/490	0.44	0/656
3	N	0.29	0/490	0.44	0/656
3	O	0.29	0/490	0.44	0/656
3	P	0.29	0/490	0.44	0/656
3	Q	0.28	0/490	0.44	0/656
3	R	0.29	0/490	0.44	0/656
3	x	0.29	0/490	0.44	0/656
3	y	0.29	0/490	0.44	0/656
3	z	0.29	0/490	0.44	0/656
4	5	0.39	0/2062	0.67	0/2793
4	S	0.49	0/2440	0.67	0/3297
4	T	0.48	0/2440	0.70	0/3297
4	U	0.41	0/2440	0.67	0/3297
4	V	0.41	0/2440	0.66	0/3297
5	6	0.39	0/2262	0.67	0/3069
5	7	0.33	0/2374	0.66	0/3219
5	W	0.42	0/2374	0.68	0/3219
5	X	0.38	0/2374	0.62	0/3219
5	Y	0.39	0/2374	0.68	0/3219
5	Z	0.41	0/2374	0.72	0/3219
5	a	0.44	0/2366	0.73	0/3209
5	b	0.44	0/2366	0.73	0/3209
5	c	0.52	0/2366	0.77	0/3209
5	d	0.41	0/2366	0.75	0/3209
All	All	0.42	1/243697 (0.0%)	0.64	5/330985 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	o	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	1115	GLU	C-N	-5.30	1.21	1.34

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	w	563	LEU	C-N-CD	-8.35	102.23	120.60
2	l	181	ASP	N-CA-C	5.66	126.28	111.00
2	m	154	ALA	N-CA-C	5.37	125.51	111.00
2	n	179	ILE	N-CA-C	-5.11	97.21	111.00
1	D	255	LEU	CA-CB-CG	5.01	126.82	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	o	7	SER	Mainchain

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1341/1345 (100%)	1238 (92%)	102 (8%)	1 (0%)	51	86
1	B	1341/1345 (100%)	1251 (93%)	87 (6%)	3 (0%)	47	81
1	C	1321/1345 (98%)	1239 (94%)	80 (6%)	2 (0%)	47	81
1	D	1341/1345 (100%)	1248 (93%)	89 (7%)	4 (0%)	41	77
1	E	1341/1345 (100%)	1243 (93%)	94 (7%)	4 (0%)	41	77
1	F	1341/1345 (100%)	1243 (93%)	96 (7%)	2 (0%)	51	86
1	G	1341/1345 (100%)	1253 (93%)	83 (6%)	5 (0%)	34	72
1	H	1341/1345 (100%)	1253 (93%)	84 (6%)	4 (0%)	41	77
1	I	1341/1345 (100%)	1242 (93%)	98 (7%)	1 (0%)	51	86
1	q	1292/1345 (96%)	1190 (92%)	99 (8%)	3 (0%)	47	81

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	r	1341/1345 (100%)	1235 (92%)	103 (8%)	3 (0%)	47	81
1	s	1341/1345 (100%)	1246 (93%)	93 (7%)	2 (0%)	51	86
1	t	1341/1345 (100%)	1240 (92%)	98 (7%)	3 (0%)	47	81
1	u	1342/1345 (100%)	1234 (92%)	106 (8%)	2 (0%)	51	86
1	v	1299/1345 (97%)	1204 (93%)	89 (7%)	6 (0%)	29	69
1	w	1240/1345 (92%)	1141 (92%)	98 (8%)	1 (0%)	51	86
2	e	267/858 (31%)	254 (95%)	13 (5%)	0	100	100
2	f	267/858 (31%)	248 (93%)	16 (6%)	3 (1%)	14	52
2	g	267/858 (31%)	255 (96%)	9 (3%)	3 (1%)	14	52
2	h	267/858 (31%)	248 (93%)	19 (7%)	0	100	100
2	i	267/858 (31%)	245 (92%)	17 (6%)	5 (2%)	8	38
2	j	267/858 (31%)	249 (93%)	16 (6%)	2 (1%)	22	63
2	k	267/858 (31%)	249 (93%)	17 (6%)	1 (0%)	34	72
2	l	267/858 (31%)	247 (92%)	19 (7%)	1 (0%)	34	72
2	m	267/858 (31%)	248 (93%)	18 (7%)	1 (0%)	34	72
2	n	267/858 (31%)	244 (91%)	18 (7%)	5 (2%)	8	38
2	o	267/858 (31%)	247 (92%)	16 (6%)	4 (2%)	10	46
2	p	267/858 (31%)	249 (93%)	18 (7%)	0	100	100
3	1	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	2	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	3	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	4	56/89 (63%)	49 (88%)	7 (12%)	0	100	100
3	J	59/89 (66%)	51 (86%)	7 (12%)	1 (2%)	9	42
3	K	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	L	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	M	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	N	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	O	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	P	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	Q	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	R	59/89 (66%)	52 (88%)	7 (12%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	x	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	y	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
3	z	59/89 (66%)	52 (88%)	7 (12%)	0	100	100
4	5	249/299 (83%)	226 (91%)	23 (9%)	0	100	100
4	S	297/299 (99%)	269 (91%)	27 (9%)	1 (0%)	41	77
4	T	297/299 (99%)	275 (93%)	21 (7%)	1 (0%)	41	77
4	U	297/299 (99%)	267 (90%)	29 (10%)	1 (0%)	41	77
4	V	297/299 (99%)	268 (90%)	27 (9%)	2 (1%)	22	63
5	6	278/296 (94%)	260 (94%)	18 (6%)	0	100	100
5	7	294/296 (99%)	259 (88%)	32 (11%)	3 (1%)	15	55
5	W	294/296 (99%)	277 (94%)	17 (6%)	0	100	100
5	X	294/296 (99%)	273 (93%)	20 (7%)	1 (0%)	41	77
5	Y	294/296 (99%)	269 (92%)	22 (8%)	3 (1%)	15	55
5	Z	294/296 (99%)	274 (93%)	19 (6%)	1 (0%)	41	77
5	a	293/296 (99%)	262 (89%)	28 (10%)	3 (1%)	15	55
5	b	293/296 (99%)	268 (92%)	24 (8%)	1 (0%)	41	77
5	c	293/296 (99%)	259 (88%)	33 (11%)	1 (0%)	41	77
5	d	293/296 (99%)	258 (88%)	30 (10%)	5 (2%)	9	42
All	All	29747/37695 (79%)	27475 (92%)	2177 (7%)	95 (0%)	44	77

5 of 95 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	55	GLY
1	F	19	ILE
1	G	810	TYR
1	H	21	ASN
1	H	818	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was



analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1218/1220 (100%)	1202 (99%)	16 (1%)	69	81
1	B	1218/1220 (100%)	1201 (99%)	17 (1%)	67	80
1	C	1204/1220 (99%)	1191 (99%)	13 (1%)	73	84
1	D	1218/1220 (100%)	1197 (98%)	21 (2%)	60	78
1	E	1218/1220 (100%)	1200 (98%)	18 (2%)	65	80
1	F	1218/1220 (100%)	1198 (98%)	20 (2%)	62	79
1	G	1218/1220 (100%)	1199 (98%)	19 (2%)	62	79
1	H	1218/1220 (100%)	1197 (98%)	21 (2%)	60	78
1	I	1218/1220 (100%)	1204 (99%)	14 (1%)	73	84
1	q	1180/1220 (97%)	1168 (99%)	12 (1%)	76	86
1	r	1218/1220 (100%)	1204 (99%)	14 (1%)	73	84
1	s	1218/1220 (100%)	1202 (99%)	16 (1%)	69	81
1	t	1218/1220 (100%)	1207 (99%)	11 (1%)	78	87
1	u	1219/1220 (100%)	1205 (99%)	14 (1%)	73	84
1	v	1180/1220 (97%)	1170 (99%)	10 (1%)	81	89
1	w	1133/1220 (93%)	1123 (99%)	10 (1%)	78	87
2	e	253/761 (33%)	247 (98%)	6 (2%)	49	69
2	f	253/761 (33%)	253 (100%)	0	100	100
2	g	253/761 (33%)	246 (97%)	7 (3%)	43	65
2	h	253/761 (33%)	249 (98%)	4 (2%)	62	79
2	i	253/761 (33%)	245 (97%)	8 (3%)	39	61
2	j	253/761 (33%)	246 (97%)	7 (3%)	43	65
2	k	253/761 (33%)	246 (97%)	7 (3%)	43	65
2	l	253/761 (33%)	246 (97%)	7 (3%)	43	65
2	m	253/761 (33%)	249 (98%)	4 (2%)	62	79
2	n	253/761 (33%)	247 (98%)	6 (2%)	49	69
2	o	253/761 (33%)	247 (98%)	6 (2%)	49	69
2	p	253/761 (33%)	248 (98%)	5 (2%)	55	74
3	1	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	2	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	3	52/77 (68%)	51 (98%)	1 (2%)	57	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	4	49/77 (64%)	48 (98%)	1 (2%)	55	74
3	J	52/77 (68%)	49 (94%)	3 (6%)	20	45
3	K	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	L	52/77 (68%)	50 (96%)	2 (4%)	33	57
3	M	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	N	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	O	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	P	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	Q	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	R	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	x	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	y	52/77 (68%)	51 (98%)	1 (2%)	57	75
3	z	52/77 (68%)	51 (98%)	1 (2%)	57	75
4	5	232/273 (85%)	230 (99%)	2 (1%)	78	87
4	S	273/273 (100%)	268 (98%)	5 (2%)	59	77
4	T	273/273 (100%)	271 (99%)	2 (1%)	84	90
4	U	273/273 (100%)	265 (97%)	8 (3%)	42	64
4	V	273/273 (100%)	266 (97%)	7 (3%)	46	66
5	6	261/274 (95%)	260 (100%)	1 (0%)	91	94
5	7	274/274 (100%)	270 (98%)	4 (2%)	65	80
5	W	274/274 (100%)	268 (98%)	6 (2%)	52	71
5	X	274/274 (100%)	272 (99%)	2 (1%)	84	90
5	Y	274/274 (100%)	269 (98%)	5 (2%)	59	77
5	Z	274/274 (100%)	264 (96%)	10 (4%)	35	59
5	a	273/274 (100%)	269 (98%)	4 (2%)	65	80
5	b	273/274 (100%)	266 (97%)	7 (3%)	46	66
5	c	273/274 (100%)	268 (98%)	5 (2%)	59	77
5	d	273/274 (100%)	269 (98%)	4 (2%)	65	80
All	All	27226/33989 (80%)	26822 (98%)	404 (2%)	66	80

5 of 404 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	v	772	ASN
2	l	33	ASN
5	c	296	ASN
1	w	231	ASN
2	h	62	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 534 such sidechains are listed below:

Mol	Chain	Res	Type
3	3	59	GLN
5	6	170	GLN
3	2	60	ASN
5	c	113	HIS
1	q	438	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20557. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 320



Y Index: 320




Z Index: 320


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 266



Y Index: 266




Z Index: 266


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)


### 6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.036. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [\(i\)](#)




The volume at the recommended contour level is 66298  $\text{nm}^3$ ; this corresponds to an approximate mass of 59889 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of 0.111 Å<sup>-1</sup>

## 8 Fourier-Shell correlation


This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20557 and PDB model 6Q1F. Per-residue inclusion information can be found in section 3 on page 9.

### 9.1 Map-model overlays

#### 9.1.1 Map-model overlay [i](#)




#### 9.1.2 Map-model assembly overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.036 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.036).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 65% of all backbone atoms, 37% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.036) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.3730	 0.2130
1	 0.3130	 0.1980
2	 0.2630	 0.1960
3	 0.1550	 0.1720
4	 0.0020	 0.1250
5	 0.3020	 0.2000
6	 0.2610	 0.1820
7	 0.2510	 0.1770
A	 0.4450	 0.2310
B	 0.4320	 0.2250
C	 0.4360	 0.2330
D	 0.4520	 0.2340
E	 0.4520	 0.2330
F	 0.4260	 0.2240
G	 0.4410	 0.2260
H	 0.4620	 0.2370
I	 0.4430	 0.2290
J	 0.2860	 0.1930
K	 0.2750	 0.2050
L	 0.2460	 0.2050
M	 0.2900	 0.1910
N	 0.2610	 0.2000
O	 0.2160	 0.2160
P	 0.2900	 0.1820
Q	 0.2480	 0.1880
R	 0.2790	 0.1850
S	 0.4240	 0.2310
T	 0.3590	 0.2160
U	 0.4060	 0.2300
V	 0.4190	 0.2280
W	 0.3780	 0.2090
X	 0.3300	 0.2030
Y	 0.3680	 0.2050
Z	 0.3840	 0.2100
a	 0.3800	 0.2150



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
b	■ 0.3540	■ 0.2050
c	■ 0.3910	■ 0.2110
d	■ 0.3850	■ 0.2110
e	■ 0.1900	■ 0.1650
f	■ 0.1630	■ 0.1710
g	■ 0.2110	■ 0.1730
h	■ 0.1070	■ 0.1560
i	■ 0.1960	■ 0.1750
j	■ 0.1240	■ 0.1680
k	■ 0.2250	■ 0.1540
l	■ 0.1050	■ 0.1590
m	■ 0.2480	■ 0.1690
n	■ 0.2660	■ 0.1640
o	■ 0.2990	■ 0.1730
p	■ 0.2170	■ 0.1740
q	■ 0.3610	■ 0.2130
r	■ 0.4000	■ 0.2230
s	■ 0.4050	■ 0.2190
t	■ 0.4220	■ 0.2250
u	■ 0.4020	■ 0.2170
v	■ 0.3810	■ 0.2120
w	■ 0.1810	■ 0.1650
x	■ 0.1410	■ 0.1800
y	■ 0.1680	■ 0.1790
z	■ 0.2250	■ 0.1960