



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2023 – 05:29 PM EDT

PDB ID : 2Q4W
Title : Ensemble refinement of the protein crystal structure of cytokinin oxidase/dehydrogenase (CKX) from Arabidopsis thaliana At5g21482
Authors : Levin, E.J.; Kondrashov, D.A.; Wesenberg, G.E.; Phillips Jr., G.N.; Center for Eukaryotic Structural Genomics (CESG)
Deposited on : 2007-05-31
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1-A	524	 3% 90% 6%
1	10-A	524	 3% 90% 6%
1	11-A	524	 3% 90% 6%
1	12-A	524	 3% 90% 6%
1	13-A	524	 3% 89% 6%
1	14-A	524	 3% 88% 5% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	15-A	524	 3% 88% 5% 6%
1	16-A	524	 3% 86% 7% 6%
1	2-A	524	 3% 91% • 6%
1	3-A	524	 3% 91% • 6%
1	4-A	524	 3% 89% 5% 6%
1	5-A	524	 3% 90% • 6%
1	6-A	524	 3% 89% • • 6%
1	7-A	524	 3% 90% • 6%
1	8-A	524	 3% 91% • 6%
1	9-A	524	 3% 90% • 6%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 72624 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cytokinin dehydrogenase 7.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	1-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	2-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	3-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	4-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	5-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	6-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	7-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	8-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	9-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	10-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	11-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	12-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	13-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	14-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	15-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0
1	16-A	491	Total 3853	C 2450	N 667	O 720	S 8	Se 8	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	expression tag	UNP Q9FUJ1
A	57	MSE	MET	modified residue	UNP Q9FUJ1
A	103	MSE	MET	modified residue	UNP Q9FUJ1
A	112	MSE	MET	modified residue	UNP Q9FUJ1
A	241	MSE	MET	modified residue	UNP Q9FUJ1
A	412	MSE	MET	modified residue	UNP Q9FUJ1
A	458	MSE	MET	modified residue	UNP Q9FUJ1
A	506	MSE	MET	modified residue	UNP Q9FUJ1
A	510	MSE	MET	modified residue	UNP Q9FUJ1

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	1-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	2-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	3-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	4-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	5-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	6-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	7-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	8-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	9-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	10-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	11-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	12-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	13-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	14-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	15-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	16-A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	1-A	633	Total	O	0	0
			633	633		
3	2-A	633	Total	O	0	0
			633	633		
3	3-A	633	Total	O	0	0
			633	633		
3	4-A	633	Total	O	0	0
			633	633		
3	5-A	633	Total	O	0	0
			633	633		
3	6-A	633	Total	O	0	0
			633	633		
3	7-A	633	Total	O	0	0
			633	633		
3	8-A	633	Total	O	0	0
			633	633		
3	9-A	633	Total	O	0	0
			633	633		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	10-A	633	Total 633	O 633	0	0
3	11-A	633	Total 633	O 633	0	0
3	12-A	633	Total 633	O 633	0	0
3	13-A	633	Total 633	O 633	0	0
3	14-A	633	Total 633	O 633	0	0
3	15-A	633	Total 633	O 633	0	0
3	16-A	633	Total 633	O 633	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytokinin dehydrogenase 7




- Molecule 1: Cytokinin dehydrogenase 7




- Molecule 1: Cytokinin dehydrogenase 7





- Molecule 1: Cytokinin dehydrogenase 7









- Molecule 1: Cytokinin dehydrogenase 7




- Molecule 1: Cytokinin dehydrogenase 7




- Molecule 1: Cytokinin dehydrogenase 7




- Molecule 1: Cytokinin dehydrogenase 7




- Molecule 1: Cytokinin dehydrogenase 7

Chain 9-A:  3% 90% 6%




- Molecule 1: Cytokinin dehydrogenase 7

Chain 10-A:  3% 90% 6%




- Molecule 1: Cytokinin dehydrogenase 7

Chain 11-A:  3% 90% 6%




- Molecule 1: Cytokinin dehydrogenase 7

Chain 12-A:  3% 90% 6%






- Molecule 1: Cytokinin dehydrogenase 7

Chain 13-A:  3% 89% 6%










• Molecule 1: Cytokinin dehydrogenase 7



• Molecule 1: Cytokinin dehydrogenase 7



• Molecule 1: Cytokinin dehydrogenase 7



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	45.86Å 114.50Å 190.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.57 – 1.70 42.57 – 1.70	Depositor EDS
% Data completeness (in resolution range)	94.9 (42.57-1.70) 95.0 (42.57-1.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.92 (at 1.70Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.143 , 0.201 0.153 , 0.213	Depositor DCC
R_{free} test set	2669 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	21.6	Xtrriage
Anisotropy	0.123	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 64.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	72624	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1-A	0.84	3/3938 (0.1%)	0.86	1/5335 (0.0%)
1	2-A	0.83	3/3938 (0.1%)	0.88	0/5335
1	3-A	0.81	1/3938 (0.0%)	0.86	0/5335
1	4-A	0.82	2/3938 (0.1%)	0.87	3/5335 (0.1%)
1	5-A	0.82	3/3938 (0.1%)	0.85	1/5335 (0.0%)
1	6-A	0.83	2/3938 (0.1%)	0.90	4/5335 (0.1%)
1	7-A	0.82	0/3938	0.86	2/5335 (0.0%)
1	8-A	0.81	0/3938	0.84	0/5335
1	9-A	0.84	3/3938 (0.1%)	0.89	2/5335 (0.0%)
1	10-A	0.83	2/3938 (0.1%)	0.90	5/5335 (0.1%)
1	11-A	0.83	2/3938 (0.1%)	0.90	4/5335 (0.1%)
1	12-A	0.82	2/3938 (0.1%)	0.88	1/5335 (0.0%)
1	13-A	0.97	3/3938 (0.1%)	0.99	2/5335 (0.0%)
1	14-A	0.99	4/3938 (0.1%)	1.04	8/5335 (0.1%)
1	15-A	0.97	4/3938 (0.1%)	1.02	2/5335 (0.0%)
1	16-A	0.99	6/3938 (0.2%)	1.01	3/5335 (0.1%)
All	All	0.87	40/63008 (0.1%)	0.91	38/85360 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	6-A	0	1
1	13-A	0	1
1	15-A	0	2
1	16-A	0	3
All	All	0	7

All (40) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2-A	309	CYS	CB-SG	-7.64	1.69	1.82
1	16-A	309	CYS	CB-SG	-7.54	1.69	1.82
1	10-A	309	CYS	CB-SG	-7.47	1.69	1.82
1	3-A	309	CYS	CB-SG	-7.33	1.69	1.82
1	16-A	377	GLU	CG-CD	7.32	1.62	1.51
1	2-A	435	GLU	CG-CD	7.27	1.62	1.51
1	15-A	309	CYS	CB-SG	-6.84	1.70	1.82
1	16-A	387	VAL	CB-CG1	6.84	1.67	1.52
1	1-A	449	CYS	CB-SG	-6.58	1.71	1.82
1	15-A	435	GLU	CG-CD	6.47	1.61	1.51
1	15-A	377	GLU	CG-CD	6.31	1.61	1.51
1	4-A	377	GLU	CG-CD	6.28	1.61	1.51
1	12-A	309	CYS	CB-SG	-6.23	1.71	1.82
1	14-A	435	GLU	CG-CD	6.15	1.61	1.51
1	9-A	377	GLU	CG-CD	6.13	1.61	1.51
1	2-A	479	TYR	CD1-CE1	6.11	1.48	1.39
1	16-A	435	GLU	CG-CD	6.08	1.61	1.51
1	13-A	387	VAL	CB-CG1	6.07	1.65	1.52
1	5-A	309	CYS	CB-SG	-5.99	1.72	1.82
1	11-A	178	SER	CA-CB	5.98	1.61	1.52
1	14-A	458	MSE	CG-SE	-5.98	1.75	1.95
1	1-A	435	GLU	CG-CD	5.82	1.60	1.51
1	5-A	377	GLU	CG-CD	5.68	1.60	1.51
1	12-A	377	GLU	CG-CD	5.59	1.60	1.51
1	9-A	309	CYS	CB-SG	-5.53	1.72	1.81
1	5-A	449	CYS	CB-SG	-5.46	1.73	1.81
1	16-A	242	VAL	CB-CG1	5.45	1.64	1.52
1	9-A	178	SER	CB-OG	-5.44	1.35	1.42
1	6-A	309	CYS	CB-SG	-5.43	1.73	1.81
1	14-A	377	GLU	CG-CD	5.42	1.60	1.51
1	6-A	435	GLU	CG-CD	5.39	1.60	1.51
1	13-A	488	GLU	CB-CG	5.33	1.62	1.52
1	14-A	475	ASP	CB-CG	5.28	1.62	1.51
1	15-A	387	VAL	CB-CG1	5.22	1.63	1.52
1	1-A	337	ARG	CG-CD	5.21	1.65	1.51
1	4-A	435	GLU	CG-CD	5.18	1.59	1.51
1	11-A	149	CYS	CB-SG	-5.15	1.73	1.81
1	10-A	242	VAL	CB-CG1	5.12	1.63	1.52
1	13-A	242	VAL	CB-CG1	5.08	1.63	1.52
1	16-A	178	SER	CA-CB	5.00	1.60	1.52

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	14-A	475	ASP	CB-CG-OD1	9.25	126.62	118.30
1	15-A	230	ARG	NE-CZ-NH2	8.24	124.42	120.30
1	6-A	385	LEU	CA-CB-CG	6.61	130.50	115.30
1	4-A	161	THR	N-CA-C	-6.56	93.28	111.00
1	14-A	92	ARG	NE-CZ-NH1	-6.54	117.03	120.30
1	11-A	125	LEU	CA-CB-CG	6.44	130.11	115.30
1	12-A	475	ASP	CB-CG-OD1	6.41	124.07	118.30
1	11-A	206	CYS	CA-CB-SG	6.28	125.30	114.00
1	14-A	341	ARG	NE-CZ-NH1	-6.21	117.19	120.30
1	4-A	92	ARG	NE-CZ-NH1	-6.20	117.20	120.30
1	6-A	125	LEU	CA-CB-CG	6.18	129.51	115.30
1	9-A	230	ARG	NE-CZ-NH1	-6.11	117.25	120.30
1	14-A	458	MSE	CB-CG-SE	-6.09	94.44	112.70
1	6-A	92	ARG	NE-CZ-NH2	5.95	123.27	120.30
1	14-A	185	GLY	N-CA-C	-5.94	98.25	113.10
1	10-A	337	ARG	NE-CZ-NH2	-5.92	117.34	120.30
1	6-A	92	ARG	NE-CZ-NH1	-5.85	117.37	120.30
1	15-A	337	ARG	NE-CZ-NH1	5.84	123.22	120.30
1	1-A	92	ARG	NE-CZ-NH1	-5.82	117.39	120.30
1	4-A	125	LEU	CA-CB-CG	5.72	128.46	115.30
1	14-A	275	GLU	OE1-CD-OE2	-5.67	116.49	123.30
1	16-A	99	ASN	N-CA-C	5.65	126.27	111.00
1	16-A	241	MSE	CG-SE-CE	5.65	111.32	98.90
1	11-A	178	SER	N-CA-CB	5.57	118.86	110.50
1	9-A	230	ARG	NE-CZ-NH2	5.53	123.06	120.30
1	13-A	334	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	14-A	278	VAL	CB-CA-C	-5.47	101.00	111.40
1	14-A	236	GLN	N-CA-C	-5.47	96.24	111.00
1	11-A	177	VAL	N-CA-C	5.41	125.62	111.00
1	10-A	236	GLN	N-CA-C	-5.37	96.51	111.00
1	10-A	337	ARG	NE-CZ-NH1	5.33	122.97	120.30
1	7-A	341	ARG	NE-CZ-NH1	-5.29	117.66	120.30
1	10-A	230	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	13-A	341	ARG	NE-CZ-NH2	-5.21	117.69	120.30
1	7-A	230	ARG	NE-CZ-NH1	5.15	122.87	120.30
1	16-A	178	SER	N-CA-CB	5.10	118.15	110.50
1	5-A	234	LEU	CB-CG-CD1	-5.04	102.44	111.00
1	10-A	241	MSE	CB-CG-SE	-5.02	97.65	112.70

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	13-A	322	TYR	Sidechain
1	15-A	153	TYR	Sidechain
1	15-A	415	TYR	Sidechain
1	16-A	273	TYR	Sidechain
1	16-A	322	TYR	Sidechain
1	16-A	415	TYR	Sidechain
1	6-A	124	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	3853	0	3764	0	0
1	2-A	3853	0	3764	0	0
1	3-A	3853	0	3764	0	0
1	4-A	3853	0	3764	0	0
1	5-A	3853	0	3764	0	0
1	6-A	3853	0	3764	0	0
1	7-A	3853	0	3764	0	0
1	8-A	3853	0	3764	0	0
1	9-A	3853	0	3764	0	0
1	10-A	3853	0	3764	0	0
1	11-A	3853	0	3764	0	0
1	12-A	3853	0	3764	0	0
1	13-A	3853	0	3764	0	0
1	14-A	3853	0	3764	0	0
1	15-A	3853	0	3764	0	0
1	16-A	3853	0	3764	0	0
2	1-A	53	0	31	0	0
2	2-A	53	0	29	0	0
2	3-A	53	0	31	0	0
2	4-A	53	0	31	0	0
2	5-A	53	0	31	0	0
2	6-A	53	0	31	0	0
2	7-A	53	0	31	0	0
2	8-A	53	0	31	0	0
2	9-A	53	0	31	0	0
2	10-A	53	0	30	0	0
2	11-A	53	0	31	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	12-A	53	0	31	0	0
2	13-A	53	0	31	0	0
2	14-A	53	0	29	0	0
2	15-A	53	0	28	0	0
2	16-A	53	0	30	0	0
3	1-A	633	0	0	0	0
3	2-A	633	0	0	0	0
3	3-A	633	0	0	0	0
3	4-A	633	0	0	0	0
3	5-A	633	0	0	0	0
3	6-A	633	0	0	0	0
3	7-A	633	0	0	0	0
3	8-A	633	0	0	0	0
3	9-A	633	0	0	0	0
3	10-A	633	0	0	0	0
3	11-A	633	0	0	0	0
3	12-A	633	0	0	0	0
3	13-A	633	0	0	0	0
3	14-A	633	0	0	0	0
3	15-A	633	0	0	0	0
3	16-A	633	0	0	0	0
All	All	72624	0	60711	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	1-A	489/524 (93%)	439 (90%)	44 (9%)	6 (1%)	13 3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	2-A	489/524 (93%)	458 (94%)	24 (5%)	7 (1%)	11	2
1	3-A	489/524 (93%)	451 (92%)	35 (7%)	3 (1%)	25	11
1	4-A	489/524 (93%)	442 (90%)	37 (8%)	10 (2%)	7	1
1	5-A	489/524 (93%)	454 (93%)	30 (6%)	5 (1%)	15	4
1	6-A	489/524 (93%)	441 (90%)	39 (8%)	9 (2%)	8	1
1	7-A	489/524 (93%)	434 (89%)	42 (9%)	13 (3%)	5	0
1	8-A	489/524 (93%)	447 (91%)	37 (8%)	5 (1%)	15	4
1	9-A	489/524 (93%)	441 (90%)	42 (9%)	6 (1%)	13	3
1	10-A	489/524 (93%)	442 (90%)	35 (7%)	12 (2%)	5	1
1	11-A	489/524 (93%)	444 (91%)	37 (8%)	8 (2%)	9	1
1	12-A	489/524 (93%)	454 (93%)	32 (6%)	3 (1%)	25	11
1	13-A	489/524 (93%)	444 (91%)	39 (8%)	6 (1%)	13	3
1	14-A	489/524 (93%)	433 (88%)	49 (10%)	7 (1%)	11	2
1	15-A	489/524 (93%)	439 (90%)	45 (9%)	5 (1%)	15	4
1	16-A	489/524 (93%)	450 (92%)	35 (7%)	4 (1%)	19	6
All	All	7824/8384 (93%)	7113 (91%)	602 (8%)	109 (1%)	11	2

All (109) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1-A	382	TRP
1	1-A	414	VAL
1	2-A	269	SER
1	4-A	188	THR
1	4-A	341	ARG
1	4-A	344	PHE
1	6-A	443	LEU
1	7-A	268	GLU
1	7-A	269	SER
1	9-A	130	ALA
1	9-A	269	SER
1	10-A	426	THR
1	16-A	326	ASP
1	1-A	152	GLU
1	1-A	441	ALA
1	2-A	268	GLU
1	3-A	127	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	4-A	340	GLY
1	5-A	38	GLY
1	6-A	352	VAL
1	7-A	175	ALA
1	7-A	222	LEU
1	7-A	270	SER
1	7-A	342	LEU
1	7-A	364	LYS
1	8-A	175	ALA
1	8-A	377	GLU
1	10-A	43	GLY
1	10-A	175	ALA
1	10-A	309	CYS
1	11-A	128	GLY
1	12-A	127	GLY
1	13-A	392	ILE
1	13-A	439	ILE
1	14-A	362	ARG
1	15-A	100	GLY
1	15-A	518	LYS
1	1-A	175	ALA
1	2-A	127	GLY
1	2-A	175	ALA
1	3-A	175	ALA
1	4-A	175	ALA
1	4-A	187	GLN
1	5-A	175	ALA
1	7-A	118	ASN
1	7-A	128	GLY
1	7-A	224	GLN
1	9-A	175	ALA
1	9-A	268	GLU
1	10-A	351	GLU
1	12-A	175	ALA
1	13-A	175	ALA
1	14-A	175	ALA
1	14-A	253	ASP
1	15-A	175	ALA
1	15-A	405	LYS
1	16-A	129	ASP
1	1-A	450	ALA
1	2-A	120	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	3-A	271	PHE
1	4-A	129	ASP
1	4-A	156	ALA
1	5-A	211	ASN
1	6-A	36	ILE
1	6-A	112	MSE
1	6-A	518	LYS
1	7-A	287	ASN
1	9-A	178	SER
1	9-A	505	ALA
1	10-A	431	PRO
1	11-A	129	ASP
1	11-A	175	ALA
1	11-A	438	TYR
1	16-A	175	ALA
1	6-A	120	PHE
1	6-A	382	TRP
1	8-A	431	PRO
1	10-A	424	ASP
1	10-A	511	ALA
1	14-A	252	PHE
1	14-A	265	GLN
1	14-A	311	SER
1	15-A	128	GLY
1	16-A	222	LEU
1	5-A	39	GLU
1	8-A	378	THR
1	13-A	127	GLY
1	14-A	120	PHE
1	2-A	404	VAL
1	4-A	127	GLY
1	10-A	352	VAL
1	10-A	414	VAL
1	10-A	439	ILE
1	11-A	36	ILE
1	13-A	306	PRO
1	2-A	285	PRO
1	4-A	335	VAL
1	5-A	93	GLY
1	12-A	434	GLY
1	13-A	408	VAL
1	6-A	127	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	7-A	369	ILE
1	11-A	93	GLY
1	11-A	312	VAL
1	6-A	414	VAL
1	10-A	93	GLY
1	11-A	428	VAL
1	7-A	156	ALA
1	8-A	38	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-A	415/430 (96%)	406 (98%)	9 (2%)	52	34
1	2-A	415/430 (96%)	411 (99%)	4 (1%)	76	67
1	3-A	415/430 (96%)	407 (98%)	8 (2%)	57	41
1	4-A	415/430 (96%)	402 (97%)	13 (3%)	40	21
1	5-A	415/430 (96%)	405 (98%)	10 (2%)	49	31
1	6-A	415/430 (96%)	403 (97%)	12 (3%)	42	23
1	7-A	415/430 (96%)	407 (98%)	8 (2%)	57	41
1	8-A	415/430 (96%)	407 (98%)	8 (2%)	57	41
1	9-A	415/430 (96%)	403 (97%)	12 (3%)	42	23
1	10-A	415/430 (96%)	408 (98%)	7 (2%)	60	46
1	11-A	415/430 (96%)	407 (98%)	8 (2%)	57	41
1	12-A	415/430 (96%)	402 (97%)	13 (3%)	40	21
1	13-A	415/430 (96%)	401 (97%)	14 (3%)	37	18
1	14-A	415/430 (96%)	398 (96%)	17 (4%)	30	12
1	15-A	415/430 (96%)	398 (96%)	17 (4%)	30	12
1	16-A	415/430 (96%)	390 (94%)	25 (6%)	19	6
All	All	6640/6880 (96%)	6455 (97%)	185 (3%)	43	25

All (185) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	1-A	68	PRO
1	1-A	94	ASN
1	1-A	151	SER
1	1-A	191	VAL
1	1-A	253	ASP
1	1-A	311	SER
1	1-A	346	GLU
1	1-A	443	LEU
1	1-A	456	GLU
1	2-A	39	GLU
1	2-A	318	LEU
1	2-A	411	PRO
1	2-A	431	PRO
1	3-A	68	PRO
1	3-A	72	GLU
1	3-A	88	THR
1	3-A	135	ASP
1	3-A	240	ASP
1	3-A	269	SER
1	3-A	311	SER
1	3-A	337	ARG
1	4-A	34	LEU
1	4-A	68	PRO
1	4-A	84	SER
1	4-A	161	THR
1	4-A	162	ASP
1	4-A	187	GLN
1	4-A	191	VAL
1	4-A	327	SER
1	4-A	339	ILE
1	4-A	346	GLU
1	4-A	354	LEU
1	4-A	365	ARG
1	4-A	523	SER
1	5-A	34	LEU
1	5-A	42	CYS
1	5-A	61	LYS
1	5-A	72	GLU
1	5-A	84	SER
1	5-A	213	GLU
1	5-A	327	SER
1	5-A	346	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5-A	354	LEU
1	5-A	485	SER
1	6-A	37	GLN
1	6-A	48	ASP
1	6-A	108	LEU
1	6-A	125	LEU
1	6-A	135	ASP
1	6-A	241	MSE
1	6-A	328	ASN
1	6-A	346	GLU
1	6-A	352	VAL
1	6-A	353	ASP
1	6-A	385	LEU
1	6-A	389	LYS
1	7-A	39	GLU
1	7-A	53	ASP
1	7-A	72	GLU
1	7-A	269	SER
1	7-A	324	ASP
1	7-A	345	ASN
1	7-A	391	ASP
1	7-A	510	MSE
1	8-A	69	VAL
1	8-A	337	ARG
1	8-A	346	GLU
1	8-A	351	GLU
1	8-A	354	LEU
1	8-A	377	GLU
1	8-A	433	GLU
1	8-A	523	SER
1	9-A	68	PRO
1	9-A	117	GLU
1	9-A	180	GLN
1	9-A	241	MSE
1	9-A	253	ASP
1	9-A	270	SER
1	9-A	327	SER
1	9-A	418	LEU
1	9-A	487	GLU
1	9-A	495	ASN
1	9-A	510	MSE
1	9-A	522	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	10-A	125	LEU
1	10-A	241	MSE
1	10-A	322	TYR
1	10-A	346	GLU
1	10-A	351	GLU
1	10-A	456	GLU
1	10-A	524	LEU
1	11-A	34	LEU
1	11-A	57	MSE
1	11-A	68	PRO
1	11-A	101	GLN
1	11-A	191	VAL
1	11-A	345	ASN
1	11-A	366	SER
1	11-A	461	GLN
1	12-A	34	LEU
1	12-A	39	GLU
1	12-A	72	GLU
1	12-A	96	HIS
1	12-A	166	LEU
1	12-A	171	THR
1	12-A	241	MSE
1	12-A	309	CYS
1	12-A	324	ASP
1	12-A	418	LEU
1	12-A	435	GLU
1	12-A	456	GLU
1	12-A	506	MSE
1	13-A	39	GLU
1	13-A	68	PRO
1	13-A	72	GLU
1	13-A	191	VAL
1	13-A	311	SER
1	13-A	318	LEU
1	13-A	324	ASP
1	13-A	334	ARG
1	13-A	346	GLU
1	13-A	352	VAL
1	13-A	354	LEU
1	13-A	392	ILE
1	13-A	414	VAL
1	13-A	512	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	14-A	60	VAL
1	14-A	86	LYS
1	14-A	151	SER
1	14-A	183	ARG
1	14-A	191	VAL
1	14-A	241	MSE
1	14-A	253	ASP
1	14-A	256	THR
1	14-A	275	GLU
1	14-A	311	SER
1	14-A	324	ASP
1	14-A	388	SER
1	14-A	414	VAL
1	14-A	432	GLU
1	14-A	439	ILE
1	14-A	485	SER
1	14-A	522	ARG
1	15-A	39	GLU
1	15-A	72	GLU
1	15-A	99	ASN
1	15-A	172	LEU
1	15-A	183	ARG
1	15-A	230	ARG
1	15-A	241	MSE
1	15-A	307	GLN
1	15-A	315	CYS
1	15-A	326	ASP
1	15-A	339	ILE
1	15-A	354	LEU
1	15-A	389	LYS
1	15-A	435	GLU
1	15-A	502	ASP
1	15-A	512	ILE
1	15-A	522	ARG
1	16-A	39	GLU
1	16-A	68	PRO
1	16-A	72	GLU
1	16-A	103	MSE
1	16-A	125	LEU
1	16-A	157	PRO
1	16-A	173	SER
1	16-A	178	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	16-A	180	GLN
1	16-A	183	ARG
1	16-A	206	CYS
1	16-A	230	ARG
1	16-A	241	MSE
1	16-A	311	SER
1	16-A	339	ILE
1	16-A	345	ASN
1	16-A	346	GLU
1	16-A	352	VAL
1	16-A	354	LEU
1	16-A	389	LYS
1	16-A	447	PRO
1	16-A	456	GLU
1	16-A	498	SER
1	16-A	514	SER
1	16-A	522	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (61) such sidechains are listed below:

Mol	Chain	Res	Type
1	1-A	298	HIS
1	2-A	187	GLN
1	2-A	298	HIS
1	3-A	94	ASN
1	3-A	118	ASN
1	3-A	211	ASN
1	3-A	265	GLN
1	3-A	345	ASN
1	3-A	467	HIS
1	4-A	119	HIS
1	4-A	174	ASN
1	4-A	298	HIS
1	4-A	396	ASN
1	5-A	37	GLN
1	5-A	174	ASN
1	5-A	211	ASN
1	5-A	298	HIS
1	5-A	345	ASN
1	5-A	384	ASN
1	5-A	492	HIS
1	6-A	119	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	6-A	174	ASN
1	6-A	211	ASN
1	6-A	482	HIS
1	7-A	119	HIS
1	7-A	211	ASN
1	7-A	345	ASN
1	8-A	119	HIS
1	8-A	211	ASN
1	8-A	298	HIS
1	8-A	345	ASN
1	9-A	94	ASN
1	9-A	119	HIS
1	9-A	180	GLN
1	9-A	211	ASN
1	10-A	211	ASN
1	11-A	101	GLN
1	11-A	190	ASN
1	11-A	321	HIS
1	11-A	345	ASN
1	12-A	94	ASN
1	12-A	211	ASN
1	12-A	321	HIS
1	12-A	482	HIS
1	12-A	492	HIS
1	13-A	211	ASN
1	13-A	345	ASN
1	13-A	482	HIS
1	14-A	211	ASN
1	14-A	298	HIS
1	15-A	119	HIS
1	15-A	224	GLN
1	15-A	298	HIS
1	15-A	307	GLN
1	15-A	321	HIS
1	15-A	384	ASN
1	15-A	467	HIS
1	15-A	517	GLN
1	16-A	298	HIS
1	16-A	345	ASN
1	16-A	467	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	5-A	701	-	53,58,58	2.06	15 (28%)	68,89,89	1.66	11 (16%)
2	FAD	4-A	701	-	53,58,58	2.31	13 (24%)	68,89,89	1.61	13 (19%)
2	FAD	7-A	701	-	53,58,58	2.47	13 (24%)	68,89,89	2.15	14 (20%)
2	FAD	13-A	701	-	53,58,58	2.45	10 (18%)	68,89,89	2.18	11 (16%)
2	FAD	2-A	701	-	53,58,58	2.73	14 (26%)	68,89,89	1.97	10 (14%)
2	FAD	16-A	701	-	53,58,58	2.69	16 (30%)	68,89,89	2.43	17 (25%)
2	FAD	8-A	701	-	53,58,58	2.31	12 (22%)	68,89,89	1.79	10 (14%)
2	FAD	12-A	701	-	53,58,58	1.93	13 (24%)	68,89,89	1.50	12 (17%)
2	FAD	15-A	701	-	53,58,58	3.10	21 (39%)	68,89,89	1.64	11 (16%)
2	FAD	14-A	701	-	53,58,58	3.31	23 (43%)	68,89,89	1.93	17 (25%)
2	FAD	11-A	701	-	53,58,58	2.59	18 (33%)	68,89,89	1.69	15 (22%)
2	FAD	3-A	701	-	53,58,58	2.40	14 (26%)	68,89,89	1.68	11 (16%)
2	FAD	6-A	701	-	53,58,58	2.53	13 (24%)	68,89,89	1.63	11 (16%)
2	FAD	1-A	701	-	53,58,58	2.26	16 (30%)	68,89,89	1.68	13 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	9-A	701	-	53,58,58	2.26	15 (28%)	68,89,89	1.61	12 (17%)
2	FAD	10-A	701	-	53,58,58	2.56	17 (32%)	68,89,89	2.29	11 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	5-A	701	-	-	3/30/50/50	0/6/6/6
2	FAD	4-A	701	-	-	3/30/50/50	0/6/6/6
2	FAD	7-A	701	-	-	3/30/50/50	0/6/6/6
2	FAD	13-A	701	-	-	6/30/50/50	0/6/6/6
2	FAD	2-A	701	-	-	5/30/50/50	0/6/6/6
2	FAD	16-A	701	-	-	5/30/50/50	0/6/6/6
2	FAD	8-A	701	-	-	4/30/50/50	0/6/6/6
2	FAD	12-A	701	-	-	6/30/50/50	0/6/6/6
2	FAD	15-A	701	-	-	4/30/50/50	0/6/6/6
2	FAD	14-A	701	-	-	4/30/50/50	0/6/6/6
2	FAD	11-A	701	-	-	2/30/50/50	0/6/6/6
2	FAD	3-A	701	-	-	5/30/50/50	0/6/6/6
2	FAD	6-A	701	-	-	7/30/50/50	0/6/6/6
2	FAD	1-A	701	-	-	5/30/50/50	0/6/6/6
2	FAD	9-A	701	-	-	5/30/50/50	0/6/6/6
2	FAD	10-A	701	-	-	3/30/50/50	0/6/6/6

All (243) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	15-A	701	FAD	C5'-C4'	-16.42	1.28	1.51
2	14-A	701	FAD	C5'-C4'	-15.52	1.29	1.51
2	2-A	701	FAD	C5'-C4'	-11.93	1.34	1.51
2	8-A	701	FAD	C5'-C4'	-11.46	1.35	1.51
2	4-A	701	FAD	C5'-C4'	-11.44	1.35	1.51
2	7-A	701	FAD	C5'-C4'	-11.20	1.35	1.51
2	16-A	701	FAD	C4'-C3'	-11.01	1.32	1.53
2	11-A	701	FAD	O5'-C5'	-9.11	1.09	1.44
2	3-A	701	FAD	C5'-C4'	-8.80	1.39	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	13-A	701	FAD	C4'-C3'	-8.54	1.37	1.53
2	10-A	701	FAD	O5'-C5'	8.52	1.77	1.44
2	2-A	701	FAD	C4'-C3'	-8.18	1.38	1.53
2	6-A	701	FAD	C5'-C4'	-8.07	1.40	1.51
2	9-A	701	FAD	C5'-C4'	-7.86	1.40	1.51
2	14-A	701	FAD	O4'-C4'	-7.82	1.26	1.43
2	14-A	701	FAD	C9A-N10	7.37	1.54	1.41
2	5-A	701	FAD	C5'-C4'	-7.28	1.41	1.51
2	13-A	701	FAD	C5'-C4'	-6.99	1.41	1.51
2	6-A	701	FAD	C2'-C3'	-6.96	1.40	1.53
2	10-A	701	FAD	C5'-C4'	-6.94	1.42	1.51
2	13-A	701	FAD	C4X-N5	6.91	1.44	1.30
2	11-A	701	FAD	C5'-C4'	-6.61	1.42	1.51
2	1-A	701	FAD	O5'-C5'	-6.39	1.20	1.44
2	6-A	701	FAD	C9A-N10	6.26	1.52	1.41
2	16-A	701	FAD	P-O2P	-6.14	1.26	1.55
2	7-A	701	FAD	C4X-N5	6.11	1.42	1.30
2	3-A	701	FAD	C4'-C3'	-6.01	1.42	1.53
2	1-A	701	FAD	C5'-C4'	-5.77	1.43	1.51
2	6-A	701	FAD	C9-C8	5.68	1.47	1.39
2	13-A	701	FAD	C6-C5X	5.58	1.48	1.40
2	11-A	701	FAD	C4X-N5	5.57	1.41	1.30
2	6-A	701	FAD	C1'-C2'	-5.51	1.44	1.52
2	9-A	701	FAD	C4'-C3'	5.32	1.63	1.53
2	9-A	701	FAD	C9-C8	5.30	1.47	1.39
2	14-A	701	FAD	C9-C8	5.24	1.47	1.39
2	10-A	701	FAD	C4'-C3'	-5.13	1.43	1.53
2	7-A	701	FAD	C6-C5X	5.08	1.47	1.40
2	1-A	701	FAD	C4X-N5	5.00	1.40	1.30
2	2-A	701	FAD	O5'-C5'	4.91	1.63	1.44
2	15-A	701	FAD	O4B-C1B	4.90	1.47	1.41
2	9-A	701	FAD	C9A-N10	4.89	1.49	1.41
2	16-A	701	FAD	O5B-C5B	-4.86	1.26	1.44
2	11-A	701	FAD	C9A-N10	4.84	1.49	1.41
2	16-A	701	FAD	P-O1P	4.84	1.68	1.50
2	12-A	701	FAD	C4X-N5	4.75	1.40	1.30
2	15-A	701	FAD	O4'-C4'	-4.72	1.33	1.43
2	4-A	701	FAD	C4A-N3A	4.71	1.42	1.35
2	10-A	701	FAD	O5B-C5B	-4.70	1.26	1.44
2	3-A	701	FAD	O5'-C5'	4.67	1.62	1.44
2	3-A	701	FAD	C5B-C4B	-4.65	1.37	1.51
2	14-A	701	FAD	C4'-C3'	4.64	1.62	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	6-A	701	FAD	O4'-C4'	4.64	1.53	1.43
2	14-A	701	FAD	C8A-N7A	-4.61	1.26	1.34
2	2-A	701	FAD	C9A-N10	4.58	1.49	1.41
2	12-A	701	FAD	C9-C8	4.58	1.46	1.39
2	4-A	701	FAD	C4'-C3'	-4.56	1.44	1.53
2	3-A	701	FAD	C9-C8	4.53	1.46	1.39
2	15-A	701	FAD	C4X-N5	4.53	1.39	1.30
2	16-A	701	FAD	O5'-C5'	4.53	1.62	1.44
2	3-A	701	FAD	C9A-N10	4.51	1.49	1.41
2	10-A	701	FAD	O4B-C1B	4.51	1.47	1.41
2	5-A	701	FAD	C4X-N5	4.37	1.39	1.30
2	1-A	701	FAD	C9-C8	4.34	1.45	1.39
2	12-A	701	FAD	O4B-C1B	4.31	1.47	1.41
2	4-A	701	FAD	C4X-N5	4.28	1.39	1.30
2	16-A	701	FAD	C5'-C4'	-4.27	1.45	1.51
2	9-A	701	FAD	C4X-N5	4.26	1.39	1.30
2	2-A	701	FAD	C4X-N5	4.21	1.38	1.30
2	13-A	701	FAD	O4'-C4'	4.18	1.52	1.43
2	10-A	701	FAD	C9A-N10	4.13	1.48	1.41
2	15-A	701	FAD	P-O5'	-4.12	1.42	1.59
2	3-A	701	FAD	C4X-N5	4.10	1.38	1.30
2	7-A	701	FAD	O5'-C5'	-4.10	1.29	1.44
2	11-A	701	FAD	C1'-C2'	-4.08	1.46	1.52
2	1-A	701	FAD	C4A-N3A	4.01	1.41	1.35
2	15-A	701	FAD	PA-O1A	-4.00	1.36	1.50
2	2-A	701	FAD	C9-C8	4.00	1.45	1.39
2	16-A	701	FAD	C4X-N5	3.98	1.38	1.30
2	13-A	701	FAD	O4B-C1B	3.96	1.46	1.41
2	16-A	701	FAD	O2B-C2B	-3.95	1.33	1.43
2	10-A	701	FAD	O4'-C4'	-3.95	1.35	1.43
2	11-A	701	FAD	C4A-N3A	3.94	1.41	1.35
2	1-A	701	FAD	C4'-C3'	-3.93	1.46	1.53
2	2-A	701	FAD	O2'-C2'	3.92	1.51	1.43
2	12-A	701	FAD	C4A-N3A	3.91	1.41	1.35
2	5-A	701	FAD	C2'-C3'	-3.88	1.46	1.53
2	1-A	701	FAD	C1'-C2'	-3.88	1.47	1.52
2	12-A	701	FAD	C9A-N10	3.87	1.48	1.41
2	8-A	701	FAD	O5'-C5'	-3.86	1.29	1.44
2	8-A	701	FAD	C9A-N10	3.83	1.47	1.41
2	5-A	701	FAD	O4'-C4'	3.81	1.51	1.43
2	7-A	701	FAD	C4A-N3A	3.80	1.40	1.35
2	10-A	701	FAD	C4X-N5	3.79	1.38	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	7-A	701	FAD	C9A-N10	3.76	1.47	1.41
2	11-A	701	FAD	C9-C8	3.72	1.45	1.39
2	16-A	701	FAD	O2'-C2'	3.71	1.51	1.43
2	9-A	701	FAD	C4A-N3A	3.68	1.40	1.35
2	15-A	701	FAD	C10-N1	3.62	1.40	1.33
2	8-A	701	FAD	C4A-N3A	3.56	1.40	1.35
2	8-A	701	FAD	C4X-N5	3.54	1.37	1.30
2	14-A	701	FAD	P-O5'	-3.54	1.45	1.59
2	10-A	701	FAD	O2'-C2'	3.54	1.50	1.43
2	14-A	701	FAD	PA-O2A	-3.52	1.38	1.55
2	4-A	701	FAD	O4B-C1B	3.51	1.46	1.41
2	13-A	701	FAD	C9A-N10	3.50	1.47	1.41
2	5-A	701	FAD	C4A-N3A	3.50	1.40	1.35
2	11-A	701	FAD	C4'-C3'	-3.47	1.46	1.53
2	12-A	701	FAD	C5'-C4'	-3.46	1.46	1.51
2	7-A	701	FAD	C4'-C3'	-3.44	1.47	1.53
2	5-A	701	FAD	C1'-C2'	-3.43	1.47	1.52
2	10-A	701	FAD	P-O5'	3.40	1.73	1.59
2	16-A	701	FAD	C4A-N3A	3.38	1.40	1.35
2	2-A	701	FAD	C5B-C4B	-3.36	1.41	1.51
2	6-A	701	FAD	P-O2P	-3.34	1.39	1.55
2	11-A	701	FAD	O4B-C1B	3.34	1.45	1.41
2	7-A	701	FAD	O2'-C2'	3.33	1.50	1.43
2	16-A	701	FAD	O4B-C1B	3.32	1.45	1.41
2	8-A	701	FAD	C2'-C3'	-3.32	1.47	1.53
2	3-A	701	FAD	O2'-C2'	3.31	1.50	1.43
2	1-A	701	FAD	C9A-C5X	3.31	1.46	1.41
2	14-A	701	FAD	C1'-C2'	-3.30	1.48	1.52
2	2-A	701	FAD	O4'-C4'	-3.28	1.36	1.43
2	16-A	701	FAD	P-O5'	3.26	1.72	1.59
2	11-A	701	FAD	C7M-C7	3.21	1.57	1.51
2	6-A	701	FAD	C6-C7	-3.18	1.34	1.39
2	13-A	701	FAD	C4A-N3A	3.17	1.40	1.35
2	15-A	701	FAD	O3'-C3'	-3.12	1.35	1.43
2	8-A	701	FAD	C1'-C2'	-3.12	1.48	1.52
2	2-A	701	FAD	C4A-N3A	3.09	1.39	1.35
2	12-A	701	FAD	C2'-C3'	3.05	1.59	1.53
2	4-A	701	FAD	C9A-N10	3.04	1.46	1.41
2	3-A	701	FAD	C4A-N3A	3.01	1.39	1.35
2	15-A	701	FAD	C4A-N3A	3.00	1.39	1.35
2	5-A	701	FAD	C2B-C1B	2.98	1.58	1.53
2	15-A	701	FAD	C5B-C4B	2.98	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	14-A	701	FAD	O5'-C5'	-2.97	1.33	1.44
2	14-A	701	FAD	C6-C5X	2.93	1.44	1.40
2	9-A	701	FAD	C6-C5X	2.93	1.44	1.40
2	5-A	701	FAD	P-O5'	2.92	1.71	1.59
2	6-A	701	FAD	C9-C9A	2.90	1.44	1.39
2	13-A	701	FAD	C2'-C3'	2.89	1.58	1.53
2	14-A	701	FAD	C4A-N3A	2.89	1.39	1.35
2	14-A	701	FAD	O3'-C3'	-2.88	1.36	1.43
2	3-A	701	FAD	C6-C5X	2.87	1.44	1.40
2	11-A	701	FAD	PA-O1A	-2.84	1.40	1.50
2	2-A	701	FAD	C6-C5X	2.83	1.44	1.40
2	1-A	701	FAD	O4B-C4B	-2.83	1.38	1.45
2	5-A	701	FAD	O5B-C5B	-2.82	1.33	1.44
2	15-A	701	FAD	C2B-C3B	-2.81	1.45	1.53
2	3-A	701	FAD	O4'-C4'	-2.79	1.37	1.43
2	14-A	701	FAD	O5B-C5B	-2.78	1.34	1.44
2	9-A	701	FAD	O4B-C4B	-2.78	1.38	1.45
2	3-A	701	FAD	O3'-C3'	2.76	1.49	1.43
2	11-A	701	FAD	O2-C2	2.70	1.29	1.24
2	14-A	701	FAD	O4B-C1B	2.70	1.44	1.41
2	11-A	701	FAD	C2'-C3'	-2.69	1.48	1.53
2	15-A	701	FAD	C9A-N10	2.68	1.45	1.41
2	12-A	701	FAD	C10-N1	2.67	1.38	1.33
2	7-A	701	FAD	C1'-N10	2.67	1.54	1.48
2	5-A	701	FAD	C6-C5X	2.66	1.44	1.40
2	8-A	701	FAD	O3'-C3'	2.66	1.49	1.43
2	4-A	701	FAD	C9-C8	2.63	1.43	1.39
2	10-A	701	FAD	C8A-N7A	-2.62	1.30	1.34
2	14-A	701	FAD	C1'-N10	2.59	1.54	1.48
2	10-A	701	FAD	C4A-N3A	2.59	1.39	1.35
2	4-A	701	FAD	O3'-C3'	2.59	1.49	1.43
2	11-A	701	FAD	P-O1P	-2.58	1.41	1.50
2	15-A	701	FAD	C6-C5X	2.58	1.44	1.40
2	5-A	701	FAD	C9A-N10	2.56	1.45	1.41
2	14-A	701	FAD	C4X-N5	2.56	1.35	1.30
2	8-A	701	FAD	P-O5'	-2.56	1.48	1.59
2	5-A	701	FAD	O4B-C1B	2.54	1.44	1.41
2	15-A	701	FAD	P-O2P	-2.54	1.43	1.55
2	14-A	701	FAD	C2A-N3A	2.52	1.36	1.32
2	11-A	701	FAD	C10-N1	2.52	1.38	1.33
2	10-A	701	FAD	C1'-C2'	-2.52	1.49	1.52
2	12-A	701	FAD	C6-C5X	2.52	1.43	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	15-A	701	FAD	PA-O2A	-2.51	1.43	1.55
2	6-A	701	FAD	O3'-C3'	-2.48	1.37	1.43
2	8-A	701	FAD	O2'-C2'	2.47	1.48	1.43
2	11-A	701	FAD	O2'-C2'	2.47	1.48	1.43
2	7-A	701	FAD	P-O5'	-2.46	1.49	1.59
2	6-A	701	FAD	C4'-C3'	-2.45	1.48	1.53
2	15-A	701	FAD	C8A-N7A	-2.45	1.30	1.34
2	4-A	701	FAD	C5B-C4B	-2.45	1.44	1.51
2	4-A	701	FAD	C6-C5X	2.44	1.43	1.40
2	9-A	701	FAD	C1'-C2'	-2.44	1.49	1.52
2	5-A	701	FAD	O5'-C5'	-2.43	1.35	1.44
2	9-A	701	FAD	O3B-C3B	-2.42	1.37	1.43
2	11-A	701	FAD	C5X-N5	2.41	1.44	1.39
2	1-A	701	FAD	P-O1P	-2.41	1.42	1.50
2	7-A	701	FAD	O3'-C3'	-2.40	1.37	1.43
2	1-A	701	FAD	C2-N1	-2.40	1.31	1.36
2	9-A	701	FAD	C2'-C3'	-2.39	1.49	1.53
2	8-A	701	FAD	O4B-C4B	-2.39	1.39	1.45
2	4-A	701	FAD	O2'-C2'	2.38	1.48	1.43
2	10-A	701	FAD	C9-C8	2.37	1.43	1.39
2	10-A	701	FAD	P-O2P	-2.36	1.44	1.55
2	14-A	701	FAD	O3B-C3B	-2.34	1.37	1.43
2	1-A	701	FAD	C9A-N10	2.34	1.45	1.41
2	11-A	701	FAD	PA-O5B	2.33	1.68	1.59
2	7-A	701	FAD	O4B-C4B	-2.32	1.39	1.45
2	14-A	701	FAD	C2B-C3B	-2.32	1.47	1.53
2	2-A	701	FAD	O3'-C3'	2.32	1.48	1.43
2	2-A	701	FAD	O4B-C1B	-2.32	1.37	1.41
2	3-A	701	FAD	O4B-C4B	-2.30	1.39	1.45
2	12-A	701	FAD	PA-O2A	-2.29	1.44	1.55
2	9-A	701	FAD	C9-C9A	2.29	1.43	1.39
2	1-A	701	FAD	O2-C2	-2.28	1.20	1.24
2	1-A	701	FAD	C10-N1	2.28	1.37	1.33
2	14-A	701	FAD	C2A-N1A	2.27	1.38	1.33
2	6-A	701	FAD	C4X-N5	2.26	1.35	1.30
2	15-A	701	FAD	C5X-N5	2.26	1.43	1.39
2	6-A	701	FAD	C4A-N3A	2.25	1.38	1.35
2	1-A	701	FAD	O4B-C1B	2.25	1.44	1.41
2	16-A	701	FAD	C6-C5X	2.24	1.43	1.40
2	16-A	701	FAD	C5B-C4B	2.24	1.58	1.51
2	12-A	701	FAD	C9A-C5X	2.23	1.44	1.41
2	16-A	701	FAD	C2B-C1B	-2.21	1.50	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	15-A	701	FAD	C2'-C3'	2.21	1.57	1.53
2	15-A	701	FAD	C1'-C2'	2.21	1.55	1.52
2	16-A	701	FAD	C8A-N7A	-2.20	1.30	1.34
2	2-A	701	FAD	O4B-C4B	-2.18	1.40	1.45
2	8-A	701	FAD	C9-C8	2.17	1.42	1.39
2	10-A	701	FAD	C2B-C3B	-2.16	1.47	1.53
2	9-A	701	FAD	P-O1P	-2.16	1.43	1.50
2	1-A	701	FAD	C2'-C3'	-2.15	1.49	1.53
2	10-A	701	FAD	C10-N1	2.15	1.37	1.33
2	15-A	701	FAD	C2A-N1A	2.15	1.37	1.33
2	5-A	701	FAD	O2-C2	2.14	1.28	1.24
2	13-A	701	FAD	O2'-C2'	2.14	1.47	1.43
2	4-A	701	FAD	C2A-N1A	2.12	1.37	1.33
2	9-A	701	FAD	P-O5'	2.10	1.67	1.59
2	12-A	701	FAD	P-O2P	-2.10	1.45	1.55
2	14-A	701	FAD	P-O2P	-2.09	1.45	1.55
2	4-A	701	FAD	P-O5'	2.09	1.67	1.59
2	5-A	701	FAD	C2-N3	2.07	1.43	1.39
2	15-A	701	FAD	C6-C7	2.05	1.42	1.39
2	7-A	701	FAD	O4B-C1B	2.05	1.43	1.41
2	3-A	701	FAD	O3B-C3B	-2.05	1.38	1.43
2	14-A	701	FAD	PA-O5B	-2.04	1.51	1.59
2	9-A	701	FAD	O4B-C1B	2.04	1.43	1.41
2	12-A	701	FAD	P-O1P	-2.03	1.43	1.50

All (199) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	16-A	701	FAD	O5'-C5'-C4'	-12.91	74.90	109.36
2	7-A	701	FAD	O5'-C5'-C4'	-11.41	78.91	109.36
2	10-A	701	FAD	O5'-C5'-C4'	-10.78	80.58	109.36
2	2-A	701	FAD	O5'-C5'-C4'	-10.32	81.80	109.36
2	13-A	701	FAD	C4'-C3'-C2'	-9.83	92.91	113.36
2	10-A	701	FAD	C5'-C4'-C3'	8.08	127.82	112.20
2	3-A	701	FAD	O5'-C5'-C4'	-7.87	88.35	109.36
2	13-A	701	FAD	O5'-C5'-C4'	-7.82	88.50	109.36
2	8-A	701	FAD	O5'-C5'-C4'	-7.36	89.71	109.36
2	5-A	701	FAD	O4B-C4B-C5B	-6.69	87.36	109.37
2	10-A	701	FAD	C4'-C3'-C2'	-6.58	99.67	113.36
2	13-A	701	FAD	C5'-C4'-C3'	6.33	124.42	112.20
2	4-A	701	FAD	O5'-C5'-C4'	-6.05	93.21	109.36
2	16-A	701	FAD	C4'-C3'-C2'	-5.74	101.42	113.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	10-A	701	FAD	O4B-C4B-C5B	-5.60	90.96	109.37
2	7-A	701	FAD	C4'-C3'-C2'	-5.58	101.76	113.36
2	8-A	701	FAD	O4B-C4B-C5B	-5.56	91.08	109.37
2	7-A	701	FAD	O4B-C4B-C5B	-5.54	91.14	109.37
2	1-A	701	FAD	O4B-C4B-C5B	-5.38	91.66	109.37
2	16-A	701	FAD	C5'-C4'-C3'	5.34	122.53	112.20
2	11-A	701	FAD	O4B-C4B-C5B	-5.29	91.95	109.37
2	2-A	701	FAD	C5'-C4'-C3'	5.17	122.20	112.20
2	14-A	701	FAD	C4'-C3'-C2'	-5.15	102.64	113.36
2	14-A	701	FAD	O5'-C5'-C4'	-5.13	95.66	109.36
2	15-A	701	FAD	O4B-C4B-C5B	-5.13	92.50	109.37
2	6-A	701	FAD	O5'-C5'-C4'	-5.05	95.89	109.36
2	5-A	701	FAD	C4'-C3'-C2'	-4.98	103.01	113.36
2	9-A	701	FAD	O4B-C4B-C5B	-4.93	93.14	109.37
2	1-A	701	FAD	C4'-C3'-C2'	-4.80	103.38	113.36
2	15-A	701	FAD	O5B-C5B-C4B	4.80	125.50	108.99
2	2-A	701	FAD	O4'-C4'-C5'	-4.78	99.18	109.92
2	6-A	701	FAD	C9-C9A-N10	4.56	128.00	121.84
2	15-A	701	FAD	C4'-C3'-C2'	-4.51	103.97	113.36
2	14-A	701	FAD	O4'-C4'-C3'	-4.51	98.13	109.10
2	11-A	701	FAD	C5'-C4'-C3'	-4.42	103.66	112.20
2	15-A	701	FAD	O5'-C5'-C4'	-4.42	97.57	109.36
2	10-A	701	FAD	O4'-C4'-C5'	-4.41	100.01	109.92
2	4-A	701	FAD	O5B-PA-O1A	-4.40	91.86	109.07
2	8-A	701	FAD	O4'-C4'-C3'	4.28	119.50	109.10
2	14-A	701	FAD	O3'-C3'-C2'	-4.18	98.72	108.81
2	9-A	701	FAD	C4'-C3'-C2'	-4.11	104.81	113.36
2	6-A	701	FAD	O4B-C4B-C5B	-3.95	96.37	109.37
2	1-A	701	FAD	O3'-C3'-C2'	3.90	118.22	108.81
2	16-A	701	FAD	C3B-C2B-C1B	3.89	106.83	100.98
2	16-A	701	FAD	O4'-C4'-C3'	-3.85	99.75	109.10
2	14-A	701	FAD	O2'-C2'-C1'	-3.82	100.56	109.80
2	12-A	701	FAD	O2'-C2'-C3'	3.81	118.37	109.10
2	8-A	701	FAD	C4'-C3'-C2'	-3.80	105.46	113.36
2	2-A	701	FAD	O4B-C4B-C5B	-3.78	96.93	109.37
2	14-A	701	FAD	O4'-C4'-C5'	-3.77	101.43	109.92
2	13-A	701	FAD	C1'-N10-C9A	-3.77	114.23	120.51
2	3-A	701	FAD	O4'-C4'-C5'	-3.74	101.50	109.92
2	12-A	701	FAD	C1'-N10-C9A	3.71	126.70	120.51
2	9-A	701	FAD	O5B-PA-O1A	-3.70	94.61	109.07
2	15-A	701	FAD	O4'-C4'-C3'	-3.63	100.26	109.10
2	6-A	701	FAD	O4'-C4'-C3'	3.61	117.89	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	14-A	701	FAD	O4B-C4B-C5B	-3.61	97.48	109.37
2	13-A	701	FAD	O4'-C4'-C3'	-3.60	100.35	109.10
2	11-A	701	FAD	C4'-C3'-C2'	-3.59	105.90	113.36
2	16-A	701	FAD	O4B-C4B-C5B	-3.56	97.66	109.37
2	13-A	701	FAD	O4'-C4'-C5'	-3.56	101.92	109.92
2	12-A	701	FAD	C4X-C10-N10	3.51	121.61	116.48
2	7-A	701	FAD	O4'-C4'-C5'	-3.51	102.04	109.92
2	11-A	701	FAD	O5'-C5'-C4'	-3.49	100.05	109.36
2	1-A	701	FAD	O5'-C5'-C4'	-3.46	100.14	109.36
2	16-A	701	FAD	O5B-PA-O1A	-3.45	95.57	109.07
2	14-A	701	FAD	O5'-P-O1P	-3.45	95.57	109.07
2	16-A	701	FAD	C1'-N10-C9A	-3.45	114.76	120.51
2	2-A	701	FAD	C4'-C3'-C2'	-3.44	106.21	113.36
2	7-A	701	FAD	O4'-C4'-C3'	3.42	117.42	109.10
2	7-A	701	FAD	C1'-N10-C9A	-3.39	114.86	120.51
2	12-A	701	FAD	O5B-C5B-C4B	3.35	120.52	108.99
2	14-A	701	FAD	O5B-PA-O1A	-3.28	96.24	109.07
2	3-A	701	FAD	C5'-C4'-C3'	3.27	118.52	112.20
2	15-A	701	FAD	C5'-C4'-C3'	3.24	118.47	112.20
2	1-A	701	FAD	C5'-C4'-C3'	-3.21	106.00	112.20
2	4-A	701	FAD	C1'-C2'-C3'	-3.21	100.82	109.79
2	11-A	701	FAD	O4'-C4'-C3'	3.20	116.89	109.10
2	1-A	701	FAD	C1'-C2'-C3'	3.19	118.69	109.79
2	4-A	701	FAD	PA-O5B-C5B	3.18	140.33	121.68
2	9-A	701	FAD	O2A-PA-O5B	3.16	122.44	107.75
2	5-A	701	FAD	O5B-PA-O1A	-3.15	96.75	109.07
2	4-A	701	FAD	C4A-C5A-N7A	3.12	112.65	109.40
2	6-A	701	FAD	C5X-C9A-N10	-3.11	114.74	117.95
2	1-A	701	FAD	O4'-C4'-C3'	3.10	116.62	109.10
2	3-A	701	FAD	C4'-C3'-C2'	-3.08	106.96	113.36
2	16-A	701	FAD	PA-O5B-C5B	3.07	139.69	121.68
2	12-A	701	FAD	C4'-C3'-C2'	-3.03	107.05	113.36
2	14-A	701	FAD	C1'-C2'-C3'	3.01	118.19	109.79
2	11-A	701	FAD	O5'-P-O1P	-3.01	97.33	109.07
2	4-A	701	FAD	O2A-PA-O5B	2.99	121.63	107.75
2	9-A	701	FAD	C4X-C10-N10	2.96	120.81	116.48
2	4-A	701	FAD	C1'-N10-C9A	-2.95	115.59	120.51
2	12-A	701	FAD	O5'-C5'-C4'	-2.95	101.49	109.36
2	4-A	701	FAD	O5B-C5B-C4B	2.94	119.11	108.99
2	15-A	701	FAD	O4'-C4'-C5'	-2.94	103.31	109.92
2	16-A	701	FAD	O2A-PA-O1A	2.92	126.70	112.24
2	2-A	701	FAD	O3'-C3'-C4'	-2.90	101.80	108.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	10-A	701	FAD	O5B-PA-O1A	-2.85	97.94	109.07
2	9-A	701	FAD	C1'-C2'-C3'	2.76	117.51	109.79
2	8-A	701	FAD	O5'-P-O1P	-2.76	98.28	109.07
2	11-A	701	FAD	C4X-C10-N10	2.76	120.52	116.48
2	12-A	701	FAD	O2B-C2B-C3B	2.75	120.72	111.82
2	1-A	701	FAD	C4A-C5A-N7A	2.73	112.24	109.40
2	9-A	701	FAD	O2B-C2B-C3B	2.72	120.62	111.82
2	13-A	701	FAD	O4B-C4B-C5B	-2.72	100.42	109.37
2	1-A	701	FAD	O5'-P-O1P	-2.72	98.45	109.07
2	16-A	701	FAD	C4A-C5A-N7A	2.71	112.22	109.40
2	1-A	701	FAD	O2'-C2'-C1'	-2.70	103.26	109.80
2	9-A	701	FAD	C2B-C3B-C4B	2.70	107.89	102.64
2	5-A	701	FAD	O5B-C5B-C4B	2.70	118.29	108.99
2	13-A	701	FAD	C9A-C9-C8	2.69	124.72	119.30
2	14-A	701	FAD	C4X-C10-N10	2.69	120.41	116.48
2	16-A	701	FAD	C1'-C2'-C3'	-2.68	102.30	109.79
2	5-A	701	FAD	O5'-P-O1P	-2.66	98.68	109.07
2	14-A	701	FAD	C9A-N10-C10	-2.65	116.63	120.77
2	9-A	701	FAD	O4'-C4'-C5'	-2.64	103.99	109.92
2	3-A	701	FAD	O5B-PA-O1A	-2.62	98.83	109.07
2	5-A	701	FAD	O2A-PA-O5B	2.62	119.90	107.75
2	6-A	701	FAD	C1'-N10-C9A	2.61	124.87	120.51
2	8-A	701	FAD	C1'-N10-C9A	-2.59	116.19	120.51
2	6-A	701	FAD	C4X-C10-N10	2.59	120.26	116.48
2	7-A	701	FAD	O2A-PA-O5B	2.57	119.69	107.75
2	3-A	701	FAD	PA-O5B-C5B	2.57	136.74	121.68
2	5-A	701	FAD	C8M-C8-C7	2.57	126.00	120.74
2	14-A	701	FAD	C5'-C4'-C3'	2.55	117.13	112.20
2	12-A	701	FAD	C2B-C3B-C4B	2.55	107.59	102.64
2	14-A	701	FAD	C9-C9A-N10	2.54	125.27	121.84
2	11-A	701	FAD	O5B-C5B-C4B	2.52	117.66	108.99
2	3-A	701	FAD	O2A-PA-O5B	2.51	119.40	107.75
2	11-A	701	FAD	C4A-C5A-N7A	2.50	112.00	109.40
2	16-A	701	FAD	C1B-N9A-C4A	2.49	131.02	126.64
2	11-A	701	FAD	O3'-C3'-C2'	2.48	114.80	108.81
2	5-A	701	FAD	C8M-C8-C9	-2.48	114.91	119.49
2	1-A	701	FAD	O5B-PA-O1A	-2.45	99.48	109.07
2	9-A	701	FAD	PA-O5B-C5B	2.45	136.04	121.68
2	4-A	701	FAD	O4'-C4'-C5'	-2.43	104.45	109.92
2	6-A	701	FAD	C4'-C3'-C2'	-2.43	108.31	113.36
2	7-A	701	FAD	O5B-PA-O1A	-2.41	99.64	109.07
2	5-A	701	FAD	O5'-C5'-C4'	-2.41	102.92	109.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	8-A	701	FAD	O5B-C5B-C4B	2.41	117.29	108.99
2	3-A	701	FAD	C4X-C10-N10	2.41	120.00	116.48
2	12-A	701	FAD	C5'-C4'-C3'	2.39	116.83	112.20
2	4-A	701	FAD	O2A-PA-O1A	2.38	124.00	112.24
2	8-A	701	FAD	O5B-PA-O1A	-2.37	99.80	109.07
2	15-A	701	FAD	C4X-C10-N10	2.37	119.95	116.48
2	2-A	701	FAD	O2A-PA-O5B	2.37	118.74	107.75
2	14-A	701	FAD	O2A-PA-O1A	2.36	123.90	112.24
2	16-A	701	FAD	O2'-C2'-C3'	2.35	114.82	109.10
2	1-A	701	FAD	C4X-C10-N10	2.35	119.92	116.48
2	10-A	701	FAD	O4'-C4'-C3'	-2.35	103.39	109.10
2	2-A	701	FAD	C4X-C10-N10	2.33	119.89	116.48
2	10-A	701	FAD	O4B-C1B-C2B	-2.33	103.53	106.93
2	11-A	701	FAD	C9-C9A-N10	2.33	124.98	121.84
2	2-A	701	FAD	O5B-PA-O1A	-2.32	100.01	109.07
2	7-A	701	FAD	C5'-C4'-C3'	2.31	116.66	112.20
2	6-A	701	FAD	C4-C4X-C10	2.30	120.66	116.79
2	6-A	701	FAD	O2'-C2'-C3'	-2.28	103.55	109.10
2	11-A	701	FAD	P-O3P-PA	2.27	140.63	132.83
2	1-A	701	FAD	O2A-PA-O5B	2.27	118.30	107.75
2	16-A	701	FAD	P-O3P-PA	2.26	140.59	132.83
2	7-A	701	FAD	C5X-C9A-N10	2.26	120.29	117.95
2	13-A	701	FAD	C5X-C9A-N10	2.25	120.28	117.95
2	4-A	701	FAD	O4B-C4B-C5B	2.23	116.72	109.37
2	13-A	701	FAD	C4X-C10-N10	2.23	119.74	116.48
2	5-A	701	FAD	C1'-C2'-C3'	2.23	116.02	109.79
2	12-A	701	FAD	C3B-C2B-C1B	2.22	104.32	100.98
2	7-A	701	FAD	O5B-C5B-C4B	2.22	116.62	108.99
2	7-A	701	FAD	C9A-C9-C8	2.21	123.75	119.30
2	8-A	701	FAD	O2'-C2'-C1'	-2.19	104.50	109.80
2	3-A	701	FAD	C4A-C5A-N7A	2.19	111.68	109.40
2	15-A	701	FAD	O2P-P-O1P	2.16	122.94	112.24
2	13-A	701	FAD	C6-C5X-N5	2.16	122.29	118.51
2	4-A	701	FAD	O4B-C4B-C3B	2.16	109.39	105.11
2	7-A	701	FAD	C4X-C10-N10	2.15	119.62	116.48
2	8-A	701	FAD	C4-C4X-C10	2.15	120.40	116.79
2	15-A	701	FAD	O3'-C3'-C2'	-2.14	103.64	108.81
2	4-A	701	FAD	O2'-C2'-C3'	2.14	114.30	109.10
2	14-A	701	FAD	P-O3P-PA	2.12	140.11	132.83
2	16-A	701	FAD	O3B-C3B-C4B	2.12	117.18	111.05
2	14-A	701	FAD	C4-C4X-C10	2.12	120.35	116.79
2	11-A	701	FAD	O4'-C4'-C5'	2.11	114.67	109.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	10-A	701	FAD	C5B-C4B-C3B	-2.11	107.28	115.18
2	5-A	701	FAD	C4X-C10-N10	2.11	119.56	116.48
2	3-A	701	FAD	C3B-C2B-C1B	2.10	104.14	100.98
2	10-A	701	FAD	C4X-C10-N10	2.09	119.54	116.48
2	3-A	701	FAD	O5B-C5B-C4B	2.09	116.20	108.99
2	2-A	701	FAD	C4A-C5A-N7A	2.07	111.56	109.40
2	9-A	701	FAD	O5'-P-O1P	-2.07	100.99	109.07
2	9-A	701	FAD	C9-C9A-N10	2.06	124.62	121.84
2	6-A	701	FAD	C5A-C6A-N6A	2.04	123.45	120.35
2	11-A	701	FAD	O2P-P-O5'	2.04	117.22	107.75
2	12-A	701	FAD	O4B-C4B-C5B	-2.03	102.69	109.37
2	16-A	701	FAD	O4B-C1B-C2B	-2.03	103.96	106.93
2	7-A	701	FAD	O5'-P-O1P	-2.03	101.15	109.07
2	10-A	701	FAD	O2A-PA-O5B	2.02	117.15	107.75
2	15-A	701	FAD	C9A-C5X-N5	-2.02	120.24	122.43
2	11-A	701	FAD	O5B-PA-O1A	-2.01	101.19	109.07
2	12-A	701	FAD	C10-C4X-N5	-2.00	120.61	124.86

There are no chirality outliers.

All (70) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	1-A	701	FAD	O4'-C4'-C5'-O5'
2	2-A	701	FAD	O4B-C4B-C5B-O5B
2	3-A	701	FAD	C4B-C5B-O5B-PA
2	4-A	701	FAD	C4B-C5B-O5B-PA
2	6-A	701	FAD	O4B-C4B-C5B-O5B
2	9-A	701	FAD	O4B-C4B-C5B-O5B
2	12-A	701	FAD	C2'-C1'-N10-C10
2	14-A	701	FAD	O4B-C4B-C5B-O5B
2	16-A	701	FAD	O4B-C4B-C5B-O5B
2	16-A	701	FAD	C3B-C4B-C5B-O5B
2	1-A	701	FAD	O4B-C4B-C5B-O5B
2	7-A	701	FAD	O4B-C4B-C5B-O5B
2	8-A	701	FAD	O4B-C4B-C5B-O5B
2	10-A	701	FAD	O4B-C4B-C5B-O5B
2	10-A	701	FAD	C3B-C4B-C5B-O5B
2	11-A	701	FAD	O4B-C4B-C5B-O5B
2	12-A	701	FAD	O4B-C4B-C5B-O5B
2	14-A	701	FAD	C3B-C4B-C5B-O5B
2	15-A	701	FAD	O4B-C4B-C5B-O5B
2	12-A	701	FAD	C4'-C5'-O5'-P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	2-A	701	FAD	C3B-C4B-C5B-O5B
2	13-A	701	FAD	C3B-C4B-C5B-O5B
2	3-A	701	FAD	O4B-C4B-C5B-O5B
2	13-A	701	FAD	O4B-C4B-C5B-O5B
2	3-A	701	FAD	C3B-C4B-C5B-O5B
2	16-A	701	FAD	C4'-C5'-O5'-P
2	2-A	701	FAD	C4B-C5B-O5B-PA
2	6-A	701	FAD	C4B-C5B-O5B-PA
2	9-A	701	FAD	C4B-C5B-O5B-PA
2	9-A	701	FAD	C4'-C5'-O5'-P
2	12-A	701	FAD	C3B-C4B-C5B-O5B
2	4-A	701	FAD	C4'-C5'-O5'-P
2	13-A	701	FAD	C5B-O5B-PA-O3P
2	1-A	701	FAD	P-O3P-PA-O1A
2	5-A	701	FAD	P-O3P-PA-O1A
2	6-A	701	FAD	P-O3P-PA-O1A
2	8-A	701	FAD	P-O3P-PA-O1A
2	9-A	701	FAD	P-O3P-PA-O1A
2	11-A	701	FAD	P-O3P-PA-O1A
2	12-A	701	FAD	P-O3P-PA-O1A
2	13-A	701	FAD	P-O3P-PA-O1A
2	15-A	701	FAD	P-O3P-PA-O1A
2	16-A	701	FAD	P-O3P-PA-O1A
2	12-A	701	FAD	C4B-C5B-O5B-PA
2	8-A	701	FAD	C3B-C4B-C5B-O5B
2	6-A	701	FAD	PA-O3P-P-O2P
2	13-A	701	FAD	PA-O3P-P-O2P
2	14-A	701	FAD	C2'-C3'-C4'-O4'
2	8-A	701	FAD	C4B-C5B-O5B-PA
2	4-A	701	FAD	C2'-C1'-N10-C10
2	5-A	701	FAD	O4B-C4B-C5B-O5B
2	6-A	701	FAD	PA-O3P-P-O1P
2	7-A	701	FAD	P-O3P-PA-O1A
2	10-A	701	FAD	P-O3P-PA-O1A
2	14-A	701	FAD	P-O3P-PA-O1A
2	15-A	701	FAD	PA-O3P-P-O1P
2	1-A	701	FAD	P-O3P-PA-O2A
2	2-A	701	FAD	P-O3P-PA-O1A
2	2-A	701	FAD	P-O3P-PA-O2A
2	3-A	701	FAD	P-O3P-PA-O2A
2	3-A	701	FAD	PA-O3P-P-O2P
2	6-A	701	FAD	P-O3P-PA-O2A

Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	7-A	701	FAD	P-O3P-PA-O2A
2	9-A	701	FAD	P-O3P-PA-O2A
2	13-A	701	FAD	PA-O3P-P-O1P
2	15-A	701	FAD	P-O3P-PA-O2A
2	16-A	701	FAD	P-O3P-PA-O2A
2	1-A	701	FAD	C4B-C5B-O5B-PA
2	5-A	701	FAD	C4'-C5'-O5'-P
2	6-A	701	FAD	C2'-C1'-N10-C10

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	2-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	3-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	4-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	5-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	6-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	7-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	8-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	9-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	10-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	11-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	12-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	13-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	14-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	15-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
1	16-A	483/524 (92%)	-0.15	14 (2%) 51 56	8, 18, 37, 55	483 (100%)
All	All	7728/8384 (92%)	-0.15	224 (2%) 49 56	8, 18, 37, 55	7728 (100%)

All (224) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1-A	449	CYS	5.9
1	2-A	449	CYS	5.9
1	3-A	449	CYS	5.9
1	4-A	449	CYS	5.9
1	5-A	449	CYS	5.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	6-A	449	CYS	5.9
1	7-A	449	CYS	5.9
1	8-A	449	CYS	5.9
1	9-A	449	CYS	5.9
1	10-A	449	CYS	5.9
1	11-A	449	CYS	5.9
1	12-A	449	CYS	5.9
1	13-A	449	CYS	5.9
1	14-A	449	CYS	5.9
1	15-A	449	CYS	5.9
1	16-A	449	CYS	5.9
1	1-A	450	ALA	3.7
1	2-A	450	ALA	3.7
1	3-A	450	ALA	3.7
1	4-A	450	ALA	3.7
1	5-A	450	ALA	3.7
1	6-A	450	ALA	3.7
1	7-A	450	ALA	3.7
1	8-A	450	ALA	3.7
1	9-A	450	ALA	3.7
1	10-A	450	ALA	3.7
1	11-A	450	ALA	3.7
1	12-A	450	ALA	3.7
1	13-A	450	ALA	3.7
1	14-A	450	ALA	3.7
1	15-A	450	ALA	3.7
1	16-A	450	ALA	3.7
1	1-A	79	LYS	3.1
1	2-A	79	LYS	3.1
1	3-A	79	LYS	3.1
1	4-A	79	LYS	3.1
1	5-A	79	LYS	3.1
1	6-A	79	LYS	3.1
1	7-A	79	LYS	3.1
1	8-A	79	LYS	3.1
1	9-A	79	LYS	3.1
1	10-A	79	LYS	3.1
1	11-A	79	LYS	3.1
1	12-A	79	LYS	3.1
1	13-A	79	LYS	3.1
1	14-A	79	LYS	3.1
1	15-A	79	LYS	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	16-A	79	LYS	3.1
1	1-A	127	GLY	3.0
1	2-A	127	GLY	3.0
1	3-A	127	GLY	3.0
1	4-A	127	GLY	3.0
1	5-A	127	GLY	3.0
1	6-A	127	GLY	3.0
1	7-A	127	GLY	3.0
1	8-A	127	GLY	3.0
1	9-A	127	GLY	3.0
1	10-A	127	GLY	3.0
1	11-A	127	GLY	3.0
1	12-A	127	GLY	3.0
1	13-A	127	GLY	3.0
1	14-A	127	GLY	3.0
1	15-A	127	GLY	3.0
1	16-A	127	GLY	3.0
1	1-A	126	SER	3.0
1	1-A	453	SER	3.0
1	2-A	126	SER	3.0
1	2-A	453	SER	3.0
1	3-A	126	SER	3.0
1	3-A	453	SER	3.0
1	4-A	126	SER	3.0
1	4-A	453	SER	3.0
1	5-A	126	SER	3.0
1	5-A	453	SER	3.0
1	6-A	126	SER	3.0
1	6-A	453	SER	3.0
1	7-A	126	SER	3.0
1	7-A	453	SER	3.0
1	8-A	126	SER	3.0
1	8-A	453	SER	3.0
1	9-A	126	SER	3.0
1	9-A	453	SER	3.0
1	10-A	126	SER	3.0
1	10-A	453	SER	3.0
1	11-A	126	SER	3.0
1	11-A	453	SER	3.0
1	12-A	126	SER	3.0
1	12-A	453	SER	3.0
1	13-A	126	SER	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	13-A	453	SER	3.0
1	14-A	126	SER	3.0
1	14-A	453	SER	3.0
1	15-A	126	SER	3.0
1	15-A	453	SER	3.0
1	16-A	126	SER	3.0
1	16-A	453	SER	3.0
1	1-A	452	VAL	2.9
1	2-A	452	VAL	2.9
1	3-A	452	VAL	2.9
1	4-A	452	VAL	2.9
1	5-A	452	VAL	2.9
1	6-A	452	VAL	2.9
1	7-A	452	VAL	2.9
1	8-A	452	VAL	2.9
1	9-A	452	VAL	2.9
1	10-A	452	VAL	2.9
1	11-A	452	VAL	2.9
1	12-A	452	VAL	2.9
1	13-A	452	VAL	2.9
1	14-A	452	VAL	2.9
1	15-A	452	VAL	2.9
1	16-A	452	VAL	2.9
1	1-A	125	LEU	2.8
1	2-A	125	LEU	2.8
1	3-A	125	LEU	2.8
1	4-A	125	LEU	2.8
1	5-A	125	LEU	2.8
1	6-A	125	LEU	2.8
1	7-A	125	LEU	2.8
1	8-A	125	LEU	2.8
1	9-A	125	LEU	2.8
1	10-A	125	LEU	2.8
1	11-A	125	LEU	2.8
1	12-A	125	LEU	2.8
1	13-A	125	LEU	2.8
1	14-A	125	LEU	2.8
1	15-A	125	LEU	2.8
1	16-A	125	LEU	2.8
1	1-A	72	GLU	2.7
1	2-A	72	GLU	2.7
1	3-A	72	GLU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	4-A	72	GLU	2.7
1	5-A	72	GLU	2.7
1	6-A	72	GLU	2.7
1	7-A	72	GLU	2.7
1	8-A	72	GLU	2.7
1	9-A	72	GLU	2.7
1	10-A	72	GLU	2.7
1	11-A	72	GLU	2.7
1	12-A	72	GLU	2.7
1	13-A	72	GLU	2.7
1	14-A	72	GLU	2.7
1	15-A	72	GLU	2.7
1	16-A	72	GLU	2.7
1	1-A	454	SER	2.5
1	2-A	454	SER	2.5
1	3-A	454	SER	2.5
1	4-A	454	SER	2.5
1	5-A	454	SER	2.5
1	6-A	454	SER	2.5
1	7-A	454	SER	2.5
1	8-A	454	SER	2.5
1	9-A	454	SER	2.5
1	10-A	454	SER	2.5
1	11-A	454	SER	2.5
1	12-A	454	SER	2.5
1	13-A	454	SER	2.5
1	14-A	454	SER	2.5
1	15-A	454	SER	2.5
1	16-A	454	SER	2.5
1	1-A	34	LEU	2.2
1	2-A	34	LEU	2.2
1	3-A	34	LEU	2.2
1	4-A	34	LEU	2.2
1	5-A	34	LEU	2.2
1	6-A	34	LEU	2.2
1	7-A	34	LEU	2.2
1	8-A	34	LEU	2.2
1	9-A	34	LEU	2.2
1	10-A	34	LEU	2.2
1	11-A	34	LEU	2.2
1	12-A	34	LEU	2.2
1	13-A	34	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	14-A	34	LEU	2.2
1	15-A	34	LEU	2.2
1	16-A	34	LEU	2.2
1	1-A	298	HIS	2.2
1	2-A	298	HIS	2.2
1	3-A	298	HIS	2.2
1	4-A	298	HIS	2.2
1	5-A	298	HIS	2.2
1	6-A	298	HIS	2.2
1	7-A	298	HIS	2.2
1	8-A	298	HIS	2.2
1	9-A	298	HIS	2.2
1	10-A	298	HIS	2.2
1	11-A	298	HIS	2.2
1	12-A	298	HIS	2.2
1	13-A	298	HIS	2.2
1	14-A	298	HIS	2.2
1	15-A	298	HIS	2.2
1	16-A	298	HIS	2.2
1	1-A	446	VAL	2.1
1	2-A	446	VAL	2.1
1	3-A	446	VAL	2.1
1	4-A	446	VAL	2.1
1	5-A	446	VAL	2.1
1	6-A	446	VAL	2.1
1	7-A	446	VAL	2.1
1	8-A	446	VAL	2.1
1	9-A	446	VAL	2.1
1	10-A	446	VAL	2.1
1	11-A	446	VAL	2.1
1	12-A	446	VAL	2.1
1	13-A	446	VAL	2.1
1	14-A	446	VAL	2.1
1	15-A	446	VAL	2.1
1	16-A	446	VAL	2.1
1	1-A	326	ASP	2.1
1	2-A	326	ASP	2.1
1	3-A	326	ASP	2.1
1	4-A	326	ASP	2.1
1	5-A	326	ASP	2.1
1	6-A	326	ASP	2.1
1	7-A	326	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	8-A	326	ASP	2.1
1	9-A	326	ASP	2.1
1	10-A	326	ASP	2.1
1	11-A	326	ASP	2.1
1	12-A	326	ASP	2.1
1	13-A	326	ASP	2.1
1	14-A	326	ASP	2.1
1	15-A	326	ASP	2.1
1	16-A	326	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FAD	1-A	701	53/53	0.97	0.11	0,10,14,14	53
2	FAD	2-A	701	53/53	0.97	0.11	0,9,14,18	53
2	FAD	3-A	701	53/53	0.97	0.11	0,9,14,19	53
2	FAD	4-A	701	53/53	0.97	0.11	0,9,14,15	53
2	FAD	5-A	701	53/53	0.97	0.11	6,10,14,15	53
2	FAD	6-A	701	53/53	0.97	0.11	0,10,16,17	53
2	FAD	7-A	701	53/53	0.97	0.11	0,10,14,14	53
2	FAD	8-A	701	53/53	0.97	0.11	0,10,14,17	53
2	FAD	9-A	701	53/53	0.97	0.11	3,10,14,15	53
2	FAD	10-A	701	53/53	0.97	0.11	0,9,14,17	53
2	FAD	11-A	701	53/53	0.97	0.11	0,10,14,15	53
2	FAD	12-A	701	53/53	0.97	0.11	0,9,14,15	53
2	FAD	13-A	701	53/53	0.97	0.11	0,9,14,16	53
2	FAD	14-A	701	53/53	0.97	0.11	0,8,14,16	53

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FAD	15-A	701	53/53	0.97	0.11	0,8,15,17	53
2	FAD	16-A	701	53/53	0.97	0.11	0,8,15,17	53

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.