



Full wwPDB EM Validation Report ⓘ

Oct 13, 2024 – 12:55 pm BST

PDB ID : 8Q4G
EMDB ID : EMD-18147
Title : Thin filament from FIB milled relaxed left ventricular mouse myofibrils
Authors : Tamborrini, D.; Wang, Z.; Wagner, T.; Tacke, S.; Stabrin, M.; Grange, M.;
Kho, A.L.; Bennet, P.; Rees, M.; Gautel, M.; Raunser, S.
Deposited on : 2023-08-06
Resolution : 8.00 Å(reported)
Based on initial model : .

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 8.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	372	28% (Poor fit), 83% (0 outliers), 15% (1 outlier), 0% (2 outliers), 0% (3+ outliers)
1	B	372	30% (Poor fit), 89% (0 outliers), 10% (1 outlier), 0% (2 outliers), 0% (3+ outliers)
1	C	372	33% (Poor fit), 91% (0 outliers), 8% (1 outlier), 0% (2 outliers), 0% (3+ outliers)
1	D	372	30% (Poor fit), 92% (0 outliers), 8% (1 outlier), 0% (2 outliers), 0% (3+ outliers)
1	E	372	35% (Poor fit), 81% (0 outliers), 16% (1 outlier), 0% (2 outliers), 0% (3+ outliers)
1	F	372	28% (Poor fit), 86% (0 outliers), 13% (1 outlier), 0% (2 outliers), 0% (3+ outliers)
1	I	372	31% (Poor fit), 85% (0 outliers), 15% (1 outlier), 0% (2 outliers), 0% (3+ outliers)
2	G	179	15% (Poor fit), 82% (0 outliers), 17% (1 outlier), 0% (2 outliers), 0% (3+ outliers)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	H	179	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a red segment on the left labeled '13%', a green segment in the middle labeled '78%', and a yellow segment on the right labeled '20%'. A small black dot is visible at the far right end of the bar.</p>

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 23265 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Actin, alpha cardiac muscle 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	372	2907	1841	490	556	20	0	0
1	B	372	2907	1841	490	556	20	0	0
1	C	372	2907	1841	490	556	20	0	0
1	D	372	2907	1841	490	556	20	0	0
1	E	372	2907	1841	490	556	20	0	0
1	F	372	2907	1841	490	556	20	0	0
1	I	372	2907	1841	490	556	20	0	0


- Molecule 2 is a protein called Tropomyosin alpha-1 chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	G	179	1458	896	245	314	3	0	0
2	H	179	1458	896	245	314	3	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Actin, alpha cardiac muscle 1




- Molecule 1: Actin, alpha cardiac muscle 1




- Molecule 1: Actin, alpha cardiac muscle 1




• Molecule 1: Actin, alpha cardiac muscle 1





• Molecule 1: Actin, alpha cardiac muscle 1








- Molecule 1: Actin, alpha cardiac muscle 1




- Molecule 1: Actin, alpha cardiac muscle 1





- Molecule 2: Tropomyosin alpha-1 chain





- Molecule 2: Tropomyosin alpha-1 chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of subtomograms used	100447	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	140	Depositor
Minimum defocus (nm)	3000	Depositor
Maximum defocus (nm)	6000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.953	Depositor
Minimum map value	-0.001	Depositor
Average map value	0.021	Depositor
Map value standard deviation	0.096	Depositor
Recommended contour level	0.55	Depositor
Map size (Å)	293.504, 293.504, 293.504	wwPDB
Map dimensions	128, 128, 128	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	2.293, 2.293, 2.293	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.52	20/2970 (0.7%)	1.69	48/4023 (1.2%)
1	B	1.18	10/2970 (0.3%)	1.41	30/4023 (0.7%)
1	C	1.15	8/2970 (0.3%)	1.39	29/4023 (0.7%)
1	D	1.06	6/2970 (0.2%)	1.29	26/4023 (0.6%)
1	E	1.56	19/2970 (0.6%)	1.76	54/4023 (1.3%)
1	F	1.37	12/2970 (0.4%)	1.60	43/4023 (1.1%)
1	I	1.38	13/2970 (0.4%)	1.62	44/4023 (1.1%)
2	G	1.68	13/1464 (0.9%)	1.86	28/1950 (1.4%)
2	H	1.72	14/1464 (1.0%)	1.94	34/1950 (1.7%)
All	All	1.38	115/23718 (0.5%)	1.59	336/32061 (1.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6
1	B	0	1
1	C	0	1
1	D	0	2
1	E	0	7
1	F	0	3
1	I	0	2
2	G	0	2
2	H	0	2
All	All	0	26

All (115) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	97	ARG	CZ-NH2	8.96	1.44	1.33
1	F	97	ARG	CZ-NH2	8.94	1.44	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	97	ARG	CZ-NH2	8.94	1.44	1.33
1	A	97	ARG	CZ-NH2	8.93	1.44	1.33
1	C	97	ARG	CZ-NH2	8.92	1.44	1.33
1	B	97	ARG	CZ-NH2	8.91	1.44	1.33
1	E	97	ARG	CZ-NH2	8.90	1.44	1.33
2	H	245	SER	CA-CB	7.58	1.64	1.52
1	I	220	TYR	CE1-CZ	7.19	1.47	1.38
1	B	220	TYR	CE1-CZ	7.18	1.47	1.38
2	H	131	GLU	CB-CG	7.16	1.65	1.52
1	F	220	TYR	CE1-CZ	7.16	1.47	1.38
1	C	220	TYR	CE1-CZ	7.15	1.47	1.38
1	D	220	TYR	CE1-CZ	7.15	1.47	1.38
1	E	220	TYR	CE1-CZ	7.13	1.47	1.38
1	A	220	TYR	CE1-CZ	7.12	1.47	1.38
2	G	215	SER	CA-CB	7.10	1.63	1.52
2	H	221	TYR	CE1-CZ	7.09	1.47	1.38
2	H	257	GLU	CD-OE2	6.88	1.33	1.25
1	E	302	SER	CA-CB	6.71	1.63	1.52
1	A	302	SER	CA-CB	6.70	1.62	1.52
1	A	340	SER	CA-CB	6.52	1.62	1.52
2	H	250	GLU	CG-CD	6.51	1.61	1.51
1	E	13	ASP	CA-CB	6.48	1.68	1.53
1	A	13	ASP	CA-CB	6.47	1.68	1.53
1	E	340	SER	CA-CB	6.44	1.62	1.52
2	H	125	ARG	CZ-NH2	6.30	1.41	1.33
1	F	127	GLU	CG-CD	6.27	1.61	1.51
1	C	127	GLU	CG-CD	6.27	1.61	1.51
1	B	127	GLU	CG-CD	6.26	1.61	1.51
1	E	127	GLU	CG-CD	6.24	1.61	1.51
1	I	127	GLU	CG-CD	6.22	1.61	1.51
1	A	127	GLU	CG-CD	6.22	1.61	1.51
2	G	240	GLU	CD-OE2	6.17	1.32	1.25
1	B	198	ARG	CZ-NH2	5.98	1.40	1.33
2	G	238	ARG	CZ-NH2	5.98	1.40	1.33
1	D	198	ARG	CZ-NH2	5.96	1.40	1.33
1	E	198	ARG	CZ-NH2	5.95	1.40	1.33
1	A	198	ARG	CZ-NH2	5.93	1.40	1.33
1	C	198	ARG	CZ-NH2	5.91	1.40	1.33
1	F	198	ARG	CZ-NH2	5.90	1.40	1.33
1	I	198	ARG	CZ-NH2	5.90	1.40	1.33
1	E	358	TRP	CG-CD1	-5.88	1.28	1.36
1	A	358	TRP	CG-CD1	-5.83	1.28	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	182	ARG	NE-CZ	5.80	1.40	1.33
1	A	309	PRO	N-CD	-5.79	1.39	1.47
1	E	309	PRO	N-CD	-5.79	1.39	1.47
1	F	309	PRO	N-CD	-5.77	1.39	1.47
1	D	309	PRO	N-CD	-5.75	1.39	1.47
1	I	309	PRO	N-CD	-5.74	1.39	1.47
1	B	309	PRO	N-CD	-5.74	1.39	1.47
1	C	309	PRO	N-CD	-5.73	1.39	1.47
1	E	345	GLY	CA-C	-5.67	1.42	1.51
1	F	247	GLY	N-CA	-5.65	1.37	1.46
2	H	267	TYR	CE1-CZ	5.65	1.45	1.38
1	A	345	GLY	CA-C	-5.63	1.42	1.51
2	H	240	GLU	CB-CG	5.63	1.62	1.52
1	E	337	ARG	NE-CZ	5.62	1.40	1.33
1	B	247	GLY	N-CA	-5.62	1.37	1.46
1	I	247	GLY	N-CA	-5.62	1.37	1.46
1	D	247	GLY	N-CA	-5.62	1.37	1.46
2	H	162	TYR	CE1-CZ	5.60	1.45	1.38
1	C	247	GLY	N-CA	-5.60	1.37	1.46
1	C	337	ARG	NE-CZ	5.58	1.40	1.33
1	A	247	GLY	N-CA	-5.57	1.37	1.46
1	E	247	GLY	N-CA	-5.57	1.37	1.46
1	I	337	ARG	NE-CZ	5.53	1.40	1.33
1	A	337	ARG	NE-CZ	5.53	1.40	1.33
1	E	241	SER	CB-OG	5.53	1.49	1.42
1	F	337	ARG	NE-CZ	5.52	1.40	1.33
1	B	337	ARG	NE-CZ	5.52	1.40	1.33
1	C	241	SER	CB-OG	5.51	1.49	1.42
1	E	171	TYR	CG-CD2	5.50	1.46	1.39
1	A	241	SER	CB-OG	5.50	1.49	1.42
2	G	133	ARG	NE-CZ	5.49	1.40	1.33
1	D	241	SER	CB-OG	5.49	1.49	1.42
1	I	33	PHE	CG-CD2	5.47	1.47	1.38
1	F	241	SER	CB-OG	5.47	1.49	1.42
1	F	33	PHE	CG-CD2	5.47	1.47	1.38
2	H	104	GLU	CD-OE2	5.47	1.31	1.25
1	A	171	TYR	CG-CD2	5.46	1.46	1.39
1	B	241	SER	CB-OG	5.43	1.49	1.42
2	H	196	GLU	CG-CD	-5.42	1.43	1.51
1	I	241	SER	CB-OG	5.42	1.49	1.42
2	G	133	ARG	CD-NE	5.39	1.55	1.46
1	B	160	GLY	CA-C	5.33	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	160	GLY	CA-C	5.33	1.60	1.51
1	A	101	GLU	CD-OE1	5.32	1.31	1.25
1	F	101	GLU	CD-OE1	5.32	1.31	1.25
1	A	160	GLY	CA-C	5.31	1.60	1.51
1	E	101	GLU	CD-OE1	5.31	1.31	1.25
2	G	208	GLU	CB-CG	5.31	1.62	1.52
1	B	101	GLU	CD-OE1	5.30	1.31	1.25
1	E	160	GLY	CA-C	5.30	1.60	1.51
1	I	101	GLU	CD-OE1	5.28	1.31	1.25
2	G	261	TYR	CD1-CE1	5.27	1.47	1.39
1	F	160	GLY	CA-C	5.26	1.60	1.51
1	F	208	ARG	CZ-NH2	5.26	1.39	1.33
2	G	92	ILE	N-CA	5.23	1.56	1.46
2	H	222	GLU	CD-OE2	5.22	1.31	1.25
2	G	196	GLU	CG-CD	5.19	1.59	1.51
2	H	218	GLU	CD-OE2	5.17	1.31	1.25
2	H	238	ARG	NE-CZ	5.16	1.39	1.33
1	E	147	SER	CA-CB	5.16	1.60	1.52
1	I	208	ARG	CZ-NH2	5.15	1.39	1.33
1	A	147	SER	CA-CB	5.13	1.60	1.52
1	E	342	TRP	CZ3-CH2	-5.10	1.31	1.40
1	A	109	GLU	CD-OE2	5.10	1.31	1.25
1	A	179	ARG	CZ-NH2	5.08	1.39	1.33
1	A	342	TRP	CZ3-CH2	-5.07	1.31	1.40
2	G	125	ARG	CZ-NH1	5.06	1.39	1.33
2	G	244	ARG	CZ-NH2	5.03	1.39	1.33
1	I	17	GLY	CA-C	5.03	1.59	1.51
1	E	109	GLU	CD-OE2	5.02	1.31	1.25
2	G	96	GLU	CD-OE1	5.02	1.31	1.25

All (336) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	125	ARG	NE-CZ-NH2	17.73	129.17	120.30
2	H	133	ARG	NE-CZ-NH2	15.27	127.93	120.30
2	H	167	ARG	NE-CZ-NH1	-14.58	113.01	120.30
2	G	238	ARG	NE-CZ-NH2	13.88	127.24	120.30
2	H	160	ARG	NE-CZ-NH2	13.80	127.20	120.30
1	I	190	TYR	CB-CG-CD2	12.87	128.72	121.00
1	A	190	TYR	CB-CG-CD2	12.87	128.72	121.00
1	C	190	TYR	CB-CG-CD2	12.80	128.68	121.00
2	H	261	TYR	CB-CG-CD1	-12.80	113.32	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	190	TYR	CB-CG-CD2	12.79	128.68	121.00
1	B	190	TYR	CB-CG-CD2	12.76	128.65	121.00
1	E	190	TYR	CB-CG-CD2	12.74	128.64	121.00
1	D	190	TYR	CB-CG-CD2	12.72	128.63	121.00
1	E	292	ARG	NE-CZ-NH1	-12.65	113.98	120.30
2	G	101	ARG	NE-CZ-NH2	12.64	126.62	120.30
1	A	292	ARG	NE-CZ-NH1	-12.60	114.00	120.30
2	G	105	ARG	NE-CZ-NH1	-12.53	114.04	120.30
1	I	190	TYR	CB-CG-CD1	-12.35	113.59	121.00
1	A	190	TYR	CB-CG-CD1	-12.29	113.63	121.00
1	B	190	TYR	CB-CG-CD1	-12.27	113.64	121.00
1	E	190	TYR	CB-CG-CD1	-12.27	113.64	121.00
1	F	190	TYR	CB-CG-CD1	-12.27	113.64	121.00
1	C	190	TYR	CB-CG-CD1	-12.26	113.64	121.00
1	D	190	TYR	CB-CG-CD1	-12.21	113.67	121.00
1	E	30	ARG	NE-CZ-NH2	12.02	126.31	120.30
1	B	30	ARG	NE-CZ-NH2	11.98	126.29	120.30
1	F	30	ARG	NE-CZ-NH2	11.96	126.28	120.30
1	C	30	ARG	NE-CZ-NH2	11.93	126.27	120.30
1	I	30	ARG	NE-CZ-NH2	11.90	126.25	120.30
1	I	64	ARG	NE-CZ-NH2	11.78	126.19	120.30
1	F	64	ARG	NE-CZ-NH2	11.73	126.17	120.30
1	E	145	TYR	CB-CG-CD1	11.44	127.86	121.00
1	A	145	TYR	CB-CG-CD1	11.40	127.84	121.00
2	H	238	ARG	NE-CZ-NH2	11.39	126.00	120.30
1	E	339	TYR	CB-CG-CD2	-11.37	114.18	121.00
2	G	221	TYR	CB-CG-CD2	-11.35	114.19	121.00
1	B	339	TYR	CB-CG-CD2	-11.32	114.20	121.00
1	F	339	TYR	CB-CG-CD2	-11.29	114.22	121.00
1	I	339	TYR	CB-CG-CD2	-11.29	114.23	121.00
1	D	212	ARG	NE-CZ-NH1	-11.27	114.67	120.30
1	C	339	TYR	CB-CG-CD2	-11.27	114.24	121.00
1	I	212	ARG	NE-CZ-NH1	-11.26	114.67	120.30
1	A	212	ARG	NE-CZ-NH1	-11.22	114.69	120.30
1	F	212	ARG	NE-CZ-NH1	-11.22	114.69	120.30
1	E	212	ARG	NE-CZ-NH1	-11.20	114.70	120.30
1	E	374	ARG	NE-CZ-NH1	-11.18	114.71	120.30
1	C	212	ARG	NE-CZ-NH1	-11.16	114.72	120.30
2	H	167	ARG	NE-CZ-NH2	11.15	125.88	120.30
2	G	101	ARG	NE-CZ-NH1	-11.14	114.73	120.30
1	A	374	ARG	NE-CZ-NH1	-11.11	114.74	120.30
1	E	314	ARG	NE-CZ-NH2	11.09	125.84	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	314	ARG	NE-CZ-NH2	11.01	125.81	120.30
1	A	314	ARG	NE-CZ-NH2	11.00	125.80	120.30
1	D	314	ARG	NE-CZ-NH2	10.99	125.80	120.30
1	F	314	ARG	NE-CZ-NH2	10.99	125.80	120.30
1	I	314	ARG	NE-CZ-NH2	10.99	125.79	120.30
1	C	314	ARG	NE-CZ-NH2	10.97	125.78	120.30
1	A	168	TYR	CB-CG-CD2	-10.82	114.51	121.00
1	E	168	TYR	CB-CG-CD2	-10.80	114.52	121.00
1	I	185	ARG	NE-CZ-NH2	10.21	125.41	120.30
2	G	133	ARG	NE-CZ-NH2	10.16	125.38	120.30
1	F	185	ARG	NE-CZ-NH2	10.14	125.37	120.30
2	G	105	ARG	NE-CZ-NH2	10.04	125.32	120.30
2	G	133	ARG	NE-CZ-NH1	-10.02	115.29	120.30
2	H	238	ARG	NE-CZ-NH1	-9.88	115.36	120.30
2	H	261	TYR	CB-CG-CD2	9.87	126.92	121.00
2	G	221	TYR	CB-CG-CD1	9.81	126.89	121.00
1	E	364	TYR	CB-CG-CD2	-9.77	115.14	121.00
1	A	364	TYR	CB-CG-CD2	-9.76	115.14	121.00
2	H	162	TYR	CB-CG-CD1	9.36	126.61	121.00
2	H	214	TYR	CB-CG-CD1	9.26	126.55	121.00
1	E	339	TYR	CB-CG-CD1	8.84	126.30	121.00
1	F	339	TYR	CB-CG-CD1	8.81	126.28	121.00
1	B	339	TYR	CB-CG-CD1	8.79	126.27	121.00
1	I	339	TYR	CB-CG-CD1	8.77	126.26	121.00
1	D	314	ARG	NE-CZ-NH1	-8.75	115.92	120.30
1	C	339	TYR	CB-CG-CD1	8.75	126.25	121.00
1	B	314	ARG	NE-CZ-NH1	-8.74	115.93	120.30
1	C	314	ARG	NE-CZ-NH1	-8.72	115.94	120.30
1	I	314	ARG	NE-CZ-NH1	-8.71	115.95	120.30
2	G	214	TYR	CB-CG-CD1	8.69	126.21	121.00
1	E	314	ARG	NE-CZ-NH1	-8.68	115.96	120.30
1	F	314	ARG	NE-CZ-NH1	-8.67	115.96	120.30
1	A	314	ARG	NE-CZ-NH1	-8.67	115.97	120.30
2	H	221	TYR	CB-CG-CD1	8.60	126.16	121.00
2	G	244	ARG	NE-CZ-NH1	-8.30	116.15	120.30
2	H	214	TYR	CB-CG-CD2	-8.23	116.06	121.00
1	B	41	ARG	NE-CZ-NH2	8.22	124.41	120.30
2	H	227	VAL	CA-CB-CG2	-8.10	98.75	110.90
2	H	221	TYR	CB-CG-CD2	-8.06	116.16	121.00
2	G	241	PHE	CB-CG-CD2	7.99	126.39	120.80
1	E	183	ALA	N-CA-CB	7.92	121.18	110.10
1	B	183	ALA	N-CA-CB	7.90	121.16	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	183	ALA	N-CA-CB	7.90	121.15	110.10
1	I	183	ALA	N-CA-CB	7.89	121.14	110.10
1	A	183	ALA	N-CA-CB	7.88	121.14	110.10
2	H	162	TYR	CG-CD2-CE2	7.85	127.58	121.30
1	D	325	SER	O-C-N	-7.65	110.46	122.70
2	G	241	PHE	CB-CG-CD1	-7.64	115.45	120.80
1	F	39	ARG	NE-CZ-NH1	7.60	124.10	120.30
2	G	125	ARG	NH1-CZ-NH2	-7.57	111.07	119.40
1	I	39	ARG	NE-CZ-NH1	7.57	124.08	120.30
1	F	58	ASP	CB-CG-OD1	7.48	125.03	118.30
1	F	58	ASP	CB-CG-OD2	-7.46	111.58	118.30
1	A	126	PHE	CB-CG-CD1	-7.45	115.58	120.80
1	I	58	ASP	CB-CG-OD2	-7.45	111.59	118.30
1	I	58	ASP	CB-CG-OD1	7.45	125.00	118.30
1	E	126	PHE	CB-CG-CD1	-7.41	115.61	120.80
1	F	64	ARG	NH1-CZ-NH2	-7.39	111.27	119.40
1	I	64	ARG	NH1-CZ-NH2	-7.38	111.29	119.40
1	A	279	THR	CA-CB-CG2	-7.24	102.26	112.40
1	E	279	THR	CA-CB-CG2	-7.23	102.28	112.40
1	I	212	ARG	NE-CZ-NH2	7.23	123.91	120.30
1	A	212	ARG	NE-CZ-NH2	7.21	123.91	120.30
1	E	212	ARG	NE-CZ-NH2	7.19	123.90	120.30
1	D	212	ARG	NE-CZ-NH2	7.19	123.90	120.30
1	A	321	ALA	N-CA-CB	7.17	120.14	110.10
1	B	321	ALA	N-CA-CB	7.17	120.13	110.10
1	F	212	ARG	NE-CZ-NH2	7.17	123.88	120.30
1	D	321	ALA	N-CA-CB	7.17	120.13	110.10
1	C	212	ARG	NE-CZ-NH2	7.16	123.88	120.30
1	F	321	ALA	N-CA-CB	7.16	120.12	110.10
1	I	321	ALA	N-CA-CB	7.16	120.12	110.10
1	E	321	ALA	N-CA-CB	7.15	120.11	110.10
1	E	179	ARG	NE-CZ-NH1	-7.14	116.73	120.30
1	C	321	ALA	N-CA-CB	7.13	120.08	110.10
1	A	145	TYR	CB-CG-CD2	-7.12	116.73	121.00
2	G	244	ARG	NE-CZ-NH2	7.11	123.86	120.30
1	E	145	TYR	CB-CG-CD2	-7.10	116.74	121.00
2	H	160	ARG	NE-CZ-NH1	-7.09	116.76	120.30
1	I	149	ARG	NE-CZ-NH2	7.04	123.82	120.30
1	I	323	ALA	CB-CA-C	-7.03	99.56	110.10
1	B	323	ALA	CB-CA-C	-7.01	99.58	110.10
1	A	323	ALA	CB-CA-C	-7.01	99.59	110.10
1	I	52	LYS	N-CA-CB	7.00	123.20	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	323	ALA	CB-CA-C	-7.00	99.60	110.10
1	F	323	ALA	CB-CA-C	-7.00	99.60	110.10
1	F	52	LYS	N-CA-CB	7.00	123.19	110.60
1	A	179	ARG	NE-CZ-NH1	-6.98	116.81	120.30
1	B	292	ARG	NE-CZ-NH2	6.92	123.76	120.30
1	A	365	ASP	CB-CG-OD2	-6.89	112.10	118.30
1	I	208	ARG	NE-CZ-NH1	-6.89	116.86	120.30
1	F	208	ARG	NE-CZ-NH1	-6.87	116.86	120.30
1	E	365	ASP	CB-CG-OD2	-6.87	112.12	118.30
2	H	246	VAL	CA-CB-CG2	-6.78	100.74	110.90
1	F	292	ARG	NE-CZ-NH2	6.75	123.68	120.30
1	E	31	ALA	N-CA-CB	6.73	119.52	110.10
2	H	241	PHE	CB-CG-CD2	6.73	125.51	120.80
2	H	133	ARG	NE-CZ-NH1	-6.72	116.94	120.30
1	F	31	ALA	N-CA-CB	6.71	119.50	110.10
2	G	267	TYR	CB-CG-CD2	-6.71	116.97	121.00
1	I	31	ALA	N-CA-CB	6.71	119.49	110.10
1	D	31	ALA	N-CA-CB	6.70	119.48	110.10
1	C	31	ALA	N-CA-CB	6.70	119.48	110.10
1	C	292	ARG	NE-CZ-NH2	6.66	123.63	120.30
1	E	271	MET	CG-SD-CE	-6.61	89.62	100.20
1	I	271	MET	CG-SD-CE	-6.59	89.65	100.20
1	E	126	PHE	CB-CG-CD2	6.58	125.41	120.80
1	A	126	PHE	CB-CG-CD2	6.56	125.39	120.80
2	G	162	TYR	CG-CD1-CE1	-6.54	116.07	121.30
1	E	179	ARG	NE-CZ-NH2	6.51	123.56	120.30
2	H	127	MET	CG-SD-CE	-6.51	89.79	100.20
1	I	292	ARG	NE-CZ-NH2	6.49	123.54	120.30
1	A	179	ARG	NE-CZ-NH2	6.47	123.53	120.30
2	G	162	TYR	CB-CG-CD2	-6.45	117.13	121.00
2	G	162	TYR	CD1-CE1-CZ	6.39	125.55	119.80
1	D	179	ARG	NE-CZ-NH2	6.38	123.49	120.30
2	H	232	LEU	O-C-N	6.35	132.86	122.70
1	A	225	PHE	CB-CG-CD2	-6.34	116.36	120.80
1	I	225	PHE	CB-CG-CD2	-6.31	116.39	120.80
1	F	225	PHE	CB-CG-CD2	-6.29	116.39	120.80
1	D	292	ARG	NE-CZ-NH2	6.29	123.44	120.30
1	I	325	SER	O-C-N	-6.28	112.66	122.70
1	C	225	PHE	CB-CG-CD2	-6.26	116.42	120.80
1	B	224	ASP	CB-CG-OD2	-6.25	112.67	118.30
1	D	225	PHE	CB-CG-CD2	-6.25	116.42	120.80
1	I	224	ASP	CB-CG-OD2	-6.24	112.69	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	224	ASP	CB-CG-OD2	-6.23	112.69	118.30
1	E	225	PHE	CB-CG-CD2	-6.22	116.44	120.80
1	A	294	ASP	CB-CG-OD2	-6.21	112.72	118.30
1	D	224	ASP	CB-CG-OD2	-6.21	112.71	118.30
1	D	337	ARG	NE-CZ-NH2	6.21	123.40	120.30
1	F	224	ASP	CB-CG-OD2	-6.21	112.71	118.30
1	C	149	ARG	NE-CZ-NH2	6.21	123.40	120.30
1	A	224	ASP	CB-CG-OD2	-6.20	112.72	118.30
1	B	225	PHE	CB-CG-CD2	-6.19	116.47	120.80
1	C	224	ASP	CB-CG-OD2	-6.19	112.73	118.30
1	E	294	ASP	CB-CG-OD2	-6.16	112.76	118.30
1	E	172	ALA	N-CA-CB	6.12	118.67	110.10
1	A	172	ALA	N-CA-CB	6.11	118.66	110.10
1	F	308	TYR	CG-CD2-CE2	6.06	126.15	121.30
1	B	256	ARG	NE-CZ-NH1	-6.06	117.27	120.30
1	I	308	TYR	CG-CD2-CE2	6.04	126.13	121.30
1	F	256	ARG	NE-CZ-NH1	-6.03	117.28	120.30
1	C	308	TYR	CG-CD2-CE2	6.03	126.12	121.30
1	A	208	ARG	NE-CZ-NH2	6.02	123.31	120.30
1	E	308	TYR	CG-CD2-CE2	6.02	126.12	121.30
1	A	308	TYR	CG-CD2-CE2	6.01	126.11	121.30
1	D	308	TYR	CG-CD2-CE2	6.01	126.11	121.30
1	I	256	ARG	NE-CZ-NH1	-6.00	117.30	120.30
1	C	256	ARG	NE-CZ-NH1	-6.00	117.30	120.30
1	C	325	SER	O-C-N	-6.00	113.09	122.70
1	B	64	ARG	NE-CZ-NH2	6.00	123.30	120.30
1	D	256	ARG	NE-CZ-NH1	-6.00	117.30	120.30
1	B	308	TYR	CG-CD2-CE2	5.99	126.09	121.30
1	A	256	ARG	NE-CZ-NH1	-5.98	117.31	120.30
1	F	149	ARG	NE-CZ-NH2	5.97	123.28	120.30
1	A	135	TYR	CZ-CE2-CD2	5.95	125.16	119.80
1	B	325	SER	O-C-N	-5.95	113.18	122.70
1	E	377	PHE	N-CA-C	-5.95	94.94	111.00
1	E	198	ARG	NE-CZ-NH1	5.94	123.27	120.30
1	A	198	ARG	NE-CZ-NH1	5.94	123.27	120.30
2	H	99	LEU	CB-CG-CD2	-5.94	100.90	111.00
1	A	377	PHE	N-CA-C	-5.94	94.97	111.00
1	E	256	ARG	NE-CZ-NH1	-5.94	117.33	120.30
1	F	39	ARG	NE-CZ-NH2	-5.93	117.34	120.30
1	I	198	ARG	NE-CZ-NH1	5.92	123.26	120.30
1	E	211	VAL	CA-CB-CG2	-5.92	102.02	110.90
1	D	211	VAL	CA-CB-CG2	-5.92	102.02	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	198	ARG	NE-CZ-NH1	5.92	123.26	120.30
1	F	211	VAL	CA-CB-CG2	-5.92	102.03	110.90
1	A	211	VAL	CA-CB-CG2	-5.91	102.03	110.90
1	B	198	ARG	NE-CZ-NH1	5.91	123.26	120.30
1	B	211	VAL	CA-CB-CG2	-5.91	102.03	110.90
1	C	211	VAL	CA-CB-CG2	-5.91	102.03	110.90
1	I	211	VAL	CA-CB-CG2	-5.91	102.04	110.90
1	E	135	TYR	CZ-CE2-CD2	5.91	125.12	119.80
1	F	198	ARG	NE-CZ-NH1	5.87	123.24	120.30
1	I	47	VAL	CG1-CB-CG2	5.87	120.30	110.90
1	F	47	VAL	CG1-CB-CG2	5.87	120.29	110.90
1	D	30	ARG	NE-CZ-NH2	5.86	123.23	120.30
1	I	39	ARG	NE-CZ-NH2	-5.84	117.38	120.30
2	G	127	MET	CG-SD-CE	-5.84	90.86	100.20
2	H	159	ASP	CB-CG-OD1	5.81	123.53	118.30
1	C	179	ARG	NE-CZ-NH2	5.79	123.19	120.30
1	C	198	ARG	NE-CZ-NH1	5.79	123.19	120.30
1	C	208	ARG	NE-CZ-NH2	5.77	123.18	120.30
1	E	354	PHE	CB-CG-CD1	5.76	124.83	120.80
1	A	354	PHE	CB-CG-CD1	5.76	124.83	120.80
1	E	64	ARG	NE-CZ-NH2	5.75	123.18	120.30
1	I	234	SER	N-CA-CB	5.75	119.12	110.50
1	F	234	SER	N-CA-CB	5.74	119.11	110.50
1	A	234	SER	N-CA-CB	5.72	119.09	110.50
1	C	234	SER	N-CA-CB	5.72	119.09	110.50
1	I	179	ARG	NE-CZ-NH2	5.72	123.16	120.30
1	E	192	MET	CA-CB-CG	5.72	123.02	113.30
1	C	192	MET	CA-CB-CG	5.71	123.01	113.30
1	A	192	MET	CA-CB-CG	5.71	123.00	113.30
1	E	234	SER	N-CA-CB	5.71	119.06	110.50
1	F	192	MET	CA-CB-CG	5.71	123.00	113.30
1	B	192	MET	CA-CB-CG	5.70	122.99	113.30
1	I	192	MET	CA-CB-CG	5.70	122.99	113.30
1	D	234	SER	N-CA-CB	5.70	119.04	110.50
1	F	325	SER	O-C-N	-5.69	113.59	122.70
1	D	192	MET	CA-CB-CG	5.69	122.97	113.30
1	B	234	SER	N-CA-CB	5.68	119.02	110.50
1	B	179	ARG	NE-CZ-NH2	5.65	123.12	120.30
2	H	103	GLN	N-CA-CB	5.63	120.73	110.60
2	G	238	ARG	NH1-CZ-NH2	-5.62	113.22	119.40
1	F	41	ARG	NE-CZ-NH1	-5.61	117.49	120.30
1	I	339	TYR	CA-CB-CG	5.61	124.06	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	150	GLU	CB-CA-C	-5.61	99.18	110.40
1	E	107	LEU	N-CA-CB	5.60	121.60	110.40
1	A	107	LEU	N-CA-CB	5.60	121.59	110.40
1	C	339	TYR	CA-CB-CG	5.59	124.03	113.40
1	F	339	TYR	CA-CB-CG	5.59	124.03	113.40
1	B	339	TYR	CA-CB-CG	5.59	124.02	113.40
1	E	339	TYR	CA-CB-CG	5.58	123.99	113.40
1	A	182	LEU	CB-CG-CD1	5.57	120.47	111.00
1	D	149	ARG	NE-CZ-NH2	5.56	123.08	120.30
2	H	214	TYR	CG-CD1-CE1	5.56	125.75	121.30
2	H	183	ALA	CB-CA-C	-5.56	101.76	110.10
1	E	182	LEU	CB-CG-CD1	5.56	120.44	111.00
1	F	182	LEU	CB-CG-CD1	5.55	120.44	111.00
1	B	182	LEU	CB-CG-CD1	5.55	120.44	111.00
1	E	352	SER	N-CA-CB	5.55	118.83	110.50
1	A	7	THR	CA-CB-CG2	-5.54	104.65	112.40
1	I	182	LEU	CB-CG-CD1	5.53	120.41	111.00
1	E	7	THR	CA-CB-CG2	-5.52	104.67	112.40
1	A	352	SER	N-CA-CB	5.52	118.78	110.50
1	B	374	ARG	NE-CZ-NH2	5.51	123.06	120.30
1	I	41	ARG	NE-CZ-NH1	-5.50	117.55	120.30
2	G	261	TYR	CB-CG-CD2	-5.50	117.70	121.00
1	E	371	ILE	CA-CB-CG1	5.49	121.44	111.00
2	H	121	ASP	CB-CG-OD2	-5.49	113.36	118.30
2	H	151	ALA	CB-CA-C	-5.48	101.87	110.10
1	B	93	TYR	CB-CG-CD2	-5.48	117.71	121.00
1	C	93	TYR	CB-CG-CD2	-5.46	117.72	121.00
1	A	371	ILE	CA-CB-CG1	5.46	121.38	111.00
2	G	133	ARG	N-CA-CB	5.45	120.42	110.60
2	H	162	TYR	CA-CB-CG	-5.45	103.05	113.40
1	A	93	TYR	CB-CG-CD2	-5.44	117.74	121.00
1	F	93	TYR	CB-CG-CD2	-5.43	117.74	121.00
1	I	93	TYR	CB-CG-CD2	-5.43	117.75	121.00
1	A	296	TYR	CZ-CE2-CD2	-5.41	114.93	119.80
1	E	93	TYR	CB-CG-CD2	-5.39	117.76	121.00
1	A	168	TYR	N-CA-CB	-5.39	100.90	110.60
1	E	168	TYR	N-CA-CB	-5.39	100.90	110.60
2	H	137	ASP	CB-CA-C	-5.38	99.65	110.40
1	E	296	TYR	CZ-CE2-CD2	-5.37	114.97	119.80
1	A	30	ARG	NE-CZ-NH2	5.37	122.98	120.30
1	D	374	ARG	NE-CZ-NH2	5.34	122.97	120.30
1	A	364	TYR	CG-CD2-CE2	-5.32	117.04	121.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	208	ARG	NE-CZ-NH2	5.32	122.96	120.30
1	E	364	TYR	CG-CD2-CE2	-5.29	117.07	121.30
1	C	220	TYR	CB-CG-CD1	5.27	124.16	121.00
1	F	220	TYR	CB-CG-CD1	5.27	124.16	121.00
1	B	220	TYR	CB-CG-CD1	5.25	124.15	121.00
2	H	244	ARG	NE-CZ-NH2	-5.25	117.68	120.30
1	E	30	ARG	NE-CZ-NH1	-5.24	117.68	120.30
2	G	116	ALA	CB-CA-C	-5.23	102.25	110.10
2	H	254	ASP	N-CA-CB	5.23	120.02	110.60
1	I	19	VAL	CA-CB-CG2	-5.23	103.06	110.90
1	A	171	TYR	CB-CG-CD2	-5.22	117.87	121.00
1	I	220	TYR	CB-CG-CD1	5.22	124.13	121.00
1	F	19	VAL	CA-CB-CG2	-5.22	103.08	110.90
1	A	168	TYR	CB-CG-CD1	5.21	124.13	121.00
1	F	374	ARG	NE-CZ-NH2	5.21	122.91	120.30
1	B	30	ARG	NE-CZ-NH1	-5.21	117.69	120.30
1	E	171	TYR	CB-CG-CD2	-5.21	117.87	121.00
1	A	220	TYR	CB-CG-CD1	5.20	124.12	121.00
2	G	167	ARG	CG-CD-NE	-5.20	100.89	111.80
2	G	167	ARG	NE-CZ-NH1	-5.19	117.70	120.30
1	E	220	TYR	CB-CG-CD1	5.18	124.11	121.00
1	D	220	TYR	CB-CG-CD1	5.18	124.11	121.00
1	E	168	TYR	CB-CG-CD1	5.17	124.11	121.00
1	I	30	ARG	NE-CZ-NH1	-5.16	117.72	120.30
2	G	262	ALA	N-CA-CB	5.15	117.31	110.10
1	D	208	ARG	NE-CZ-NH2	5.14	122.87	120.30
1	F	30	ARG	NE-CZ-NH1	-5.13	117.73	120.30
1	C	179	ARG	NE-CZ-NH1	-5.11	117.75	120.30
1	C	30	ARG	NE-CZ-NH1	-5.10	117.75	120.30
2	H	248	LYS	N-CA-CB	5.05	119.70	110.60
1	D	179	ARG	NE-CZ-NH1	-5.05	117.78	120.30
1	F	52	LYS	N-CA-C	-5.02	97.45	111.00
1	I	52	LYS	N-CA-C	-5.01	97.46	111.00

There are no chirality outliers.

All (26) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	168	TYR	Sidechain
1	A	179	ARG	Sidechain
1	A	212	ARG	Sidechain
1	A	281	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	292	ARG	Sidechain
1	A	296	TYR	Sidechain
1	B	364	TYR	Sidechain
1	C	212	ARG	Sidechain
1	D	212	ARG	Sidechain
1	D	326	THR	Mainchain
1	E	168	TYR	Sidechain
1	E	179	ARG	Sidechain
1	E	212	ARG	Sidechain
1	E	281	TYR	Sidechain
1	E	292	ARG	Sidechain
1	E	296	TYR	Sidechain
1	E	71	TYR	Sidechain
1	F	212	ARG	Sidechain
1	F	364	TYR	Sidechain
1	F	71	TYR	Sidechain
2	G	105	ARG	Sidechain
2	G	160	ARG	Sidechain
2	H	214	TYR	Sidechain
2	H	267	TYR	Sidechain
1	I	212	ARG	Sidechain
1	I	71	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2907	0	2877	9	0
1	B	2907	0	2877	6	0
1	C	2907	0	2877	1	0
1	D	2907	0	2877	8	0
1	E	2907	0	2877	10	0
1	F	2907	0	2877	38	0
1	I	2907	0	2877	50	0
2	G	1458	0	1458	9	0
2	H	1458	0	1458	22	0
All	All	23265	0	23055	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:197:GLU:C	1:I:115:LYS:HE2	1.56	1.26
1:E:330:LYS:NZ	2:G:257:GLU:CD	1.93	1.22
2:H:138:GLU:OE2	1:I:330:LYS:HD2	1.57	1.02
1:F:197:GLU:O	1:I:115:LYS:HE2	1.58	1.01
1:E:330:LYS:HZ1	2:G:257:GLU:CD	1.56	0.97
1:E:330:LYS:NZ	2:G:257:GLU:OE2	1.95	0.95
1:E:330:LYS:HZ3	2:G:257:GLU:CD	1.67	0.91
1:D:197:GLU:C	1:F:115:LYS:HE2	1.92	0.91
1:D:197:GLU:O	1:F:115:LYS:HE2	1.73	0.87
1:F:198:ARG:N	1:I:115:LYS:HE2	1.88	0.86
1:F:41:ARG:CZ	1:I:272:GLU:CD	2.44	0.86
2:H:138:GLU:CD	1:I:330:LYS:HD2	1.96	0.85
1:F:41:ARG:NE	1:I:272:GLU:OE2	2.09	0.84
1:F:197:GLU:O	1:I:115:LYS:HG3	1.78	0.82
2:H:138:GLU:OE1	1:I:330:LYS:CE	2.28	0.82
1:F:197:GLU:O	1:I:115:LYS:CE	2.28	0.80
1:F:198:ARG:HA	1:I:115:LYS:HE3	1.61	0.80
2:H:138:GLU:OE1	1:I:330:LYS:HE3	1.81	0.79
2:H:128:LYS:HG2	1:I:335:PRO:CB	2.12	0.79
1:F:41:ARG:NH2	1:I:272:GLU:HA	1.98	0.79
2:H:138:GLU:CD	1:I:330:LYS:CE	2.52	0.78
2:H:138:GLU:OE1	1:I:330:LYS:NZ	2.18	0.76
1:F:198:ARG:HA	1:I:115:LYS:CE	2.16	0.75
1:F:41:ARG:CZ	1:I:272:GLU:CG	2.66	0.74
1:F:41:ARG:NH1	1:I:272:GLU:CD	2.41	0.74
2:H:138:GLU:OE2	1:I:330:LYS:CD	2.35	0.74
2:H:138:GLU:CD	1:I:330:LYS:CD	2.59	0.70
2:H:138:GLU:HB3	1:I:330:LYS:NZ	2.06	0.69
1:F:41:ARG:NH2	1:I:272:GLU:CB	2.57	0.68
2:H:138:GLU:CD	1:I:330:LYS:NZ	2.47	0.68
1:F:197:GLU:O	1:I:115:LYS:CG	2.42	0.67
1:F:41:ARG:CZ	1:I:272:GLU:OE2	2.46	0.63
1:A:115:LYS:HE2	1:E:198:ARG:HA	1.83	0.60
1:A:197:GLU:O	1:B:115:LYS:HE2	2.02	0.60
1:F:41:ARG:NH2	1:I:272:GLU:CA	2.65	0.58
1:F:198:ARG:CA	1:I:115:LYS:CE	2.81	0.58
1:A:115:LYS:CE	1:E:198:ARG:HA	2.36	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:41:ARG:NH2	1:I:272:GLU:HB3	2.20	0.55
1:D:197:GLU:O	1:F:115:LYS:HG3	2.09	0.53
1:F:198:ARG:CA	1:I:115:LYS:HE2	2.38	0.53
1:D:198:ARG:HA	1:F:115:LYS:CE	2.39	0.53
2:H:128:LYS:HG2	1:I:335:PRO:HB3	1.88	0.52
1:A:175:HIS:CE1	1:E:270:GLY:HA3	2.45	0.52
1:D:197:GLU:O	1:F:115:LYS:CE	2.53	0.51
2:H:138:GLU:HB3	1:I:330:LYS:HZ1	1.74	0.51
1:D:198:ARG:N	1:F:115:LYS:HE2	2.26	0.51
1:A:197:GLU:C	1:B:115:LYS:HE2	2.30	0.51
1:A:115:LYS:HE2	1:E:197:GLU:O	2.12	0.50
1:B:217:LYS:HE2	2:G:195:GLU:OE1	2.12	0.50
1:F:198:ARG:N	1:I:115:LYS:CE	2.70	0.49
2:H:138:GLU:CB	1:I:330:LYS:NZ	2.74	0.49
2:H:138:GLU:CB	1:I:330:LYS:HZ1	2.26	0.48
1:A:198:ARG:HA	1:B:115:LYS:CE	2.45	0.47
1:D:198:ARG:HA	1:F:115:LYS:HE3	1.95	0.47
1:F:41:ARG:CZ	1:I:272:GLU:HG2	2.45	0.47
1:A:198:ARG:HA	1:B:115:LYS:HE2	1.97	0.46
1:F:41:ARG:NH2	1:I:272:GLU:CG	2.79	0.46
1:F:199:GLY:HA2	1:I:114:PRO:HB3	1.98	0.46
2:H:138:GLU:HB3	1:I:330:LYS:HZ2	1.79	0.46
1:F:41:ARG:CZ	1:I:272:GLU:CB	2.95	0.45
1:F:41:ARG:HH22	1:I:272:GLU:HB3	1.81	0.44
2:G:260:LEU:CD1	2:H:263:GLN:HG2	2.48	0.44
1:C:247:GLY:HA3	1:F:324:PRO:HB2	1.99	0.44
1:F:197:GLU:O	1:I:115:LYS:CD	2.65	0.44
2:G:183:ALA:HA	2:H:183:ALA:HA	2.01	0.43
2:H:138:GLU:CG	1:I:330:LYS:NZ	2.82	0.43
1:F:41:ARG:NH1	1:I:272:GLU:OE1	2.52	0.42
2:H:128:LYS:HG2	1:I:335:PRO:HB2	1.94	0.42
2:G:169:LEU:HD13	2:H:169:LEU:HD13	2.01	0.42
1:F:41:ARG:CZ	1:I:272:GLU:HB3	2.50	0.42
1:F:41:ARG:HH22	1:I:272:GLU:CB	2.33	0.41
2:H:128:LYS:HG2	1:I:335:PRO:CG	2.50	0.41
1:A:115:LYS:HE2	1:E:197:GLU:C	2.40	0.41
1:B:326:THR:HB	1:E:247:GLY:HA2	2.02	0.41
1:D:247:GLY:HA3	1:I:324:PRO:HB2	2.03	0.41
1:F:41:ARG:HH22	1:I:272:GLU:HA	1.81	0.41
2:G:156:GLU:HB3	2:G:160:ARG:HH11	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	370/372 (100%)	351 (95%)	16 (4%)	3 (1%)	16	55
1	B	370/372 (100%)	352 (95%)	15 (4%)	3 (1%)	16	55
1	C	370/372 (100%)	352 (95%)	16 (4%)	2 (0%)	25	64
1	D	370/372 (100%)	349 (94%)	20 (5%)	1 (0%)	37	73
1	E	370/372 (100%)	353 (95%)	14 (4%)	3 (1%)	16	55
1	F	370/372 (100%)	355 (96%)	12 (3%)	3 (1%)	16	55
1	I	370/372 (100%)	356 (96%)	12 (3%)	2 (0%)	25	64
2	G	177/179 (99%)	177 (100%)	0	0	100	100
2	H	177/179 (99%)	175 (99%)	2 (1%)	0	100	100
All	All	2944/2962 (99%)	2820 (96%)	107 (4%)	17 (1%)	24	60

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	182	LEU
1	B	182	LEU
1	E	182	LEU
1	F	182	LEU
1	I	182	LEU
1	A	183	ALA
1	B	183	ALA
1	C	17	GLY
1	E	183	ALA
1	F	183	ALA
1	I	183	ALA
1	B	17	GLY
1	F	169	GLU
1	A	17	GLY
1	E	17	GLY
1	D	17	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	160	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	315/315 (100%)	310 (98%)	5 (2%)	58	73
1	B	315/315 (100%)	310 (98%)	5 (2%)	58	73
1	C	315/315 (100%)	313 (99%)	2 (1%)	84	88
1	D	315/315 (100%)	313 (99%)	2 (1%)	84	88
1	E	315/315 (100%)	310 (98%)	5 (2%)	58	73
1	F	315/315 (100%)	311 (99%)	4 (1%)	65	77
1	I	315/315 (100%)	309 (98%)	6 (2%)	52	69
2	G	156/156 (100%)	153 (98%)	3 (2%)	52	69
2	H	156/156 (100%)	154 (99%)	2 (1%)	65	77
All	All	2517/2517 (100%)	2483 (99%)	34 (1%)	62	75

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	125	MET
1	A	186	ASP
1	A	259	CYS
1	A	346	SER
1	A	370	SER
1	B	125	MET
1	B	186	ASP
1	B	259	CYS
1	B	326	THR
1	B	346	SER
1	C	125	MET
1	C	259	CYS
1	D	259	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	328	LYS
1	E	125	MET
1	E	186	ASP
1	E	259	CYS
1	E	346	SER
1	E	370	SER
1	F	40	PRO
1	F	125	MET
1	F	186	ASP
1	F	259	CYS
2	G	149	LYS
2	G	198	LYS
2	G	201	THR
2	H	251	LYS
2	H	263	GLN
1	I	40	PRO
1	I	125	MET
1	I	186	ASP
1	I	259	CYS
1	I	326	THR
1	I	370	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	175	HIS
1	B	163	HIS
1	F	94	ASN
2	G	103	GLN
2	G	135	GLN
2	G	144	GLN
2	H	263	GLN
1	I	94	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18147. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map



X Index: 64



Y Index: 64




Z Index: 64


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [\(i\)](#)

6.3.1 Primary map



X Index: 67



Y Index: 67




Z Index: 88


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [\(i\)](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.55. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 292 nm³; this corresponds to an approximate mass of 264 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.125 Å⁻¹

8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-18147 and PDB model 8Q4G. Per-residue inclusion information can be found in section 3 on page 5.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.55 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.55).





















9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 56% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.55) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5590	 0.1290
A	 0.5660	 0.1270
B	 0.5530	 0.1260
C	 0.5460	 0.1220
D	 0.5530	 0.1240
E	 0.5250	 0.1220
F	 0.5570	 0.1240
G	 0.6130	 0.1630
H	 0.6360	 0.1650
I	 0.5460	 0.1240

