



## Full wwPDB EM Validation Report ⓘ

Nov 20, 2023 – 03:23 pm GMT

PDB ID : 8Q9T  
EMDB ID : EMD-18288  
Title : CryoEM structure of a *S. Cerevisiae* Ski238 complex bound to RNA  
Authors : Keidel, A.; Koegel, A.; Reichelt, P.; Kowalinski, E.; Schaefer, I.B.; Conti, E.  
Deposited on : 2023-08-21  
Resolution : 2.84 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1287	 17% 77% 7% 16%
2	C	397	 85% 6% 10%
2	D	397	 74% 5% 20%
3	E	1436	 17% 67% 7% 26%
4	B	30	 13% 87%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 20927 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Antiviral helicase SKI2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1075	7950	5113	1345	1455	37	0	0

- Molecule 2 is a protein called Antiviral protein SKI8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	C	358	2711	1731	458	508	14	0	0
2	D	316	2347	1509	396	431	11	0	0

- Molecule 3 is a protein called Superkiller protein 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	E	1060	7849	5047	1314	1457	31	0	0


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-3	GLY	-	expression tag	UNP P17883
E	-2	PRO	-	expression tag	UNP P17883
E	-1	ASP	-	expression tag	UNP P17883
E	0	SER	-	expression tag	UNP P17883



- Molecule 4 is a RNA chain called RNA (5'-R(P\*UP\*UP\*UP\*U)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
4	B	4	70	36	8	22	4	0	0







• Molecule 2: Antiviral protein SKI8



• Molecule 2: Antiviral protein SKI8



• Molecule 3: Superkiller protein 3





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	385414	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	67.5	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	105000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	4.800	Depositor
Minimum map value	-2.668	Depositor
Average map value	0.016	Depositor
Map value standard deviation	0.173	Depositor
Recommended contour level	0.7	Depositor
Map size (Å)	245.1456, 245.1456, 245.1456	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8512, 0.8512, 0.8512	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.25	0/8100	0.46	1/11033 (0.0%)
2	C	0.25	0/2772	0.47	0/3761
2	D	0.25	0/2401	0.48	0/3260
3	E	0.25	0/7999	0.42	1/10891 (0.0%)
4	B	0.14	0/77	0.73	0/113
All	All	0.25	0/21349	0.45	2/29058 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	281	PRO	N-CA-CB	6.16	110.69	103.30
3	E	436	LEU	CA-CB-CG	5.01	126.83	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7950	0	7348	50	0
2	C	2711	0	2514	13	0
2	D	2347	0	2136	11	0
3	E	7849	0	7185	58	0
4	B	70	0	41	0	0
All	All	20927	0	19224	126	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:329:LEU:HD13	3:E:437:LEU:HD22	1.71	0.73
3:E:1286:LEU:HD22	3:E:1299:VAL:HG13	1.75	0.68
1:A:909:ASP:OD1	1:A:913:CYS:N	2.31	0.63
1:A:130:ASN:OD1	1:A:133:ASN:ND2	2.32	0.62
1:A:1152:VAL:O	1:A:1208:ARG:NH1	2.33	0.61
1:A:952:PRO:O	1:A:1043:ARG:NH2	2.27	0.61
1:A:726:ALA:O	1:A:763:ARG:NH1	2.33	0.61
1:A:896:LEU:HD21	1:A:924:LEU:HD11	1.81	0.60
3:E:1189:PHE:CE2	3:E:1193:HIS:HE1	2.20	0.60
1:A:831:SER:OG	1:A:1085:ASN:ND2	2.35	0.59
3:E:286:GLN:NE2	3:E:315:ASP:OD1	2.35	0.59
3:E:478:ALA:HB2	3:E:496:LEU:HD23	1.84	0.59
1:A:348:PHE:CE2	1:A:481:THR:HG23	2.38	0.58
1:A:816:ARG:HD2	1:A:1116:ARG:NH1	2.18	0.58
3:E:635:ASP:OD1	3:E:651:TYR:OH	2.20	0.58
3:E:297:LEU:O	3:E:332:TYR:OH	2.22	0.58
1:A:986:ARG:HH11	1:A:1013:ILE:HG12	1.69	0.57
1:A:735:THR:HG22	1:A:774:THR:HB	1.86	0.57
3:E:1337:LYS:HE2	3:E:1370:ASN:HD22	1.70	0.57
1:A:872:LEU:HA	1:A:875:MET:SD	2.45	0.56
2:D:94:LEU:HD23	2:D:111:LYS:HE2	1.88	0.56
2:D:355:PRO:HB2	2:D:384:LEU:HD13	1.87	0.56
1:A:889:MET:HG2	1:A:895:ILE:HD13	1.88	0.56
1:A:1216:TYR:O	1:A:1220:ARG:HG2	2.06	0.55
1:A:1116:ARG:HE	3:E:1050:PRO:HG2	1.70	0.55
2:C:44:LYS:NZ	2:C:367:TRP:O	2.37	0.55
1:A:1043:ARG:HE	1:A:1047:PHE:HE2	1.53	0.55
1:A:346:SER:HB2	1:A:496:ILE:HD13	1.89	0.55
2:C:356:GLY:H	2:C:384:LEU:HD12	1.72	0.54
3:E:302:ALA:HA	3:E:305:ILE:HD12	1.88	0.53
2:D:33:SER:OG	2:D:35:ASP:OD1	2.27	0.53
3:E:590:GLN:HG3	3:E:615:LEU:HD13	1.91	0.52
1:A:728:GLY:O	1:A:763:ARG:NH2	2.43	0.52
2:C:335:ASP:OD2	2:C:389:ARG:NH1	2.43	0.52
1:A:469:VAL:O	1:A:494:LYS:NZ	2.44	0.51
1:A:839:GLN:HB3	1:A:842:HIS:HB2	1.93	0.51
3:E:316:PRO:O	3:E:417:ASN:ND2	2.43	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:424:ASN:HB3	3:E:427:ALA:HB3	1.93	0.51
3:E:1343:ILE:HG21	3:E:1359:VAL:HG11	1.93	0.50
3:E:1191:ARG:HG2	3:E:1231:CYS:SG	2.51	0.50
2:D:186:SER:O	2:D:187:GLN:NE2	2.42	0.50
1:A:1223:SER:OG	1:A:1226:GLU:OE1	2.26	0.50
2:D:239:VAL:HG12	2:D:250:ILE:HG12	1.92	0.50
1:A:904:LEU:HD22	1:A:1013:ILE:HD13	1.93	0.49
1:A:961:ASN:OD1	1:A:962:PHE:N	2.46	0.49
3:E:911:THR:HG22	3:E:912:THR:H	1.77	0.49
2:D:181:SER:OG	2:D:183:MET:SD	2.70	0.49
3:E:931:VAL:HG23	3:E:944:ARG:HH12	1.78	0.48
1:A:1043:ARG:O	1:A:1046:ILE:HG22	2.13	0.48
1:A:1214:VAL:HG13	1:A:1227:ILE:HG23	1.96	0.48
2:D:258:GLY:HA3	2:D:294:VAL:HG23	1.95	0.48
3:E:959:PHE:HB2	3:E:967:TYR:HB2	1.95	0.48
3:E:572:ILE:HG22	3:E:574:GLY:H	1.79	0.47
3:E:591:ALA:O	3:E:595:ILE:HG12	2.14	0.47
3:E:705:PHE:HB2	3:E:728:ALA:HB2	1.95	0.47
3:E:594:TYR:CE2	3:E:608:ASN:HA	2.50	0.46
1:A:660:ILE:HD11	1:A:715:PHE:HB3	1.97	0.46
2:C:236:ILE:HD13	2:C:252:HIS:HB3	1.98	0.46
2:C:255:ASN:O	2:C:256:SER:HB3	2.15	0.46
3:E:1337:LYS:HE2	3:E:1370:ASN:ND2	2.30	0.46
1:A:955:ASP:N	1:A:955:ASP:OD1	2.49	0.46
2:C:242:SER:HB2	2:C:247:LEU:HB3	1.97	0.46
3:E:319:MET:HG3	3:E:417:ASN:HD21	1.81	0.46
1:A:348:PHE:HD1	1:A:473:LEU:HB2	1.81	0.46
2:C:145:ASP:OD1	2:C:146:VAL:N	2.48	0.46
3:E:1189:PHE:CZ	3:E:1193:HIS:HE1	2.33	0.46
1:A:94:VAL:HG13	3:E:956:LEU:HD23	1.98	0.46
3:E:543:GLU:OE2	3:E:544:VAL:HG23	2.16	0.46
1:A:17:LEU:HD11	3:E:1425:VAL:HG13	1.97	0.46
3:E:587:LEU:O	3:E:590:GLN:HG2	2.16	0.46
1:A:405:THR:OG1	1:A:406:GLY:N	2.49	0.46
1:A:960:ARG:NH2	1:A:1052:ILE:O	2.49	0.45
3:E:1099:LEU:O	3:E:1103:ILE:HG12	2.16	0.45
1:A:179:MET:HG3	3:E:1014:LEU:HD21	1.99	0.45
3:E:449:LYS:O	3:E:452:ILE:HG22	2.17	0.45
1:A:380:PRO:HG2	1:A:381:ILE:HD12	1.99	0.45
3:E:429:ARG:NH1	3:E:472:GLU:OE1	2.49	0.45
1:A:425:ARG:HE	1:A:457:VAL:HG21	1.81	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:541:ASN:HB2	3:E:544:VAL:HB	1.98	0.45
3:E:414:LEU:HB3	3:E:431:LEU:HD13	1.99	0.45
3:E:435:TYR:HB3	3:E:444:ALA:HB2	1.99	0.45
2:C:187:GLN:HB3	2:C:205:ASN:OD1	2.17	0.44
2:D:313:GLY:HA2	2:D:356:GLY:HA3	1.98	0.44
3:E:303:PRO:HA	3:E:306:ILE:HD12	1.99	0.44
1:A:306:VAL:HG21	1:A:499:ILE:HG13	2.00	0.44
3:E:418:ILE:HG12	3:E:447:TYR:HE2	1.82	0.44
1:A:1009:GLU:HA	1:A:1012:ASN:HD21	1.82	0.44
1:A:1264:LEU:O	1:A:1268:MET:HG2	2.18	0.44
3:E:406:LEU:HD12	3:E:411:VAL:HG21	1.99	0.43
2:D:10:ASN:OD1	2:D:11:ALA:N	2.51	0.43
1:A:1031:LYS:O	1:A:1035:ILE:HG13	2.19	0.43
3:E:594:TYR:HE2	3:E:608:ASN:HA	1.82	0.43
2:C:311:TRP:CH2	2:C:384:LEU:HD21	2.54	0.43
1:A:957:TYR:HD1	1:A:960:ARG:HH21	1.67	0.43
3:E:1380:ASN:O	3:E:1384:ARG:HG3	2.19	0.43
3:E:533:GLN:NE2	3:E:537:GLN:OE1	2.48	0.43
1:A:849:LEU:HB3	1:A:1074:ILE:HD11	2.01	0.43
3:E:947:TYR:O	3:E:951:ILE:HG13	2.19	0.43
3:E:1344:GLU:CD	3:E:1376:ARG:HH12	2.22	0.43
1:A:1009:GLU:HA	1:A:1012:ASN:ND2	2.34	0.42
2:D:311:TRP:O	2:D:355:PRO:HA	2.18	0.42
3:E:1063:LEU:HD23	3:E:1063:LEU:HA	1.91	0.42
3:E:553:ALA:HB2	3:E:561:ALA:HB1	1.99	0.42
1:A:672:LYS:HD3	2:C:332:HIS:ND1	2.34	0.42
1:A:1156:GLU:HG2	1:A:1158:LYS:H	1.84	0.42
3:E:997:MET:HG3	3:E:1028:LEU:HD13	2.02	0.42
3:E:807:GLN:OE1	3:E:840:ARG:NH2	2.53	0.42
3:E:611:CYS:O	3:E:615:LEU:HG	2.20	0.42
1:A:492:LYS:HA	1:A:492:LYS:HD2	1.90	0.42
3:E:1230:ILE:HD11	3:E:1262:LEU:HD21	2.00	0.41
1:A:1277:ARG:NH1	1:A:1278:ASP:OD2	2.54	0.41
1:A:66:LEU:HD11	3:E:1265:LEU:HD22	2.02	0.41
3:E:1234:LEU:HD23	3:E:1234:LEU:HA	1.93	0.41
2:C:26:ASN:O	2:C:44:LYS:NZ	2.52	0.41
1:A:1130:THR:O	1:A:1134:LEU:HB2	2.21	0.41
2:C:81:LEU:HD23	2:C:81:LEU:H	1.85	0.41
3:E:290:GLU:HA	3:E:426:LEU:HD23	2.02	0.41
3:E:451:GLY:HA3	3:E:473:PHE:HE2	1.85	0.41
1:A:54:ARG:HD2	1:A:55:PHE:CE2	2.56	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:422:LYS:HE2	3:E:422:LYS:HB2	1.92	0.40
3:E:321:LEU:O	3:E:325:LEU:HG	2.22	0.40
1:A:934:PHE:CD1	1:A:935:THR:HG23	2.55	0.40
2:D:252:HIS:CG	2:D:253:ASP:N	2.89	0.40
2:C:153:TRP:HB3	2:C:173:LEU:HD22	2.04	0.40
3:E:452:ILE:O	3:E:455:ILE:HG22	2.21	0.40
3:E:1344:GLU:OE1	3:E:1360:TRP:NE1	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1045/1287 (81%)	1016 (97%)	28 (3%)	1 (0%)	51	75
2	C	342/397 (86%)	334 (98%)	8 (2%)	0	100	100
2	D	296/397 (75%)	289 (98%)	7 (2%)	0	100	100
3	E	1036/1436 (72%)	1014 (98%)	22 (2%)	0	100	100
All	All	2719/3517 (77%)	2653 (98%)	65 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	280	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	753/1139 (66%)	753 (100%)	0	100	100
2	C	280/347 (81%)	280 (100%)	0	100	100
2	D	232/347 (67%)	232 (100%)	0	100	100
3	E	728/1282 (57%)	728 (100%)	0	100	100
All	All	1993/3115 (64%)	1993 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	387	GLN
1	A	809	ASN
1	A	842	HIS
1	A	1085	ASN
2	D	50	ASN
3	E	286	GLN
3	E	417	ASN
3	E	428	HIS
3	E	1151	HIS
3	E	1193	HIS
3	E	1205	ASN
3	E	1336	HIS

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
4	B	3/30 (10%)	0	0

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18288. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 144




Y Index: 144




Z Index: 144


### 6.2.2 Raw map



X Index: 144



Y Index: 144




Z Index: 144

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 151




Y Index: 148




Z Index: 122


### 6.3.2 Raw map



X Index: 151



Y Index: 155




Z Index: 132


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.7. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_18288\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 114 nm<sup>3</sup>; this corresponds to an approximate mass of 103 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.352 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.352 \text{\AA}^{-1}$



## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.84	-	-
Author-provided FSC curve	2.84	3.21	2.88
Unmasked-calculated*	3.36	3.94	3.45

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.36 differs from the reported value 2.84 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-18288 and PDB model 8Q9T. Per-residue inclusion information can be found in section 3 on page 4.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.7 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.7).













## 9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.7) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7780	 0.5520
A	 0.7560	 0.5560
B	 0.8430	 0.5520
C	 0.9510	 0.6300
D	 0.9090	 0.6050
E	 0.7020	 0.5050

