



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 13, 2023 – 09:03 AM EDT

PDB ID : 4QD2  
Title : Molecular basis for disruption of E-cadherin adhesion by botulinum neurotoxin A complex  
Authors : Lee, K.; Zhong, X.; Gu, S.; Krueel, A.; Dorner, M.B.; Perry, K.; Rummel, A.; Dong, M.; Jin, R.  
Deposited on : 2014-05-13  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	296	 6% 85% 11% ..
1	D	296	 21% 80% 16% ..
1	H	296	 7% 84% 12% ..
1	I	296	 2% 86% 9% ..
2	B	147	 % 88% 10% ..

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	G	147	 86% 11% • 3%
3	A	254	 77% 9% • 12% 3%
3	F	254	 78% 9% • 11% 7%
4	E	213	 90% 9% 2%
4	J	213	 90% 8% • 9%

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 19012 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin component HA33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	D	286	2333	1476	399	455	3	0	0	0
1	C	286	2333	1476	399	455	3	0	0	0
1	I	286	2333	1476	399	455	3	0	0	0
1	H	286	2333	1476	399	455	3	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	294	PRO	-	expression tag	UNP A5HZZ6
D	295	GLY	-	expression tag	UNP A5HZZ6
D	296	SER	-	expression tag	UNP A5HZZ6
D	297	ALA	-	expression tag	UNP A5HZZ6
C	294	PRO	-	expression tag	UNP A5HZZ6
C	295	GLY	-	expression tag	UNP A5HZZ6
C	296	SER	-	expression tag	UNP A5HZZ6
C	297	ALA	-	expression tag	UNP A5HZZ6
I	294	PRO	-	expression tag	UNP A5HZZ6
I	295	GLY	-	expression tag	UNP A5HZZ6
I	296	SER	-	expression tag	UNP A5HZZ6
I	297	ALA	-	expression tag	UNP A5HZZ6
H	294	PRO	-	expression tag	UNP A5HZZ6
H	295	GLY	-	expression tag	UNP A5HZZ6
H	296	SER	-	expression tag	UNP A5HZZ6
H	297	ALA	-	expression tag	UNP A5HZZ6

- Molecule 2 is a protein called Hemagglutinin component HA17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	143	Total	C	N	O	S	0	0	0
			1180	762	188	225	5			
2	G	143	Total	C	N	O	S	0	0	0
			1180	762	188	225	5			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	GLY	-	expression tag	UNP A5HZZ5
B	1	PRO	-	expression tag	UNP A5HZZ5
G	0	GLY	-	expression tag	UNP A5HZZ5
G	1	PRO	-	expression tag	UNP A5HZZ5

- Molecule 3 is a protein called Hemagglutinin component HA70.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	224	Total	C	N	O	S	0	0	0
			1825	1154	310	360	1			
3	F	225	Total	C	N	O	S	0	0	0
			1833	1158	312	362	1			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	373	GLY	-	expression tag	UNP A5HZZ4
A	374	PRO	-	expression tag	UNP A5HZZ4
A	375	LEU	-	expression tag	UNP A5HZZ4
A	376	GLY	-	expression tag	UNP A5HZZ4
A	377	SER	-	expression tag	UNP A5HZZ4
F	373	GLY	-	expression tag	UNP A5HZZ4
F	374	PRO	-	expression tag	UNP A5HZZ4
F	375	LEU	-	expression tag	UNP A5HZZ4
F	376	GLY	-	expression tag	UNP A5HZZ4
F	377	SER	-	expression tag	UNP A5HZZ4

- Molecule 4 is a protein called Cadherin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	E	212	Total	C	N	O	S	0	0	0
			1627	1023	266	334	4			
4	J	212	Total	C	N	O	S	0	0	0
			1627	1023	266	334	4			

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	3	Total 3	Ca 3	0	0
5	J	3	Total 3	Ca 3	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	37	Total 37	O 37	0	0
6	B	44	Total 44	O 44	0	0
6	C	47	Total 47	O 47	0	0
6	A	31	Total 31	O 31	0	0
6	E	46	Total 46	O 46	0	0
6	I	50	Total 50	O 50	0	0
6	G	50	Total 50	O 50	0	0
6	H	43	Total 43	O 43	0	0
6	F	28	Total 28	O 28	0	0
6	J	26	Total 26	O 26	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Hemagglutinin component HA33





- Molecule 1: Hemagglutinin component HA33




- Molecule 1: Hemagglutinin component HA33




- Molecule 1: Hemagglutinin component HA33





- Molecule 2: Hemagglutinin component HA17





- Molecule 2: Hemagglutinin component HA17




- Molecule 3: Hemagglutinin component HA70



- Molecule 3: Hemagglutinin component HA70




- Molecule 4: Cadherin-1







● Molecule 4: Cadherin-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.99Å 95.73Å 96.14Å 116.89° 96.34° 93.70°	Depositor
Resolution (Å)	47.73 – 2.40 47.73 – 2.40	Depositor EDS
% Data completeness (in resolution range)	87.7 (47.73-2.40) 98.0 (47.73-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.96 (at 2.39Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.7.2_869)	Depositor
R, $R_{free}$	0.208 , 0.247 0.199 , 0.239	Depositor DCC
$R_{free}$ test set	5232 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.5	Xtrriage
Anisotropy	0.273	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 42.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.009 for -h,-l,-k	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	19012	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	C	0.23	0/2384	0.41	0/3255
1	D	0.23	0/2384	0.42	0/3255
1	H	0.23	0/2384	0.42	0/3255
1	I	0.24	0/2384	0.42	0/3255
2	B	0.25	0/1210	0.41	0/1643
2	G	0.25	0/1210	0.42	0/1643
3	A	0.24	0/1857	0.45	1/2527 (0.0%)
3	F	0.23	0/1865	0.44	1/2538 (0.0%)
4	E	0.23	0/1658	0.42	0/2263
4	J	0.22	0/1658	0.42	0/2263
All	All	0.23	0/18994	0.42	2/25897 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	391	ASP	CB-CG-OD2	5.23	123.01	118.30
3	A	391	ASP	CB-CG-OD2	5.12	122.91	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2333	0	2250	16	0
1	D	2333	0	2250	17	0
1	H	2333	0	2250	15	0
1	I	2333	0	2250	13	0
2	B	1180	0	1141	16	0
2	G	1180	0	1141	14	0
3	A	1825	0	1779	14	0
3	F	1833	0	1785	10	0
4	E	1627	0	1595	10	0
4	J	1627	0	1595	11	0
5	E	3	0	0	0	0
5	J	3	0	0	0	0
6	A	31	0	0	0	0
6	B	44	0	0	0	0
6	C	47	0	0	3	0
6	D	37	0	0	1	0
6	E	46	0	0	1	0
6	F	28	0	0	0	0
6	G	50	0	0	0	0
6	H	43	0	0	2	0
6	I	50	0	0	0	0
6	J	26	0	0	1	0
All	All	19012	0	18036	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:145:LYS:CG	2:B:146:ILE:HG22	1.80	1.10
2:B:145:LYS:HG2	2:B:146:ILE:CG2	1.93	0.98
2:B:145:LYS:HG2	2:B:146:ILE:HG22	0.97	0.95
2:G:145:LYS:HB3	2:G:146:ILE:CG2	2.10	0.82
1:C:64:MET:SD	6:C:333:HOH:O	2.43	0.75
2:G:145:LYS:HB3	2:G:146:ILE:HG22	1.69	0.74
4:J:118:ALA:HB3	4:J:121:ALA:HB2	1.75	0.69
1:D:263:ASP:OD2	1:D:285:ASN:ND2	2.30	0.65
2:G:145:LYS:HB3	2:G:146:ILE:HG23	1.77	0.65
1:C:121:ASP:HB2	1:C:128:LYS:HD3	1.80	0.64
3:F:473:LEU:H	3:F:509:ASN:ND2	1.96	0.64
2:G:145:LYS:HD2	2:G:146:ILE:HG22	1.82	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:44:TYR:HA	1:C:47:ARG:HD2	1.82	0.61
2:B:54:ARG:NH1	3:A:576:ASP:OD1	2.33	0.60
1:D:11:LEU:HD12	1:C:101:ILE:HG21	1.83	0.60
1:C:172:VAL:HA	1:C:207:ILE:HD12	1.83	0.60
1:H:9:ASN:N	6:H:312:HOH:O	2.35	0.59
2:B:145:LYS:HB3	2:B:146:ILE:HG23	1.85	0.58
1:C:155:CYS:HA	1:C:293:PRO:HD3	1.85	0.58
1:D:169:GLN:O	1:D:187:ASN:ND2	2.31	0.58
3:F:563:GLN:HB3	3:F:612:GLU:HB2	1.85	0.58
4:J:4:ILE:HD13	4:J:94:ILE:HD11	1.86	0.57
3:A:552:THR:HG21	3:A:597:ARG:HB3	1.86	0.57
3:F:467:LYS:HB3	3:F:514:ILE:HB	1.87	0.56
1:D:9:ASN:N	1:D:59:TYR:HH	2.03	0.56
3:A:472:VAL:HG23	3:A:509:ASN:HD22	1.70	0.55
1:I:266:GLY:O	1:I:285:ASN:ND2	2.40	0.54
3:F:422:ALA:O	3:F:425:ASN:N	2.37	0.54
4:J:2:TRP:N	6:J:401:HOH:O	2.40	0.54
4:E:112:VAL:HG22	4:E:206:LYS:HB2	1.88	0.54
1:H:268:GLN:HG3	1:H:270:ALA:H	1.73	0.54
3:A:503:ASP:HB3	3:A:580:LEU:HB2	1.91	0.53
3:A:552:THR:HG22	3:A:597:ARG:HH11	1.74	0.52
2:B:145:LYS:CG	2:B:146:ILE:CG2	2.68	0.52
1:I:269:THR:OG1	1:I:269:THR:O	2.25	0.51
2:B:145:LYS:CB	2:B:146:ILE:CG2	2.88	0.51
2:B:145:LYS:CB	2:B:146:ILE:HG22	2.38	0.51
1:I:75:TRP:HH2	2:G:108:LEU:HD11	1.75	0.51
1:H:206:THR:O	1:H:206:THR:OG1	2.22	0.50
3:A:584:GLN:HG3	3:A:596:ILE:HD12	1.94	0.50
4:J:128:MET:HG3	4:J:172:ILE:HB	1.92	0.50
1:C:186:ARG:O	1:C:206:THR:OG1	2.27	0.50
1:D:29:TYR:HD1	1:D:46:GLU:HG3	1.77	0.49
1:H:207:ILE:HG13	1:H:208:LEU:H	1.78	0.49
1:C:39:GLN:NE2	6:C:315:HOH:O	2.45	0.49
1:C:263:ASP:OD2	1:C:285:ASN:ND2	2.45	0.49
2:B:145:LYS:HB3	2:B:146:ILE:CG2	2.43	0.49
1:I:266:GLY:HA3	1:I:268:GLN:H	1.78	0.49
2:G:23:LEU:HB3	2:G:34:PHE:HB3	1.95	0.48
1:D:164:ASN:N	1:D:164:ASN:OD1	2.46	0.48
2:G:145:LYS:HA	2:G:146:ILE:HA	1.68	0.48
4:J:175:LEU:HG	4:J:176:THR:HG23	1.96	0.48
1:D:60:LYS:HG3	1:D:94:TYR:CE1	2.49	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:166:VAL:HG11	1:I:188:GLN:HB3	1.96	0.47
3:A:473:LEU:H	3:A:509:ASN:ND2	2.12	0.47
4:E:77:TYR:CZ	4:E:93:GLU:HB2	2.50	0.47
2:B:100:LEU:HD23	2:B:111:ALA:HB2	1.95	0.47
1:D:181:THR:O	1:D:188:GLN:NE2	2.48	0.47
1:D:175:LEU:HB3	1:D:225:VAL:HG22	1.97	0.47
1:H:10:SER:N	6:H:312:HOH:O	2.47	0.46
1:D:75:TRP:HH2	2:B:108:LEU:HD11	1.79	0.46
1:D:224:ARG:NE	6:D:337:HOH:O	2.46	0.46
2:G:142:LYS:NZ	3:F:546:ASN:OD1	2.45	0.46
4:J:182:GLU:H	4:J:182:GLU:HG2	1.61	0.45
3:A:432:TYR:HB3	3:A:455:ILE:HG23	1.98	0.45
1:I:60:LYS:HG3	1:I:94:TYR:CE1	2.52	0.45
1:C:49:ARG:HB2	6:C:333:HOH:O	2.17	0.44
3:F:415:THR:HG23	3:F:475:ASN:HA	1.98	0.44
1:I:293:PRO:HA	1:I:294:PRO:HD3	1.88	0.44
1:H:212:VAL:O	1:H:214:THR:HG23	2.17	0.44
1:I:75:TRP:CH2	2:G:108:LEU:HD11	2.53	0.44
1:I:170:VAL:HB	1:I:174:ASN:HB3	1.99	0.44
1:I:292:ASN:HA	1:I:293:PRO:HD3	1.90	0.44
1:H:292:ASN:HA	1:H:293:PRO:HD3	1.83	0.44
4:E:82:SER:OG	4:E:84:ASN:OD1	2.35	0.44
4:E:161:ASN:HB3	4:E:175:LEU:HD23	1.99	0.43
3:A:487:THR:HB	3:A:488:SER:H	1.53	0.43
1:I:71:LEU:HB3	1:I:84:THR:HG23	2.00	0.43
3:F:404:ASN:HA	3:F:405:PRO:HD3	1.86	0.43
1:D:62:LYS:HE3	1:D:70:ASN:HA	2.00	0.43
1:D:266:GLY:HA2	1:D:267:GLY:HA2	1.53	0.43
1:C:214:THR:HG21	1:C:226:SER:OG	2.18	0.43
2:G:110:TYR:HB3	2:G:128:LEU:HG	1.99	0.43
1:H:263:ASP:OD1	1:H:285:ASN:ND2	2.51	0.43
4:E:9:CYS:HA	4:E:10:PRO:HD3	1.90	0.43
2:G:13:TYR:CE1	2:G:145:LYS:HG2	2.54	0.43
1:H:186:ARG:O	1:H:206:THR:HG23	2.19	0.43
4:E:194:ALA:HB3	4:E:198:GLY:HA2	1.99	0.42
3:F:383:GLN:HG2	3:F:395:TYR:OH	2.19	0.42
1:D:75:TRP:CH2	2:B:108:LEU:HD11	2.54	0.42
1:I:210:ASN:OD1	1:I:228:SER:OG	2.35	0.42
4:E:154:ASP:HA	4:E:155:PRO:HA	1.82	0.42
1:H:75:TRP:CD1	1:H:129:LEU:HD11	2.55	0.42
2:B:145:LYS:HA	2:B:146:ILE:HA	1.78	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:E:2:TRP:CD1	4:E:92:MET:HB2	2.55	0.42
4:E:7:ILE:HD12	4:E:94:ILE:HG21	2.01	0.42
1:H:160:ILE:HD13	1:H:287:LYS:HD2	2.01	0.42
4:J:152:SER:HB3	4:J:190:VAL:HB	2.00	0.42
2:B:142:LYS:NZ	3:A:546:ASN:OD1	2.52	0.42
1:C:241:ASN:HA	1:C:242:PRO:HD3	1.77	0.42
3:A:385:ILE:HG13	3:A:410:PHE:HB3	2.02	0.42
2:G:100:LEU:HD23	2:G:111:ALA:HB2	2.02	0.42
1:H:100:ASP:O	1:H:104:ASN:N	2.53	0.42
3:F:423:GLN:HA	3:F:424:ASN:HA	1.57	0.41
4:J:194:ALA:HB3	4:J:198:GLY:HA2	2.02	0.41
4:J:9:CYS:HA	4:J:10:PRO:HD3	1.88	0.41
1:D:44:TYR:HA	1:D:47:ARG:HD2	2.03	0.41
2:B:26:ASN:ND2	2:B:43:GLN:HE21	2.17	0.41
1:C:60:LYS:HG3	1:C:94:TYR:CE1	2.56	0.41
1:D:154:THR:HA	1:D:191:THR:HA	2.01	0.41
1:C:169:GLN:O	1:C:187:ASN:ND2	2.44	0.41
1:I:80:HIS:HB3	2:G:132:PHE:CG	2.55	0.41
1:C:25:ASN:O	1:C:39:GLN:HA	2.21	0.41
1:H:177:VAL:HG23	1:H:224:ARG:HA	2.02	0.41
4:E:2:TRP:N	6:E:433:HOH:O	2.54	0.41
1:H:212:VAL:HB	1:H:228:SER:HB3	2.03	0.41
4:J:13:GLU:HG3	4:J:19:LYS:HE3	2.03	0.41
3:A:562:ASN:OD1	3:A:614:ASN:N	2.49	0.41
1:D:155:CYS:HA	1:D:293:PRO:HD3	2.03	0.40
3:A:389:ILE:HG23	3:A:393:TYR:HB2	2.03	0.40
3:F:572:THR:OG1	3:F:579:ASN:HB2	2.21	0.40
1:C:263:ASP:N	1:C:276:GLN:O	2.42	0.40
2:B:78:LEU:HD23	2:B:78:LEU:HA	1.96	0.40
2:G:122:LEU:HA	2:G:122:LEU:HD12	1.88	0.40
1:H:178:ASN:HA	1:H:275:ILE:HG12	2.03	0.40
3:A:508:MET:HA	3:A:509:ASN:HA	1.81	0.40
4:J:128:MET:SD	4:J:172:ILE:HD12	2.61	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	284/296 (96%)	270 (95%)	14 (5%)	0	100	100
1	D	284/296 (96%)	270 (95%)	14 (5%)	0	100	100
1	H	284/296 (96%)	266 (94%)	18 (6%)	0	100	100
1	I	284/296 (96%)	270 (95%)	14 (5%)	0	100	100
2	B	141/147 (96%)	137 (97%)	4 (3%)	0	100	100
2	G	141/147 (96%)	134 (95%)	7 (5%)	0	100	100
3	A	218/254 (86%)	207 (95%)	11 (5%)	0	100	100
3	F	219/254 (86%)	202 (92%)	17 (8%)	0	100	100
4	E	210/213 (99%)	204 (97%)	6 (3%)	0	100	100
4	J	210/213 (99%)	205 (98%)	5 (2%)	0	100	100
All	All	2275/2412 (94%)	2165 (95%)	110 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	262/270 (97%)	250 (95%)	12 (5%)	27	43
1	D	262/270 (97%)	239 (91%)	23 (9%)	10	15
1	H	262/270 (97%)	247 (94%)	15 (6%)	20	33
1	I	262/270 (97%)	247 (94%)	15 (6%)	20	33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	135/138 (98%)	131 (97%)	4 (3%)	41	61
2	G	135/138 (98%)	132 (98%)	3 (2%)	52	71
3	A	208/232 (90%)	199 (96%)	9 (4%)	29	46
3	F	209/232 (90%)	199 (95%)	10 (5%)	25	41
4	E	183/184 (100%)	181 (99%)	2 (1%)	73	87
4	J	183/184 (100%)	179 (98%)	4 (2%)	52	71
All	All	2101/2188 (96%)	2004 (95%)	97 (5%)	27	43

All (97) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	21	LYS
1	D	54	SER
1	D	80	HIS
1	D	104	ASN
1	D	143	GLU
1	D	164	ASN
1	D	166	VAL
1	D	171	ASP
1	D	196	GLU
1	D	210	ASN
1	D	225	VAL
1	D	229	ASN
1	D	232	ASN
1	D	246	THR
1	D	247	ASP
1	D	248	GLU
1	D	253	THR
1	D	259	THR
1	D	260	LYS
1	D	269	THR
1	D	273	THR
1	D	283	ASP
1	D	291	ARG
2	B	32	LEU
2	B	94	VAL
2	B	116	ASP
2	B	122	LEU
1	C	30	GLN
1	C	70	ASN

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	C	101	ILE
1	C	104	ASN
1	C	128	LYS
1	C	135	SER
1	C	171	ASP
1	C	183	ASP
1	C	208	LEU
1	C	209	SER
1	C	214	THR
1	C	219	ASN
3	A	380	GLU
3	A	424	ASN
3	A	484	VAL
3	A	487	THR
3	A	493	ASN
3	A	508	MET
3	A	580	LEU
3	A	584	GLN
3	A	588	HIS
4	E	76	LEU
4	E	156	GLU
1	I	13	ASP
1	I	80	HIS
1	I	84	THR
1	I	104	ASN
1	I	165	LYS
1	I	179	LEU
1	I	198	LYS
1	I	212	VAL
1	I	225	VAL
1	I	229	ASN
1	I	247	ASP
1	I	269	THR
1	I	283	ASP
1	I	289	ASN
1	I	292	ASN
2	G	4	GLU
2	G	8	LEU
2	G	26	ASN
1	H	13	ASP
1	H	30	GLN
1	H	70	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	H	84	THR
1	H	103	ASN
1	H	123	VAL
1	H	156	LYS
1	H	166	VAL
1	H	176	ASN
1	H	206	THR
1	H	207	ILE
1	H	229	ASN
1	H	241	ASN
1	H	246	THR
1	H	269	THR
3	F	383	GLN
3	F	384	GLU
3	F	394	THR
3	F	404	ASN
3	F	463	SER
3	F	475	ASN
3	F	477	ASP
3	F	484	VAL
3	F	571	VAL
3	F	626	ASN
4	J	119	GLU
4	J	122	VAL
4	J	128	MET
4	J	152	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	115	ASN
1	D	221	ASN
2	B	26	ASN
2	B	53	ASN
3	A	509	ASN
3	A	579	ASN
3	A	584	GLN
1	I	115	ASN
1	I	229	ASN
1	H	187	ASN
3	F	509	ASN
4	J	159	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	C	286/296 (96%)	0.36	17 (5%) 22 21	34, 66, 105, 155	0
1	D	286/296 (96%)	1.03	62 (21%) 0 0	34, 72, 150, 180	0
1	H	286/296 (96%)	0.41	22 (7%) 13 12	28, 67, 125, 158	0
1	I	286/296 (96%)	0.09	7 (2%) 59 57	31, 55, 91, 127	0
2	B	143/147 (97%)	-0.03	1 (0%) 87 86	31, 44, 67, 95	0
2	G	143/147 (97%)	0.09	0 100 100	29, 44, 67, 92	0
3	A	224/254 (88%)	0.27	8 (3%) 42 42	34, 59, 111, 149	0
3	F	225/254 (88%)	0.38	19 (8%) 11 10	32, 60, 118, 141	0
4	E	212/213 (99%)	0.03	5 (2%) 59 57	34, 57, 98, 116	0
4	J	212/213 (99%)	0.35	20 (9%) 8 7	37, 59, 126, 138	0
All	All	2303/2412 (95%)	0.34	161 (6%) 16 15	28, 57, 120, 180	0

All (161) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	228	SER	8.4
1	D	215	TRP	8.1
1	D	160	ILE	7.8
1	H	229	ASN	7.4
3	F	387	THR	7.3
4	J	179	LEU	7.3
3	A	491	ILE	7.2
1	C	231	GLN	7.1
1	D	270	ALA	7.1
1	D	279	ASN	6.7
1	D	166	VAL	6.5
1	D	165	LYS	6.3
1	D	280	TYR	6.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	163	LEU	6.2
1	D	287	LYS	6.0
3	F	490	ASN	5.9
3	A	490	ASN	5.8
1	I	230	ASP	5.3
1	D	164	ASN	5.2
1	D	264	LEU	5.2
1	C	207	ILE	5.1
1	D	274	ALA	5.0
1	D	275	ILE	4.9
1	D	179	LEU	4.9
3	F	386	ASN	4.9
1	D	217	PHE	4.9
4	J	174	VAL	4.9
1	D	177	VAL	4.7
1	D	273	THR	4.7
1	C	230	ASP	4.7
4	J	125	THR	4.6
1	D	230	ASP	4.6
1	D	269	THR	4.5
1	D	265	TYR	4.5
4	J	176	THR	4.5
1	D	229	ASN	4.5
3	F	382	ILE	4.4
1	D	180	TYR	4.4
1	D	223	VAL	4.3
1	D	181	THR	4.3
4	J	159	HIS	4.3
1	C	229	ASN	4.3
1	H	9	ASN	4.2
3	F	436	GLY	4.2
1	H	279	ASN	4.2
1	D	267	GLY	4.2
1	D	266	GLY	4.1
4	J	213	ASP	4.1
1	D	285	ASN	4.0
3	A	380	GLU	4.0
1	H	265	TYR	3.9
1	D	182	TRP	3.9
3	F	388	ALA	3.9
1	D	252	ILE	3.8
3	F	491	ILE	3.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	231	GLN	3.7
4	E	182	GLU	3.7
4	J	177	SER	3.7
1	D	277	VAL	3.7
1	D	268	GLN	3.6
3	F	380	GLU	3.6
1	I	102	GLY	3.6
1	C	265	TYR	3.6
1	I	231	GLN	3.6
1	D	184	TYR	3.6
3	F	390	SER	3.6
4	J	175	LEU	3.6
1	D	178	ASN	3.5
1	D	218	SER	3.5
3	F	385	ILE	3.4
1	H	215	TRP	3.4
1	C	222	THR	3.3
1	C	9	ASN	3.3
3	A	493	ASN	3.3
1	D	289	ASN	3.3
3	F	489	SER	3.2
1	D	260	LYS	3.2
1	C	232	ASN	3.2
1	D	278	PHE	3.1
3	F	435	ILE	3.1
3	A	397	ILE	3.1
1	H	277	VAL	3.1
1	I	184	TYR	3.1
1	D	159	PRO	3.0
1	H	217	PHE	3.0
1	I	229	ASN	3.0
1	D	216	ILE	3.0
3	F	626	ASN	2.9
1	D	161	LEU	2.9
1	C	215	TRP	2.9
1	H	260	LYS	2.9
3	A	489	SER	2.9
1	D	256	ARG	2.8
2	B	146	ILE	2.8
4	J	118	ALA	2.8
1	H	161	LEU	2.8
1	C	233	ASN	2.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	221	ASN	2.8
1	D	257	ASP	2.8
1	H	283	ASP	2.8
4	J	127	VAL	2.7
1	H	266	GLY	2.7
3	F	520	SER	2.7
1	C	219	ASN	2.7
1	D	284	ASP	2.7
1	D	167	VAL	2.6
1	C	173	THR	2.6
1	C	206	THR	2.6
1	H	278	PHE	2.6
4	J	158	PRO	2.6
4	J	209	ILE	2.6
1	D	102	GLY	2.6
3	F	381	ASN	2.6
1	H	259	THR	2.6
1	C	266	GLY	2.6
1	D	219	ASN	2.6
4	E	213	ASP	2.6
4	J	117	VAL	2.5
4	E	157	LEU	2.5
4	E	179	LEU	2.5
1	D	183	ASP	2.5
3	A	395	TYR	2.5
4	J	122	VAL	2.5
1	D	294	PRO	2.5
4	J	187	TYR	2.5
3	F	407	TYR	2.5
1	D	158	SER	2.5
1	H	269	THR	2.5
1	D	170	VAL	2.5
1	D	262	LEU	2.4
4	J	157	LEU	2.4
1	H	169	GLN	2.4
3	F	477	ASP	2.4
1	D	197	GLU	2.4
1	D	9	ASN	2.3
1	D	293	PRO	2.3
1	D	234	ASP	2.3
1	H	285	ASN	2.3
4	J	115	GLY	2.3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	H	280	TYR	2.3
1	D	255	LEU	2.3
1	H	227	SER	2.2
3	F	455	ILE	2.2
4	E	183	SER	2.2
1	C	169	GLN	2.2
4	J	169	THR	2.2
3	F	402	ASN	2.2
1	D	291	ARG	2.2
3	A	423	GLN	2.1
1	H	218	SER	2.1
1	C	161	LEU	2.1
1	H	284	ASP	2.1
1	I	266	GLY	2.1
1	H	235	ALA	2.1
1	D	168	GLN	2.1
1	D	263	ASP	2.0
4	J	180	ASP	2.0
1	I	280	TYR	2.0
4	J	189	LEU	2.0
1	D	228	SER	2.0
1	C	216	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	CA	J	303	1/1	0.93	0.07	45,45,45,45	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	CA	E	301	1/1	0.95	0.17	44,44,44,44	0
5	CA	E	302	1/1	0.96	0.15	36,36,36,36	0
5	CA	J	301	1/1	0.98	0.12	45,45,45,45	0
5	CA	J	302	1/1	0.99	0.12	38,38,38,38	0
5	CA	E	303	1/1	0.99	0.14	42,42,42,42	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.