



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 22, 2024 – 07:14 pm BST

PDB ID : 8QDQ  
Title : Vitis vinifera dimeric 13S-lipoxygenase LOXA in the closed conformation  
Authors : Wild, K.; Sinning, I.  
Deposited on : 2023-08-30  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	9409 (2.00-2.00)
Clashscore	180529	10737 (2.00-2.00)
Ramachandran outliers	177936	10628 (2.00-2.00)
Sidechain outliers	177891	10627 (2.00-2.00)
RSRZ outliers	164620	9409 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	863	 3% 85% 11% .
1	B	863	 11% 81% 15% . .

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 13989 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lipoxygenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	828	6616	4255	1108	1241	12	0	0	0
1	B	827	6612	4252	1107	1241	12	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	39	MET	-	initiating methionine	UNP D7SLA9
A	40	HIS	-	expression tag	UNP D7SLA9
A	41	HIS	-	expression tag	UNP D7SLA9
A	42	HIS	-	expression tag	UNP D7SLA9
A	43	HIS	-	expression tag	UNP D7SLA9
A	44	HIS	-	expression tag	UNP D7SLA9
A	45	HIS	-	expression tag	UNP D7SLA9
A	46	GLY	-	expression tag	UNP D7SLA9
A	47	SER	-	expression tag	UNP D7SLA9
A	379	ALA	SER	conflict	UNP D7SLA9
B	39	MET	-	initiating methionine	UNP D7SLA9
B	40	HIS	-	expression tag	UNP D7SLA9
B	41	HIS	-	expression tag	UNP D7SLA9
B	42	HIS	-	expression tag	UNP D7SLA9
B	43	HIS	-	expression tag	UNP D7SLA9
B	44	HIS	-	expression tag	UNP D7SLA9
B	45	HIS	-	expression tag	UNP D7SLA9
B	46	GLY	-	expression tag	UNP D7SLA9
B	47	SER	-	expression tag	UNP D7SLA9
B	379	ALA	SER	conflict	UNP D7SLA9

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Fe 1 1	0	0
2	B	1	Total Fe 1 1	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	429	Total O 429 429	0	0
3	B	330	Total O 330 330	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lipoxxygenase



- Molecule 1: Lipoxxygenase





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.77Å 110.65Å 91.17Å 90.00° 90.23° 90.00°	Depositor
Resolution (Å)	46.49 – 2.00 46.49 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.4 (46.49-2.00) 98.4 (46.49-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.49 (at 2.00Å)	Xtrriage
Refinement program	PHENIX 1.19_4092	Depositor
R, $R_{free}$	0.199 , 0.235 0.198 , 0.234	Depositor DCC
$R_{free}$ test set	6008 reflections (5.23%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.2	Xtrriage
Anisotropy	0.691	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 39.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.026 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	13989	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.49% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	0/6797	0.58	0/9249
1	B	0.39	0/6793	0.58	0/9243
All	All	0.40	0/13590	0.58	0/18492

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6616	0	6529	60	1
1	B	6612	0	6521	91	1
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	429	0	0	14	0
3	B	330	0	0	29	0
All	All	13989	0	13050	149	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:279:THR:OG1	3:B:1101:HOH:O	1.82	0.97
1:B:163:HIS:N	3:B:1104:HOH:O	2.01	0.85
1:A:379:ALA:N	3:A:1105:HOH:O	2.12	0.82
1:B:319:TYR:OH	3:B:1103:HOH:O	2.01	0.79
1:B:363:LYS:O	3:B:1105:HOH:O	2.01	0.77
1:B:103:LYS:HG2	1:B:104:THR:HG23	1.69	0.73
1:A:502:ASP:OD2	3:A:1102:HOH:O	2.05	0.72
1:B:695:LYS:NZ	3:B:1119:HOH:O	2.23	0.71
1:B:246:ASP:O	3:B:1106:HOH:O	2.07	0.71
1:A:498:PHE:HB2	1:A:508:LEU:HD11	1.74	0.69
1:B:362:HIS:O	1:B:364:VAL:N	2.26	0.69
1:A:625:GLU:HG3	3:A:1215:HOH:O	1.92	0.68
1:A:121:GLU:OE2	3:A:1104:HOH:O	2.11	0.68
1:A:424:TRP:O	3:A:1103:HOH:O	2.10	0.68
1:B:867:ASN:ND2	3:B:1123:HOH:O	2.25	0.68
1:A:448:GLU:HG2	1:A:457:VAL:HG23	1.76	0.66
1:B:439:GLU:O	1:B:524:LYS:NZ	2.26	0.66
1:A:390:GLN:HG2	3:A:1118:HOH:O	1.96	0.65
1:B:200:ARG:HA	3:B:1340:HOH:O	1.97	0.65
1:B:235:GLU:HA	1:B:280:GLY:HA3	1.78	0.64
1:A:183:GLU:O	3:A:1106:HOH:O	2.15	0.64
1:B:362:HIS:C	1:B:364:VAL:H	2.02	0.63
1:B:109:VAL:HG13	1:B:154:ILE:HD12	1.82	0.62
1:A:174:LEU:HB2	1:A:182:ILE:HB	1.82	0.61
1:A:514:ARG:HG2	1:A:515:PRO:HD2	1.82	0.61
1:B:441:ALA:HB3	1:B:526:VAL:HG23	1.82	0.61
1:B:108:GLU:OE2	1:B:199:LYS:NZ	2.33	0.61
1:B:102:GLY:O	1:B:131:ARG:HD2	1.99	0.60
1:B:102:GLY:HA3	1:B:163:HIS:HB2	1.83	0.59
1:B:314:SER:HB2	1:B:901:ILE:HD13	1.83	0.59
1:A:125:ILE:HD13	1:A:148:PRO:HD2	1.84	0.59
1:B:246:ASP:C	3:B:1106:HOH:O	2.40	0.58
1:B:74:VAL:HG22	1:B:172:ILE:HG12	1.84	0.58
1:B:783:GLU:OE2	3:B:1108:HOH:O	2.17	0.58
1:B:480:SER:N	3:B:1102:HOH:O	2.00	0.57
1:B:821:SER:O	3:B:1109:HOH:O	2.18	0.57
1:B:851:ARG:HD3	3:B:1157:HOH:O	2.03	0.57
1:B:163:HIS:CD2	1:B:165:LYS:HB2	2.39	0.57
1:B:247:VAL:HA	3:B:1106:HOH:O	2.04	0.57
1:B:359:LEU:HB2	1:B:382:SER:HB2	1.87	0.56
1:B:255:ASP:HA	1:B:286:ILE:HD12	1.88	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:VAL:HG22	1:A:172:ILE:HG12	1.88	0.55
1:A:610:ASP:OD2	3:A:1107:HOH:O	2.18	0.55
1:B:78:LEU:HD21	1:B:97:VAL:HG13	1.88	0.55
1:B:84:LEU:HD12	1:B:311:LEU:HD22	1.89	0.55
1:A:470:ASP:OD1	3:A:1108:HOH:O	2.18	0.54
1:B:246:ASP:HB2	1:B:278:ARG:HG3	1.90	0.54
1:B:371:ARG:O	1:B:374:ARG:NH2	2.40	0.54
1:B:448:GLU:HG2	1:B:457:VAL:HG23	1.89	0.54
1:B:514:ARG:HG2	1:B:515:PRO:HD2	1.90	0.53
1:B:236:ARG:NE	1:B:236:ARG:HA	2.24	0.53
1:A:531:TRP:CZ2	1:B:506:LYS:HD2	2.45	0.52
1:A:293:ARG:NH1	3:A:1113:HOH:O	2.26	0.52
1:B:310:GLU:O	1:B:316:ASN:ND2	2.42	0.52
1:A:79:THR:OG1	1:A:80:VAL:N	2.42	0.51
1:B:236:ARG:NH1	3:B:1113:HOH:O	2.38	0.51
1:B:284:SER:HA	3:B:1132:HOH:O	2.10	0.51
1:A:78:LEU:HD21	1:A:101:LEU:HD11	1.90	0.51
1:A:820:HIS:NE2	1:A:893:LYS:O	2.42	0.51
1:A:84:LEU:HD13	1:A:311:LEU:HD22	1.93	0.51
1:B:254:PRO:HB3	1:B:261:THR:HG23	1.93	0.51
1:B:498:PHE:HB2	1:B:508:LEU:HD11	1.93	0.51
1:B:371:ARG:NH1	3:B:1107:HOH:O	2.16	0.51
1:A:101:LEU:HD11	1:A:139:VAL:HG21	1.91	0.50
1:B:275:ARG:HA	3:B:1106:HOH:O	2.11	0.50
1:A:68:VAL:HG23	1:A:149:ASP:OD1	2.12	0.50
1:B:781:PRO:O	3:B:1111:HOH:O	2.19	0.50
1:B:256:SER:O	3:B:1110:HOH:O	2.18	0.50
1:B:284:SER:HB3	1:B:287:ASP:O	2.11	0.50
1:A:869:LYS:HE2	3:A:1382:HOH:O	2.10	0.50
1:B:366:GLN:NE2	3:B:1124:HOH:O	2.25	0.49
1:A:357:PRO:HA	1:A:381:ASP:HB3	1.93	0.49
1:B:233:GLN:O	3:B:1113:HOH:O	2.20	0.49
1:A:379:ALA:HB1	3:A:1114:HOH:O	2.13	0.49
1:B:851:ARG:HD2	3:B:1393:HOH:O	2.13	0.49
1:B:447:VAL:HG13	1:B:508:LEU:HD13	1.94	0.48
1:B:746:VAL:HA	1:B:750:HIS:HB3	1.93	0.48
1:B:236:ARG:NH2	3:B:1113:HOH:O	2.28	0.48
1:B:401:ARG:NH1	1:B:403:GLU:OE2	2.43	0.48
1:A:838:ASP:OD2	3:A:1109:HOH:O	2.20	0.48
1:A:401:ARG:HD2	1:A:403:GLU:OE2	2.14	0.48
1:A:83:PHE:CE2	1:A:87:LEU:HD11	2.49	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:234:GLY:O	1:B:278:ARG:NH2	2.40	0.48
1:B:612:ILE:HG21	1:B:813:VAL:HG21	1.96	0.48
1:B:234:GLY:HA3	3:B:1113:HOH:O	2.14	0.47
1:B:625:GLU:OE1	3:B:1112:HOH:O	2.20	0.47
1:A:87:LEU:HD13	1:A:311:LEU:HD11	1.96	0.47
1:A:314:SER:HB2	1:A:901:ILE:HD13	1.96	0.47
1:A:70:VAL:HG21	1:A:147:ILE:HD12	1.97	0.47
1:B:514:ARG:NH2	1:B:780:ASP:OD2	2.43	0.46
1:A:109:VAL:HG13	1:A:154:ILE:HG23	1.96	0.46
1:B:355:ASN:OD1	1:B:381:ASP:HB3	2.15	0.46
1:B:362:HIS:C	1:B:364:VAL:N	2.67	0.46
1:A:374:ARG:NH1	1:A:385:GLN:HB3	2.30	0.45
1:A:777:PRO:O	1:A:781:PRO:HB3	2.17	0.45
1:B:353:GLY:HA3	1:B:383:LEU:HD11	1.99	0.45
1:A:129:ALA:HB2	1:A:143:SER:HB2	1.99	0.45
1:B:121:GLU:OE2	1:B:219:GLU:HB2	2.16	0.45
1:B:163:HIS:O	1:B:192:SER:HB2	2.17	0.44
1:A:394:ARG:HD2	1:A:394:ARG:HA	1.71	0.44
1:A:506:LYS:HD2	1:B:531:TRP:CZ2	2.53	0.44
1:B:332:VAL:HG13	1:B:333:ILE:H	1.83	0.44
1:A:401:ARG:NH1	1:A:403:GLU:OE2	2.47	0.44
1:A:351:ASN:O	1:A:385:GLN:NE2	2.50	0.44
1:A:359:LEU:HD12	1:A:359:LEU:HA	1.75	0.44
1:A:607:ILE:HG22	1:A:613:ILE:HD12	2.00	0.44
1:B:145:PHE:CE2	1:B:147:ILE:HD11	2.52	0.44
1:A:886:SER:HB2	1:A:893:LYS:HG3	1.99	0.44
1:B:71:LYS:HE3	1:B:142:GLU:OE1	2.17	0.44
1:A:255:ASP:HA	1:A:286:ILE:HD12	1.99	0.43
1:B:395:ASP:OD2	1:B:401:ARG:NH2	2.33	0.43
1:A:362:HIS:O	1:A:366:GLN:HG3	2.17	0.43
1:A:69:SER:HA	1:A:146:VAL:HG22	2.00	0.43
1:A:424:TRP:C	3:A:1103:HOH:O	2.56	0.43
1:B:381:ASP:OD2	3:B:1114:HOH:O	2.20	0.43
1:A:840:LEU:HD23	1:A:840:LEU:HA	1.81	0.43
1:B:281:ARG:O	3:B:1115:HOH:O	2.21	0.43
1:B:608:ASN:OD1	1:B:608:ASN:N	2.37	0.43
1:B:95:ASP:O	1:B:96:ASP:HB2	2.18	0.43
1:B:320:SER:HB3	1:B:365:LEU:CD2	2.49	0.42
1:B:362:HIS:O	1:B:364:VAL:HG23	2.17	0.42
1:A:706:LEU:HG	1:A:730:LEU:HD21	2.01	0.42
1:B:440:SER:OG	1:B:511:GLU:OE1	2.25	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:695:LYS:HA	1:B:695:LYS:HD2	1.96	0.42
1:A:366:GLN:HG2	1:A:373:VAL:HG12	2.00	0.42
1:B:344:THR:HG23	3:B:1385:HOH:O	2.19	0.42
1:B:430:LEU:HB3	1:B:435:TYR:CD2	2.55	0.42
1:B:324:ALA:HB1	1:B:365:LEU:HD11	2.01	0.42
1:B:481:GLU:HB3	1:B:622:TYR:CZ	2.54	0.42
1:B:344:THR:O	1:B:348:GLU:HG3	2.19	0.42
1:B:777:PRO:O	1:B:781:PRO:HB3	2.20	0.41
1:A:67:SER:HB3	1:A:146:VAL:CG1	2.49	0.41
1:A:102:GLY:HA3	1:A:163:HIS:HB2	2.02	0.41
1:A:121:GLU:OE2	1:A:219:GLU:HB2	2.20	0.41
1:B:259:GLU:O	1:B:262:ARG:NH1	2.50	0.41
1:A:746:VAL:HA	1:A:750:HIS:HB3	2.01	0.41
1:B:161:ASN:HB3	1:B:191:ALA:O	2.21	0.41
1:B:306:SER:HB2	1:B:316:ASN:OD1	2.20	0.41
1:A:710:TRP:HZ2	1:A:728:PRO:HD2	1.84	0.41
1:A:486:LYS:HE2	1:A:486:LYS:HB2	1.90	0.41
1:B:247:VAL:HG23	1:B:249:ASP:OD2	2.21	0.41
1:B:866:LYS:HA	1:B:872:HIS:ND1	2.36	0.41
1:A:448:GLU:O	1:A:452:LYS:HB2	2.21	0.41
1:B:514:ARG:HB3	1:B:523:TRP:HB3	2.03	0.41
1:A:359:LEU:HB3	1:A:362:HIS:HB3	2.02	0.41
1:A:449:ARG:HB3	1:A:449:ARG:HH11	1.86	0.41
1:B:73:THR:OG1	1:B:173:VAL:HB	2.21	0.40
1:A:350:TYR:OH	1:A:764:TYR:HA	2.22	0.40
1:B:617:PHE:HA	1:B:770:THR:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:GLN:NE2	1:B:98:SER:OG[2_444]	2.16	0.04

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	822/863 (95%)	797 (97%)	24 (3%)	1 (0%)	48	47
1	B	821/863 (95%)	774 (94%)	43 (5%)	4 (0%)	25	21
All	All	1643/1726 (95%)	1571 (96%)	67 (4%)	5 (0%)	37	35

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	363	LYS
1	B	127	ALA
1	B	358	ASN
1	A	127	ALA
1	B	357	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	720/749 (96%)	714 (99%)	6 (1%)	79	84
1	B	720/749 (96%)	707 (98%)	13 (2%)	54	59
All	All	1440/1498 (96%)	1421 (99%)	19 (1%)	65	71

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	115	ASP
1	A	273	TYR
1	A	480	SER
1	A	484	GLN
1	A	669	TYR
1	A	831	LEU
1	B	84	LEU
1	B	162	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	192	SER
1	B	268	SER
1	B	273	TYR
1	B	308	VAL
1	B	336	THR
1	B	374	ARG
1	B	608	ASN
1	B	657	SER
1	B	669	TYR
1	B	823	ASP
1	B	831	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	634	GLN
1	B	163	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	828/863 (95%)	0.02	29 (3%) 47 45	18, 33, 68, 89	0
1	B	827/863 (95%)	0.54	92 (11%) 12 10	20, 40, 77, 89	0
All	All	1655/1726 (95%)	0.28	121 (7%) 22 21	18, 37, 73, 89	0

All (121) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	88	ILE	4.7
1	B	311	LEU	4.1
1	B	78	LEU	4.0
1	B	373	VAL	3.9
1	B	232	GLY	3.5
1	B	375	ALA	3.5
1	B	288	PRO	3.5
1	B	285	LYS	3.4
1	B	292	THR	3.4
1	B	359	LEU	3.4
1	B	72	ALA	3.4
1	A	139	VAL	3.3
1	B	140	THR	3.3
1	B	74	VAL	3.3
1	B	254	PRO	3.3
1	A	133	ALA	3.2
1	B	109	VAL	3.2
1	A	146	VAL	3.2
1	B	73	THR	3.1
1	B	107	LEU	3.1
1	A	450	GLU	3.1
1	B	83	PHE	3.0
1	B	290	ALA	3.0
1	B	101	LEU	3.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	133	ALA	3.0
1	A	88	ILE	3.0
1	B	154	ILE	2.9
1	B	177	PHE	2.9
1	A	379	ALA	2.9
1	B	365	LEU	2.9
1	B	130	HIS	2.9
1	B	286	ILE	2.9
1	B	253	ASP	2.9
1	A	359	LEU	2.8
1	B	190	VAL	2.8
1	B	321	ALA	2.8
1	B	100	TRP	2.8
1	B	141	TYR	2.8
1	B	265	LEU	2.8
1	A	127	ALA	2.7
1	B	400	PHE	2.7
1	B	239	TYR	2.7
1	B	255	ASP	2.7
1	B	104	THR	2.7
1	B	158	LEU	2.7
1	A	783	GLU	2.7
1	B	147	ILE	2.7
1	B	139	VAL	2.6
1	B	368	ILE	2.6
1	A	126	GLY	2.6
1	A	375	ALA	2.6
1	B	332	VAL	2.6
1	B	103	LYS	2.6
1	A	147	ILE	2.6
1	B	424	TRP	2.6
1	B	127	ALA	2.5
1	B	271	TYR	2.5
1	B	261	THR	2.5
1	B	87	LEU	2.5
1	A	100	TRP	2.5
1	A	116	PRO	2.4
1	A	87	LEU	2.4
1	B	430	LEU	2.4
1	B	609	ALA	2.4
1	B	80	VAL	2.4
1	B	146	VAL	2.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	325	VAL	2.4
1	B	125	ILE	2.4
1	B	79	THR	2.4
1	B	382	SER	2.4
1	B	426	LEU	2.4
1	A	103	LYS	2.4
1	B	75	THR	2.4
1	A	70	VAL	2.4
1	B	97	VAL	2.4
1	B	194	PHE	2.4
1	A	99	ASP	2.4
1	B	84	LEU	2.3
1	B	270	GLN	2.3
1	B	90	LEU	2.3
1	B	70	VAL	2.3
1	B	367	ASP	2.3
1	B	159	VAL	2.2
1	A	692	PHE	2.2
1	A	104	THR	2.2
1	B	129	ALA	2.2
1	B	176	GLY	2.2
1	A	179	ASN	2.2
1	A	531	TRP	2.2
1	B	145	PHE	2.2
1	A	78	LEU	2.2
1	B	132	ALA	2.2
1	B	148	PRO	2.2
1	B	167	MET	2.2
1	A	145	PHE	2.1
1	B	105	LEU	2.1
1	A	101	LEU	2.1
1	A	107	LEU	2.1
1	B	284	SER	2.1
1	B	164	HIS	2.1
1	B	324	ALA	2.1
1	B	362	HIS	2.1
1	B	170	ARG	2.1
1	A	83	PHE	2.1
1	A	130	HIS	2.1
1	B	137	GLY	2.1
1	B	252	GLY	2.1
1	B	258	PRO	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	622	TYR	2.1
1	B	356	VAL	2.1
1	B	482	VAL	2.1
1	B	621	LYS	2.1
1	B	162	GLU	2.0
1	B	157	VAL	2.0
1	B	296	THR	2.0
1	B	312	THR	2.0
1	B	383	LEU	2.0
1	A	400	PHE	2.0
1	B	329	ILE	2.0
1	B	193	LYS	2.0
1	B	287	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	FE	B	1001	1/1	0.99	0.03	29,29,29,29	0
2	FE	A	1001	1/1	1.00	0.02	21,21,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around FE B 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.