



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 4, 2024 – 01:18 pm BST

PDB ID : 8QFB
Title : Crystal structure of human MPP8 C-terminal region (residues 565-860)
Authors : Prigozhin, D.M.; Modis, Y.
Deposited on : 2023-09-04
Resolution : 3.04 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.002 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.38.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.04 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3418 (3.08-3.00)
Clashscore	180529	3811 (3.08-3.00)
Ramachandran outliers	177936	3656 (3.08-3.00)
Sidechain outliers	177891	3658 (3.08-3.00)
RSRZ outliers	164620	3430 (3.08-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	336	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 66%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 23%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">4% 66% 23% 11%</p>
1	B	336	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 68%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">2% 68% 19% 12%</p>
1	C	336	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 68%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">7% 68% 19% 12%</p>
1	D	336	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 71%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">% 71% 18% 11%</p>
1	E	336	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 70%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 40px;">8% 70% 18% 12%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	336	
1	G	336	
1	H	336	

2 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 35246 atoms, of which 17506 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called M-phase phosphoprotein 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	B	294	4370	1399	2170	379	412	10	0	0	0
1	A	298	4456	1427	2217	384	418	10	0	0	0
1	C	294	4323	1390	2139	375	409	10	0	0	0
1	D	298	4523	1440	2260	390	423	10	0	0	0
1	E	296	4387	1407	2179	379	412	10	0	0	0
1	F	294	4382	1405	2169	380	418	10	0	0	0
1	G	295	4423	1411	2202	386	414	10	0	0	0
1	H	296	4382	1407	2170	380	415	10	0	0	0

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	525	MET	-	initiating methionine	UNP Q99549
B	526	GLY	-	expression tag	UNP Q99549
B	527	SER	-	expression tag	UNP Q99549
B	528	SER	-	expression tag	UNP Q99549
B	529	HIS	-	expression tag	UNP Q99549
B	530	HIS	-	expression tag	UNP Q99549
B	531	HIS	-	expression tag	UNP Q99549
B	532	HIS	-	expression tag	UNP Q99549
B	533	HIS	-	expression tag	UNP Q99549
B	534	HIS	-	expression tag	UNP Q99549
B	535	SER	-	expression tag	UNP Q99549
B	536	SER	-	expression tag	UNP Q99549
B	537	GLY	-	expression tag	UNP Q99549

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	538	LEU	-	expression tag	UNP Q99549
B	539	VAL	-	expression tag	UNP Q99549
B	540	PRO	-	expression tag	UNP Q99549
B	541	ARG	-	expression tag	UNP Q99549
B	542	GLY	-	expression tag	UNP Q99549
B	543	SER	-	expression tag	UNP Q99549
B	544	HIS	-	expression tag	UNP Q99549
B	545	MET	-	expression tag	UNP Q99549
A	525	MET	-	initiating methionine	UNP Q99549
A	526	GLY	-	expression tag	UNP Q99549
A	527	SER	-	expression tag	UNP Q99549
A	528	SER	-	expression tag	UNP Q99549
A	529	HIS	-	expression tag	UNP Q99549
A	530	HIS	-	expression tag	UNP Q99549
A	531	HIS	-	expression tag	UNP Q99549
A	532	HIS	-	expression tag	UNP Q99549
A	533	HIS	-	expression tag	UNP Q99549
A	534	HIS	-	expression tag	UNP Q99549
A	535	SER	-	expression tag	UNP Q99549
A	536	SER	-	expression tag	UNP Q99549
A	537	GLY	-	expression tag	UNP Q99549
A	538	LEU	-	expression tag	UNP Q99549
A	539	VAL	-	expression tag	UNP Q99549
A	540	PRO	-	expression tag	UNP Q99549
A	541	ARG	-	expression tag	UNP Q99549
A	542	GLY	-	expression tag	UNP Q99549
A	543	SER	-	expression tag	UNP Q99549
A	544	HIS	-	expression tag	UNP Q99549
A	545	MET	-	expression tag	UNP Q99549
C	525	MET	-	initiating methionine	UNP Q99549
C	526	GLY	-	expression tag	UNP Q99549
C	527	SER	-	expression tag	UNP Q99549
C	528	SER	-	expression tag	UNP Q99549
C	529	HIS	-	expression tag	UNP Q99549
C	530	HIS	-	expression tag	UNP Q99549
C	531	HIS	-	expression tag	UNP Q99549
C	532	HIS	-	expression tag	UNP Q99549
C	533	HIS	-	expression tag	UNP Q99549
C	534	HIS	-	expression tag	UNP Q99549
C	535	SER	-	expression tag	UNP Q99549
C	536	SER	-	expression tag	UNP Q99549
C	537	GLY	-	expression tag	UNP Q99549

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	538	LEU	-	expression tag	UNP Q99549
C	539	VAL	-	expression tag	UNP Q99549
C	540	PRO	-	expression tag	UNP Q99549
C	541	ARG	-	expression tag	UNP Q99549
C	542	GLY	-	expression tag	UNP Q99549
C	543	SER	-	expression tag	UNP Q99549
C	544	HIS	-	expression tag	UNP Q99549
C	545	MET	-	expression tag	UNP Q99549
D	525	MET	-	initiating methionine	UNP Q99549
D	526	GLY	-	expression tag	UNP Q99549
D	527	SER	-	expression tag	UNP Q99549
D	528	SER	-	expression tag	UNP Q99549
D	529	HIS	-	expression tag	UNP Q99549
D	530	HIS	-	expression tag	UNP Q99549
D	531	HIS	-	expression tag	UNP Q99549
D	532	HIS	-	expression tag	UNP Q99549
D	533	HIS	-	expression tag	UNP Q99549
D	534	HIS	-	expression tag	UNP Q99549
D	535	SER	-	expression tag	UNP Q99549
D	536	SER	-	expression tag	UNP Q99549
D	537	GLY	-	expression tag	UNP Q99549
D	538	LEU	-	expression tag	UNP Q99549
D	539	VAL	-	expression tag	UNP Q99549
D	540	PRO	-	expression tag	UNP Q99549
D	541	ARG	-	expression tag	UNP Q99549
D	542	GLY	-	expression tag	UNP Q99549
D	543	SER	-	expression tag	UNP Q99549
D	544	HIS	-	expression tag	UNP Q99549
D	545	MET	-	expression tag	UNP Q99549
E	525	MET	-	initiating methionine	UNP Q99549
E	526	GLY	-	expression tag	UNP Q99549
E	527	SER	-	expression tag	UNP Q99549
E	528	SER	-	expression tag	UNP Q99549
E	529	HIS	-	expression tag	UNP Q99549
E	530	HIS	-	expression tag	UNP Q99549
E	531	HIS	-	expression tag	UNP Q99549
E	532	HIS	-	expression tag	UNP Q99549
E	533	HIS	-	expression tag	UNP Q99549
E	534	HIS	-	expression tag	UNP Q99549
E	535	SER	-	expression tag	UNP Q99549
E	536	SER	-	expression tag	UNP Q99549
E	537	GLY	-	expression tag	UNP Q99549

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	538	LEU	-	expression tag	UNP Q99549
E	539	VAL	-	expression tag	UNP Q99549
E	540	PRO	-	expression tag	UNP Q99549
E	541	ARG	-	expression tag	UNP Q99549
E	542	GLY	-	expression tag	UNP Q99549
E	543	SER	-	expression tag	UNP Q99549
E	544	HIS	-	expression tag	UNP Q99549
E	545	MET	-	expression tag	UNP Q99549
F	525	MET	-	initiating methionine	UNP Q99549
F	526	GLY	-	expression tag	UNP Q99549
F	527	SER	-	expression tag	UNP Q99549
F	528	SER	-	expression tag	UNP Q99549
F	529	HIS	-	expression tag	UNP Q99549
F	530	HIS	-	expression tag	UNP Q99549
F	531	HIS	-	expression tag	UNP Q99549
F	532	HIS	-	expression tag	UNP Q99549
F	533	HIS	-	expression tag	UNP Q99549
F	534	HIS	-	expression tag	UNP Q99549
F	535	SER	-	expression tag	UNP Q99549
F	536	SER	-	expression tag	UNP Q99549
F	537	GLY	-	expression tag	UNP Q99549
F	538	LEU	-	expression tag	UNP Q99549
F	539	VAL	-	expression tag	UNP Q99549
F	540	PRO	-	expression tag	UNP Q99549
F	541	ARG	-	expression tag	UNP Q99549
F	542	GLY	-	expression tag	UNP Q99549
F	543	SER	-	expression tag	UNP Q99549
F	544	HIS	-	expression tag	UNP Q99549
F	545	MET	-	expression tag	UNP Q99549
G	525	MET	-	initiating methionine	UNP Q99549
G	526	GLY	-	expression tag	UNP Q99549
G	527	SER	-	expression tag	UNP Q99549
G	528	SER	-	expression tag	UNP Q99549
G	529	HIS	-	expression tag	UNP Q99549
G	530	HIS	-	expression tag	UNP Q99549
G	531	HIS	-	expression tag	UNP Q99549
G	532	HIS	-	expression tag	UNP Q99549
G	533	HIS	-	expression tag	UNP Q99549
G	534	HIS	-	expression tag	UNP Q99549
G	535	SER	-	expression tag	UNP Q99549
G	536	SER	-	expression tag	UNP Q99549
G	537	GLY	-	expression tag	UNP Q99549

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	538	LEU	-	expression tag	UNP Q99549
G	539	VAL	-	expression tag	UNP Q99549
G	540	PRO	-	expression tag	UNP Q99549
G	541	ARG	-	expression tag	UNP Q99549
G	542	GLY	-	expression tag	UNP Q99549
G	543	SER	-	expression tag	UNP Q99549
G	544	HIS	-	expression tag	UNP Q99549
G	545	MET	-	expression tag	UNP Q99549
H	525	MET	-	initiating methionine	UNP Q99549
H	526	GLY	-	expression tag	UNP Q99549
H	527	SER	-	expression tag	UNP Q99549
H	528	SER	-	expression tag	UNP Q99549
H	529	HIS	-	expression tag	UNP Q99549
H	530	HIS	-	expression tag	UNP Q99549
H	531	HIS	-	expression tag	UNP Q99549
H	532	HIS	-	expression tag	UNP Q99549
H	533	HIS	-	expression tag	UNP Q99549
H	534	HIS	-	expression tag	UNP Q99549
H	535	SER	-	expression tag	UNP Q99549
H	536	SER	-	expression tag	UNP Q99549
H	537	GLY	-	expression tag	UNP Q99549
H	538	LEU	-	expression tag	UNP Q99549
H	539	VAL	-	expression tag	UNP Q99549
H	540	PRO	-	expression tag	UNP Q99549
H	541	ARG	-	expression tag	UNP Q99549
H	542	GLY	-	expression tag	UNP Q99549
H	543	SER	-	expression tag	UNP Q99549
H	544	HIS	-	expression tag	UNP Q99549
H	545	MET	-	expression tag	UNP Q99549


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: M-phase phosphoprotein 8




- Molecule 1: M-phase phosphoprotein 8




- Molecule 1: M-phase phosphoprotein 8







• Molecule 1: M-phase phosphoprotein 8



• Molecule 1: M-phase phosphoprotein 8




• Molecule 1: M-phase phosphoprotein 8






- Molecule 1: M-phase phosphoprotein 8



- Molecule 1: M-phase phosphoprotein 8



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	102.56Å 179.53Å 228.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	93.54 – 3.04 93.54 – 3.04	Depositor EDS
% Data completeness (in resolution range)	98.8 (93.54-3.04) 98.8 (93.54-3.04)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 3.01Å)	Xtrriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.256 , 0.295 0.258 , 0.295	Depositor DCC
R_{free} test set	4189 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	100.7	Xtrriage
Anisotropy	0.492	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 78.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	35246	wwPDB-VP
Average B, all atoms (Å ²)	142.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2279	0.60	0/3101
1	B	0.31	0/2238	0.57	0/3044
1	C	0.30	0/2222	0.56	0/3026
1	D	0.35	0/2303	0.61	0/3129
1	E	0.33	0/2246	0.59	0/3056
1	F	0.32	0/2252	0.59	0/3065
1	G	0.30	0/2260	0.58	0/3073
1	H	0.31	0/2251	0.57	0/3065
All	All	0.32	0/18051	0.58	0/24559

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2239	2217	2217	65	0
1	B	2200	2170	2170	46	0
1	C	2184	2139	2139	50	0
1	D	2263	2260	2260	52	0
1	E	2208	2179	2179	47	0
1	F	2213	2169	2169	68	2
1	G	2221	2202	2202	56	0
1	H	2212	2170	2170	53	2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	17740	17506	17506	416	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 416 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:645:ASN:OD1	1:D:677:ARG:NE	2.01	0.91
1:H:778:SER:OG	1:H:858:GLN:OE1	1.94	0.84
1:D:617:LEU:HD23	1:D:652:ILE:HD11	1.59	0.83
1:C:738:PHE:CD2	1:C:742:LEU:HD22	2.14	0.82
1:G:745:LEU:HD23	1:G:746:GLU:HG2	1.65	0.79

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:677:ARG:NH1	1:H:577:GLY:O[4_445]	2.12	0.08
1:F:677:ARG:HH11	1:H:577:GLY:O[4_445]	1.57	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	296/336 (88%)	289 (98%)	7 (2%)	0	100	100
1	B	292/336 (87%)	284 (97%)	8 (3%)	0	100	100
1	C	292/336 (87%)	283 (97%)	9 (3%)	0	100	100
1	D	296/336 (88%)	293 (99%)	3 (1%)	0	100	100
1	E	294/336 (88%)	289 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	292/336 (87%)	287 (98%)	5 (2%)	0	100	100
1	G	293/336 (87%)	286 (98%)	7 (2%)	0	100	100
1	H	294/336 (88%)	286 (97%)	8 (3%)	0	100	100
All	All	2349/2688 (87%)	2297 (98%)	52 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	237/283 (84%)	237 (100%)	0	100	100
1	B	232/283 (82%)	231 (100%)	1 (0%)	89	94
1	C	228/283 (81%)	225 (99%)	3 (1%)	65	83
1	D	243/283 (86%)	243 (100%)	0	100	100
1	E	231/283 (82%)	228 (99%)	3 (1%)	65	83
1	F	234/283 (83%)	233 (100%)	1 (0%)	89	94
1	G	236/283 (83%)	235 (100%)	1 (0%)	89	94
1	H	232/283 (82%)	230 (99%)	2 (1%)	75	88
All	All	1873/2264 (83%)	1862 (99%)	11 (1%)	84	92

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	837	PHE
1	G	837	PHE
1	H	712	ASN
1	H	602	MET
1	E	716	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	628	ASN
1	D	631	GLN
1	E	722	HIS
1	F	705	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	298/336 (88%)	0.35	12 (4%) 43 25	62, 113, 186, 237	0
1	B	294/336 (87%)	0.33	8 (2%) 56 35	95, 143, 210, 243	0
1	C	294/336 (87%)	0.65	24 (8%) 19 10	97, 143, 216, 268	0
1	D	298/336 (88%)	0.14	3 (1%) 79 61	61, 111, 183, 262	0
1	E	296/336 (88%)	0.69	28 (9%) 15 8	87, 145, 206, 266	0
1	F	294/336 (87%)	0.59	16 (5%) 32 18	81, 130, 208, 255	0
1	G	295/336 (87%)	0.39	11 (3%) 45 27	98, 146, 232, 297	0
1	H	296/336 (88%)	0.65	20 (6%) 25 14	110, 159, 223, 311	0
All	All	2365/2688 (87%)	0.47	122 (5%) 34 19	61, 138, 213, 311	0

The worst 5 of 122 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	621	ILE	5.7
1	F	860	GLN	4.6
1	E	739	GLU	4.4
1	F	845	SER	4.4
1	C	860	GLN	4.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.