



Full wwPDB EM Validation Report ⓘ

Mar 25, 2024 – 02:50 pm GMT

PDB ID : 8QFD
EMDB ID : EMD-18382
Title : UFL1 E3 ligase bound 60S ribosome
Authors : Makhlouf, L.; Kulathu, Y.; Zeqiraj, E.
Deposited on : 2023-09-04
Resolution : 2.20 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	5	5070	
2	7	119	
3	8	157	
4	A	257	
5	B	403	
6	C	427	
7	D	297	
8	E	288	













Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	F	248	 88% 11%
10	G	266	 79% 20%
11	H	192	 97%
12	I	214	 93% 6%
13	J	178	 94%
14	L	211	 88% 11%
15	M	215	 62% 37%
16	N	204	 99%
17	O	203	 98%
18	P	184	 80% 17%
19	Q	188	 97%
20	R	196	 71% 5% 24%
21	S	176	 98%
22	T	160	 95%
23	U	128	 76% 23%
24	V	140	 93% 7%
25	W	157	 39% 61%
26	X	156	 74% 24%
27	Y	145	 86% 12%
28	Z	136	 97%
29	a	148	 99%
30	b	159	 40% 59%
31	c	115	 81% 19%
32	d	125	 82% 16%
33	e	135	 92% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	f	110	 95%
35	g	117	 85% 13%
36	h	123	 96%
37	i	105	 90% 7%
38	j	97	 85% 11%
39	k	70	 97%
40	l	51	 96%
41	m	128	 41% 59%
42	o	106	 95%
43	p	92	 5% 95%
44	r	137	 88% 11%
45	s	809	 98%

2 Entry composition

There are 48 unique types of molecules in this entry. The entry contains 125372 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	5	3130	67136	29909	12303	21794	3130	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
5	1183	A	C	conflict	GB 86475748
5	4909	A	G	conflict	GB 86475748

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
2	7	119	2538	1132	454	834	118	0	0

- Molecule 3 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	8	144	3071	1369	548	1010	144	0	0

- Molecule 4 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	A	246	1881	1180	384	311	6	0	0

- Molecule 5 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	B	395	3176	2023	596	543	14	0	0

- Molecule 6 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	C	355	2832	1782	566	470	14	0	0

- Molecule 7 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	D	293	2351	1485	431	421	14	0	0

- Molecule 8 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	E	201	1632	1055	311	262	4	0	0

- Molecule 9 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	F	220	1798	1154	342	293	9	0	0

- Molecule 10 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	G	214	1722	1098	333	287	4	0	0

- Molecule 11 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	H	190	1506	947	281	272	6	0	0

- Molecule 12 is a protein called 60S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	I	201	1627	1033	314	268	12	0	0

- Molecule 13 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	170	Total	C	N	O	S	0	0
			1358	858	253	241	6		

- Molecule 14 is a protein called 60S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	L	188	Total	C	N	O	S	0	0
			1500	937	310	249	4		

- Molecule 15 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	M	136	Total	C	N	O	S	0	0
			1116	716	214	179	7		

- Molecule 16 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	N	203	Total	C	N	O	S	0	0
			1695	1069	356	266	4		

- Molecule 17 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	O	201	Total	C	N	O	S	0	0
			1644	1059	321	259	5		

- Molecule 18 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	P	152	Total	C	N	O	S	0	0
			1225	765	238	213	9		

- Molecule 19 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	Q	187	Total	C	N	O	S	0	0
			1509	941	313	250	5		

- Molecule 20 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	R	149	1229	765	264	191	9	0	0

- Molecule 21 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	S	176	1444	918	279	236	11	0	0

- Molecule 22 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	T	158	1276	808	247	215	6	0	0

- Molecule 23 is a protein called 60S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	U	98	791	507	137	145	2	0	0

- Molecule 24 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	V	130	973	615	183	170	5	0	0

- Molecule 25 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	W	62	515	329	100	83	3	0	0

- Molecule 26 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	X	118	950	606	176	167	1	0	0

- Molecule 27 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	Y	128	1063	667	215	178	3	0	0

- Molecule 28 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	Z	135	1107	714	208	182	3	0	0

- Molecule 29 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	a	147	1158	733	236	186	3	0	0

- Molecule 30 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	b	65	526	324	114	86	2	0	0

- Molecule 31 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	c	93	713	455	125	127	6	0	0

- Molecule 32 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	d	105	852	542	168	140	2	0	0

- Molecule 33 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	e	128	1039	658	211	165	5	0	0

- Molecule 34 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	f	108	Total	C	N	O	S	0	0
			863	546	172	142	3		

- Molecule 35 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	g	102	Total	C	N	O	S	0	0
			814	508	169	131	6		

- Molecule 36 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	h	120	Total	C	N	O	S	0	0
			993	627	201	164	1		

- Molecule 37 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	i	98	Total	C	N	O	S	0	0
			776	485	161	125	5		

- Molecule 38 is a protein called Ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	j	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 39 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	k	68	Total	C	N	O	S	0	0
			527	339	95	92	1		

- Molecule 40 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	l	50	Total	C	N	O	S	0	0
			438	278	95	64	1		

- Molecule 41 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	m	52	Total	C	N	O	S	0	0
			418	258	89	65	6		

- Molecule 42 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	o	102	Total	C	N	O	S	0	0
			810	507	162	135	6		

- Molecule 43 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	p	88	Total	C	N	O	S	0	0
			666	419	129	111	7		

- Molecule 44 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	r	122	Total	C	N	O	S	0	0
			980	607	204	165	4		

- Molecule 45 is a protein called E3 UFM1-protein ligase 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	s	13	Total	C	N	O	0	0
			99	62	20	17		

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
s	-14	MET	-	initiating methionine	UNP O94874
s	-13	GLY	-	expression tag	UNP O94874
s	-12	HIS	-	expression tag	UNP O94874
s	-11	HIS	-	expression tag	UNP O94874
s	-10	HIS	-	expression tag	UNP O94874
s	-9	HIS	-	expression tag	UNP O94874
s	-8	HIS	-	expression tag	UNP O94874
s	-7	HIS	-	expression tag	UNP O94874
s	-6	GLU	-	expression tag	UNP O94874
s	-5	ASN	-	expression tag	UNP O94874
s	-4	LEU	-	expression tag	UNP O94874
s	-3	TYR	-	expression tag	UNP O94874

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
s	-2	PHE	-	expression tag	UNP O94874
s	-1	GLN	-	expression tag	UNP O94874
s	0	GLY	-	expression tag	UNP O94874

- Molecule 46 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
46	5	151	Total 151	Mg 151	0
46	7	2	Total 2	Mg 2	0
46	8	2	Total 2	Mg 2	0
46	I	1	Total 1	Mg 1	0
46	N	1	Total 1	Mg 1	0
46	P	1	Total 1	Mg 1	0
46	Q	1	Total 1	Mg 1	0
46	V	1	Total 1	Mg 1	0
46	j	1	Total 1	Mg 1	0

- Molecule 47 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
47	g	1	Total 1	Zn 1	0
47	j	1	Total 1	Zn 1	0
47	m	1	Total 1	Zn 1	0
47	o	1	Total 1	Zn 1	0
47	p	1	Total 1	Zn 1	0

- Molecule 48 is water.

Mol	Chain	Residues	Atoms		AltConf
48	5	1643	Total 1643	O 1643	0
48	7	27	Total 27	O 27	0
48	8	47	Total 47	O 47	0
48	A	26	Total 26	O 26	0
48	B	40	Total 40	O 40	0
48	C	40	Total 40	O 40	0
48	D	8	Total 8	O 8	0
48	E	3	Total 3	O 3	0
48	F	15	Total 15	O 15	0
48	G	6	Total 6	O 6	0
48	H	4	Total 4	O 4	0
48	I	13	Total 13	O 13	0
48	L	18	Total 18	O 18	0
48	M	3	Total 3	O 3	0
48	N	41	Total 41	O 41	0
48	O	22	Total 22	O 22	0
48	P	11	Total 11	O 11	0
48	Q	20	Total 20	O 20	0
48	R	6	Total 6	O 6	0
48	S	15	Total 15	O 15	0
48	T	11	Total 11	O 11	0
48	V	7	Total 7	O 7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
48	X	3	Total 3	O 3	0
48	Y	9	Total 9	O 9	0
48	Z	2	Total 2	O 2	0
48	a	23	Total 23	O 23	0
48	b	4	Total 4	O 4	0
48	d	7	Total 7	O 7	0
48	e	23	Total 23	O 23	0
48	f	19	Total 19	O 19	0
48	g	7	Total 7	O 7	0
48	h	5	Total 5	O 5	0
48	i	1	Total 1	O 1	0
48	j	7	Total 7	O 7	0
48	l	3	Total 3	O 3	0
48	m	1	Total 1	O 1	0
48	o	7	Total 7	O 7	0
48	p	5	Total 5	O 5	0
48	r	12	Total 12	O 12	0

- Molecule 33: 60S ribosomal protein L32

Chain e:  92% • 5%





- Molecule 34: 60S ribosomal protein L35a

Chain f:  95% • •




- Molecule 35: 60S ribosomal protein L34

Chain g:  85% • 13%





- Molecule 36: 60S ribosomal protein L35

Chain h:  96% • •





- Molecule 37: 60S ribosomal protein L36

Chain i:  90% • 7%



- Molecule 38: Ribosomal protein L37

Chain j:  85% • 11%



- Molecule 39: 60S ribosomal protein L38

Chain k:  97% •



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	299008	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	33.4	Depositor
Minimum defocus (nm)	200	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	165000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	39.734	Depositor
Minimum map value	-21.503	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	2.8	Depositor
Map size (\AA)	435.12, 435.12, 435.12	wwPDB
Map dimensions	588, 588, 588	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.74, 0.74, 0.74	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	5	0.44	0/75089	0.81	9/117047 (0.0%)
2	7	0.43	0/2836	0.77	0/4421
3	8	0.43	0/3428	0.78	0/5335
4	A	0.27	0/1919	0.62	0/2574
5	B	0.27	0/3244	0.55	0/4344
6	C	0.26	0/2886	0.58	0/3877
7	D	0.27	0/2396	0.52	0/3215
8	E	0.27	0/1665	0.55	0/2235
9	F	0.29	0/1832	0.57	0/2448
10	G	0.26	0/1753	0.55	0/2366
11	H	0.26	0/1525	0.55	0/2054
12	I	0.27	0/1665	0.56	0/2223
13	J	0.25	0/1381	0.55	0/1848
14	L	0.26	0/1530	0.60	0/2058
15	M	0.27	0/1138	0.54	0/1523
16	N	0.27	0/1740	0.61	0/2331
17	O	0.28	0/1676	0.57	0/2242
18	P	0.27	0/1251	0.55	0/1681
19	Q	0.27	0/1533	0.65	0/2048
20	R	0.25	0/1245	0.61	0/1653
21	S	0.28	0/1483	0.57	0/1993
22	T	0.26	0/1304	0.53	0/1747
23	U	0.26	0/805	0.52	0/1083
24	V	0.27	0/987	0.55	0/1324
25	W	0.28	0/528	0.54	0/704
26	X	0.26	0/967	0.52	0/1304
27	Y	0.27	0/1080	0.58	0/1441
28	Z	0.27	0/1130	0.54	0/1507
29	a	0.27	0/1187	0.55	0/1587
30	b	0.27	0/536	0.53	0/710
31	c	0.27	0/723	0.50	0/973
32	d	0.26	0/867	0.60	0/1170

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	e	0.26	0/1057	0.59	0/1414
34	f	0.28	0/882	0.60	0/1183
35	g	0.27	0/824	0.62	0/1098
36	h	0.26	0/1001	0.58	0/1324
37	i	0.26	0/787	0.59	0/1049
38	j	0.28	0/720	0.65	0/952
39	k	0.26	0/533	0.51	0/715
40	l	0.25	0/448	0.58	0/592
41	m	0.26	0/424	0.57	0/562
42	o	0.28	0/823	0.57	0/1091
43	p	0.25	0/676	0.58	0/902
44	r	0.26	0/994	0.62	0/1331
45	s	0.23	0/99	0.50	0/128
All	All	0.38	0/132597	0.73	9/195407 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	5	412	G	O4'-C1'-N9	8.23	114.78	108.20
1	5	1544	G	O4'-C1'-N9	6.38	113.30	108.20
1	5	4038	C	N3-C2-O2	-6.09	117.63	121.90
1	5	2401	U	C2-N1-C1'	5.67	124.51	117.70
1	5	2619	C	C2-N1-C1'	5.18	124.50	118.80
1	5	3907	G	O4'-C1'-N9	5.17	112.34	108.20
1	5	4038	C	N1-C2-O2	5.11	121.97	118.90
1	5	4392	G	N1-C6-O6	-5.08	116.85	119.90
1	5	1071	C	C2'-C3'-O3'	5.01	121.72	113.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	A	244/257 (95%)	234 (96%)	10 (4%)	0	100	100
5	B	393/403 (98%)	388 (99%)	5 (1%)	0	100	100
6	C	353/427 (83%)	349 (99%)	4 (1%)	0	100	100
7	D	291/297 (98%)	288 (99%)	3 (1%)	0	100	100
8	E	195/288 (68%)	191 (98%)	4 (2%)	0	100	100
9	F	218/248 (88%)	211 (97%)	7 (3%)	0	100	100
10	G	210/266 (79%)	206 (98%)	4 (2%)	0	100	100
11	H	188/192 (98%)	185 (98%)	3 (2%)	0	100	100
12	I	197/214 (92%)	196 (100%)	1 (0%)	0	100	100
13	J	168/178 (94%)	166 (99%)	2 (1%)	0	100	100
14	L	186/211 (88%)	183 (98%)	3 (2%)	0	100	100
15	M	134/215 (62%)	130 (97%)	4 (3%)	0	100	100
16	N	201/204 (98%)	197 (98%)	4 (2%)	0	100	100
17	O	199/203 (98%)	197 (99%)	2 (1%)	0	100	100
18	P	150/184 (82%)	148 (99%)	2 (1%)	0	100	100
19	Q	185/188 (98%)	180 (97%)	5 (3%)	0	100	100
20	R	147/196 (75%)	147 (100%)	0	0	100	100
21	S	174/176 (99%)	171 (98%)	3 (2%)	0	100	100
22	T	156/160 (98%)	154 (99%)	2 (1%)	0	100	100
23	U	96/128 (75%)	95 (99%)	1 (1%)	0	100	100
24	V	128/140 (91%)	127 (99%)	1 (1%)	0	100	100
25	W	60/157 (38%)	60 (100%)	0	0	100	100
26	X	116/156 (74%)	114 (98%)	2 (2%)	0	100	100
27	Y	126/145 (87%)	124 (98%)	2 (2%)	0	100	100
28	Z	133/136 (98%)	133 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
29	a	145/148 (98%)	139 (96%)	5 (3%)	1 (1%)	22	22
30	b	63/159 (40%)	61 (97%)	2 (3%)	0	100	100
31	c	91/115 (79%)	90 (99%)	1 (1%)	0	100	100
32	d	103/125 (82%)	102 (99%)	1 (1%)	0	100	100
33	e	126/135 (93%)	125 (99%)	1 (1%)	0	100	100
34	f	106/110 (96%)	106 (100%)	0	0	100	100
35	g	100/117 (86%)	100 (100%)	0	0	100	100
36	h	118/123 (96%)	117 (99%)	1 (1%)	0	100	100
37	i	96/105 (91%)	93 (97%)	3 (3%)	0	100	100
38	j	84/97 (87%)	84 (100%)	0	0	100	100
39	k	66/70 (94%)	66 (100%)	0	0	100	100
40	l	48/51 (94%)	48 (100%)	0	0	100	100
41	m	50/128 (39%)	50 (100%)	0	0	100	100
42	o	100/106 (94%)	99 (99%)	1 (1%)	0	100	100
43	p	86/92 (94%)	80 (93%)	6 (7%)	0	100	100
44	r	118/137 (86%)	117 (99%)	1 (1%)	0	100	100
45	s	11/809 (1%)	11 (100%)	0	0	100	100
All	All	6159/7996 (77%)	6062 (98%)	96 (2%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
29	a	15	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	188/199 (94%)	185 (98%)	3 (2%)	62	76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	B	341/349 (98%)	336 (98%)	5 (2%)	65	78
6	C	297/348 (85%)	290 (98%)	7 (2%)	49	62
7	D	238/250 (95%)	236 (99%)	2 (1%)	81	90
8	E	179/252 (71%)	177 (99%)	2 (1%)	73	85
9	F	183/215 (85%)	180 (98%)	3 (2%)	62	76
10	G	182/223 (82%)	177 (97%)	5 (3%)	44	57
11	H	166/171 (97%)	163 (98%)	3 (2%)	59	72
12	I	170/181 (94%)	169 (99%)	1 (1%)	86	93
13	J	142/149 (95%)	139 (98%)	3 (2%)	53	67
14	L	154/177 (87%)	152 (99%)	2 (1%)	69	81
15	M	115/161 (71%)	112 (97%)	3 (3%)	46	58
16	N	170/172 (99%)	169 (99%)	1 (1%)	86	93
17	O	171/174 (98%)	168 (98%)	3 (2%)	59	72
18	P	131/163 (80%)	126 (96%)	5 (4%)	33	42
19	Q	163/165 (99%)	159 (98%)	4 (2%)	47	60
20	R	129/175 (74%)	120 (93%)	9 (7%)	15	16
21	S	153/157 (98%)	150 (98%)	3 (2%)	55	69
22	T	135/140 (96%)	129 (96%)	6 (4%)	28	35
23	U	86/115 (75%)	85 (99%)	1 (1%)	71	83
24	V	100/107 (94%)	100 (100%)	0	100	100
25	W	53/126 (42%)	53 (100%)	0	100	100
26	X	102/133 (77%)	100 (98%)	2 (2%)	55	69
27	Y	118/135 (87%)	114 (97%)	4 (3%)	37	47
28	Z	117/118 (99%)	114 (97%)	3 (3%)	46	58
29	a	119/121 (98%)	119 (100%)	0	100	100
30	b	53/126 (42%)	51 (96%)	2 (4%)	33	42
31	c	75/97 (77%)	75 (100%)	0	100	100
32	d	90/110 (82%)	87 (97%)	3 (3%)	38	49
33	e	111/121 (92%)	107 (96%)	4 (4%)	35	45
34	f	86/89 (97%)	82 (95%)	4 (5%)	26	33
35	g	88/100 (88%)	85 (97%)	3 (3%)	37	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	h	106/110 (96%)	104 (98%)	2 (2%)	57	71
37	i	78/89 (88%)	75 (96%)	3 (4%)	33	42
38	j	73/80 (91%)	69 (94%)	4 (6%)	21	26
39	k	55/65 (85%)	55 (100%)	0	100	100
40	l	46/48 (96%)	45 (98%)	1 (2%)	52	65
41	m	45/116 (39%)	45 (100%)	0	100	100
42	o	85/94 (90%)	84 (99%)	1 (1%)	71	83
43	p	67/75 (89%)	66 (98%)	1 (2%)	65	78
44	r	106/121 (88%)	104 (98%)	2 (2%)	57	71
45	s	9/717 (1%)	9 (100%)	0	100	100
All	All	5275/6834 (77%)	5165 (98%)	110 (2%)	56	67

All (110) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	A	64	ARG
4	A	154	SER
4	A	208	GLU
5	B	20	LYS
5	B	152	SER
5	B	169	ARG
5	B	228	TYR
5	B	300	LYS
6	C	9	SER
6	C	62	THR
6	C	69	THR
6	C	122	TYR
6	C	140	LYS
6	C	229	LEU
6	C	308	LYS
7	D	5	LYS
7	D	124	GLU
8	E	106	ARG
8	E	201	ASN
9	F	45	ARG
9	F	121	ASN
9	F	183	LYS
10	G	53	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	G	88	ASP
10	G	132	ARG
10	G	175	ARG
10	G	234	ARG
11	H	56	ARG
11	H	106	GLN
11	H	140	GLN
12	I	195	CYS
13	J	51	SER
13	J	88	LYS
13	J	171	ASP
14	L	67	HIS
14	L	158	ARG
15	M	16	SER
15	M	71	LYS
15	M	128	LYS
16	N	143	ARG
17	O	61	ARG
17	O	148	LYS
17	O	187	LYS
18	P	52	ARG
18	P	75	LYS
18	P	86	CYS
18	P	98	ARG
18	P	129	SER
19	Q	4	ASP
19	Q	16	LYS
19	Q	92	VAL
19	Q	169	SER
20	R	2	SER
20	R	39	GLN
20	R	51	ILE
20	R	71	ARG
20	R	108	ARG
20	R	111	GLU
20	R	113	LYS
20	R	119	MET
20	R	122	SER
21	S	24	THR
21	S	160	ARG
21	S	161	ARG
22	T	83	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	T	102	ARG
22	T	110	LYS
22	T	118	GLU
22	T	126	VAL
22	T	159	MET
23	U	52	LYS
26	X	118	ASP
26	X	148	ASP
27	Y	28	LYS
27	Y	37	GLU
27	Y	74	TYR
27	Y	115	ARG
28	Z	34	SER
28	Z	109	LYS
28	Z	124	THR
30	b	9	THR
30	b	60	ASN
32	d	50	ARG
32	d	115	LYS
32	d	122	VAL
33	e	9	LYS
33	e	105	SER
33	e	108	ARG
33	e	113	GLU
34	f	24	HIS
34	f	47	CYS
34	f	57	THR
34	f	59	THR
35	g	65	MET
35	g	73	HIS
35	g	85	LYS
36	h	71	LYS
36	h	110	LYS
37	i	18	THR
37	i	21	VAL
37	i	66	ASP
38	j	6	SER
38	j	25	LYS
38	j	36	LYS
38	j	55	ARG
40	l	31	THR
42	o	77	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
43	p	26	VAL
44	r	26	SER
44	r	84	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
6	C	41	HIS
8	E	39	HIS
10	G	43	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	5	3087/5070 (60%)	405 (13%)	30 (0%)
2	7	118/119 (99%)	8 (6%)	0
3	8	140/157 (89%)	14 (10%)	0
All	All	3345/5346 (62%)	427 (12%)	30 (0%)

All (427) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	5	-3	G
1	5	30	U
1	5	34	A
1	5	37	A
1	5	51	A
1	5	53	G
1	5	54	A
1	5	59	A
1	5	60	A
1	5	66	C
1	5	86	G
1	5	93	A
1	5	103	A
1	5	104	G
1	5	105	C
1	5	114	G
1	5	115	A
1	5	138	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	139	G
1	5	152	U
1	5	154	C
1	5	159	G
1	5	195	U
1	5	204	U
1	5	219	U
1	5	228	U
1	5	229	G
1	5	241	G
1	5	271	C
1	5	275	G
1	5	292	U
1	5	301	A
1	5	304	C
1	5	310	G
1	5	311	U
1	5	335	C
1	5	381	A
1	5	382	G
1	5	394	G
1	5	407	G
1	5	408	G
1	5	452	G
1	5	453	C
1	5	454	C
1	5	456	G
1	5	668	C
1	5	672	G
1	5	678	C
1	5	700	G
1	5	707	C
1	5	724	G
1	5	725	G
1	5	726	G
1	5	738	G
1	5	740	G
1	5	742	A
1	5	743	G
1	5	745	U
1	5	905	U
1	5	907	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	909	A
1	5	924	A
1	5	925	G
1	5	936	A
1	5	937	U
1	5	951	G
1	5	952	A
1	5	953	G
1	5	969	C
1	5	974	U
1	5	1064	C
1	5	1070	A
1	5	1074	C
1	5	1162	G
1	5	1167	A
1	5	1173	C
1	5	1175	C
1	5	1178	U
1	5	1179	G
1	5	1187	G
1	5	1191	G
1	5	1192	G
1	5	1203	G
1	5	1211	G
1	5	1267	G
1	5	1271	A
1	5	1272	C
1	5	1274	G
1	5	1276	G
1	5	1277	U
1	5	1279	G
1	5	1281	C
1	5	1293	C
1	5	1296	C
1	5	1305	C
1	5	1318	A
1	5	1329	A
1	5	1346	A
1	5	1351	G
1	5	1369	G
1	5	1371	C
1	5	1379	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	1386	G
1	5	1389	A
1	5	1448	C
1	5	1449	G
1	5	1457	G
1	5	1481	G
1	5	1490	G
1	5	1494	G
1	5	1515	A
1	5	1526	A
1	5	1539	A
1	5	1570	U
1	5	1574	U
1	5	1583	U
1	5	1588	U
1	5	1594	U
1	5	1605	A
1	5	1616	G
1	5	1617	G
1	5	1623	A
1	5	1625	G
1	5	1626	A
1	5	1632	C
1	5	1633	G
1	5	1634	A
1	5	1646	G
1	5	1653	C
1	5	1668	C
1	5	1669	U
1	5	1713	G
1	5	1718	U
1	5	1726	G
1	5	1727	U
1	5	1733	G
1	5	1734	A
1	5	1742	G
1	5	1779	A
1	5	1796	A
1	5	1797	A
1	5	1813	G
1	5	1826	U
1	5	1828	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	1829	A
1	5	1834	G
1	5	1847	G
1	5	1861	G
1	5	1889	A
1	5	1910	U
1	5	1912	C
1	5	1914	G
1	5	1924	A
1	5	1937	G
1	5	1940	G
1	5	1943	G
1	5	2038	G
1	5	2040	U
1	5	2044	G
1	5	2047	G
1	5	2048	G
1	5	2049	A
1	5	2061	A
1	5	2076	C
1	5	2077	G
1	5	2259	U
1	5	2271	A
1	5	2281	C
1	5	2292	A
1	5	2293	G
1	5	2305	A
1	5	2306	G
1	5	2325	G
1	5	2340	G
1	5	2343	C
1	5	2352	A
1	5	2387	A
1	5	2414	C
1	5	2417	U
1	5	2442	G
1	5	2462	C
1	5	2495	G
1	5	2504	A
1	5	2505	A
1	5	2522	U
1	5	2546	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	2562	U
1	5	2563	C
1	5	2579	A
1	5	2581	C
1	5	2593	A
1	5	2619	C
1	5	2630	G
1	5	2644	G
1	5	2645	C
1	5	2654	G
1	5	2661	C
1	5	2665	G
1	5	2679	U
1	5	2687	A
1	5	2688	A
1	5	2699	U
1	5	2700	U
1	5	2702	C
1	5	2703	G
1	5	2706	G
1	5	2708	C
1	5	2716	G
1	5	2718	G
1	5	2732	U
1	5	2735	A
1	5	2755	U
1	5	2756	A
1	5	2779	A
1	5	2780	U
1	5	2782	U
1	5	2790	A
1	5	2818	U
1	5	2819	G
1	5	2821	U
1	5	2834	G
1	5	2847	G
1	5	3605	C
1	5	3606	U
1	5	3615	G
1	5	3616	U
1	5	3617	G
1	5	3618	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	3625	G
1	5	3626	G
1	5	3635	A
1	5	3644	U
1	5	3648	A
1	5	3662	A
1	5	3674	G
1	5	3696	C
1	5	3709	U
1	5	3710	G
1	5	3713	U
1	5	3748	A
1	5	3772	U
1	5	3774	A
1	5	3777	G
1	5	3784	A
1	5	3786	U
1	5	3811	G
1	5	3814	U
1	5	3817	A
1	5	3819	G
1	5	3838	U
1	5	3839	G
1	5	3840	U
1	5	3877	A
1	5	3878	C
1	5	3879	G
1	5	3897	G
1	5	3901	A
1	5	3905	A
1	5	3906	A
1	5	3907	G
1	5	3908	A
1	5	3915	U
1	5	3938	G
1	5	3951	G
1	5	3952	A
1	5	3954	A
1	5	3958	G
1	5	3965	A
1	5	3966	A
1	5	3970	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	3972	A
1	5	3973	G
1	5	3974	G
1	5	4039	G
1	5	4043	G
1	5	4044	U
1	5	4046	A
1	5	4047	A
1	5	4048	A
1	5	4049	U
1	5	4052	C
1	5	4053	A
1	5	4054	C
1	5	4055	U
1	5	4064	C
1	5	4065	G
1	5	4066	U
1	5	4067	U
1	5	4068	U
1	5	4070	U
1	5	4073	A
1	5	4076	G
1	5	4118	U
1	5	4119	C
1	5	4120	U
1	5	4121	G
1	5	4122	G
1	5	4127	A
1	5	4133	C
1	5	4161	G
1	5	4162	C
1	5	4163	U
1	5	4170	A
1	5	4171	C
1	5	4183	G
1	5	4184	G
1	5	4191	G
1	5	4203	A
1	5	4214	A
1	5	4225	G
1	5	4229	U
1	5	4233	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	4251	A
1	5	4254	G
1	5	4256	A
1	5	4258	C
1	5	4266	G
1	5	4267	G
1	5	4268	A
1	5	4271	A
1	5	4273	A
1	5	4291	G
1	5	4305	G
1	5	4317	A
1	5	4319	C
1	5	4329	G
1	5	4330	G
1	5	4332	C
1	5	4339	A
1	5	4349	C
1	5	4373	G
1	5	4376	A
1	5	4377	G
1	5	4378	A
1	5	4380	A
1	5	4387	C
1	5	4393	G
1	5	4394	A
1	5	4419	U
1	5	4421	C
1	5	4422	A
1	5	4448	G
1	5	4449	A
1	5	4452	U
1	5	4464	A
1	5	4475	G
1	5	4500	U
1	5	4512	U
1	5	4513	A
1	5	4519	C
1	5	4524	G
1	5	4548	A
1	5	4557	U
1	5	4560	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	4567	G
1	5	4590	A
1	5	4636	U
1	5	4637	G
1	5	4656	A
1	5	4670	C
1	5	4672	A
1	5	4677	U
1	5	4700	A
1	5	4709	U
1	5	4750	G
1	5	4751	G
1	5	4754	G
1	5	4757	C
1	5	4759	C
1	5	4761	G
1	5	4765	G
1	5	4868	U
1	5	4869	G
1	5	4870	C
1	5	4872	G
1	5	4884	U
1	5	4893	A
1	5	4897	G
1	5	4898	G
1	5	4909	A
1	5	4911	G
1	5	4913	C
1	5	4932	C
1	5	4933	A
1	5	4934	C
1	5	4937	A
1	5	4942	A
1	5	4943	C
1	5	4944	G
1	5	4946	U
1	5	4953	G
1	5	4965	A
1	5	4966	A
1	5	4975	U
1	5	4993	G
1	5	5006	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	5012	C
1	5	5013	A
1	5	5040	G
1	5	5049	C
1	5	5052	U
1	5	5053	C
1	5	5059	A
1	5	5060	A
1	5	5061	G
2	7	7	G
2	7	22	A
2	7	33	U
2	7	53	U
2	7	54	A
2	7	64	G
2	7	100	A
2	7	110	G
3	8	23	C
3	8	34	U
3	8	35	C
3	8	59	A
3	8	62	A
3	8	63	U
3	8	103	A
3	8	105	C
3	8	109	C
3	8	110	U
3	8	114	G
3	8	117	C
3	8	137	A
3	8	156	U

All (30) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	5	137	G
1	5	270	C
1	5	380	A
1	5	451	C
1	5	453	C
1	5	1174	C
1	5	1191	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	5	1582	C
1	5	1605	A
1	5	1625	G
1	5	1796	A
1	5	1913	C
1	5	2075	C
1	5	2494	G
1	5	2561	G
1	5	2562	U
1	5	2755	U
1	5	3771	C
1	5	3876	A
1	5	4054	C
1	5	4066	U
1	5	4069	U
1	5	4378	A
1	5	4448	G
1	5	4699	U
1	5	4871	G
1	5	4883	G
1	5	4945	U
1	5	5058	C
1	5	5060	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 166 ligands modelled in this entry, 166 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-18382. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 294




Y Index: 294




Z Index: 294


6.2.2 Raw map



X Index: 294



Y Index: 294




Z Index: 294


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 293




Y Index: 288




Z Index: 315


6.3.2 Raw map



X Index: 293



Y Index: 287




Z Index: 319

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map




X

Y

Z

6.4.2 Raw map



X

Y

Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 2.8. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_18382_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 862 nm³; this corresponds to an approximate mass of 779 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.455 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.455\AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.20	-	-
Author-provided FSC curve	2.18	2.51	2.22
Unmasked-calculated*	2.83	3.19	2.87

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.83 differs from the reported value 2.2 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-18382 and PDB model 8QFD. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 2.8 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.8).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary























The table lists the average atom inclusion at the recommended contour level (2.8) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9660	 0.6840
5	 0.9650	 0.6710
7	 0.9980	 0.6910
8	 0.9870	 0.6830
A	 0.9920	 0.7190
B	 0.9770	 0.7120
C	 0.9830	 0.7130
D	 0.9510	 0.6890
E	 0.9610	 0.6910
F	 0.9860	 0.7160
G	 0.9340	 0.6830
H	 0.9680	 0.7020
I	 0.9780	 0.7060
J	 0.8500	 0.6370
L	 0.9590	 0.7000
M	 0.9660	 0.6930
N	 0.9980	 0.7240
O	 0.9760	 0.7120
P	 0.9850	 0.7130
Q	 0.9900	 0.7170
R	 0.9630	 0.6940
S	 0.9910	 0.7140
T	 0.9500	 0.6920
U	 0.8690	 0.6380
V	 0.9750	 0.7070
W	 0.9460	 0.7000
X	 0.9740	 0.7030
Y	 0.9720	 0.7040
Z	 0.9430	 0.6840
a	 0.9740	 0.7110
b	 0.9570	 0.6890
c	 0.9150	 0.6760
d	 0.9660	 0.6960
e	 0.9890	 0.7170
f	 0.9980	 0.7230



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
g	 0.9760	 0.7030
h	 0.9520	 0.6960
i	 0.9540	 0.6870
j	 0.9960	 0.7170
k	 0.9050	 0.6600
l	 0.9760	 0.7050
m	 0.9730	 0.7100
o	 0.9540	 0.6990
p	 0.9130	 0.6930
r	 0.9870	 0.7120
s	 0.7500	 0.6590