



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 23, 2022 – 12:29 pm GMT

PDB ID : 6QQO
Title : Aplysia californica AChBP in complex with 2-Fluoro-(carbamoylpyridinyl)deschloroepibatidine analogue (3)
Authors : Bueno, R.V.; Davis, S.; Dawson, A.; Hunter, W.N.
Deposited on : 2019-02-18
Resolution : 2.50 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.26
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.26


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	249	 80% 18%
1	B	249	 77% 5% 18%
1	C	249	 78% 18%
1	D	249	 78% 17%
1	E	249	 78% 17%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	249	
1	G	249	
1	H	249	
1	I	249	
1	J	249	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	A	307	-	-	X	-
4	EDO	E	302	-	-	X	-
4	EDO	I	304	-	-	X	-
5	NAG	B	309	-	-	-	X
5	NAG	D	306	-	-	-	X
5	NAG	E	309	-	-	-	X
5	NAG	F	307	-	-	-	X
5	NAG	G	304	-	-	-	X
5	NAG	J	308	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 17721 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Soluble acetylcholine receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	205	1640	1038	266	326	10	0	1	0
1	B	205	1642	1039	267	326	10	0	1	0
1	C	205	1642	1039	267	326	10	0	1	0
1	D	206	1648	1043	270	325	10	0	1	0
1	E	206	1653	1045	271	327	10	0	1	0
1	F	205	1641	1039	266	326	10	0	1	0
1	G	206	1653	1048	270	325	10	0	2	0
1	H	205	1646	1041	268	327	10	0	2	0
1	I	205	1642	1039	267	326	10	0	1	0
1	J	205	1642	1039	267	326	10	0	1	0

There are 150 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	60	VAL	ALA	conflict	UNP Q8WSF8
A	155	VAL	ALA	conflict	UNP Q8WSF8
A	237	GLU	-	expression tag	UNP Q8WSF8
A	238	ASN	-	expression tag	UNP Q8WSF8
A	239	LEU	-	expression tag	UNP Q8WSF8
A	240	TYR	-	expression tag	UNP Q8WSF8
A	241	PHE	-	expression tag	UNP Q8WSF8
A	242	GLN	-	expression tag	UNP Q8WSF8
A	243	GLY	-	expression tag	UNP Q8WSF8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	244	HIS	-	expression tag	UNP Q8WSF8
A	245	HIS	-	expression tag	UNP Q8WSF8
A	246	HIS	-	expression tag	UNP Q8WSF8
A	247	HIS	-	expression tag	UNP Q8WSF8
A	248	HIS	-	expression tag	UNP Q8WSF8
A	249	HIS	-	expression tag	UNP Q8WSF8
B	60	VAL	ALA	conflict	UNP Q8WSF8
B	155	VAL	ALA	conflict	UNP Q8WSF8
B	237	GLU	-	expression tag	UNP Q8WSF8
B	238	ASN	-	expression tag	UNP Q8WSF8
B	239	LEU	-	expression tag	UNP Q8WSF8
B	240	TYR	-	expression tag	UNP Q8WSF8
B	241	PHE	-	expression tag	UNP Q8WSF8
B	242	GLN	-	expression tag	UNP Q8WSF8
B	243	GLY	-	expression tag	UNP Q8WSF8
B	244	HIS	-	expression tag	UNP Q8WSF8
B	245	HIS	-	expression tag	UNP Q8WSF8
B	246	HIS	-	expression tag	UNP Q8WSF8
B	247	HIS	-	expression tag	UNP Q8WSF8
B	248	HIS	-	expression tag	UNP Q8WSF8
B	249	HIS	-	expression tag	UNP Q8WSF8
C	60	VAL	ALA	conflict	UNP Q8WSF8
C	155	VAL	ALA	conflict	UNP Q8WSF8
C	237	GLU	-	expression tag	UNP Q8WSF8
C	238	ASN	-	expression tag	UNP Q8WSF8
C	239	LEU	-	expression tag	UNP Q8WSF8
C	240	TYR	-	expression tag	UNP Q8WSF8
C	241	PHE	-	expression tag	UNP Q8WSF8
C	242	GLN	-	expression tag	UNP Q8WSF8
C	243	GLY	-	expression tag	UNP Q8WSF8
C	244	HIS	-	expression tag	UNP Q8WSF8
C	245	HIS	-	expression tag	UNP Q8WSF8
C	246	HIS	-	expression tag	UNP Q8WSF8
C	247	HIS	-	expression tag	UNP Q8WSF8
C	248	HIS	-	expression tag	UNP Q8WSF8
C	249	HIS	-	expression tag	UNP Q8WSF8
D	60	VAL	ALA	conflict	UNP Q8WSF8
D	155	VAL	ALA	conflict	UNP Q8WSF8
D	237	GLU	-	expression tag	UNP Q8WSF8
D	238	ASN	-	expression tag	UNP Q8WSF8
D	239	LEU	-	expression tag	UNP Q8WSF8
D	240	TYR	-	expression tag	UNP Q8WSF8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	241	PHE	-	expression tag	UNP Q8WSF8
D	242	GLN	-	expression tag	UNP Q8WSF8
D	243	GLY	-	expression tag	UNP Q8WSF8
D	244	HIS	-	expression tag	UNP Q8WSF8
D	245	HIS	-	expression tag	UNP Q8WSF8
D	246	HIS	-	expression tag	UNP Q8WSF8
D	247	HIS	-	expression tag	UNP Q8WSF8
D	248	HIS	-	expression tag	UNP Q8WSF8
D	249	HIS	-	expression tag	UNP Q8WSF8
E	60	VAL	ALA	conflict	UNP Q8WSF8
E	155	VAL	ALA	conflict	UNP Q8WSF8
E	237	GLU	-	expression tag	UNP Q8WSF8
E	238	ASN	-	expression tag	UNP Q8WSF8
E	239	LEU	-	expression tag	UNP Q8WSF8
E	240	TYR	-	expression tag	UNP Q8WSF8
E	241	PHE	-	expression tag	UNP Q8WSF8
E	242	GLN	-	expression tag	UNP Q8WSF8
E	243	GLY	-	expression tag	UNP Q8WSF8
E	244	HIS	-	expression tag	UNP Q8WSF8
E	245	HIS	-	expression tag	UNP Q8WSF8
E	246	HIS	-	expression tag	UNP Q8WSF8
E	247	HIS	-	expression tag	UNP Q8WSF8
E	248	HIS	-	expression tag	UNP Q8WSF8
E	249	HIS	-	expression tag	UNP Q8WSF8
F	60	VAL	ALA	conflict	UNP Q8WSF8
F	155	VAL	ALA	conflict	UNP Q8WSF8
F	237	GLU	-	expression tag	UNP Q8WSF8
F	238	ASN	-	expression tag	UNP Q8WSF8
F	239	LEU	-	expression tag	UNP Q8WSF8
F	240	TYR	-	expression tag	UNP Q8WSF8
F	241	PHE	-	expression tag	UNP Q8WSF8
F	242	GLN	-	expression tag	UNP Q8WSF8
F	243	GLY	-	expression tag	UNP Q8WSF8
F	244	HIS	-	expression tag	UNP Q8WSF8
F	245	HIS	-	expression tag	UNP Q8WSF8
F	246	HIS	-	expression tag	UNP Q8WSF8
F	247	HIS	-	expression tag	UNP Q8WSF8
F	248	HIS	-	expression tag	UNP Q8WSF8
F	249	HIS	-	expression tag	UNP Q8WSF8
G	60	VAL	ALA	conflict	UNP Q8WSF8
G	155	VAL	ALA	conflict	UNP Q8WSF8
G	237	GLU	-	expression tag	UNP Q8WSF8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	238	ASN	-	expression tag	UNP Q8WSF8
G	239	LEU	-	expression tag	UNP Q8WSF8
G	240	TYR	-	expression tag	UNP Q8WSF8
G	241	PHE	-	expression tag	UNP Q8WSF8
G	242	GLN	-	expression tag	UNP Q8WSF8
G	243	GLY	-	expression tag	UNP Q8WSF8
G	244	HIS	-	expression tag	UNP Q8WSF8
G	245	HIS	-	expression tag	UNP Q8WSF8
G	246	HIS	-	expression tag	UNP Q8WSF8
G	247	HIS	-	expression tag	UNP Q8WSF8
G	248	HIS	-	expression tag	UNP Q8WSF8
G	249	HIS	-	expression tag	UNP Q8WSF8
H	60	VAL	ALA	conflict	UNP Q8WSF8
H	155	VAL	ALA	conflict	UNP Q8WSF8
H	237	GLU	-	expression tag	UNP Q8WSF8
H	238	ASN	-	expression tag	UNP Q8WSF8
H	239	LEU	-	expression tag	UNP Q8WSF8
H	240	TYR	-	expression tag	UNP Q8WSF8
H	241	PHE	-	expression tag	UNP Q8WSF8
H	242	GLN	-	expression tag	UNP Q8WSF8
H	243	GLY	-	expression tag	UNP Q8WSF8
H	244	HIS	-	expression tag	UNP Q8WSF8
H	245	HIS	-	expression tag	UNP Q8WSF8
H	246	HIS	-	expression tag	UNP Q8WSF8
H	247	HIS	-	expression tag	UNP Q8WSF8
H	248	HIS	-	expression tag	UNP Q8WSF8
H	249	HIS	-	expression tag	UNP Q8WSF8
I	60	VAL	ALA	conflict	UNP Q8WSF8
I	155	VAL	ALA	conflict	UNP Q8WSF8
I	237	GLU	-	expression tag	UNP Q8WSF8
I	238	ASN	-	expression tag	UNP Q8WSF8
I	239	LEU	-	expression tag	UNP Q8WSF8
I	240	TYR	-	expression tag	UNP Q8WSF8
I	241	PHE	-	expression tag	UNP Q8WSF8
I	242	GLN	-	expression tag	UNP Q8WSF8
I	243	GLY	-	expression tag	UNP Q8WSF8
I	244	HIS	-	expression tag	UNP Q8WSF8
I	245	HIS	-	expression tag	UNP Q8WSF8
I	246	HIS	-	expression tag	UNP Q8WSF8
I	247	HIS	-	expression tag	UNP Q8WSF8
I	248	HIS	-	expression tag	UNP Q8WSF8
I	249	HIS	-	expression tag	UNP Q8WSF8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	60	VAL	ALA	conflict	UNP Q8WSF8
J	155	VAL	ALA	conflict	UNP Q8WSF8
J	237	GLU	-	expression tag	UNP Q8WSF8
J	238	ASN	-	expression tag	UNP Q8WSF8
J	239	LEU	-	expression tag	UNP Q8WSF8
J	240	TYR	-	expression tag	UNP Q8WSF8
J	241	PHE	-	expression tag	UNP Q8WSF8
J	242	GLN	-	expression tag	UNP Q8WSF8
J	243	GLY	-	expression tag	UNP Q8WSF8
J	244	HIS	-	expression tag	UNP Q8WSF8
J	245	HIS	-	expression tag	UNP Q8WSF8
J	246	HIS	-	expression tag	UNP Q8WSF8
J	247	HIS	-	expression tag	UNP Q8WSF8
J	248	HIS	-	expression tag	UNP Q8WSF8
J	249	HIS	-	expression tag	UNP Q8WSF8

- Molecule 2 is 6-[5-[(1 {R},2 {R},4 {S})-7-azabicyclo[2.2.1]heptan-2-yl]-2-fluoranyl-pyridin-3-yl]pyridine-3-carboxamide (three-letter code: JC8) (formula: C₁₇H₁₇FN₄O) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			23	17	1	4	1		
2	B	1	Total	C	F	N	O	0	0
			23	17	1	4	1		
2	C	1	Total	C	F	N	O	0	0
			23	17	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	D	1	Total	C	F	N	O	0	0
			23	17	1	4	1		
2	E	1	Total	C	F	N	O	0	0
			23	17	1	4	1		
2	F	1	Total	C	F	N	O	0	0
			23	17	1	4	1		
2	G	1	Total	C	F	N	O	0	0
			23	17	1	4	1		
2	H	1	Total	C	F	N	O	0	0
			23	17	1	4	1		
2	I	1	Total	C	F	N	O	0	0
			23	17	1	4	1		
2	J	1	Total	C	F	N	O	0	0
			23	17	1	4	1		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	O P	0	0
			5	4 1		
3	B	1	Total	O P	0	0
			5	4 1		
3	B	1	Total	O P	0	0
			5	4 1		
3	C	1	Total	O P	0	0
			5	4 1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total O P 5 4 1	0	0
3	D	1	Total O P 5 4 1	0	0
3	E	1	Total O P 5 4 1	0	0
3	F	1	Total O P 5 4 1	0	0
3	F	1	Total O P 5 4 1	0	0
3	G	1	Total O P 5 4 1	0	0
3	H	1	Total O P 5 4 1	0	0
3	I	1	Total O P 5 4 1	0	0
3	I	1	Total O P 5 4 1	0	0
3	J	1	Total O P 5 4 1	0	0
3	J	1	Total O P 5 4 1	0	0

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	A	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	B	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	C	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	D	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0
4	E	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	E	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	G	1	Total	C	O	0	0
			4	2	2		
4	G	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		
4	I	1	Total	C	O	0	0
			4	2	2		
4	I	1	Total	C	O	0	0
			4	2	2		
4	I	1	Total	C	O	0	0
			4	2	2		
4	J	1	Total	C	O	0	0
			4	2	2		
4	J	1	Total	C	O	0	0
			4	2	2		
4	J	1	Total	C	O	0	0
			4	2	2		
4	J	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	14	8	1	5	0	0
5	B	1	14	8	1	5	0	0
5	C	1	14	8	1	5	0	0
5	D	1	14	8	1	5	0	0
5	E	1	14	8	1	5	0	0
5	F	1	14	8	1	5	0	0
5	G	1	14	8	1	5	0	0
5	H	1	14	8	1	5	0	0
5	I	1	14	8	1	5	0	0
5	J	1	14	8	1	5	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	58	Total	O	0	0
			58	58		
6	B	72	Total	O	0	0
			72	72		

Continued on next page...


Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	62	Total O 62 62	0	0
6	D	86	Total O 86 86	0	0
6	E	69	Total O 69 69	0	0
6	F	61	Total O 61 61	0	0
6	G	60	Total O 60 60	0	0
6	H	55	Total O 55 55	0	0
6	I	66	Total O 66 66	0	0
6	J	70	Total O 70 70	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Soluble acetylcholine receptor

Chain A: 





- Molecule 1: Soluble acetylcholine receptor

Chain B: 





- Molecule 1: Soluble acetylcholine receptor

Chain C: 





- Molecule 1: Soluble acetylcholine receptor



Chain D: 




• Molecule 1: Soluble acetylcholine receptor





• Molecule 1: Soluble acetylcholine receptor





• Molecule 1: Soluble acetylcholine receptor




• Molecule 1: Soluble acetylcholine receptor



• Molecule 1: Soluble acetylcholine receptor



• Molecule 1: Soluble acetylcholine receptor



GLU
ASN
LEU
TYR
PHE
GLY
HIS
HIS
HIS
HIS
HIS

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	209.83Å 134.06Å 131.72Å 90.00° 102.56° 90.00°	Depositor
Resolution (Å)	46.40 – 2.50 46.40 – 2.50	Depositor EDS
% Data completeness (in resolution range)	89.1 (46.40-2.50) 89.1 (46.40-2.50)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.193 , 0.212 0.198 , 0.213	Depositor DCC
R_{free} test set	5421 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	18.0	Xtriage
Anisotropy	0.876	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	17721	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NAG, JC8, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/1680	0.74	0/2293
1	B	0.60	0/1682	0.76	3/2295 (0.1%)
1	C	0.59	0/1682	0.73	0/2295
1	D	0.62	0/1688	0.78	3/2303 (0.1%)
1	E	0.63	0/1693	0.79	4/2309 (0.2%)
1	F	0.58	0/1681	0.73	2/2293 (0.1%)
1	G	0.58	0/1696	0.74	0/2314
1	H	0.56	0/1686	0.72	0/2300
1	I	0.59	0/1682	0.76	0/2295
1	J	0.64	0/1682	0.77	3/2295 (0.1%)
All	All	0.60	0/16852	0.75	15/22992 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
1	E	0	1
1	F	0	1
1	G	0	1
1	H	0	1
1	I	0	1
1	J	0	1
All	All	0	10

There are no bond length outliers.

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	157[A]	CYS	CA-CB-SG	-5.70	103.75	114.00
1	J	157[B]	CYS	CA-CB-SG	-5.70	103.75	114.00
1	E	192	GLU	CA-CB-CG	5.66	125.85	113.40
1	B	157[A]	CYS	CA-CB-SG	-5.24	104.57	114.00
1	B	157[B]	CYS	CA-CB-SG	-5.24	104.57	114.00

There are no chirality outliers.

5 of 10 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	207	CYS	Peptide
1	B	207	CYS	Peptide
1	C	207	CYS	Peptide
1	D	207	CYS	Peptide
1	E	207	CYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1640	0	1565	5	0
1	B	1642	0	1572	11	0
1	C	1642	0	1572	7	0
1	D	1648	0	1576	10	0
1	E	1653	0	1585	8	0
1	F	1641	0	1571	3	0
1	G	1653	0	1587	8	0
1	H	1646	0	1574	5	0
1	I	1642	0	1572	7	0
1	J	1642	0	1572	8	0
2	A	23	0	0	0	0
2	B	23	0	0	0	0
2	C	23	0	0	0	0
2	D	23	0	0	0	0
2	E	23	0	0	0	0
2	F	23	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	G	23	0	0	0	0
2	H	23	0	0	0	0
2	I	23	0	0	1	0
2	J	23	0	0	0	0
3	A	5	0	0	0	0
3	B	10	0	0	0	0
3	C	10	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	0	0
3	F	10	0	0	0	0
3	G	5	0	0	0	0
3	H	5	0	0	0	0
3	I	10	0	0	1	0
3	J	10	0	0	0	0
4	A	16	0	24	5	0
4	B	24	0	36	6	0
4	C	16	0	24	3	0
4	D	16	0	24	1	0
4	E	24	0	36	6	0
4	F	16	0	24	3	0
4	G	8	0	12	3	0
4	H	20	0	30	0	0
4	I	12	0	18	8	0
4	J	16	0	24	0	0
5	A	14	0	13	0	0
5	B	14	0	13	0	0
5	C	14	0	13	0	0
5	D	14	0	13	0	0
5	E	14	0	13	0	0
5	F	14	0	13	0	0
5	G	14	0	13	0	0
5	H	14	0	13	1	0
5	I	14	0	13	0	0
5	J	14	0	13	0	0
6	A	58	0	0	0	0
6	B	72	0	0	0	0
6	C	62	0	0	2	0
6	D	86	0	0	2	0
6	E	69	0	0	0	0
6	F	61	0	0	0	0
6	G	60	0	0	2	0
6	H	55	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	I	66	0	0	0	0
6	J	70	0	0	2	0
All	All	17721	0	16128	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 68 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:64:THR:O	4:E:302:EDO:H12	1.66	0.96
1:I:40:PRO:O	4:I:304:EDO:H11	1.85	0.76
1:D:64:THR:O	4:E:302:EDO:C1	2.39	0.71
1:F:40:PRO:O	4:F:304:EDO:H22	1.94	0.68
1:G:118:VAL:HG13	6:G:402:HOH:O	1.99	0.63

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	204/249 (82%)	202 (99%)	2 (1%)	0	100	100
1	B	204/249 (82%)	203 (100%)	1 (0%)	0	100	100
1	C	204/249 (82%)	203 (100%)	1 (0%)	0	100	100
1	D	205/249 (82%)	203 (99%)	2 (1%)	0	100	100
1	E	205/249 (82%)	204 (100%)	1 (0%)	0	100	100
1	F	204/249 (82%)	202 (99%)	2 (1%)	0	100	100
1	G	206/249 (83%)	204 (99%)	2 (1%)	0	100	100
1	H	205/249 (82%)	204 (100%)	1 (0%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	204/249 (82%)	202 (99%)	2 (1%)	0	100	100
1	J	204/249 (82%)	203 (100%)	1 (0%)	0	100	100
All	All	2045/2490 (82%)	2030 (99%)	15 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/224 (84%)	186 (99%)	2 (1%)	73	89
1	B	189/224 (84%)	186 (98%)	3 (2%)	62	84
1	C	189/224 (84%)	186 (98%)	3 (2%)	62	84
1	D	188/224 (84%)	184 (98%)	4 (2%)	53	78
1	E	190/224 (85%)	186 (98%)	4 (2%)	53	78
1	F	188/224 (84%)	185 (98%)	3 (2%)	62	84
1	G	189/224 (84%)	184 (97%)	5 (3%)	46	72
1	H	189/224 (84%)	188 (100%)	1 (0%)	88	96
1	I	189/224 (84%)	187 (99%)	2 (1%)	73	89
1	J	189/224 (84%)	186 (98%)	3 (2%)	62	84
All	All	1888/2240 (84%)	1858 (98%)	30 (2%)	62	84

5 of 30 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	210	GLU
1	J	20	GLN
1	F	152	GLU
1	J	210	GLU
1	H	20	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

Mol	Chain	Res	Type
1	H	138	GLN
1	J	138	GLN
1	J	201	GLN
1	I	138	GLN
1	E	138	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

77 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	F	306	-	3,3,3	0.55	0	2,2,2	0.26	0
4	EDO	E	308	-	3,3,3	0.69	0	2,2,2	0.60	0
4	EDO	B	307	-	3,3,3	0.72	0	2,2,2	0.52	0
4	EDO	E	307	-	3,3,3	0.73	0	2,2,2	0.30	0
5	NAG	I	306	1	14,14,15	1.24	1 (7%)	17,19,21	2.29	4 (23%)
4	EDO	B	305	-	3,3,3	0.78	0	2,2,2	0.35	0
4	EDO	I	307	-	3,3,3	0.72	0	2,2,2	0.42	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	I	303	-	4,4,4	0.86	0	6,6,6	1.09	0
2	JC8	C	301	-	26,26,26	0.78	1 (3%)	33,38,38	0.59	0
3	PO4	C	302	-	4,4,4	0.83	0	6,6,6	1.00	0
3	PO4	F	303	-	4,4,4	0.99	0	6,6,6	0.85	0
4	EDO	A	307	-	3,3,3	0.56	0	2,2,2	0.51	0
2	JC8	B	301	-	26,26,26	0.35	0	33,38,38	0.68	0
4	EDO	I	305	-	3,3,3	0.51	0	2,2,2	0.48	0
2	JC8	A	301	-	26,26,26	0.32	0	33,38,38	0.82	1 (3%)
3	PO4	E	304	-	4,4,4	0.79	0	6,6,6	0.80	0
4	EDO	E	305	-	3,3,3	0.72	0	2,2,2	0.57	0
4	EDO	I	304	-	3,3,3	0.38	0	2,2,2	0.15	0
4	EDO	H	305	-	3,3,3	0.65	0	2,2,2	0.42	0
2	JC8	J	302	-	26,26,26	0.95	1 (3%)	33,38,38	0.79	1 (3%)
2	JC8	I	301	-	26,26,26	0.36	0	33,38,38	0.83	2 (6%)
4	EDO	B	310	-	3,3,3	0.54	0	2,2,2	0.41	0
4	EDO	E	302	-	3,3,3	0.67	0	2,2,2	1.14	0
2	JC8	F	301	-	26,26,26	0.55	1 (3%)	33,38,38	0.72	0
4	EDO	J	305	-	3,3,3	1.25	0	2,2,2	1.31	0
4	EDO	C	308	-	3,3,3	0.83	0	2,2,2	0.89	0
4	EDO	B	306	-	3,3,3	0.69	0	2,2,2	0.43	0
4	EDO	C	306	-	3,3,3	0.51	0	2,2,2	0.07	0
4	EDO	D	303	-	3,3,3	0.38	0	2,2,2	0.40	0
5	NAG	H	307	1	14,14,15	0.68	0	17,19,21	2.32	7 (41%)
5	NAG	B	309	1	14,14,15	0.87	0	17,19,21	1.68	4 (23%)
4	EDO	J	307	-	3,3,3	0.47	0	2,2,2	0.24	0
3	PO4	J	303	-	4,4,4	0.75	0	6,6,6	1.43	1 (16%)
4	EDO	D	307	-	3,3,3	0.61	0	2,2,2	0.40	0
5	NAG	G	304	1	14,14,15	0.72	0	17,19,21	2.12	4 (23%)
4	EDO	F	305	-	3,3,3	0.45	0	2,2,2	0.42	0
4	EDO	J	306	-	3,3,3	0.63	0	2,2,2	0.24	0
5	NAG	A	306	1	14,14,15	0.94	0	17,19,21	2.23	5 (29%)
5	NAG	F	307	1	14,14,15	1.01	1 (7%)	17,19,21	2.29	7 (41%)
4	EDO	A	304	-	3,3,3	0.95	0	2,2,2	1.06	0
4	EDO	E	301	-	3,3,3	0.69	0	2,2,2	0.10	0
4	EDO	G	303	-	3,3,3	0.63	0	2,2,2	0.39	0
3	PO4	G	302	-	4,4,4	0.84	0	6,6,6	0.79	0
4	EDO	H	303	-	3,3,3	0.46	0	2,2,2	0.39	0
3	PO4	H	302	-	4,4,4	1.03	0	6,6,6	0.86	0
3	PO4	J	304	-	4,4,4	1.06	0	6,6,6	1.11	0
4	EDO	J	301	-	3,3,3	1.04	0	2,2,2	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	C	303	-	4,4,4	0.91	0	6,6,6	0.75	0
4	EDO	E	306	-	3,3,3	0.48	0	2,2,2	0.25	0
4	EDO	H	304	-	3,3,3	0.43	0	2,2,2	0.63	0
4	EDO	C	305	-	3,3,3	0.57	0	2,2,2	0.33	0
4	EDO	F	308	-	3,3,3	0.97	0	2,2,2	0.62	0
5	NAG	D	306	1	14,14,15	0.76	0	17,19,21	1.96	2 (11%)
2	JC8	H	301	-	26,26,26	0.46	1 (3%)	33,38,38	0.71	0
4	EDO	H	306	-	3,3,3	0.44	0	2,2,2	0.35	0
4	EDO	D	304	-	3,3,3	0.46	0	2,2,2	0.38	0
3	PO4	B	302	-	4,4,4	0.95	0	6,6,6	0.62	0
3	PO4	F	302	-	4,4,4	1.21	0	6,6,6	0.49	0
3	PO4	D	302	-	4,4,4	0.84	0	6,6,6	1.02	0
2	JC8	D	301	-	26,26,26	0.86	1 (3%)	33,38,38	0.65	0
4	EDO	B	304	-	3,3,3	0.44	0	2,2,2	0.39	0
4	EDO	D	305	-	3,3,3	0.61	0	2,2,2	0.29	0
2	JC8	E	303	-	26,26,26	0.59	1 (3%)	33,38,38	0.74	1 (3%)
4	EDO	C	304	-	3,3,3	0.55	0	2,2,2	0.22	0
4	EDO	G	305	-	3,3,3	0.54	0	2,2,2	0.44	0
5	NAG	C	307	1	14,14,15	0.84	0	17,19,21	1.58	3 (17%)
2	JC8	G	301	-	26,26,26	0.74	1 (3%)	33,38,38	0.77	1 (3%)
4	EDO	B	308	-	3,3,3	0.60	0	2,2,2	0.58	0
3	PO4	B	303	-	4,4,4	0.93	0	6,6,6	0.99	0
4	EDO	H	308	-	3,3,3	0.51	0	2,2,2	0.31	0
3	PO4	I	302	-	4,4,4	1.01	0	6,6,6	1.09	0
4	EDO	A	303	-	3,3,3	0.54	0	2,2,2	0.20	0
3	PO4	A	302	-	4,4,4	0.90	0	6,6,6	1.13	0
4	EDO	A	305	-	3,3,3	0.69	0	2,2,2	0.20	0
5	NAG	J	308	1	14,14,15	1.03	1 (7%)	17,19,21	2.72	5 (29%)
5	NAG	E	309	1	14,14,15	0.84	1 (7%)	17,19,21	2.25	4 (23%)
4	EDO	F	304	-	3,3,3	0.40	0	2,2,2	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	F	306	-	-	1/1/1/1	-
4	EDO	G	305	-	-	1/1/1/1	-
4	EDO	J	301	-	-	0/1/1/1	-
4	EDO	E	308	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	B	307	-	-	1/1/1/1	-
4	EDO	E	305	-	-	0/1/1/1	-
4	EDO	H	305	-	-	1/1/1/1	-
4	EDO	E	307	-	-	1/1/1/1	-
4	EDO	I	304	-	-	1/1/1/1	-
2	JC8	J	302	-	-	2/12/29/29	0/5/4/4
5	NAG	C	307	1	-	2/6/23/26	0/1/1/1
2	JC8	I	301	-	-	2/12/29/29	0/5/4/4
4	EDO	B	310	-	-	1/1/1/1	-
5	NAG	I	306	1	-	1/6/23/26	0/1/1/1
2	JC8	G	301	-	-	2/12/29/29	0/5/4/4
4	EDO	B	305	-	-	1/1/1/1	-
4	EDO	B	308	-	-	1/1/1/1	-
4	EDO	E	306	-	-	1/1/1/1	-
4	EDO	E	302	-	-	0/1/1/1	-
4	EDO	H	304	-	-	1/1/1/1	-
4	EDO	H	308	-	-	1/1/1/1	-
2	JC8	F	301	-	-	2/12/29/29	0/5/4/4
4	EDO	C	305	-	-	1/1/1/1	-
4	EDO	I	307	-	-	1/1/1/1	-
4	EDO	C	308	-	-	0/1/1/1	-
4	EDO	F	308	-	-	0/1/1/1	-
4	EDO	J	305	-	-	1/1/1/1	-
4	EDO	B	306	-	-	1/1/1/1	-
2	JC8	H	301	-	-	2/12/29/29	0/5/4/4
4	EDO	H	306	-	-	1/1/1/1	-
5	NAG	D	306	1	-	2/6/23/26	0/1/1/1
4	EDO	A	303	-	-	1/1/1/1	-
4	EDO	D	304	-	-	1/1/1/1	-
2	JC8	C	301	-	-	2/12/29/29	0/5/4/4
4	EDO	C	306	-	-	0/1/1/1	-
4	EDO	D	303	-	-	1/1/1/1	-
5	NAG	H	307	1	-	2/6/23/26	0/1/1/1
4	EDO	A	307	-	-	0/1/1/1	-
4	EDO	A	305	-	-	1/1/1/1	-
5	NAG	B	309	1	-	2/6/23/26	0/1/1/1
4	EDO	J	307	-	-	0/1/1/1	-
4	EDO	D	307	-	-	1/1/1/1	-
5	NAG	J	308	1	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	JC8	B	301	-	-	2/12/29/29	0/5/4/4
4	EDO	I	305	-	-	0/1/1/1	-
5	NAG	G	304	1	-	2/6/23/26	0/1/1/1
2	JC8	A	301	-	-	2/12/29/29	0/5/4/4
4	EDO	F	305	-	-	1/1/1/1	-
4	EDO	J	306	-	-	0/1/1/1	-
5	NAG	A	306	1	-	2/6/23/26	0/1/1/1
2	JC8	D	301	-	-	2/12/29/29	0/5/4/4
5	NAG	E	309	1	-	3/6/23/26	0/1/1/1
4	EDO	B	304	-	-	1/1/1/1	-
4	EDO	D	305	-	-	1/1/1/1	-
5	NAG	F	307	1	-	3/6/23/26	0/1/1/1
4	EDO	A	304	-	-	1/1/1/1	-
4	EDO	E	301	-	-	1/1/1/1	-
4	EDO	G	303	-	-	1/1/1/1	-
2	JC8	E	303	-	-	4/12/29/29	0/5/4/4
4	EDO	C	304	-	-	1/1/1/1	-
4	EDO	H	303	-	-	0/1/1/1	-
4	EDO	F	304	-	-	1/1/1/1	-

The worst 5 of 11 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	302	JC8	C6-C10	4.60	1.46	1.39
2	D	301	JC8	C6-C10	3.75	1.45	1.39
2	C	301	JC8	C6-C10	3.62	1.45	1.39
2	G	301	JC8	C6-C10	3.59	1.45	1.39
5	I	306	NAG	C1-C2	3.07	1.56	1.52

The worst 5 of 52 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	J	308	NAG	C1-O5-C5	8.77	124.08	112.19
5	F	307	NAG	C1-O5-C5	6.36	120.81	112.19
5	E	309	NAG	C2-N2-C7	6.33	131.92	122.90
5	D	306	NAG	C1-O5-C5	6.19	120.58	112.19
5	A	306	NAG	C1-O5-C5	5.52	119.67	112.19

There are no chirality outliers.

5 of 76 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	A	306	NAG	C3-C2-N2-C7
5	J	308	NAG	C3-C2-N2-C7
5	D	306	NAG	O5-C5-C6-O6
5	G	304	NAG	O5-C5-C6-O6
5	D	306	NAG	C4-C5-C6-O6



There are no ring outliers.



20 monomers are involved in 37 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	307	EDO	1	0
4	I	307	EDO	2	0
4	A	307	EDO	4	0
4	I	305	EDO	2	0
4	I	304	EDO	4	0
2	I	301	JC8	1	0
4	B	310	EDO	2	0
4	E	302	EDO	6	0
4	B	306	EDO	1	0
4	C	306	EDO	1	0
5	H	307	NAG	1	0
4	D	307	EDO	1	0
4	A	304	EDO	1	0
4	G	303	EDO	1	0
4	C	305	EDO	1	0
4	B	304	EDO	2	0
4	C	304	EDO	1	0
4	G	305	EDO	2	0
3	I	302	PO4	1	0
4	F	304	EDO	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	205/249 (82%)	0.01	1 (0%) 91 91	7, 17, 43, 74	0
1	B	205/249 (82%)	0.04	1 (0%) 91 91	6, 14, 44, 70	0
1	C	205/249 (82%)	0.04	3 (1%) 73 75	5, 16, 46, 62	0
1	D	206/249 (82%)	0.01	1 (0%) 91 91	5, 14, 40, 64	0
1	E	206/249 (82%)	0.03	2 (0%) 82 84	6, 16, 45, 66	0
1	F	205/249 (82%)	-0.04	4 (1%) 65 68	9, 19, 45, 76	0
1	G	206/249 (82%)	0.20	5 (2%) 59 62	9, 21, 50, 74	0
1	H	205/249 (82%)	0.19	6 (2%) 51 55	9, 20, 49, 81	0
1	I	205/249 (82%)	0.05	2 (0%) 82 84	7, 16, 41, 67	0
1	J	205/249 (82%)	0.13	7 (3%) 45 48	7, 16, 45, 75	0
All	All	2053/2490 (82%)	0.06	32 (1%) 72 74	5, 17, 46, 81	0

The worst 5 of 32 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	208	CYS	4.2
1	H	207	CYS	4.0
1	G	207	CYS	3.5
1	C	207	CYS	3.3
1	H	209	PRO	3.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	G	304	14/15	0.46	0.48	80,97,103,103	0
5	NAG	F	307	14/15	0.55	0.44	72,90,94,95	0
5	NAG	D	306	14/15	0.55	0.48	71,90,95,97	0
5	NAG	E	309	14/15	0.56	0.63	85,98,104,105	0
5	NAG	C	307	14/15	0.57	0.40	74,93,107,110	0
5	NAG	J	308	14/15	0.58	0.47	70,87,91,91	0
5	NAG	B	309	14/15	0.62	0.43	60,78,86,89	0
4	EDO	F	308	4/4	0.63	0.35	31,35,35,36	0
4	EDO	J	301	4/4	0.67	0.37	28,33,33,36	0
5	NAG	A	306	14/15	0.68	0.35	58,68,74,78	0
3	PO4	D	302	5/5	0.70	0.40	83,83,89,94	0
5	NAG	H	307	14/15	0.73	0.36	80,88,93,94	0
4	EDO	E	301	4/4	0.78	0.33	32,35,37,38	0
4	EDO	I	307	4/4	0.81	0.33	36,40,41,45	0
4	EDO	C	308	4/4	0.81	0.22	24,27,27,28	0
4	EDO	J	305	4/4	0.81	0.27	30,31,32,32	0
4	EDO	G	305	4/4	0.81	0.34	45,46,48,48	0
4	EDO	E	308	4/4	0.82	0.28	39,42,42,44	0
5	NAG	I	306	14/15	0.82	0.34	59,66,68,69	0
4	EDO	H	305	4/4	0.82	0.28	40,44,45,45	0
4	EDO	B	305	4/4	0.83	0.28	33,34,37,37	0
3	PO4	I	303	5/5	0.84	0.30	63,68,70,73	0
4	EDO	J	306	4/4	0.84	0.28	31,34,35,37	0
3	PO4	F	303	5/5	0.85	0.43	78,79,87,91	0
4	EDO	F	305	4/4	0.85	0.29	44,47,48,48	0
4	EDO	F	306	4/4	0.85	0.37	41,41,42,43	0
4	EDO	C	306	4/4	0.85	0.26	41,42,44,45	0
4	EDO	B	307	4/4	0.86	0.24	34,35,36,38	0
4	EDO	A	305	4/4	0.86	0.28	30,34,35,36	0
4	EDO	H	308	4/4	0.87	0.24	43,45,45,45	0
4	EDO	D	307	4/4	0.87	0.35	30,34,35,40	0
4	EDO	D	304	4/4	0.87	0.40	43,48,49,56	0

Continued on next page...

Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	EDO	E	302	4/4	0.88	0.26	25,25,26,26	0
4	EDO	E	307	4/4	0.88	0.27	29,29,33,33	0
4	EDO	G	303	4/4	0.88	0.36	38,38,39,41	0
4	EDO	D	303	4/4	0.88	0.28	34,34,35,39	0
3	PO4	J	304	5/5	0.88	0.27	58,60,68,69	0
3	PO4	C	303	5/5	0.89	0.36	78,79,87,98	0
4	EDO	D	305	4/4	0.89	0.30	50,51,51,52	0
4	EDO	B	306	4/4	0.89	0.21	28,31,32,34	0
4	EDO	H	303	4/4	0.89	0.26	39,39,40,40	0
4	EDO	I	305	4/4	0.91	0.41	53,53,55,59	0
4	EDO	A	304	4/4	0.91	0.32	29,31,31,33	0
2	JC8	H	301	23/23	0.91	0.17	22,25,31,34	0
4	EDO	B	304	4/4	0.91	0.28	21,23,23,24	0
2	JC8	B	301	23/23	0.91	0.17	14,15,31,36	0
4	EDO	I	304	4/4	0.92	0.31	31,33,33,34	0
4	EDO	A	307	4/4	0.92	0.22	30,33,33,33	0
4	EDO	E	305	4/4	0.92	0.20	18,19,19,19	0
2	JC8	J	302	23/23	0.92	0.21	23,26,36,38	0
2	JC8	E	303	23/23	0.93	0.16	21,23,35,38	0
4	EDO	H	304	4/4	0.93	0.22	30,31,31,31	0
2	JC8	F	301	23/23	0.93	0.16	24,25,32,33	0
4	EDO	F	304	4/4	0.93	0.28	36,37,37,39	0
4	EDO	B	310	4/4	0.93	0.18	28,31,31,31	0
4	EDO	B	308	4/4	0.94	0.28	40,42,44,45	0
2	JC8	A	301	23/23	0.94	0.15	14,16,22,25	0
4	EDO	C	305	4/4	0.94	0.29	27,28,28,28	0
2	JC8	I	301	23/23	0.94	0.15	13,14,21,24	0
2	JC8	C	301	23/23	0.94	0.15	18,19,27,28	0
3	PO4	B	303	5/5	0.94	0.32	76,76,80,85	0
4	EDO	E	306	4/4	0.94	0.22	32,36,36,37	0
4	EDO	H	306	4/4	0.95	0.35	48,50,50,51	0
2	JC8	D	301	23/23	0.95	0.13	12,13,17,18	0
2	JC8	G	301	23/23	0.95	0.19	29,33,41,43	0
3	PO4	F	302	5/5	0.96	0.16	40,41,41,45	0
4	EDO	J	307	4/4	0.96	0.17	32,34,35,37	0
4	EDO	A	303	4/4	0.96	0.16	24,25,25,26	0
4	EDO	C	304	4/4	0.97	0.35	27,29,30,30	0
3	PO4	J	303	5/5	0.97	0.20	38,39,42,42	0
3	PO4	A	302	5/5	0.97	0.15	29,30,32,32	0
3	PO4	C	302	5/5	0.97	0.20	32,33,36,37	0
3	PO4	G	302	5/5	0.97	0.20	42,43,43,45	0
3	PO4	I	302	5/5	0.97	0.26	45,45,48,50	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	PO4	E	304	5/5	0.97	0.15	39,40,43,43	0
3	PO4	B	302	5/5	0.98	0.10	31,31,32,34	0
3	PO4	H	302	5/5	0.98	0.16	35,36,36,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around JC8 B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JC8 J 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JC8 E 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JC8 F 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JC8 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JC8 I 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JC8 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around JC8 D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.