



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 18, 2022 – 10:17 am BST

PDB ID : 7QQT
Title : SpCas9 bound to FANCF off-target1 DNA substrate
Authors : Pacesa, M.; Jinek, M.
Deposited on : 2022-01-10
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.31.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)
RNA backbone	3102	1008 (2.84-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	84	 4% 54% 39% 7%
2	B	1368	 4% 86% 12%
3	C	28	 43% 57%
4	D	12	 17% 58% 33% 8%

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 14056 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called FANCF sgRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	A	84	1755	784	317	571	83	0	0	1

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas9/Csn1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	1333	10889	6935	1889	2043	22	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	10	ALA	ASP	engineered mutation	UNP Q99ZW2
B	840	ALA	HIS	engineered mutation	UNP Q99ZW2

- Molecule 3 is a DNA chain called FANCF off-target1 target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	C	28	572	272	106	167	27	0	0	0

- Molecule 4 is a DNA chain called FANCF off-target1 non-target strand.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
4	D	11	207	98	37	62	10	0	0	1

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Mg	0	0
			2	2		

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	2	Total K 2 2	0	0
6	B	7	Total K 7 7	0	0
6	C	1	Total K 1 1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	149	Total O 149 149	0	0
7	B	418	Total O 418 418	0	0
7	C	40	Total O 40 40	0	0
7	D	14	Total O 14 14	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: FANCF sgRNA




- Molecule 2: CRISPR-associated endonuclease Cas9/Csn1



- Molecule 3: FANCF off-target1 target strand

Chain C:  43% 57%



- Molecule 4: FANCF off-target1 non-target strand

Chain D:  17% 58% 33% 8%



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	177.59Å 66.73Å 187.02Å 90.00° 111.03° 90.00°	Depositor
Resolution (Å)	47.58 – 2.50 47.58 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.58-2.50) 99.9 (47.58-2.50)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.33 (at 2.51Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.203 , 0.238 0.203 , 0.238	Depositor DCC
R_{free} test set	3562 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	46.1	Xtriage
Anisotropy	0.349	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14056	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/1964	0.81	0/3060
2	B	0.25	0/11080	0.41	0/14886
3	C	0.62	0/641	0.99	1/988 (0.1%)
4	D	0.66	0/231	0.93	0/356
All	All	0.30	0/13916	0.55	1/19290 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	2	DG	O4'-C4'-C3'	-6.35	101.96	104.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1755	0	881	28	0
2	B	10889	0	11052	103	0
3	C	572	0	316	12	0
4	D	207	0	114	4	0
5	A	2	0	0	0	0
6	A	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	7	0	0	0	0
6	C	1	0	0	0	0
7	A	149	0	0	0	0
7	B	418	0	0	8	0
7	C	40	0	0	1	0
7	D	14	0	0	0	0
All	All	14056	0	12363	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1215:ALA:HB2	2:B:1221:GLN:HG3	1.69	0.74
2:B:158:LEU:HD22	2:B:419:LEU:HD12	1.71	0.71
2:B:184:LEU:HD12	2:B:299:ALA:HB2	1.74	0.68
2:B:1004:LEU:HD11	2:B:1042:ILE:HD11	1.75	0.67
2:B:574:CYS:SG	7:B:1687:HOH:O	2.51	0.67
4:D:-2:DC:H2''	4:D:-1:DC:H5''	1.75	0.66
2:B:787:GLY:O	2:B:791:LEU:HB2	1.95	0.66
2:B:80:CYS:SG	7:B:1839:HOH:O	2.53	0.66
2:B:557:ARG:NH2	2:B:596:ASP:OD1	2.28	0.65
1:A:46:A:H2'	1:A:47:A:C8	2.33	0.64
3:C:-1:DC:H2'	3:C:0:DT:C6	2.33	0.64
2:B:787:GLY:HA3	2:B:891:LEU:HD21	1.81	0.63
1:A:5:U:H3	3:C:16:DG:H22	1.47	0.62
3:C:10:DG:H2'	3:C:11:DA:C8	2.36	0.61
2:B:1335:ARG:NH2	4:D:2:DG:O6	2.34	0.61
2:B:910:GLU:HG2	2:B:1033:THR:HG22	1.82	0.60
1:A:46:A:H2'	1:A:47:A:H8	1.67	0.60
1:A:59:U:OP1	2:B:467:ARG:NH2	2.35	0.60
1:A:70:C:H2'	1:A:71:U:H6	1.67	0.60
1:A:70:C:H2'	1:A:71:U:C6	2.37	0.59
2:B:967:ARG:NH1	2:B:986:ASP:OD1	2.35	0.59
2:B:902:LYS:NZ	7:C:203:HOH:O	2.36	0.59
2:B:168:PHE:CG	2:B:447:ARG:HD2	2.37	0.58
2:B:898:ASP:O	2:B:905:ARG:NH2	2.36	0.58
2:B:1042:ILE:HG23	2:B:1043:MET:HG2	1.86	0.58
1:A:3:A:H2'	1:A:4:A:C8	2.39	0.58
2:B:1163:LEU:HG	2:B:1343:LEU:HD21	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:489:GLN:HG3	2:B:625:LEU:HD21	1.87	0.56
1:A:4:A:OP1	2:B:661:ARG:NE	2.22	0.56
2:B:1047:LYS:O	2:B:1076:LYS:NZ	2.32	0.55
2:B:1110:ILE:HG23	2:B:1122:ARG:HD2	1.87	0.54
2:B:447:ARG:NH2	7:B:1522:HOH:O	2.40	0.54
2:B:1212:ARG:NH2	2:B:1280:VAL:O	2.41	0.54
1:A:74:A:OP1	1:A:74:A:H8	1.91	0.54
2:B:967:ARG:NH2	7:B:1518:HOH:O	2.36	0.54
3:C:12:DC:H2''	3:C:13:DG:C8	2.43	0.54
2:B:623:LEU:HD13	2:B:654:ARG:HG3	1.90	0.54
1:A:69:A:H2'	1:A:70:C:H6	1.73	0.53
2:B:654:ARG:HD2	2:B:656:TYR:CZ	2.44	0.53
2:B:812:TYR:HE2	2:B:852:ILE:HD13	1.73	0.53
2:B:266:LEU:HD22	2:B:294:LYS:HD2	1.91	0.53
2:B:1151:LYS:HD2	2:B:1158:LYS:HD2	1.91	0.53
2:B:1205:GLU:OE1	2:B:1359:ARG:NH2	2.42	0.53
1:A:54:G:H2'	1:A:55:C:C6	2.45	0.52
2:B:262:ALA:HB1	2:B:278:LEU:HD12	1.91	0.52
2:B:635:ARG:NH1	7:B:1525:HOH:O	2.42	0.52
3:C:-2:DC:H2'	3:C:-1:DC:C6	2.45	0.52
2:B:704:PHE:O	2:B:708:ILE:HG12	2.10	0.52
1:A:3:A:H2'	1:A:4:A:H8	1.74	0.51
3:C:-3:DA:H2''	3:C:-2:DC:O5'	2.11	0.51
1:A:22:U:H2'	1:A:23:U:C6	2.46	0.50
2:B:468:LYS:N	2:B:481:VAL:O	2.37	0.50
2:B:75:ARG:HD3	2:B:163:LYS:HG3	1.94	0.50
2:B:175:ASN:N	2:B:176:PRO:HD3	2.27	0.49
3:C:8:DC:H2'	3:C:9:DA:C8	2.48	0.49
2:B:870:VAL:HG13	2:B:871:PRO:HD2	1.94	0.49
2:B:271:TYR:HA	2:B:274:ASP:HB2	1.94	0.49
2:B:814:TYR:CZ	2:B:830:ILE:HG12	2.47	0.49
2:B:501:ASN:HB3	2:B:708:ILE:HD12	1.96	0.48
1:A:71:U:H2'	1:A:72:U:O4'	2.12	0.48
1:A:33:G:H2'	1:A:35:A:N7	2.28	0.48
2:B:178:ASN:HA	2:B:184:LEU:HD11	1.93	0.48
3:C:-7:DC:H2'	3:C:-7:DC:O2	2.13	0.48
2:B:1229:PRO:HD2	2:B:1232:TYR:HD2	1.78	0.48
1:A:69:A:H2'	1:A:70:C:C6	2.49	0.47
2:B:253:LYS:HD2	2:B:261:ASP:OD1	2.13	0.47
1:A:49:A:N3	2:B:1122:ARG:NH2	2.53	0.47
2:B:822:MET:HG3	2:B:883:TRP:HE1	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:48:ILE:HG12	2:B:984:ALA:HB1	1.96	0.47
2:B:812:TYR:CE2	2:B:852:ILE:HD13	2.50	0.47
1:A:20:C:OP2	2:B:403:ARG:NH1	2.48	0.46
2:B:1114:ARG:NH1	4:D:4:DA:OP1	2.49	0.46
2:B:82:LEU:HD22	2:B:162:ILE:HD12	1.97	0.46
2:B:817:GLN:O	2:B:882:TYR:OH	2.30	0.46
2:B:133:PRO:HG2	2:B:137:HIS:CE1	2.50	0.46
2:B:821:ASP:HB3	2:B:824:VAL:O	2.16	0.46
3:C:-6:DA:H2''	3:C:-5:DA:C8	2.51	0.46
2:B:439:LYS:HG2	2:B:476:TRP:CD1	2.51	0.46
2:B:882:TYR:CZ	2:B:886:LEU:HD11	2.51	0.46
2:B:518:PHE:CD1	2:B:667:ILE:HD12	2.51	0.46
2:B:846:PHE:O	2:B:916:PHE:HB3	2.16	0.46
1:A:4:A:H2'	1:A:5:U:H6	1.79	0.46
2:B:323:LYS:HE2	2:B:327:GLU:OE2	2.16	0.45
2:B:864:ARG:NH2	2:B:871:PRO:HD3	2.31	0.45
2:B:597:LEU:O	2:B:601:ILE:HG12	2.17	0.45
2:B:455:LEU:HA	2:B:465:MET:HE2	1.98	0.45
2:B:846:PHE:O	2:B:920:GLN:NE2	2.50	0.45
2:B:530:VAL:HG22	2:B:537:PRO:HB3	1.98	0.44
2:B:245:SER:HA	2:B:297:SER:HB2	1.98	0.44
1:A:44:U:O2'	2:B:402:GLN:OE1	2.32	0.44
1:A:32:A:H2'	1:A:33:G:O4'	2.18	0.44
2:B:308:VAL:HG21	2:B:319:ALA:HB3	1.98	0.44
2:B:1136:SER:HA	4:D:2:DG:O3'	2.18	0.44
2:B:1231:LYS:HE3	2:B:1232:TYR:CZ	2.52	0.44
1:A:70:C:C2	1:A:71:U:C5	3.06	0.44
2:B:802:GLU:HB2	2:B:805:GLN:HG3	1.99	0.44
2:B:174:LEU:HD12	2:B:174:LEU:HA	1.86	0.44
2:B:776:ASN:OD1	2:B:777:SER:N	2.51	0.44
2:B:1306:ALA:O	2:B:1310:ILE:HG12	2.17	0.44
2:B:756:PRO:HD2	2:B:939:MET:HE2	1.99	0.43
2:B:148:LYS:HD2	2:B:429:PHE:HB3	2.00	0.43
2:B:780:ARG:NH1	2:B:806:LEU:O	2.49	0.43
2:B:1143:VAL:HG13	2:B:1195:ILE:HG23	2.00	0.43
1:A:34:A:OP1	1:A:34:A:H8	2.01	0.43
3:C:-3:DA:H4'	3:C:-2:DC:OP1	2.18	0.43
1:A:73:G:N2	1:A:76:A:OP2	2.47	0.43
2:B:168:PHE:CD1	2:B:447:ARG:HD2	2.54	0.43
2:B:71:ARG:NH1	7:B:1526:HOH:O	2.42	0.43
2:B:287:ALA:O	2:B:291:LEU:HG	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:-6:DA:H8	3:C:-6:DA:OP2	2.02	0.43
2:B:901:THR:O	2:B:904:GLU:HG2	2.18	0.42
2:B:1147:ALA:HB2	2:B:1190:VAL:HA	2.00	0.42
1:A:30:C:H2'	1:A:31:U:C6	2.55	0.42
2:B:9:LEU:HD12	2:B:761:ILE:HG22	2.00	0.42
2:B:258:LEU:HD21	2:B:282:ILE:HD11	2.02	0.42
2:B:963:VAL:O	2:B:967:ARG:HG3	2.19	0.42
2:B:1079:ASP:N	7:B:1528:HOH:O	2.53	0.41
2:B:137:HIS:HA	2:B:322:ILE:HD11	2.01	0.41
2:B:529:TYR:HA	2:B:579:GLU:O	2.20	0.41
2:B:342:GLN:HB2	2:B:383:MET:HE3	2.02	0.41
2:B:638:THR:HG23	7:B:1551:HOH:O	2.20	0.41
2:B:936:ASP:OD1	2:B:951:ARG:NH1	2.53	0.41
2:B:977:GLU:OE2	2:B:977:GLU:N	2.49	0.41
2:B:240:ASN:ND2	2:B:255:ASN:OD1	2.33	0.41
1:A:26:A:OP1	2:B:115:ARG:NH1	2.53	0.41
2:B:400:ARG:NH2	2:B:406:ASP:OD2	2.49	0.40
2:B:780:ARG:NH1	2:B:807:GLN:HA	2.36	0.40
2:B:985:HIS:CG	2:B:1087:LEU:HD22	2.56	0.40
2:B:1107:LYS:HB3	3:C:1:DG:OP2	2.22	0.40
1:A:35:A:H2'	1:A:36:A:C8	2.56	0.40
2:B:870:VAL:HG23	2:B:908:LEU:HG	2.03	0.40
1:A:52:A:OP1	2:B:1123:LYS:NZ	2.52	0.40
2:B:250:PRO:HD2	2:B:264:LEU:O	2.20	0.40
2:B:962:LEU:HD23	2:B:962:LEU:HA	1.85	0.40
2:B:1119:LEU:HD23	2:B:1119:LEU:HA	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	1323/1368 (97%)	1287 (97%)	36 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	1195/1225 (98%)	1194 (100%)	1 (0%)	93	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	23	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	309	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	81/84 (96%)	16 (19%)	0

All (16) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	11	C
1	A	17	C
1	A	20	C
1	A	28	A
1	A	29	G
1	A	33	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	40	C
1	A	51	A
1	A	56	U
1	A	59	U
1	A	68	A
1	A	72	U
1	A	73	G
1	A	74	A
1	A	75	A
1	A	77	A

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	84/84 (100%)	-0.07	3 (3%) 42 46	32, 51, 138, 170	0
2	B	1333/1368 (97%)	0.26	58 (4%) 34 37	28, 55, 100, 135	0
3	C	28/28 (100%)	-0.07	0 100 100	38, 50, 101, 122	0
4	D	11/12 (91%)	0.60	2 (18%) 1 1	42, 59, 122, 131	0
All	All	1456/1492 (97%)	0.23	63 (4%) 35 38	28, 55, 103, 170	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	802	GLU	5.7
2	B	852	ILE	5.6
2	B	775	LYS	5.5
2	B	215	ARG	4.6
2	B	804	THR	4.1
2	B	715	GLY	4.1
2	B	811	LEU	4.0
4	D	-3	DA	3.6
2	B	795	ILE	3.5
2	B	716	GLN	3.5
2	B	914	ALA	3.5
2	B	713	VAL	3.4
2	B	1258	PHE	3.2
2	B	1036	TYR	3.1
1	A	0	G	3.1
2	B	714	SER	3.1
2	B	1033	THR	3.0
2	B	850	ASP	3.0
2	B	1294	TYR	3.0
2	B	847	LEU	3.0
2	B	1153	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	1050	ILE	2.9
2	B	1039	TYR	2.8
2	B	311	GLU	2.7
2	B	1257	LEU	2.7
2	B	787	GLY	2.7
2	B	259	ALA	2.7
2	B	1003	LYS	2.6
2	B	270	THR	2.6
2	B	350	ILE	2.6
2	B	801	VAL	2.5
2	B	843	PRO	2.5
2	B	921	LEU	2.5
2	B	175	ASN	2.5
2	B	339	VAL	2.4
4	D	7	DG	2.4
2	B	789	LYS	2.4
2	B	783	ARG	2.4
1	A	-1	G	2.4
2	B	273	ASP	2.3
2	B	800	PRO	2.3
2	B	1149	VAL	2.3
2	B	889	ALA	2.3
2	B	1032	ALA	2.3
2	B	846	PHE	2.2
2	B	1327	PHE	2.2
2	B	269	ASP	2.2
2	B	649	LYS	2.2
2	B	1326	TYR	2.2
2	B	1250	GLU	2.2
2	B	176	PRO	2.2
2	B	268	LYS	2.2
2	B	916	PHE	2.1
2	B	1367	GLY	2.1
2	B	290	PHE	2.1
2	B	293	ALA	2.1
2	B	356	LYS	2.1
2	B	1288	ASP	2.1
2	B	767	ASN	2.0
2	B	785	GLU	2.0
2	B	776	ASN	2.0
2	B	291	LEU	2.0
1	A	74	A	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	K	C	101	1/1	0.68	0.19	85,85,85,85	0
6	K	B	1401	1/1	0.73	0.32	104,104,104,104	0
6	K	B	1406	1/1	0.86	0.14	94,94,94,94	0
6	K	B	1404	1/1	0.86	0.21	111,111,111,111	0
6	K	B	1405	1/1	0.92	0.10	81,81,81,81	0
5	MG	A	102	1/1	0.95	0.13	34,34,34,34	0
6	K	B	1402	1/1	0.96	0.06	50,50,50,50	0
6	K	B	1403	1/1	0.96	0.10	66,66,66,66	0
6	K	A	103	1/1	0.96	0.32	76,76,76,76	0
5	MG	A	101	1/1	0.97	0.25	69,69,69,69	0
6	K	B	1407	1/1	0.98	0.06	53,53,53,53	0
6	K	A	104	1/1	0.98	0.25	70,70,70,70	0

6.5 Other polymers [i](#)

There are no such residues in this entry.