



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 21, 2018 – 02:02 pm GMT

PDB ID : 1QSH  
Title : MAGNESIUM(II)-AND ZINC(II)-PROTOPORPHYRIN IX'S STABILIZE THE LOWEST OXYGEN AFFINITY STATE OF HUMAN HEMOGLOBIN EVEN MORE STRONGLY THAN DEOXYHEME  
Authors : Miyazaki, G.; Morimoto, H.; Yun, K.-M.; Park, S.-Y.; Nakagawa, A.; Minagawa, H.; Shibayama, N.  
Deposited on : 1999-06-22  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.3 (157068), CSD as539be (2018)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20171227.v01 (using entries in the PDB archive December 27th 2017)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk30686


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	122078	4165 (1.70-1.70)
Ramachandran outliers	120005	4098 (1.70-1.70)
Sidechain outliers	119972	4098 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	141	
1	C	141	
2	B	146	
2	D	146	

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4956 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTEIN (HEMOGLOBIN ALPHA CHAIN).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	141	Total 1069	C 685	N 187	O 194	S 3	0	0	0
1	C	141	Total 1069	C 685	N 187	O 194	S 3	0	0	0

- Molecule 2 is a protein called PROTEIN (HEMOGLOBIN BETA CHAIN).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	146	Total 1123	C 724	N 195	O 201	S 3	0	0	0
2	D	146	Total 1123	C 724	N 195	O 201	S 3	0	0	0

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is PROTOPORPHYRIN IX CONTAINING MG (three-letter code: HEG) (formula:  $C_{34}H_{32}MgN_4O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	B	1	Total	C	Mg	N	O	0	0
			43	34	1	4	4		
4	D	1	Total	C	Mg	N	O	0	0
			43	34	1	4	4		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	108	Total	O	0	0
			108	108		
5	B	100	Total	O	0	0
			100	100		
5	C	111	Total	O	0	0
			111	111		
5	D	81	Total	O	0	0
			81	81		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: PROTEIN (HEMOGLOBIN ALPHA CHAIN)




- Molecule 1: PROTEIN (HEMOGLOBIN ALPHA CHAIN)



- Molecule 2: PROTEIN (HEMOGLOBIN BETA CHAIN)



- Molecule 2: PROTEIN (HEMOGLOBIN BETA CHAIN)



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.15Å 83.59Å 53.80Å 90.00° 99.34° 90.00°	Depositor
Resolution (Å)	10.00 – 1.70	Depositor
% Data completeness (in resolution range)	90.1 (10.00-1.70)	Depositor
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, $R_{free}$	0.175 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	4956	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, HEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.99	1/1097 (0.1%)	1.44	10/1491 (0.7%)
1	C	1.02	2/1097 (0.2%)	1.44	15/1491 (1.0%)
2	B	0.98	0/1153	1.43	9/1566 (0.6%)
2	D	0.96	0/1153	1.44	9/1566 (0.6%)
All	All	0.99	3/4500 (0.1%)	1.44	43/6114 (0.7%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	27	GLU	CD-OE1	-5.76	1.19	1.25
1	C	27	GLU	CD-OE1	-5.21	1.20	1.25
1	C	81	SER	CB-OG	5.18	1.49	1.42

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	40	ARG	NE-CZ-NH1	12.40	126.50	120.30
1	C	92	ARG	NE-CZ-NH2	-10.60	115.00	120.30
1	A	92	ARG	NE-CZ-NH2	-10.36	115.12	120.30
1	A	31	ARG	NE-CZ-NH1	10.31	125.45	120.30
2	B	40	ARG	NE-CZ-NH1	9.68	125.14	120.30
1	C	141	ARG	NE-CZ-NH1	9.04	124.82	120.30
1	C	105	LEU	CA-CB-CG	8.95	135.88	115.30
2	D	22	GLU	CB-CG-CD	8.46	137.06	114.20
1	C	92	ARG	NE-CZ-NH1	8.22	124.41	120.30
1	C	141	ARG	NE-CZ-NH2	-7.91	116.35	120.30
1	C	31	ARG	NE-CZ-NH1	7.88	124.24	120.30
2	D	40	ARG	NE-CZ-NH2	-7.39	116.61	120.30
2	B	94	ASP	CB-CG-OD2	-7.31	111.72	118.30
2	B	21	ASP	CB-CG-OD2	-7.07	111.94	118.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	30	ARG	NE-CZ-NH1	7.01	123.81	120.30
2	D	139	ASN	CA-CB-CG	-7.00	98.00	113.40
1	C	47	ASP	CB-CG-OD1	6.88	124.49	118.30
1	C	126	ASP	CB-CG-OD2	-6.75	112.22	118.30
1	A	141	ARG	NE-CZ-NH1	6.71	123.65	120.30
1	A	140	TYR	CB-CG-CD1	-6.51	117.09	121.00
2	D	22	GLU	OE1-CD-OE2	-6.46	115.55	123.30
2	B	35	TYR	CB-CG-CD1	-6.41	117.15	121.00
2	B	52	ASP	CB-CG-OD1	6.39	124.05	118.30
2	B	21	ASP	CB-CG-OD1	6.35	124.02	118.30
2	D	130	TYR	CB-CG-CD1	-6.27	117.24	121.00
1	A	31	ARG	NE-CZ-NH2	-6.19	117.20	120.30
1	C	27	GLU	OE1-CD-OE2	6.18	130.71	123.30
1	A	140	TYR	CB-CG-CD2	6.17	124.70	121.00
1	C	6	ASP	CB-CG-OD1	6.03	123.72	118.30
2	D	145	TYR	CB-CG-CD2	-5.86	117.49	121.00
1	C	24	TYR	CB-CG-CD1	-5.85	117.49	121.00
1	A	92	ARG	NH1-CZ-NH2	5.79	125.77	119.40
1	A	137	THR	N-CA-CB	-5.58	99.70	110.30
2	D	103	PHE	CB-CG-CD2	-5.46	116.98	120.80
2	B	22	GLU	CG-CD-OE2	-5.43	107.44	118.30
1	C	118	THR	N-CA-CB	-5.35	100.13	110.30
2	D	73	ASP	CB-CG-OD1	5.27	123.04	118.30
1	C	85	ASP	CB-CG-OD1	5.20	122.98	118.30
1	A	47	ASP	CB-CG-OD1	5.20	122.98	118.30
2	B	130	TYR	CB-CG-CD2	-5.16	117.91	121.00
1	C	31	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	A	6	ASP	CB-CG-OD1	5.08	122.87	118.30
1	C	92	ARG	CG-CD-NE	5.07	122.46	111.80

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1069	0	1073	13	0
1	C	1069	0	1073	30	0
2	B	1123	0	1118	14	0
2	D	1123	0	1118	7	0
3	A	43	0	30	3	0
3	C	43	0	30	2	0
4	B	43	0	30	2	0
4	D	43	0	30	1	0
5	A	108	0	0	3	0
5	B	100	0	0	0	0
5	C	111	0	0	9	0
5	D	81	0	0	3	0
All	All	4956	0	4502	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:52:SER:O	1:C:56:LYS:HD3	1.57	1.02
1:C:118:THR:HG21	5:C:180:HOH:O	1.65	0.96
5:A:249:HOH:O	1:C:1:VAL:CG2	2.37	0.72
3:A:142:HEM:HMB1	3:A:142:HEM:HBB2	1.72	0.72
1:C:1:VAL:HG22	1:C:1:VAL:O	1.91	0.70
2:B:1:VAL:HG23	2:B:3:LEU:HD12	1.74	0.69
1:C:56:LYS:CD	1:C:56:LYS:N	2.59	0.66
2:B:82:LYS:HE2	2:B:143:HIS:CD2	2.33	0.64
1:C:27:GLU:OE2	1:C:112:HIS:HE1	1.83	0.61
1:C:103:HIS:HE1	2:D:131:GLN:OE1	1.84	0.61
2:B:66:LYS:HD3	4:B:147:HEG:CAA	2.31	0.60
1:C:40:LYS:HE3	5:C:162:HOH:O	2.00	0.60
2:B:26:GLU:OE2	2:B:117:HIS:HE1	1.84	0.60
1:C:56:LYS:HD2	1:C:56:LYS:N	2.15	0.59
1:C:113:LEU:HB3	1:C:116:GLU:HB2	1.83	0.59
1:C:103:HIS:HD2	5:C:146:HOH:O	1.86	0.58
1:C:118:THR:CG2	1:C:121:VAL:H	2.17	0.57
1:A:103:HIS:HD2	5:A:147:HOH:O	1.88	0.56
3:A:142:HEM:CMB	3:A:142:HEM:HBB2	2.36	0.56
2:B:1:VAL:HG23	2:B:3:LEU:CD1	2.35	0.55
2:B:24:GLY:HA2	2:B:68:LEU:HG	1.88	0.55
2:D:3:LEU:HD22	2:D:7:GLU:HB3	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:66:LYS:HD3	4:B:147:HEG:HAA2	1.88	0.54
1:A:7:LYS:NZ	1:A:74:ASP:OD1	2.35	0.54
1:C:1:VAL:N	5:C:231:HOH:O	2.40	0.54
2:D:51:PRO:O	2:D:55:MET:HG2	2.08	0.53
1:C:30:GLU:OE2	1:C:50:HIS:HD2	1.92	0.53
2:B:82:LYS:HE2	2:B:143:HIS:NE2	2.23	0.53
1:A:103:HIS:HE1	2:B:131:GLN:OE1	1.91	0.52
1:A:75:ASP:OD2	1:A:78:ASN:HB2	2.10	0.51
1:C:56:LYS:HD3	1:C:56:LYS:H	1.75	0.51
1:A:84:SER:OG	1:A:139:LYS:HE3	2.11	0.51
1:C:4:PRO:HD2	5:C:182:HOH:O	2.11	0.50
2:D:116:HIS:HB3	5:D:211:HOH:O	2.11	0.50
1:C:118:THR:HG22	1:C:121:VAL:H	1.77	0.49
1:C:99:LYS:HE3	5:D:205:HOH:O	2.13	0.48
1:C:56:LYS:HD3	1:C:56:LYS:N	2.29	0.48
1:C:28:ALA:CB	1:C:105:LEU:HD13	2.43	0.48
2:B:26:GLU:OE2	2:B:117:HIS:CE1	2.65	0.47
1:A:3:SER:HB2	1:A:4:PRO:CD	2.44	0.47
1:C:26:ALA:HB1	5:C:216:HOH:O	2.15	0.47
1:A:21:ALA:HB1	1:A:63:ALA:HB1	1.98	0.46
2:B:38:THR:HG22	2:B:102:ASN:OD1	2.16	0.46
2:B:51:PRO:O	2:B:55:MET:HG2	2.16	0.45
1:C:118:THR:HG22	1:C:121:VAL:HB	1.99	0.45
4:D:147:HEG:HMC1	4:D:147:HEG:HBC1	1.98	0.45
1:A:133:SER:O	1:A:137:THR:HB	2.16	0.44
1:C:30:GLU:OE2	1:C:50:HIS:CD2	2.71	0.44
1:C:99:LYS:HD3	5:C:189:HOH:O	2.18	0.44
1:A:76:MET:N	1:A:77:PRO:CD	2.81	0.43
2:B:6:GLU:CD	2:B:6:GLU:H	2.21	0.43
5:A:249:HOH:O	1:C:1:VAL:HG23	2.12	0.43
1:A:57:GLY:O	1:A:61:LYS:HG3	2.18	0.43
1:C:96:VAL:O	1:C:99:LYS:HG2	2.18	0.43
1:A:66:LEU:O	1:A:70:VAL:HG23	2.18	0.43
2:D:66:LYS:CE	5:D:209:HOH:O	2.66	0.43
1:C:30:GLU:HG3	5:C:193:HOH:O	2.18	0.42
1:A:58:HIS:HE1	3:A:142:HEM:C1A	2.37	0.42
1:A:3:SER:HB2	1:A:4:PRO:HD2	2.02	0.42
3:C:142:HEM:CMB	3:C:142:HEM:HBB2	2.49	0.42
2:B:61:LYS:O	2:B:65:LYS:HG3	2.20	0.42
3:C:142:HEM:HMB1	3:C:142:HEM:HBB2	2.02	0.41
1:C:112:HIS:O	1:C:113:LEU:HD23	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:99:LYS:CD	5:C:189:HOH:O	2.69	0.41
1:C:56:LYS:HD2	1:C:56:LYS:HA	1.91	0.41
2:D:21:ASP:OD1	2:D:65:LYS:HE3	2.21	0.41
2:D:124:PRO:HB2	2:D:125:PRO:HD3	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	139/141 (99%)	136 (98%)	3 (2%)	0	100	100
1	C	139/141 (99%)	137 (99%)	2 (1%)	0	100	100
2	B	144/146 (99%)	142 (99%)	2 (1%)	0	100	100
2	D	144/146 (99%)	142 (99%)	2 (1%)	0	100	100
All	All	566/574 (99%)	557 (98%)	9 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	113/113 (100%)	111 (98%)	2 (2%)	62	45
1	C	113/113 (100%)	111 (98%)	2 (2%)	62	45

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	118/118 (100%)	114 (97%)	4 (3%)	40	19
2	D	118/118 (100%)	114 (97%)	4 (3%)	40	19
All	All	462/462 (100%)	450 (97%)	12 (3%)	49	30

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	LEU
1	A	137	THR
2	B	3	LEU
2	B	6	GLU
2	B	59	LYS
2	B	68	LEU
1	C	99	LYS
1	C	105	LEU
2	D	26	GLU
2	D	75	LEU
2	D	120	LYS
2	D	139	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	72	HIS
1	A	103	HIS
2	B	117	HIS
1	C	50	HIS
1	C	72	HIS
1	C	103	HIS
1	C	112	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	HEM	A	142	1	27,50,50	1.73	6 (22%)	17,82,82	1.80	5 (29%)
4	HEG	B	147	2	32,50,50	6.44	20 (62%)	12,82,82	4.54	11 (91%)
3	HEM	C	142	1	27,50,50	1.96	6 (22%)	17,82,82	2.05	7 (41%)
4	HEG	D	147	2	32,50,50	6.26	21 (65%)	12,82,82	4.64	9 (75%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	142	1	-	0/6/54/54	0/0/8/8
4	HEG	B	147	2	-	0/10/134/134	0/0/8/8
3	HEM	C	142	1	-	0/6/54/54	0/0/8/8
4	HEG	D	147	2	-	0/10/134/134	0/0/8/8

All (53) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	147	HEG	C3B-C2B	-17.57	1.33	1.55
4	B	147	HEG	C3B-C2B	-17.43	1.33	1.55
4	B	147	HEG	C3D-C2D	-11.27	1.32	1.55
4	D	147	HEG	C3D-C2D	-9.87	1.35	1.55
4	B	147	HEG	CHC-C4B	-9.80	1.37	1.53
4	D	147	HEG	CHC-C4B	-9.46	1.38	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	147	HEG	CHD-C1D	-9.38	1.38	1.53
4	B	147	HEG	CHA-C4D	-9.34	1.38	1.53
4	D	147	HEG	CHD-C1D	-9.29	1.38	1.53
4	D	147	HEG	CHC-C1C	-9.25	1.37	1.53
4	B	147	HEG	CHB-C1B	-9.22	1.38	1.53
4	B	147	HEG	CHC-C1C	-9.05	1.37	1.53
4	B	147	HEG	CHA-C1A	-8.67	1.38	1.53
4	D	147	HEG	CHA-C1A	-8.22	1.38	1.53
4	D	147	HEG	CHB-C4A	-8.13	1.38	1.53
4	D	147	HEG	CHB-C1B	-8.08	1.40	1.53
4	B	147	HEG	CHD-C4C	-8.05	1.39	1.53
4	D	147	HEG	CHA-C4D	-8.03	1.40	1.53
4	B	147	HEG	CHB-C4A	-7.97	1.39	1.53
4	D	147	HEG	CHD-C4C	-7.77	1.39	1.53
4	D	147	HEG	C3B-C4B	-7.57	1.45	1.54
4	B	147	HEG	C3B-C4B	-6.30	1.47	1.54
4	B	147	HEG	C4B-NB	-6.12	1.36	1.50
4	D	147	HEG	C1B-NB	-5.88	1.37	1.50
4	B	147	HEG	C1D-ND	-5.72	1.37	1.50
3	C	142	HEM	C3C-C2C	-5.71	1.32	1.40
4	B	147	HEG	C1B-NB	-5.43	1.38	1.50
4	B	147	HEG	C4D-ND	-5.36	1.38	1.50
4	D	147	HEG	C4B-NB	-5.07	1.38	1.50
4	D	147	HEG	C4D-ND	-5.02	1.39	1.50
4	D	147	HEG	C2D-C1D	-4.58	1.44	1.53
4	B	147	HEG	C2D-C1D	-4.45	1.45	1.53
4	D	147	HEG	C1D-ND	-4.37	1.40	1.50
3	C	142	HEM	C3B-C2B	-4.24	1.34	1.40
3	A	142	HEM	C3C-C2C	-4.11	1.34	1.40
3	A	142	HEM	C3B-C2B	-3.60	1.35	1.40
4	D	147	HEG	C2B-C1B	-3.59	1.46	1.53
4	B	147	HEG	C2B-C1B	-3.54	1.46	1.53
3	C	142	HEM	CAD-C3D	2.06	1.56	1.52
3	A	142	HEM	CAD-C3D	2.31	1.56	1.52
4	D	147	HEG	CMC-C2C	2.38	1.54	1.50
3	A	142	HEM	C3B-CAB	2.44	1.52	1.47
3	A	142	HEM	CAA-C2A	2.48	1.56	1.52
4	D	147	HEG	CMA-C3A	2.53	1.54	1.50
4	B	147	HEG	CMA-C3A	2.72	1.55	1.50
3	C	142	HEM	C3B-CAB	2.76	1.53	1.47
3	C	142	HEM	C3C-CAC	2.86	1.53	1.47
3	C	142	HEM	CAA-C2A	2.96	1.57	1.52

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	142	HEM	C3C-CAC	2.99	1.53	1.47
4	B	147	HEG	C3B-CAB	3.27	1.54	1.50
4	D	147	HEG	CAA-C2A	3.52	1.56	1.51
4	B	147	HEG	CAA-C2A	4.49	1.57	1.51
4	D	147	HEG	C3B-CAB	5.90	1.56	1.50

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	147	HEG	C3B-CAB-CBB	-4.91	114.19	125.20
3	C	142	HEM	CMA-C3A-C4A	-3.99	122.33	128.46
4	B	147	HEG	CBA-CAA-C2A	-3.55	107.96	114.28
3	A	142	HEM	CMA-C3A-C4A	-3.09	123.72	128.46
3	A	142	HEM	CMD-C2D-C1D	-2.91	123.99	128.46
4	B	147	HEG	CBD-CAD-C3D	-2.63	111.81	115.62
3	A	142	HEM	CBD-CAD-C3D	-2.57	107.57	112.47
3	C	142	HEM	CMD-C2D-C1D	-2.42	124.75	128.46
3	C	142	HEM	CBA-CAA-C2A	-2.08	108.51	112.48
3	C	142	HEM	CMC-C2C-C3C	2.09	128.69	124.88
3	C	142	HEM	CMD-C2D-C3D	2.23	129.15	124.94
3	A	142	HEM	CMC-C2C-C3C	2.36	129.19	124.88
4	B	147	HEG	CHA-C4D-C3D	2.64	124.28	116.91
3	A	142	HEM	CAA-CBA-CGA	3.10	117.96	112.66
4	B	147	HEG	C3B-C4B-NB	3.21	109.14	103.55
3	C	142	HEM	CMA-C3A-C2A	3.34	131.24	124.94
3	C	142	HEM	CAD-CBD-CGD	3.39	118.46	112.66
4	B	147	HEG	CAA-CBA-CGA	3.41	118.49	112.66
4	D	147	HEG	C3B-C4B-NB	3.77	110.11	103.55
4	D	147	HEG	CMD-C2D-C3D	3.81	128.48	115.91
4	D	147	HEG	CHA-C4D-C3D	3.85	127.66	116.91
4	B	147	HEG	CMD-C2D-C3D	4.14	129.57	115.91
4	B	147	HEG	C4D-CHA-C1A	4.49	121.94	112.37
4	B	147	HEG	C4B-CHC-C1C	4.97	122.96	112.37
4	D	147	HEG	C1D-CHD-C4C	5.00	123.02	112.37
4	D	147	HEG	C1B-CHB-C4A	5.32	123.70	112.37
4	B	147	HEG	C1B-CHB-C4A	5.43	123.94	112.37
4	D	147	HEG	C4B-CHC-C1C	6.00	125.16	112.37
4	B	147	HEG	CMB-C2B-C3B	6.63	129.12	113.69
4	D	147	HEG	C4D-CHA-C1A	6.80	126.85	112.37
4	D	147	HEG	CMB-C2B-C3B	7.17	130.37	113.69
4	B	147	HEG	C1D-CHD-C4C	7.84	129.08	112.37

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	142	HEM	3	0
4	B	147	HEG	2	0
3	C	142	HEM	2	0
4	D	147	HEG	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.